

No. 6457.1

1951-53



GIVEN BY

MASS. SEC.

HEALTH

191
#6437.1
1951-1953
The Commonwealth of Massachusetts

OFFICE OF THE SECRETARY

DIVISION OF VITAL STATISTICS

ANNUAL REPORT

ON THE

VITAL STATISTICS OF MASSACHUSETTS

BIRTHS, MARRIAGES, DIVORCES AND DEATHS

FOR THE YEAR ENDING DECEMBER 31, 1951

PREPARED AND DISTRIBUTED BY

EDWARD J. CRONIN

Secretary of the Commonwealth



7463



The Commonwealth of Massachusetts

OFFICE OF THE SECRETARY

DIVISION OF VITAL STATISTICS

ANNUAL REPORT

ON THE

VITAL STATISTICS OF MASSACHUSETTS

BIRTHS, MARRIAGES, DIVORCES AND DEATHS

FOR THE YEAR ENDING DECEMBER 31, 1951

PREPARED AND DISTRIBUTED BY

EDWARD J. CRONIN

SECRETARY OF THE COMMONWEALTH

EDITED BY

ARTHUR J. HASSETT

STATE REGISTRAR OF VITAL STATISTICS



PUBLICATION OF THIS DOCUMENT APPROVED BY GEORGE J. CRONIN, STATE PURCHASING AGENT

CONTENTS

EDITORIAL REVIEW OF THE VITAL STATISTICS OF MASSACHUSETTS: 1951

MORTALITY STATISTICS.

	PAGE
INTRODUCTION	3-13
General mortality	3-6
Death registration	3
Purpose	3
Importance of death records	4
Mortality statistics	4
Source of data	4
Occupations	4
Death rates and their comparability	4
Allocation	5
Number of deaths and death rates	5
Sex	5
Age	5
Sex and age	5, 6
Marital condition	6
Seasonal distribution of deaths	6
Infant mortality	6, 7
Cause of death	7-12
Sources of error in mortality statistics	7
Principal causes of death	7-12
Deaths investigated by medical examiners	12, 13
Source of data	12
Number of deaths investigated	12
Autopsies	12
Cause of death	12, 13
STATISTICAL TABLES	14-265
General mortality	14-253
TABLE 1.—Registered and allocated deaths in cities and towns, by sex, population, and death rates in each county, city and town: 1951	14-19
TABLE 2.—Deaths by sex and age, in each county; and in municipalities having over 10,000 inhabitants: 1951	20-29
TABLE 3.—Mortality of males and females: 1927 to 1951	30
TABLE 4.—Deaths at specified ages: census years 1925 to 1950	30
TABLE 5.—Per cent of deaths at specified ages—both sexes: 1927 to 1951	31
TABLE 6.—Male deaths per 1,000 female deaths at specified ages: 1948 to 1951	31
TABLE 7.—Deaths of males and females at specified ages: 1942 to 1951	32
TABLE 8.—Deaths by sex, age, and marital condition: 1951	33
TABLE 9.—Deaths in counties, and in cities having over 50,000 inhabitants, by months: 1951	33
TABLE 10.—Deaths, live births, deaths under 1 year, deaths under 1 month and rates per 1,000 population and per 1,000 live births: 1900 to 1951	34
TABLE 11.—Deaths allocated from each cause and class of causes, according to the detailed International List by months and sex: 1951	35-65
TABLE 12.—Deaths allocated from each cause and class of causes, according to the detailed International List, by sex and 5-year age periods: 1951	66-125
TABLE 13.—Deaths of residents out of State dying in Massachusetts from each cause and class of causes, according to the detailed International List, by months and sex and by age and sex: 1951	126-149
TABLE 14.—Deaths of residents of Massachusetts dying out of State, from each cause and class of causes, according to the detailed International List by months and sex and by age and sex: 1951	150-165
TABLE 15.—Deaths from important causes in each county and municipality: 1951	166-192
TABLE 16.—Registered deaths from important violent causes by place of occurrence: 1951	194-203
TABLE 17.—Accidental deaths, according to type of accident, by months and sex: 1951	204, 205
TABLE 18.—Accidental deaths, according to type of accident by age and sex: 1951	206, 207
TABLE 19.—Deaths allocated from important causes by occupations: 1951	208-235
TABLE 20.—Deaths, death rates per 100,000 population, and per cent distribution by each cause and class of causes according to the Abridged International List: 1945 to 1951	236, 237
TABLE 21.—Deaths and death rates per 100,000 population from important causes: 1900 to 1951	238, 239
TABLE 22.—Deaths produced by external causes: 1912 to 1951	240
TABLE 23.—Death rates per 100,000 population based on annual average number of deaths for the five year period of which the census year is the median year: census years 1910 to 1945	240
Infant mortality	241-249
TABLE 24.—Deaths under 4 weeks of age; also under 1 year of age, by sex, in the State and each municipality: 1951	241-243
TABLE 25.—Infant and maternal deaths and death rates, for the State and counties: 1951	243
TABLE 26.—Infant deaths per 1,000 live births in municipalities having over 15,000 inhabitants in 1950: 1944 to 1951	244
TABLE 27.—Birth rates, death rates, natural increase, infant mortality rates, and survivorship in municipalities having over 15,000 inhabitants in 1950: 1951	245
TABLE 28.—Infant mortality in Massachusetts, Boston, and the remainder of the State outside Boston: 1935 to 1951	246
TABLE 29.—Survivors at end of first year of life per 1,000 population and per 1,000 live births: 1926 to 1951	246

STATISTICAL TABLES—*Concluded.*

PAGE

Infant mortality—*concluded.*

TABLE 30.—Infant deaths per 1,000 live births, by causes: 1944 to 1951	246
TABLE 31.—Deaths under 2 years of age from diarrhea and enteritis, by months: 1944 to 1951	247
TABLE 32.—Deaths from important causes for certain subdivisions of the first year of life, for the State: 1951	248
TABLE 33.—Deaths from important causes for certain subdivisions of the first year of life, for Boston: 1951	249
Deaths from special causes	250-252
TABLE 34.—Deaths from lobar pneumonia, by months, in municipalities having over 10,000 inhabitants in 1950: 1951	250
TABLE 35.—Deaths from bronchopneumonia, by months, in municipalities having over 10,000 inhabitants in 1950: 1951	251, 252
Maternal mortality	252, 253
TABLE 36.—Deaths and death rates per 100,000 population, and per 100,000 female population, from diseases caused by pregnancy and confinement: 1927 to 1951	252
TABLE 37.—Death rates per 10,000 confinements, per 10,000 births, and per 10,000 live births, from diseases caused by pregnancy and confinement: 1927 to 1951	253
Deaths investigated by medical examiners	254-265
TABLE 38.—Deaths (inclusive of stillbirths) due to violence and other causes, investigated by medical examiners, by causes, sex, and months, and by causes, sex, and age: 1951	254-263
TABLE 39.—Deaths (inclusive of stillbirths) due to violence and other causes, investigated by medical examiners in each county, by causes: 1951	264, 265
TABLE 40.—Deaths (inclusive of stillbirths) investigated and autopsies made by medical examiners in each county: 1942 to 1951	264, 265

BIRTH STATISTICS.

INTRODUCTION	266-269
Birth registration	266
Importance of birth records	266, 267
Adoptions	267
Records impounded	268
Treatment of infants' eyes after birth	268
Allocation	268
Live births	268
Birth rate	268
Changes in birth rate	268
Stillbirths	268
Birth rates, highest	268, 269
Sex proportion at birth	269
Plural births	269
Natural increase	269
STATISTICAL TABLES	270-283
TABLE 41.—Registered and allocated live births in cities and towns by sex; and birth rates per 1,000 population, in each county, city and town: 1951	270-274
TABLE 42.—Live births by month of birth in counties, and in cities having over 50,000 inhabitants: 1951	275
TABLE 43.—Plural births and stillbirths, by sex, in each county and municipality: 1951	276-280
TABLE 44.—Live births and birth rates for the State and cities having over 100,000 inhabitants in 1950: 1900 to 1951	281
TABLE 45.—Live birth rates per 1,000 population, excess of births over deaths, natural increase per 1,000 population; and by sex and sex proportions: 1900 to 1951	282
TABLE 46.—Plural births (cases of twins and triplets), and stillbirths by sex, per 1,000 live births: 1900 to 1951	283

MARRIAGE STATISTICS.

INTRODUCTION	284, 285
Marriage registration	284
Source of data	284
Decrease of marriages	284
Solemnization	284, 285
Accuracy	285
Purpose, marriage requirements	285
STATISTICAL TABLES	286-296
TABLE 47.—Marriages, classified by nativity and residence of bride and groom, in each county and municipality: 1951	286-290
TABLE 48.—Marriages by sex, age, and marital condition: 1951	291
TABLE 49.—Marriages by months, in counties, and in cities having over 50,000 inhabitants in 1950: 1951	291
TABLE 50.—Marriages in each county, by sex and age: 1951	292, 293
TABLE 51.—Marriages, by sex and age: 1951	294
TABLE 52.—First marriages, by sex and age: 1951	294
TABLE 53.—First marriage of grooms and remarriages of brides, by age: 1951	295
TABLE 54.—Remarriages of grooms and first marriages of brides, by age: 1951	295
TABLE 55.—Remarriages of both parties, by age: 1951	295
TABLE 56.—First marriages and remarriages: 1951	296
TABLE 57.—Marriages, marriage rates, and nativity of persons married: 1927 to 1951	296
TABLE 58.—Marriages and marriage rates in the State, and in cities having over 100,000 inhabitants in 1950: 1927 to 1951	296

DIVORCE STATISTICS.

PAGE

INTRODUCTION	297, 298
Causes for divorce	297
Source of data	297
Applications for divorce	297
Contested cases	297
Number of divorces	297
Divorce rates	297, 298
Party to which granted	298
Divorces classified by causes	298
Annulled cases	298
Duration of marriages	298
STATISTICAL TABLES	299-317
TABLE 59.—Libels for divorces granted, refused, dismissed, contested, and not contested, and number of years libellants were married, by statutory causes and sex of libellant: The State—1951	299
A. Barnstable County	300
B. Berkshire County	301
C. Bristol County	302
D. Dukes County	303
E. Essex County	304
F. Franklin County	305
G. Hampden County	306
H. Hampshire County	307
I. Middlesex County	308
J. Nantucket County	309
K. Norfolk County	310
L. Plymouth County	311
M. Suffolk County	312
N. Worcester County	313
TABLE 60.—Number and per cent of divorces granted to husbands and to wives: 1927 to 1951	314
TABLE 61.—Divorces granted, number and per cent increase in each five-year period over preceding five-year census period: 1925 to 1949	314
TABLE 62.—Comparison of increase in divorces and divorce rates with increase in population: 1925 to 1950	314
TABLE 63.—Divorce rates based on total population and on married population: census years, 1920 to 1945	314
TABLE 64.—Annual average number of divorces in the State and in each county: census years, 1925 to 1945	315
TABLE 65.—Divorces granted for specified causes for 25 years: 1927 to 1951	315
TABLE 66.—Statutory causes for divorce: 1927 to 1951	315
TABLE 67.—Applications for divorce: 1927 to 1951	316
TABLE 68.—Divorces granted, classified by cause and party to which granted: 1951	316
TABLE 69.—Libels for divorce granted and not granted, contested and not contested classified by party to which granted: 1951	316
TABLE 70.—Number of years libellants were married at time of application for divorce: 1927 to 1951	317

POPULATION STATISTICS.

Introductory	318
Estimated population	318
STATISTICAL TABLES	319, 320
TABLE 71.—Census population of municipalities having over 15,000 inhabitants in 1950: 1925 to 1950	319
TABLE 72.—Estimated population by age and sex: July 1, 1951	320

APPENDIX.

International classification of causes of death	321-333
1. Detailed International List	321-332
2. Abbreviated List	333

LETTER OF SUBMITTAL

THE COMMONWEALTH OF MASSACHUSETTS,
OFFICE OF THE SECRETARY,
DIVISION OF VITAL STATISTICS.

Boston, March 3, 1952.

To the Honorable Senate and House of Representatives:

I have the honor to submit herewith, as required by Chapter 46, section 21, and Chapter 208, Section 47, of the General Laws, the one hundredth and tenth annual report on statistics of births, marriages, divorces and deaths in Massachusetts, for the calendar year 1951. Deaths are reported monthly while births, marriages, and statistics of divorce are not required to be reported until March, April and May of the year following that in which the events occur.

The editorial review and the method of presentation of the statistical data were prepared by Arthur J. Hassett, State Registrar, in charge of the Division of Vital Statistics. The statistical tables were prepared under the direction of Elizabeth M. Canty, statistician of the division. The exhibition of tabular results is restricted to such as are plainly of practical utility within the meaning of the statute by authority of which the tables are prepared.

Respectfully submitted,

EDWARD J. CRONIN,

Secretary of the Commonwealth



Editorial Review of the Vital Statistics of Massachusetts, 1951

BY ARTHUR J. HASSETT, STATE REGISTRAR OF VITAL STATISTICS.

MORTALITY STATISTICS

	PAGE
Introduction	3-13
General mortality	3-6
Death registration	3
Purpose	3
Importance of death records	4
Mortality statistics	4
Source of data	4
Occupations	4
Death rates and their comparability	4
Allocation	5
Number of deaths and death rates	5
Sex	5
Age	5
Sex and age	5, 6
Marital condition	6
Seasonal distribution of deaths	6
Infant mortality	6, 7
Causes of death	7-12
Sources of error in mortality statistics	7
Principal causes of death	7-12
Deaths investigated by medical examiners	12, 13
Source of data	12
Number of deaths investigated	12
Autopsies	12
Cause of death	12, 13
Statistical tables	14-265

INTRODUCTION

History.

Death Registration. — Massachusetts was one of the first colonies to recognize the importance of the registration of vital statistics, and as early as 1639 required registration of births, marriages and deaths; in 1842 statutes required copies to be filed with the Secretary of the Commonwealth. In 1880 the registration area for deaths recognized by the United States Bureau of the Census, i.e., the States, and cities in other States, effectively enforcing satisfactory registration laws of all deaths registered, included but two States, Massachusetts and New Jersey, the District of Columbia, and a number of cities in non-registration States.

During the period 1841 to 1951 inclusive, 4,427,701 copies of deaths have been received, filed, and tabulated in the Division of Vital Statistics. The original records are on file in the cities, towns and States in which the events occurred and copies in the city and town given as the residence of the deceased at the time of death. Chapter 439, Acts of 1945, provides that in cases of burial of war veterans in a city or town other than the place of death or residence, a copy of the death certificate shall also be filed with the Clerk of the place of burial.

Purpose. — Death registration often gives the first intimation of pestilential disease, permitting health officers to attack epidemics in their incipency. It serves as evidence in the inheritance of property and in the settlement of life insurance. It is useful in preventing crime through the restriction placed upon the disposal of dead human bodies, and insures a permanent and uniform record of the death of each individual for all purposes.

Importance of Death Records. — Where proof concerning death is needed:

1. To prove the fact of death: For life-insurance claims; for liquidation of estates.
2. To prove facts about the deceased: For tracing ancestry; for names of husband or wife, and parents; for information on circumstances and cause of death; for age, sex, and race; for recording date and place of interment.
3. To prove date of death: For settlement of pensions; for insurance adjustments; for general legal use.

Mortality Statistics. — Mortality statistics, or statistics of deaths, are useful in showing the extent and rate of change in population produced by deaths; the average duration of life, the relative frequency with which the several causes produce death, and for their service in creating an interest in public health administration and securing support for sanitary measures. In comparison with birth statistics they give useful information regarding population increase or decrease. Mortality statistics, however, cannot be used as an index of the prevalence of certain diseases, because there is no fixed ratio between sickness and fatality. Only cases of fatal sickness or disease are given, while morbidity statistics include all cases, whether fatal or not.

Source of Data. — Mortality statistics are based upon original data obtained by the registration of deaths, which is accomplished by the filing of a standard death certificate with the local Board of Health.

The responsibility for seeing that a certificate is properly made out and filed rests with the undertaker, who is required by law to present a satisfactory certificate of death before he may obtain a permit to remove or bury a body. The local boards of health are required to transmit the death certificates to the city or town clerks who in turn record the deaths and are required to transmit certified copies to the Secretary of the Commonwealth on or before the tenth day of the month following that in which the deaths occurred. Hospitals and other institutions are required to obtain, when persons are received, the facts which are required for record in the event of the deaths of such persons. Chapter 604, Acts of 1949, relates to the burial or other disposition of the bodies of veterans.

Occupations. — Great interest is shown in the study of occupations in connection with cause of death due to the fact that many industries have adapted newer types of machines that give employment to large numbers and may have increased occupational risks. Table 19 has been prepared from the list of occupations published by the Bureau of the Census showing the number of those gainfully employed who died from important causes; and, since large numbers of women have entered the industrial field during the last decade, the Table shows sex as well.

Death Rates and Their Comparability. — The death rates given in this report are based upon the comparison of total deaths with the aggregate population. They are usually expressed in terms of the number of deaths per 1,000 population, and are calculated by dividing the total number of deaths by the population in thousands. This means that death rates vary with the character of the population and each element has its relation to the rate of mortality, and therefore, for comparison with other States or countries, the make-up of the population must be considered. The death rate per 1,000 males is generally higher than the rate per 1,000 females. Hence, a State having a relatively larger female population than another will normally show a lower death rate and a community where the very young or old predominate will show a higher rate than a community made up largely of young adults. Rates will also vary with the color and nationality of the inhabitants.

Factors which seriously affect the comparability of the death rates of different communities are: (1) race composition; (2) the social, marital, and economic status of the people; (3) employment; (4) migration; and (5) the birth rate.

Allocation. — Deaths are charged to the place of event and also are allocated to the place of residence of the deceased. This insures as near a true rate as possible and has a marked effect on municipalities which are large hospital centers. The usual place of residence has been used as a basis for all deaths occurring outside the State as well as for those in the State. Except for purposes of allocation former residents of Massachusetts who have died in other States, after an absence from Massachusetts of more than one year, are considered as non-residents. Residents of other States who have resided in Massachusetts for more than one year are considered as residents. In the case of institutions and jails deaths have been allocated to the place of residence before entrance. Such persons are regarded as temporary residents of these places since they did not voluntarily enter with the intention of remaining and without doubt would have returned, if discharged, to their usual residence. Accidental deaths have been treated in the same manner as those caused by sickness. Also, those deaths due to violence have been allocated to the place of occurrence (see Table 16, page 194). The foregoing outline does not by any means cover all cases that may and will arise but will serve as an explanation of the method used in preparation of allocated tables.

Number of Deaths and Death Rates. — There was an increase in the mortality of 1951 as compared with that of 1950, the number of deaths occurring in the State during the calendar year 1951 being 53,572, an increase as compared with 1950 of 2,481. Based on the estimated population of July 1, 1951, of 4,737,238, these deaths correspond to a rate of 11.3 per 1,000 population. The rate for 1950 was 10.9. Deaths of residents of Massachusetts numbered 52,940 in 1951, resulting in a death rate of 11.2 per 1,000 inhabitants.

During the ten-year periods, from 1932 to 1941, inclusive, the average death rate of the Commonwealth was 11.6, and from 1942 to 1951, inclusive, 11.4.

Sex. — Of the 53,572 deaths in 1951, 28,497, or 53.2 per cent, were males, the percentage in 1950 being 53.4. The proportion of males in the living population, as shown by the United States Census of 1940, was 48.7 per cent. Expressed as a ratio, there were 1,136 deaths of males per 1,000 deaths of females in 1951, as compared with 1,147 in 1950, 1,141 in 1949 and 1,139 in 1948 and 1947. Of the 52,940 residents of the State who died in 1951, 28,189, or 53.2 per cent, were males.

Table 3 on page 30, shows that the death rate of males has been consistently greater than the death rate for females. The death rate of the sexes has fluctuated considerably, reaching the maximum in 1918, when the difference was 3 per 1,000.

Age. — Of the 52,940 deaths in 1951 of residents of the State, 2,184, or 4.1 per cent were of infants under 1 year of age. The rates for infant deaths in previous years were 4.5 per cent in 1950 and an average of 5.2 per cent for the five years from 1946 to 1950, 5.1 per cent for the five years from 1941 to 1945 and 5.5 per cent for the five years from 1936 to 1940. A more detailed discussion of infant mortality may be found on pages 6 and 7.

Sex and Age. — The death rate of adult males might be expected to exceed the rate of adult females, because of the more dangerous occupations of the males, but the excess in the death rate of male infants as compared with female infants has never been satisfactorily explained. Of the 2,184 decedents under 1 year of age in 1951, 1,257, or 57.6 per cent, were males. The ratio of male to female deaths among the higher age periods fluctuated somewhat. The proportion of male deaths was the larger from 1 year of age up to and including the age period 70 to 74 years. From the age of 75 years and upward the number of deaths of females exceeded the deaths of males including the reputed centenarians, numbering 34, of whom 7 were males and 27 were females. The excess of females in the population 65 years of age and over is so great that even though their mortality at each age period is below that of males, the absolute number of deaths is greater. The ratios of male deaths per 1,000 deaths of females at the various age periods in the four years 1948-1951 are shown in Table 6, on page 31.

Among the 28,189 male decedents in 1951, 1,257, or 4.5 per cent, were under 1 year of age; among the 24,751 female decedents, 927, or 3.7 per cent, were under 1 year of age; and among the decedents of both sexes, 4.1 per cent were under 1 year of age (see Table 7, page 32).

Marital Condition. — Not quite one-half (45.8 per cent) of the decedents 15 years of age and over, whose marital condition was reported in 1951 were married, 16.4 per cent were single, 35.5 per cent were widowed, 2.2 per cent were divorced and .1 per cent were unknown. Among the male decedents 57.6 per cent were married, 15.3 per cent were single, 24.1 per cent were widowed, 2.8 per cent were divorced and .2 per cent were unknown. Among the female decedents 32.5 per cent were married, 17.6 per cent were single, 48.2 per cent were widowed, 1.7 per cent were divorced, and less than one-tenth of one per cent were unknown. No precise study of the bearing of marital condition on mortality statistics can be made, however, without a detailed statement of the age distribution of the population. The age groups used in the census statistics do not coincide with the age groups used in the tabulation of death statistics, so that the two sets of figures cannot be used together. Table 8, on page 33 shows the number of deaths of males and females 15 years of age and over by marital condition.

Seasonal Distribution of Deaths. — The largest number of deaths during any month occurred in March (5,310) and the next largest number in February (4,887) and December (4,782). Since the months are not of equal length, the monthly incidence must be reduced to a uniform basis. The average daily number of deaths for 1951 was 145. The months showing the highest average for the year were February (175), March (171) and December (154). Table 9, on page 33, shows the number of deaths in each month of 1951, in counties, and in cities having over 50,000 inhabitants in 1950.

Infant Mortality.

Much credit is due to physicians, hospitals, public health officials and mothers for the gratifying results obtained in their campaign against infantile diseases. The present low rate of infant mortality, together with the steadily declining rate over a long period of years, is largely due to the constantly improving methods of infant feeding and the continued developments in community and home sanitation.

The infant mortality for residents of the State in 1951 was 21.9 per 1,000 live births. This rate has been moving steadily downward being largely due to the reduction in deaths from gastro-intestinal, respiratory and communicable diseases. Reference to Table 28 on page 246, shows in striking manner the remarkable reduction in infant mortality, actual decrements without regard for increase in the number of births and without regard for increase in population.

In the ten years from 1942 to 1951, there has been an increase of 19.3 per cent in the number of live births registered. In 1951 deaths of Boston residents under 1 year of age numbered 408 or 25.5 per 1,000 live births. The rates for previous years were 25.4 in 1950, 25.5 in 1949, 34.3 in 1948 and 36.1 in 1947. In the ten years from 1942 to 1951 there has been an increase of 1,925 in the number of live births registered. For the remainder of the State, the number of births registered increased 22.1 per cent during this period. The infant mortality rates for the State, exclusive of Boston, decreased from 50.9 per 1,000 live births in 1932 to 22.3 in 1951, as compared with a decrease in Boston from 59.3 in 1932 to 25.5 in 1951. (See Table 28, on page 246.)

Deaths under four weeks and also under one year of age in each municipality are shown in Table 24, on pages 241 to 243.

The infant mortality rates in municipalities having 15,000 or more inhabitants in 1950 are shown for the years 1944 to 1951 in Table 26, on page 244.

The highest proportion of deaths occurs in the early period of infancy and especially is this true of the first few days. In 1951, 1,563 deaths occurred in the first week, constituting 71.6 per cent of all deaths under 1 year of age. On the first day the percentage of deaths (43 per cent) was higher than on any other day. In the first four weeks of life there were 1,710 deaths, or 78.3 per cent of all infant deaths.

In the first three months there were 1,886 deaths, or 86.4 per cent of all infant deaths. Ninety-three per cent of the infant deaths occurred in the first half of the year.

More than nine-tenths, 91.2 per cent, of the 1,563 babies who died less than one week after birth, died of immaturity, postnatal asphyxia and atelectasis, malformations, or injuries received at birth. Of the 1,692 babies who died from these causes before reaching the age of 1 year, 48.9 per cent died in less than one day, 84.3 per cent died in less than one week, and 90.2 per cent died in less than four weeks.

Diseases of the digestive system, formerly important factors in causing infant deaths, claimed 50, or 2.3 per cent of the babies who died before reaching 1 year of age. Fifty per cent of these deaths were from diarrhea and enteritis which has shown a remarkable decrease since 1900.

The largest number of deaths of infants is due to developmental and wasting diseases, and the figures indicate a reduction in infant mortality due to these causes, — from 27.5 deaths per 1,000 live births in 1927 to 10.6 in 1951. Respiratory diseases also caused a considerable number of deaths. The number of infant deaths from bronchopneumonia has fluctuated somewhat since 1947 when there were 220 infant deaths from this cause, 154 in 1948, 106 in 1949, 86 in 1950 and 72 in 1951. The principal causes of infant deaths for the years 1944 to 1951 are shown in Table 30, page 246.

Causes of Death.

Sources of Error in Mortality Statistics. — The chief element of error in mortality statistics lies in the inaccuracy of the statement of the cause of death as reported by the attending physician, who may not have been in a position to feel reasonably certain as to the nature of the terminal illness. Statements of cause of death are often incomplete as a result of the unintentional failure of the physician to state all the morbid conditions known to him which resulted in the death. Again, the physician sometimes fails to enter on the death certificate a qualifying term, which if given would modify the classification of the cause of death. Beginning with 1949, the 1948 or sixth revision of the Manual of International List of Causes of Death was used in the assignment of causes of death.

It should also be borne in mind that the process of classifying the thousands of different terms — some of them of a very indefinite or unsatisfactory character — under the 900 or more titles of the International List of Causes of Death presents many difficulties which are seldom fully appreciated by those who have not engaged in the work of classification. Even if each certificate of death received during 1951 bore only a single cause, the process would present many difficulties. Many certificates, however, bear statement of two or more causes instead of one and a system of selection, according to the precedents and rules of the Expert Committee of the World Health Organization, has been adopted by the United States Bureau of the Census, and is used in the Division of Vital Statistics. Because of the complications attendant upon any attempt to show all primary and secondary terms in relation, it becomes necessary to base all statistical compilations of causes of death on the selection of the underlying cause of death as stated by the certifying physician, except in instances where the order of entries on the medical certificate is obviously erroneous. The medical certificate, recently adopted, permits the certifying physician or surgeon to signify more clearly the order of events leading up to death. This means that when two or more morbid conditions are given on a certificate one of them must be selected as the cause under which the death must be classified. Special weight has usually been given to communicable diseases when combined with other causes, and assignments are made to external causes when serious enough to be a factor in the cause of death.

Principal Causes. — Nearly three-fourths of the 52,940 resident deaths reported in 1951 were caused by diseases of the heart, cancer, cerebral hemorrhage (including embolism and thrombosis), pneumonia and nephritis. These diseases, together with tuberculosis in all forms, external causes, malformations and the diseases of early infancy caused 85.3 per cent of the deaths for the year. There

were 53,572 registered deaths in 1951, the allocated rate being 11.2 and the registered rate, 11.3. Table 21 on pages 238 and 239 shows the number of residents of the State who died from these causes.

Heart Disease, as usual was the leading cause of resident deaths in 1951, the total number being 22,930, corresponding to a rate of 484.0 per 100,000 population as compared with 21,352 deaths, or 454.3 per 100,000 in 1950. Deaths from heart disease, reported as having occurred in Massachusetts numbered 23,074, or 487.1 per 100,000 population.

Cancer and other Malignant Neoplasms.—Cancer ranked second in numerical importance among all the causes of death. The resident deaths from cancer were 8,666, the rate being 182.9 per 100,000 population, with cancers of the digestive organs and peritoneum claiming 42.9 per cent of these deaths, cancer of the genito-urinary organs 18.6 per cent; breast 10.5 per cent; respiratory system 9.4 per cent; hematopoietic and lymphatic tissues 7.3 per cent; buccal cavity and pharynx 2.6 per cent; and 8.7 per cent were of other or unspecified organs. The death rate from cancer has steadily risen from 89.6 in 1910 to 183.1 in 1948, an all-time high, with the first decreases during the last twenty-five years, 171.6, 170.6, 180.9 and 182.9 occurring in 1945, 1946 and 1949 to 1951 respectively. It is possible that at least a part of this increase is due to more correct diagnosis and greater care on the part of the physicians in making reports, but a part at least is due to the lengthened span of life, resulting in a larger number of people reaching the older age groups.

Among the male deaths the per cent distribution was as follows: digestive organs and peritoneum 45.9; genito-urinary organs 16.5; breast .2; respiratory organs 15.3; hematopoietic and lymphatic tissues 8.4; buccal cavity and pharynx 4.3 and other or unspecified organs 9.4. The per cent distribution of the female deaths was as follows: digestive organs and peritoneum 40.1; genito-urinary organs 20.5; breast 20.2; respiratory system 3.8; hematopoietic and lymphatic tissues 6.4; buccal cavity and pharynx 1 and other or unspecified organs 8.

Of cancer of the digestive organs and peritoneum, cancer of the stomach claimed the largest number of males, 15.5 per cent, while cancer of the intestines claimed 19 of the females. Among the deaths from cancer of the genito-urinary organs, 23.3 per cent were of the prostate gland and 29.5 per cent were of the uterus. More than three-fourths of the deaths from cancer of the lungs and bronchus were of males, 77.6 per cent, while 22.4 per cent were of females. In the buccal cavity group cancer of the pharynx was responsible for 30.5 per cent of the male deaths and for 7.2 per cent of the female deaths. More than one-half, 54.3 per cent of the deaths from cancer of the skin were of males; while 45.7 per cent were females. Of the resident deaths from cancer slightly more than one-half, 51.5 per cent were of females.

Registered deaths from cancer showed an increase of 67 and a total of 8,929 in 1951, corresponding to a death rate of 188.5 as compared with 188.6 in 1950.

Cerebral Hemorrhage, Cerebral Embolism and Thrombosis were the causes of 5,660 deaths of residents, or 119.5 per 100,000 population. The death rate from these diseases has increased somewhat, being 101.5 in 1947, 105.8 in 1948, 113.4 in 1949 and 115.5 in 1950. These diseases caused 5,714 registered deaths, corresponding to a rate of 120.6 per 100,000 population.

Pneumonia (including bronchopneumonia) caused 1,271 resident deaths in 1951, or 26.8 per 100,000 population, as compared with 1,009 deaths, or 21.5 per 100,000 population in 1950. It also was responsible for 1,276 deaths occurring in the State with a rate of 26.9 per 100,000 population.

Nephritis, all forms, was the cause of 728 deaths of Massachusetts residents in 1951, corresponding to a rate of 15.4 per 100,000 population, as compared with 15.6 in 1950, 18.4 in 1949, 40.4 in 1948, 43.7 in 1947 and an average rate of 54.7 for the five years from 1942 to 1946. The great decrease in these deaths is accounted for by the fact that, under the new classification of causes of death, nephritis is now included with arteriosclerotic and hypertensive heart diseases. Deaths recorded in the State from nephritis, numbered 744 or 15.7 per 100,000 population.

Tuberculosis in its various forms claimed 895 victims in 1951, of whom 840 died from tuberculosis of the respiratory system. Deaths due to the latter cause constituted 1.6 per cent of all resident deaths during the year, the rate being 17.7 per 100,000 population. In 1910 the death rate from tuberculosis of the respiratory system was 133.2. Since then the decline has been continuous from year to year with the exception of 1918 when the rate was 130. However, this disease has fluctuated during recent years, there being an increase of .6 in 1940, .8 in 1941 and .5 in 1946 over the preceding years respectively. Tuberculosis (all forms) was responsible for 921 deaths registered in Massachusetts including 867 deaths from tuberculosis of the respiratory system. The rates for the latter disease were 1.6 per cent of all deaths during the year and 18.3 per 100,000 population.

Diabetes was the cause of 1,060 deaths of Massachusetts residents in 1951, an increase of 18 over those reported in 1950 and was responsible for a rate of 22.4 per 100,000 population. The rate from this disease has shown a steady increase from 20.0 to 37.9 per 100,000 population for the twenty-five years from 1926 to 1950, but since the latter year, has decreased, as may be seen from the following rates: 1950, 22.2; 1949, 23.8; 1948, 37.2; 1947, 35.8 and 1946, 35.0. Nearly two-thirds, 62.5 per cent, of the resident deaths from diabetes were of females, with the age period 65 to 74 years having the greatest number, 22.7 per cent; of the males 12.1 per cent were in the same age periods. This disease attacked persons 50 years of age and over most severely and these age groups claimed 92.1 per cent of diabetic deaths, 63.9 per cent being females and 36.1 per cent males. Deaths from diabetes reported as having occurred in the State numbered 1,068 or 22.5 per 100,000 population.

Congenital Debility and Malformations, including immaturity, caused 1,155 resident deaths in 1951, corresponding to a rate of 24.4 per 100,000 population. The death rates from these causes have shown a steady decline from 109.2 in 1910 (with the exception of 1912, 114.2) to 24.4 in 1951. There were 1,197 registered deaths from these diseases resulting in a rate of 25.3 per 100,000 population.

Alcoholism and Cirrhosis of the Liver (specified as alcoholic, etc.) were responsible for 819 resident deaths in 1951, corresponding to a rate of 17.3 per 100,000 population. Of these 84 were due to alcoholism which is a decrease of 17 from those reported in 1950, corresponding to a rate of 1.8 per 100,000 population. These diseases caused 821 deaths in Massachusetts with a rate of 17.3 per 100,000 population. Alcoholism claimed 81 of these, or 1.7 per 100,000 population.

Maternal Mortality. — Deaths from puerperal causes of residents of the State in 1951 totaled 35 corresponding to a rate of 3.5 per 10,000 confinements. This rate was a decrease from 1950, the rate being 5.3 and 6.1 for 1949.

Puerperal septicemia was responsible for 5 resident deaths not including 2 due to abortion with septic conditions, the rates for this cause in 1951 being .5 per 10,000 confinements. In 1950 the rate was .6 and in 1949, 1.7. Of the deaths from these causes 1 was from 15 to 19 years of age, 2 were from 20 to 29 years of age, 1 was from 30 to 39 years of age, and 1 was from 40 to 49 years of age.

Diarrhea and Enteritis caused 68 deaths of residents in 1951, or 1.4 per 100,000 population. Forty-four and one-tenth per cent of the total number of deaths charged to these causes in 1951 were of infants under 2 years of age. The rates from this cause for all ages were 5.7 in 1947, 4.2 in 1948, 2.0 in 1949 and 1.8 in 1950. During 1951 registered deaths totalled 71 from these causes, or 1.5 per 100,000 population. The number of infants under 2 years of age was 32 or 45.0 per cent of the total number claimed by these diseases.

Principal Communicable Causes. — The deaths from epidemic and infectious diseases have shown a great decline in the last 25 years. While certain of these diseases have fluctuated considerably during this period they have, on the whole, shown a steady decrease.

Influenza was responsible for 85 deaths of Massachusetts residents, or 1.8 per 100,000 inhabitants, as compared with 2.8 in 1946, 1.2 in 1947 and 1948, and .6 in 1949 and 1950. The number of registered deaths was the same in 1951. In 1918 there were 13,783 deaths from this cause, corresponding to a rate of 352.7 per 100,000 population. Since 1921 this rate has fluctuated between .6 in 1949 and 27.9 in 1929.

Whooping Cough, one of the principal epidemic maladies of childhood, was responsible for 3 deaths of both adults and children, the number of registered deaths being the same or .1 per 100,000 population. This is a decrease of 8 deaths from those reported in 1950.

Measles, another childhood disease, caused 5 resident deaths in 1951, or one-tenth of one per 100,000 population. This rate was less than one-tenth of one in 1950, .3 in 1949, .4 in 1948 and .3 in 1947. The total number and rate for deaths occurring in Massachusetts were the same in 1951.

Scarlet Fever. — There were no deaths from scarlet fever in 1951. The rates have changed from year to year during the period 1926 to 1951, the highest being 3.4 in 1927 and the lowest, less than one-tenth of one in 1946, 1948 and 1949. There were no registered deaths from this cause in 1951.

Diphtheria and Croup — which are classed together in the statistics, but practically all of which are diphtheria — numbered 8 or .2 per 100,000 population. There has been a decided decrease in this disease since 1900 when the number of deaths was 1,475, with a corresponding rate of 52.6 per 100,000 inhabitants. This rate was .2 in 1950, .9 in 1949, .6 in 1948, .3 in 1947 and .8 in 1946. The total and rate for deaths registered in the State were the same in 1951.

Epidemic Cerebrospinal Meningitis claimed 12 victims in 1951, as compared with 14 in 1950, 9 in 1949, 16 in 1948 and 12 in 1947. The rate for this cause was .3 per 100,000 population. This disease was responsible for 13 registered deaths.

Encephalitis Lethargica, commonly known as sleeping sickness, is a comparatively new disease and has varied little in the last five years, the number of deaths in 1951 being 2, 7 in 1950, 6 in 1949, 6 in 1948 and 5 in 1947. The registered deaths were the same in 1951.

Dysentery caused 12 resident deaths in 1951, and the number of registered deaths was the same. There were 4 in 1950, 5 in 1949, 20 in 1948 and 28 in 1947. The increase was due to a sporadic outbreak of the disease throughout the years, 1947 and 1948.

Typhoid Fever has shown a steady decline since 1910, having dropped from 12.2 in that year to less than one-tenth of one per 100,000 in 1946. This decline is greater, relatively, than that shown for any other important cause of death. There were 2 deaths due to typhoid fever in 1951 as compared with none in 1950, 3 in 1949, 2 in 1948 and 1947. There were the same number of registered deaths in 1951 from this cause.

Acute Poliomyelitis has shown an increase for 1951, the number of deaths being 11, or .2 per 100,000 population, as compared with .2 in 1950, 1.1 in 1949, .1 in 1948 and .3 in 1947. Deaths reported as having occurred in the State were 12 or .3 per 100,000 population.

There were no deaths from Smallpox in 1951.

Violent and Accidental Deaths. — Death rates from violence during the past five years per 100,000 population were 73.6 in 1947, 69.3 in 1948, 66.0 in 1949, 64.5 in 1950 and 64.7 in 1951. The death rate from violence was 65.3 per 100,000 population for registered deaths in 1951.

Resident deaths due to Railroad Accidents and Injuries totalled 29 in 1951, and corresponded to a rate of .6 per 100,000 population. The rates for the previous years were .6 in 1949 and 1950, .8 in 1948 and .9 in 1947. Registered deaths had 28 with a rate of .6 in 1951.

Resident deaths resulting from Streetcar Accidents and Injuries numbered 2 or less than one-tenth of one per 100,000 population. The registered deaths had the same total and rate in 1951.

Motor-Vehicle Traffic Accidents caused 551 deaths of residents in 1951, including 16 deaths from motor vehicle and railroad collisions and 2 deaths from motor vehicle and streetcar collisions. The rate was 11.6 per 100,000 population, as compared with 12.2 in 1950, 10.4 in 1949, 9.9 in 1948 and 11.6 in 1947. These accidents caused 569 deaths registered in Massachusetts in 1951 or 12.0 per 100,000 population. Of these, 17 deaths were from motor vehicle and railroad collisions and 2 deaths from motor vehicle and streetcar collisions. No accurate data are available for measuring the death rate per number of automobiles in use, as the statistics compiled by the Department of Public Works show the number of machines registered, and thus contain duplications, since one machine may be registered more than once in a calendar year. It is probable, however, that the increase has not been so rapid as that of the number of machines in use.

Effects of Heat. — There were 6 deaths from this cause in 1951. In 1950 there were no deaths; in 1949, 29; in 1948, 55 and in 1947, 10. There were 5 deaths occurring in the State from this cause in 1951. The highest temperature recorded in 1951 was 92 degrees on July 16. The highest temperature recorded at the Weather Bureau of the United States Department of Commerce since 1900 was 104 degrees on July 4, 1911. The next highest temperature was 103 degrees on July 22, 1926.

Deaths of residents caused by Machinery Accidents in 1951 numbered 24 or .5 per 100,000 population. The corresponding figures for previous years were .8 in 1947, .6 in 1948 and 1949 and .5 in 1950. Deaths registered in Massachusetts were 25 in 1951.

The number of Suicides of Massachusetts residents in 1951 was 464, or 9.8 per 100,000 population. The rates since 1946 have been: 1947, 11.1, 1948, 10.4, 1949, 11.2 and 1950, 10.7. Reported deaths from suicide in 1951 numbered 479 or 10.1 per 100,000 population.

Resident deaths caused by firearms numbered 126 in 1951, corresponding to a rate of 2.7 per 100,000 population. Of these deaths 95 were suicides, 14 were homicides, and 17 were accidental (including those concerning which the status as to suicide, homicide, or accident was in doubt). The total reported deaths caused by firearms in 1951 were 134. These deaths included 100 suicides, 16 homicides, and 18 accidents.

Resident deaths from Homicide numbered 48 in 1951, or 1.0 per 100,000 population. The rates for homicide in recent years are 1.4 in 1947, 1.1 in 1948, 1.0 in 1949 and 1.3 in 1950. There were 50 registered deaths from homicide in 1951 with a rate of 1.1 per 100,000 population.

The causes of deaths of males and females for each month for the Commonwealth for the complete International List of Causes of Death with certain subdivisions are shown in Table 11, on pages 35 to 65. The causes denoted by decimals, shown separately, Table 11, are a part of the total cause shown in the International List. Ages, grouped in five-year periods, are shown in Table 12, on pages 66 to 125. For comparative purposes those residents of other states dying in Massachusetts are shown in Table 13 by months and age periods according to the International List while those of residents of Massachusetts dying out of the State are shown in Table 14. In Table 15, on pages 166 to 192, the deaths are shown for 58 causes and groups of causes for each county and municipality.

For the Commonwealth as a whole the deaths and death rates for the seven years 1945 to 1951 are shown for the 50 causes and groups of causes in the Abbre-

viated International List in Table 20, on pages 236 and 237. The relation of this list to the Detailed International List is shown in the Appendix. In addition to the above presentations, certain other tables showing the causes of death are presented on pages 238 to 253.

DEATHS INVESTIGATED BY MEDICAL EXAMINERS.

Source of Data. — The statistics of deaths investigated by medical examiners published in this report are based upon annual returns made by medical examiners and associates to the Secretary of the Commonwealth of deaths supposedly due to violence, the cause and manner of which have been investigated during the year. Deaths supposedly due to violence include deaths caused by the action of chemical, thermal, or electrical agents, or following abortion, or from diseases resulting from injury or infection related to occupation, or suddenly when not disabled by recognizable disease, and those of persons found dead.

Medical examiners are often called upon to view cases in which the death was not due to violence (heart disease, apoplexy, etc.) but where the death was simply sudden or where no physician had been in recent attendance. Medical examiners are also required to certify that they have viewed bodies to be cremated, and to make personal inquiry into the cause and manner of death.

Number of Deaths Investigated. — The number of deaths investigated by the medical examiners in 1951 was 12,156, or 22.7 per cent of the total number of deaths which occurred during the year, as compared with 11,615 deaths in 1950 when the rate was 23.1 per cent. Almost two-thirds (64.6 per cent) of these deaths were of males. Of the deaths investigated by medical examiners, 2,802, or 23 per cent, were reported as due to violence, while among the deaths returned to the registrars, 3,093 were reported as due to violence.

The largest number of cases investigated by medical examiners in 1951 was in Middlesex County, 2,449, as compared with 2,371 in Suffolk County in 1950. Of the deaths investigated in Middlesex County, 574, or 23.4 per cent, were reported as due to violence (see Table 39, pages 264 and 265.)

Autopsies. — Autopsies were made in 935, or 7.7 per cent of the cases investigated by the medical examiners in 1951, as compared with 8.7 per cent in 1950, 8.8 per cent in 1949, 8.3 per cent in 1948 and 9.8 per cent in 1947.

The highest proportion of autopsies was in Suffolk County where 19.3 per cent of the views were autopsied, there being 21.8 per cent in 1950. Table 40, on pages 264 and 265 shows the number of views and the number of autopsies in each county in each year from 1942 to 1951, and the number and per cent of views autopsied for the ten-year period, 1942 to 1951.

Cause of Death. — Almost two-thirds (66.4 per cent) of the deaths viewed by medical examiners in 1951 were from causes not due to violence, 23 per cent were due to violence, and .6 per cent were stillbirths. One thousand, two hundred and thirteen or 10 per cent of the views were for cremations.

Deaths from causes not due to violence numbered 8,074, of which 7,898 were from natural causes and 83 were due to alcoholism.

Deaths due to violence numbered 2,802, of which 2,295 were due to accident and poisoning, 462 were suicides, and 45 were homicides.

Of the 2,295 deaths due to accident and poisoning, 1,056 were due to falls, 497 were due to automobile accidents, 13 of which were railroad and automobile collision, 143 resulted from drowning, 33 were due to railroad accidents, and 566 to other causes. There were 2 streetcar and automobile collisions.

Suicides numbered 462, or 16.5 per cent of the deaths due to violence. Suicides committed by the use of illuminating and other gases, 112, and by hanging or strangulation, 119, constituted one-half (50 per cent), of the total number. The

number of suicides by firearms was 100, by poisons, 51; by drowning, 39; and other methods, 41. Over three-fourths (76.2 per cent) of the suicides were males.

Of the 462 persons committing suicide, 97 were 50 to 59 years of age, 94 were 60 to 69 years of age, 76 were 30 to 39 years of age, 69 were 40 to 49 years of age, 47 were 20 to 29 years of age, 69 were over 70 years of age, and 10 were under 20 years of age. Among the male suicides the largest numbers were from 50 to 59 years of age, 81; and from 60 to 69 years of age, 72; and among the female suicides the largest numbers were from 30 to 39 years and 60 to 69 years of age, 22; and 50 to 59 years of age, 16. The most common method of committing suicide was by hanging or strangulation, 119.

Homicides numbered 45, of which 1 was by poisoning, 15 by firearms, 9 by cutting or piercing instruments, 18 by other means, and 1 case of infanticide. Of the 45 homicides, 27 or 60 per cent were males.

Table 1

REGISTERED AND ALLOCATED DEATHS,² IN CITIES AND TOWNS BY SEX, AND DEATH RATES PER 1,000 POPULATION, IN EACH COUNTY, CITY AND TOWN: 1951.

COUNTIES AND MUNICIPALITIES ¹	REGISTERED.				ALLOCATED.				Population Estimated July 1, 1951.
	Total.	SEX.		Rate.	Total.	SEX.		Rate.	
		Male.	Female.			Male.	Female.		
The State.	53,572	28,497	25,075	11.3	52,940	28,189	24,751	11.2	4,737,238
COUNTIES.									
Barnstable	630	356	274	13.1	636	358	278	13.3	47,992
Berkshire	1,434	778	656	10.7	1,522	832	690	11.3	134,302
Bristol	4,476	2,429	2,047	11.7	4,423	2,419	2,004	11.5	383,686
Dukes	85	37	48	15.1	84	37	47	14.9	5,633
Essex	6,038	3,068	2,970	11.5	6,309	3,281	3,028	12.0	525,641
Franklin	574	302	272	10.8	646	350	296	12.2	53,158
Hampden	3,855	2,047	1,808	10.4	3,890	2,066	1,824	10.4	372,452
Hampshire	1,094	608	486	12.2	871	494	377	9.7	89,486
Middlesex	10,867	5,607	5,260	10.1	11,467	5,963	5,504	10.7	1,076,217
Nantucket	52	22	30	14.9	50	22	28	14.3	3,493
Norfolk	3,649	1,810	1,839	9.1	4,021	2,067	1,954	10.0	400,700
Plymouth	2,064	1,117	947	10.7	2,325	1,268	1,057	12.1	192,047
Suffolk	12,722	7,083	5,639	14.1	10,953	5,922	5,031	12.2	900,788
Worcester	6,032	3,233	2,799	10.9	5,743	3,110	2,633	10.4	551,643
MUNICIPALITIES.									
Abington	54	28	26	7.4	93	48	45	12.7	7,334
Acton	34	22	12	9.4	47	28	19	13.0	3,609
Acushnet	78	37	41	17.6	48	27	21	10.8	4,424
Adams	141	94	47	11.7	128	82	46	10.6	12,034
Agawam	51	26	25	4.9	88	46	42	8.4	10,452
Alford	2	1	1	9.4	4	2	2	18.9	212
Amesbury	146	64	82	13.5	142	68	74	13.1	10,851
Amherst	45	24	21	3.9	83	48	35	7.3	11,403
Andover	99	51	48	7.9	147	88	59	11.7	12,580
Arlington	380	175	205	8.5	499	243	256	11.1	44,865
Ashburnham	25	11	14	9.4	34	21	13	12.8	2,648
Ashby	6	2	4	3.9	12	5	7	7.9	1,521
Ashfield	19	6	13	19.2	29	12	17	29.3	991
Ashland	36	16	20	9.9	41	25	16	11.3	3,628
Athol	110	62	48	9.5	124	70	54	10.7	11,599
ATTLEBORO	321	184	137	13.4	265	141	124	11.1	23,975
Auburn	24	14	10	2.6	64	39	25	7.0	9,107
Avon	12	8	4	4.4	27	16	11	10.0	2,710
Ayer	48	26	22	8.0	44	21	23	7.3	5,995
Barnstable	261	157	104	24.3	142	84	58	13.2	10,747
Barre	30	20	10	8.8	33	20	13	9.7	3,406
Becket	7	7	-	9.1	8	8	-	10.4	769
Bedford	53	45	8	9.8	36	19	17	6.7	5,404
Belchertown	31	19	12	6.7	33	20	13	7.2	4,605
Bellingham	21	11	10	5.0	35	19	16	8.3	4,235
Belmont	150	62	88	5.5	296	128	168	10.8	27,438
Berkley	3	1	2	2.3	13	7	6	10.0	1,296
Berlin	8	6	2	5.8	16	10	6	11.6	1,378
Bernardston	7	4	3	6.2	13	7	6	11.5	1,131
BEVERLY	384	210	174	13.1	353	190	163	12.1	29,249
Billerica	80	27	53	7.0	123	57	66	10.7	11,470
Blackstone	14	9	5	2.8	39	24	15	7.8	5,013
Blandford	5	2	3	8.2	12	6	6	19.6	612
Bolton	8	5	3	8.1	12	8	4	12.2	985
BOSTON	11,707	6,476	5,231	14.5	9,914	5,365	4,549	12.3	805,015
Bourne	79	42	37	16.1	47	29	18	9.6	4,898
Boxborough	6	3	3	13.2	3	1	2	6.6	453
Boxford	9	4	5	9.6	12	6	6	12.8	939
Boylston	17	11	6	9.7	8	4	4	4.6	1,745
Braintree	170	83	87	7.1	208	105	103	8.7	24,014
Brewster	13	10	3	13.0	12	6	6	12.0	1,002
Bridgewater	100	79	21	10.4	84	53	31	8.8	9,588
Brimfield	10	8	2	8.4	14	7	7	11.7	1,197
BROCKTON	864	463	401	13.7	819	459	360	13.0	62,921
Brookfield	2	-	2	1.3	13	8	5	8.2	1,582
Brookline	602	239	363	10.3	733	330	403	12.5	58,562
Buckland	13	8	5	8.0	19	9	10	11.7	1,619
Burlington	15	9	6	4.5	25	13	12	7.4	3,364
CAMBRIDGE	1,559	800	759	12.8	1,314	680	634	10.8	121,905

¹Cities are printed in small capitals.

²Exclusive of stillbirths.

Table 1

REGISTERED AND ALLOCATED DEATHS,² IN CITIES AND TOWNS BY SEX, AND DEATH RATES PER 1,000 POPULATION, IN EACH COUNTY, CITY AND TOWN: 1951.

MUNICIPALITIES ¹	REGISTERED.				ALLOCATED.				Population Estimated July 1, 1951.
	Total.	SEX.		Rate.	Total.	SEX.		Rate.	
		Male.	Female.			Male.	Female.		
Canton . . .	38	15	23	5.0	81	37	44	10.7	7,599
Carlisle . . .	13	6	7	14.6	15	9	6	16.9	890
Carver . . .	11	6	5	7.1	18	12	6	11.7	1,545
Charlemont . . .	14	8	6	16.1	18	8	10	20.7	869
Charlton . . .	29	13	16	9.0	35	17	18	10.9	3,210
Chatham . . .	20	11	9	8.0	34	22	12	13.6	2,502
Chelmsford . . .	57	30	27	6.0	101	55	46	10.6	9,563
CHILMARK . . .	562	391	171	14.4	427	242	185	11.0	38,912
Cheshire . . .	11	9	2	5.3	14	10	4	6.8	2,062
Chester . . .	8	5	3	6.2	13	10	3	10.1	1,292
Chesterfield . . .	4	3	1	7.8	7	6	1	13.7	511
CHICOPSE . . .	294	150	144	5.9	397	226	171	7.9	50,159
Chilmark . . .	4	3	1	21.9	2	1	1	10.9	183
Clarksburg . . .	5	2	3	3.0	11	5	6	6.6	1,670
Clinton . . .	157	78	79	12.8	142	70	72	11.6	12,287
Cohasset . . .	46	21	25	12.1	48	30	18	12.6	3,806
Colrain . . .	9	8	1	5.8	15	9	6	9.7	1,546
Concord . . .	116	59	57	13.3	88	43	45	10.1	8,694
Conway . . .	3	2	1	3.4	6	4	2	6.9	873
Cummington . . .	2	1	1	3.2	4	2	2	6.5	620
Dalton . . .	42	17	25	8.7	58	26	32	12.0	4,839
Danvers . . .	426	208	218	26.8	151	85	66	9.5	15,890
Dartmouth . . .	109	56	53	9.6	114	65	49	10.1	11,329
Dedham . . .	149	77	72	7.9	191	107	84	10.1	18,861
Deerfield . . .	14	7	7	4.5	38	22	16	12.2	3,127
Dennis . . .	23	11	12	9.0	43	23	20	16.8	2,558
Dighton . . .	24	11	13	8.1	27	14	13	9.2	2,950
Douglas . . .	9	5	4	3.4	17	10	7	6.5	2,624
Dover . . .	14	7	7	7.9	19	9	10	10.8	1,766
Dracut . . .	35	15	20	4.0	78	46	32	8.8	8,822
Dudley . . .	20	12	8	3.7	33	20	13	6.2	5,335
Dunstable . . .	3	1	2	5.6	3	1	2	5.6	536
Duxbury . . .	18	10	8	5.5	40	22	18	12.2	3,273
East Bridgewater . . .	28	15	13	6.2	47	20	27	10.5	4,488
East Brookfield . . .	11	7	4	8.6	18	11	7	14.2	1,272
East Longmeadow . . .	37	20	17	7.3	50	24	26	9.9	5,061
Eastham . . .	9	7	2	10.1	15	12	3	16.9	890
Easthampton . . .	42	30	12	3.9	95	61	34	8.8	10,738
Easton . . .	57	33	24	9.0	74	45	29	11.7	6,351
Edgartown . . .	16	6	10	10.6	23	7	16	15.3	1,508
Egremont . . .	4	2	2	5.3	6	4	2	7.9	758
Erving . . .	5	2	3	3.8	6	3	3	4.5	1,322
Essex . . .	11	7	4	6.0	21	13	8	11.5	1,833
EVRETT . . .	301	150	151	6.5	454	236	218	9.9	45,982
Fairhaven . . .	104	63	41	8.0	150	84	66	11.6	12,942
FALL RIVER . . .	1,469	786	683	13.1	1,299	688	611	11.6	111,963
Falmouth . . .	58	33	25	6.5	89	56	33	10.0	8,884
FITCHBURG . . .	458	244	214	10.7	458	252	206	10.7	42,795
Florida . . .	2	-	2	4.2	2	1	1	4.2	479
Foxborough . . .	195	98	97	27.4	80	37	43	11.2	7,120
Framingham . . .	539	396	143	18.8	258	138	120	9.0	28,669
Franklin . . .	60	29	31	7.4	84	44	40	10.3	8,127
Free town . . .	15	6	9	7.0	28	10	18	13.0	2,158
GARDNER . . .	309	166	143	15.8	206	112	94	10.5	19,581
Gay Head . . .	-	-	-	-	-	-	-	-	88
Georgetown . . .	17	10	7	6.9	28	14	14	11.3	2,476
Gill . . .	10	6	4	9.2	9	6	3	8.3	1,084
GLOUCESTER . . .	318	178	140	12.6	320	172	148	12.7	25,284
Goshen . . .	1	1	-	3.0	4	3	1	11.9	336
Gosnold . . .	-	-	-	-	1	1	-	17.9	56
Grafton . . .	197	95	102	23.5	77	48	29	9.2	8,385
Granby . . .	17	11	6	8.7	21	13	8	10.8	1,950
Granville . . .	3	2	1	4.0	8	6	2	10.6	755
Great Barrington . . .	116	62	54	17.0	99	47	52	14.5	6,807
Greenfield . . .	213	108	105	12.1	188	103	85	10.7	17,541
Groton . . .	45	27	18	15.3	32	19	13	10.9	2,932
Groveland . . .	6	3	3	2.5	23	12	11	9.7	2,366
Hadley . . .	14	9	5	5.3	23	13	10	8.7	2,654
Halifax . . .	5	3	2	5.2	8	5	3	8.3	959
Hamilton . . .	19	11	8	6.7	36	21	15	12.7	2,842
Hampden . . .	5	3	2	3.7	7	4	3	5.2	1,352

¹Cities are printed in small capitals.²Exclusive of stillbirths.

Table 1

REGISTERED AND ALLOCATED DEATHS,² IN CITIES AND TOWNS BY SEX, AND DEATH RATES PER 1,000 POPULATION, IN EACH COUNTY, CITY AND TOWN: 1951.

MUNICIPALITIES ¹	REGISTERED.				ALLOCATED.				Population Estimated July 1, 1951.
	Total.	SEX.		Rate.	Total.	SEX.		Rate.	
		Male.	Female.			Male.	Female.		
Hancock . . .	1	-	1	2.2	5	4	1	10.9	459
Hanover . . .	14	11	3	4.1	33	19	14	9.6	3,450
Hanson . . .	32	18	14	9.5	43	24	19	12.8	3,355
Hardwick . . .	10	8	2	4.2	19	10	9	8.0	2,377
Harvard . . .	6	1	5	1.4	15	6	9	3.5	4,250
Harwich . . .	22	11	11	8.3	50	20	30	18.8	2,664
Hatfield . . .	18	15	3	8.3	27	19	8	12.4	2,179
HAV ^{ER} RHILL . . .	589	285	304	12.4	599	304	295	12.7	47,332
Hawley . . .	2	1	1	8.2	3	1	2	12.3	244
Heath . . .	5	5	-	16.4	8	8	-	26.2	305
Hingham . . .	69	31	38	6.3	115	52	63	10.5	10,999
Hinsdale . . .	6	5	1	3.8	8	6	2	5.0	1,600
Holbrook . . .	45	23	22	11.0	52	31	21	12.7	4,094
Holden . . .	64	31	33	10.3	49	24	25	7.9	6,227
Holland . . .	3	1	2	7.7	6	2	4	15.3	392
Holliston . . .	25	9	16	6.5	44	19	25	11.5	3,838
HOLYOKE . . .	698	360	338	12.7	722	365	357	13.2	54,781
Hopedale . . .	21	14	7	6.0	36	17	19	10.2	3,524
Hopkinton . . .	26	13	13	7.3	51	24	27	14.2	3,585
Hubbardston . . .	8	4	4	7.0	22	12	10	19.1	1,149
Hudson . . .	81	47	34	9.8	122	77	45	14.8	8,225
Hull . . .	26	15	11	7.4	50	30	20	14.2	3,531
Huntington . . .	11	7	4	8.8	15	11	4	11.9	1,257
Ipswich . . .	75	35	40	10.8	93	46	47	13.4	6,960
Kingston . . .	25	14	11	7.0	45	25	20	12.7	3,552
Lakeville . . .	19	6	13	9.1	26	12	14	12.4	2,096
Lancaster . . .	36	18	18	9.8	34	18	16	9.3	3,675
Lanesborough . . .	11	6	5	5.1	31	17	14	14.4	2,150
LAWRENCE . . .	887	458	429	11.0	992	518	474	12.3	80,536
Lee . . .	33	18	15	6.8	60	32	28	12.3	4,887
Leicester . . .	19	13	6	3.1	54	31	23	8.7	6,177
Lenox . . .	33	16	17	8.9	36	18	18	9.7	3,708
LEOMINSTER . . .	214	116	98	8.8	233	129	104	9.6	24,297
Leverett . . .	6	4	2	7.5	14	9	5	17.4	805
Lexington . . .	282	133	149	15.8	122	72	50	6.8	17,833
Leyden . . .	1	-	1	3.3	2	1	1	6.5	306
Lincoln . . .	14	7	7	5.6	22	13	9	8.8	2,498
Littleton . . .	11	6	5	4.5	25	14	11	10.3	2,434
Longmeadow . . .	28	11	17	4.2	58	27	31	8.8	6,598
LOWELL . . .	1,428	749	679	14.7	1,318	688	630	13.6	97,249
Ludlow . . .	70	33	37	8.0	73	30	43	8.4	8,720
Lunenburg . . .	17	5	12	4.1	30	12	18	7.3	4,113
LYNN . . .	1,134	581	553	11.4	1,225	639	586	12.3	99,908
Lynnfield . . .	10	4	6	2.4	27	12	15	6.6	4,110
MALDEN . . .	686	347	339	11.4	707	357	350	11.8	60,017
Manchester . . .	25	13	12	8.6	39	17	22	13.4	2,907
Mansfield . . .	50	28	22	6.9	96	57	39	13.3	7,243
Marblehead . . .	113	58	55	8.0	188	105	83	13.4	14,078
Marion . . .	8	5	3	3.5	28	20	8	12.3	2,280
MARLBOROUGH . . .	187	92	95	11.8	182	87	95	11.5	15,827
Marshfield . . .	28	22	6	8.3	34	22	12	10.1	3,373
Mashpee . . .	3	2	1	6.8	4	3	1	9.1	438
Mattapoisett . . .	20	8	12	8.5	23	9	14	9.8	2,341
Maynard . . .	53	26	27	7.6	104	58	46	14.9	6,992
Medfield . . .	137	59	78	30.0	33	14	19	7.2	4,564
MEDFORD . . .	486	226	260	7.3	654	340	314	9.8	66,469
Medway . . .	19	9	10	5.0	41	25	16	10.8	3,804
MELROSE . . .	340	170	170	12.5	324	162	162	11.9	27,187
Mendon . . .	4	3	1	2.4	10	5	5	6.0	1,664
Merrimac . . .	14	5	9	4.9	39	19	20	13.7	2,856
Methuen . . .	301	142	159	12.2	269	133	136	10.9	24,764
Middleborough . . .	137	73	64	13.3	120	70	50	11.7	10,300
Middlefield . . .	1	1	-	3.2	6	4	2	19.4	310
Middleton . . .	63	38	25	21.1	25	8	17	8.4	2,981
Milford . . .	194	97	97	12.6	163	80	83	10.6	15,442
Millbury . . .	58	29	29	6.8	76	40	36	8.9	8,510
Millis . . .	17	9	8	6.6	25	14	11	9.7	2,581
Millville . . .	11	6	5	6.5	19	11	8	11.2	1,692
Milton . . .	183	82	101	8.0	254	125	129	11.1	22,859
Monroe . . .	-	-	-	-	3	2	1	17.2	174
MONSON . . .	102	58	44	16.5	37	19	18	6.0	6,185

¹Cities are printed in small capitals.²Exclusive of stillbirths.

Table 1

REGISTERED AND ALLOCATED DEATHS,² IN CITIES AND TOWNS BY SEX, AND DEATH RATES PER 1,000 POPULATION, IN EACH COUNTY, CITY AND TOWN: 1951.

MUNICIPALITIES ¹	REGISTERED.				ALLOCATED.				Population Estimated July 1, 1951.
	Total.	SEX.		Rate.	Total.	SEX.		Rate.	
		Male.	Female.			Male.	Female.		
Montague	113	69	44	14.4	84	51	33	10.7	7,839
Monterey	3	2	1	8.2	7	5	2	19.1	367
Montgomery	—	—	—	—	1	1	—	6.4	157
Mt. Washington	1	1	—	29.4	—	—	—	—	34
Nahant	22	10	12	7.9	30	17	13	10.8	2,770
Nantucket	52	22	30	14.9	50	22	28	14.3	3,493
Natick	180	89	91	8.8	209	113	96	10.2	20,549
Needham	124	55	69	7.4	150	72	78	8.9	16,792
New Ashford	—	—	—	—	1	—	1	8.5	118
New Bedford	1,294	702	592	11.9	1,359	749	610	12.4	109,189
New Braintree	7	4	3	14.6	9	6	3	18.8	478
New Marlborough	9	7	2	9.1	15	10	5	15.2	989
New Salem	4	2	2	10.2	4	1	3	10.2	392
Newbury	25	17	8	12.3	31	20	11	15.2	2,033
NEWBURYPORT	260	119	141	18.4	208	100	108	14.7	14,137
NEWTON	704	351	353	8.4	815	419	396	9.8	83,429
Norfolk	102	66	36	37.1	12	5	7	4.4	2,748
NORTH ADAMS	234	130	104	10.8	275	160	115	12.8	21,567
North Andover	48	31	17	5.6	85	44	41	9.9	8,589
No. Attleborough	66	39	27	5.4	138	81	57	11.2	12,324
No. Brookfield	24	14	10	6.9	42	24	18	12.4	3,459
North Reading	26	17	9	5.7	43	29	14	9.5	4,587
NORTHAMPTON	736	401	335	24.9	327	176	151	11.0	29,595
Northborough	23	12	11	7.2	42	23	19	13.1	3,211
Northbridge	80	46	34	7.6	98	61	37	9.3	10,505
Northfield	32	16	16	14.1	32	15	17	14.1	2,273
Norton	27	15	12	6.0	42	25	17	9.3	4,531
Norwell	24	14	10	9.3	29	21	8	11.2	2,591
Norwood	252	149	103	15.0	168	95	73	10.0	16,785
Oak Bluffs	48	20	28	31.6	34	17	17	22.4	1,521
Oakham	4	4	—	8.8	6	5	1	13.2	455
Orange	48	25	23	8.1	83	40	43	14.0	5,921
Orleans	18	11	7	10.0	38	19	19	21.1	1,804
Otis	3	2	1	8.4	3	2	1	8.4	359
Oxford	25	13	12	4.2	56	25	31	9.3	5,999
Palmer	88	41	47	9.2	80	39	41	8.4	9,578
Paxton	4	2	2	3.7	9	4	5	8.2	1,095
PABODY	235	120	115	10.3	277	165	112	12.2	22,749
Pelham	2	1	1	3.5	6	3	3	10.4	579
Pembroke	28	16	12	10.4	20	13	7	7.4	2,685
Pepperell	29	9	20	8.3	46	23	23	13.1	3,503
Peru	2	—	2	14.0	6	2	4	42.0	143
Petersham	6	4	2	7.4	10	8	2	12.3	814
Phillipston	6	4	2	9.2	13	11	2	19.9	653
PITTSFIELD	664	343	321	12.3	599	315	284	11.1	53,766
Plainfield	—	—	—	—	1	—	1	4.4	228
Plainville	8	4	4	3.6	12	7	5	5.5	2,193
Plymouth	174	100	74	12.7	148	86	62	10.8	13,669
Plympton	8	6	2	11.2	12	8	4	16.9	712
Princeton	18	9	9	16.7	17	7	10	15.8	1,077
Provincetown	45	19	26	11.8	54	26	28	14.2	3,810
QUINCY	719	374	345	8.5	827	434	393	9.7	84,837
Randolph	71	35	36	6.9	105	57	48	10.2	10,282
Raynham	19	12	7	7.8	30	18	12	12.2	2,449
Reading	122	55	67	8.5	155	81	74	10.8	14,375
Rehoboth	22	10	12	5.8	28	15	13	7.4	3,795
REVERE	250	125	125	6.7	367	194	173	9.9	37,043
Richmond	4	2	2	5.3	6	4	2	8.0	751
Rochester	22	7	15	16.6	22	12	10	16.6	1,328
Rockland	81	28	53	8.9	120	54	66	13.2	9,066
Rockport	45	17	28	10.4	69	28	41	16.0	4,309
Rowe	5	3	2	25.1	3	1	2	15.1	199
Rowley	8	7	1	4.5	9	6	3	5.0	1,794
Royalston	5	2	3	6.0	9	5	4	10.7	838
Russell	6	3	3	4.6	10	5	5	7.7	1,298
Rutland	107	88	19	33.9	23	14	9	7.3	3,160
SALFORD	567	296	271	13.5	515	254	261	12.3	41,958
Salisbury	15	6	9	5.5	36	14	22	13.2	2,734
Sandisfield	4	1	3	9.2	3	—	3	6.9	437
Sandwich	27	14	13	10.6	33	13	20	12.9	2,551
Saugus	88	43	45	5.1	138	74	64	7.9	17,410
Savoy	5	3	2	17.2	9	7	2	30.9	291

¹Cities are printed in small capitals.

²Exclusive of stillbirths.

Table 1

REGISTERED AND ALLOCATED DEATHS,² IN CITIES AND TOWNS BY SEX, AND DEATH RATES PER 1,000 POPULATION, IN EACH COUNTY, CITY AND TOWN: 1951.

MUNICIPALITIES ¹	REGISTERED.				ALLOCATED.				Population Estimated July 1, 1951.
	Total.	SEX.		Rate.	Total.	SEX.		Rate.	
		Male .	Female.			Male.	Female.		
Scituate . . .	47	27	20	7.5	82	47	35	13.1	6,236
Seekonk . . .	35	14	21	5.6	46	22	24	7.4	6,223
Sharon . . .	25	15	10	5.0	47	28	19	9.4	4,981
Sheffield . .	23	10	13	10.4	31	12	19	14.1	2,204
Shelburne . .	20	7	13	11.3	29	15	14	16.4	1,769
Sherborn . . .	3	—	3	2.4	9	5	4	7.1	1,273
Shirley . . .	42	21	21	9.4	33	13	20	7.4	4,470
Shrewsbury . .	50	28	22	4.6	68	36	32	6.2	10,964
Shutesbury . .	1	1	—	4.7	3	3	—	14.1	213
Somerset . . .	44	21	23	5.0	72	36	36	8.2	8,827
SOMERVILLE . .	868	423	445	8.5	1,152	628	524	11.3	102,365
South Hadley .	41	24	17	3.9	79	46	33	7.5	10,544
Southampton .	3	2	1	2.1	12	5	7	8.3	1,446
Southborough .	14	3	11	5.0	29	12	17	10.3	2,819
Southbridge . .	178	95	83	10.1	193	108	85	11.0	17,608
Southwick . . .	22	12	10	7.3	28	16	12	9.3	3,021
Spencer . . .	57	21	36	8.1	61	24	37	8.6	7,071
SPRINGFIELD .	2,047	1,105	942	12.5	1,852	1,015	837	11.3	164,008
Sterling . . .	9	6	3	4.0	30	15	15	13.5	2,225
Stockbridge . .	18	11	7	7.6	29	15	14	12.3	2,365
Stoneham . . .	181	78	103	13.4	123	63	60	9.1	13,527
Stoughton . . .	73	39	34	6.4	100	57	43	8.7	11,460
Stow . . .	28	14	14	15.9	19	13	6	10.8	1,757
Sturbridge . . .	23	16	7	8.0	25	16	9	8.7	2,879
Sudbury . . .	23	10	13	8.5	21	7	14	7.8	2,695
Sunderland . .	17	5	12	18.8	14	6	8	15.5	905
Sutton . . .	13	7	6	4.1	30	19	11	9.5	3,146
Swampscott . .	59	27	32	5.1	145	73	72	12.4	11,671
Swansea . . .	43	24	19	6.9	73	40	33	11.7	6,263
TAUNTON . . .	673	376	297	16.7	474	271	203	11.7	40,382
Templeton . . .	18	9	9	3.8	41	21	20	8.6	4,772
Tewksbury . . .	20	6	14	2.6	51	28	23	6.7	7,647
State Infirmary	242	183	59	—	—	—	—	—	—
Tisbury . . .	16	8	8	8.3	23	11	12	11.9	1,930
Tolland . . .	—	—	—	—	—	—	—	—	107
Topsfield . . .	7	1	6	4.9	9	3	6	6.3	1,438
Townsend . . .	19	9	10	6.5	31	15	16	10.7	2,902
Truro . . .	8	4	4	11.8	9	4	5	13.3	676
Tyngsborough .	16	5	11	7.6	27	11	16	12.8	2,116
Tyringham . . .	1	1	—	4.3	1	—	1	4.3	235
Upton . . .	27	13	14	10.0	41	18	23	15.2	2,700
Uxbridge . . .	27	8	19	3.8	68	26	42	9.6	7,081
Wakefield . . .	114	56	58	5.7	201	110	91	10.0	20,030
Wales . . .	2	1	1	3.9	12	7	5	23.4	512
Walpole . . .	37	19	18	4.0	88	51	37	9.4	9,319
WALTHAM . . .	514	280	234	10.7	465	240	225	9.7	48,040
Ware . . .	116	54	62	15.4	93	49	44	12.4	7,517
Wareham . . .	119	71	48	15.4	110	58	52	14.2	7,721
Warren . . .	18	2	16	5.3	42	10	32	12.3	3,406
Warwick . . .	8	2	6	18.6	8	5	3	18.6	429
Washington . .	7	5	2	24.9	4	3	1	14.2	281
Watertown . . .	203	104	99	5.4	378	214	164	10.1	37,556
Wayland . . .	65	25	40	14.4	58	33	25	12.8	4,521
Webster . . .	99	64	35	7.5	138	86	52	10.5	13,194
Wellesley . . .	85	38	47	4.0	174	84	90	8.2	21,222
Wellfleet . . .	13	8	5	11.3	24	16	8	20.8	1,153
Wendell . . .	2	2	—	5.8	3	3	—	8.8	342
Wenham . . .	7	6	1	4.1	14	8	6	8.3	1,696
West Boylston .	18	10	8	6.8	26	17	9	9.8	2,659
West Bridgewater	30	14	16	7.2	48	23	25	11.5	4,165
West Brookfield	7	4	3	4.1	16	11	5	9.4	1,703
West Newbury .	6	3	3	3.7	14	5	9	8.7	1,611
West Springfield	88	46	42	4.2	189	94	95	9.1	20,859
West Stockbridge	8	5	3	6.8	14	9	5	11.9	1,179
West Tisbury . .	1	—	1	2.9	1	—	1	2.9	347
Westborough . .	253	119	134	33.8	64	38	26	8.5	7,496
WESTFIELD . . .	273	153	120	12.9	202	100	102	9.5	21,233
Westford . . .	20	11	9	4.6	37	18	19	8.6	4,319
Westhampton . .	1	—	1	2.2	5	1	4	11.1	452
Westminster . .	6	6	—	2.1	21	15	6	7.4	2,842
Weston . . .	13	7	6	2.5	38	22	16	7.3	5,196
Westport . . .	23	11	12	4.5	47	24	23	9.3	5,072

¹Cities are printed in small capitals.²Exclusive of stillbirths.

Table 1

REGISTERED AND ALLOCATED DEATHS,² IN CITIES AND TOWNS BY SEX, AND DEATH RATES PER 1,000 POPULATION, IN EACH COUNTY, CITY AND TOWN: 1951.

MUNICIPALITIES ¹	REGISTERED.				ALLOCATED.				Population Estimated July 1, 1951.
	Total.	SEX.		Rate.	Total.	SEX.		Rate.	
		Male.	Female.			Male.	Female.		
Westwood	25	11	14	4.1	54	21	33	8.8	6,151
Weymouth	358	200	158	10.6	344	196	148	10.2	33,797
Whately	3	1	2	3.2	12	6	6	12.8	939
Whitman	73	27	46	8.6	108	44	64	12.7	8,489
Wilbraham	15	7	8	3.6	31	17	14	7.5	4,123
Williamsburg	7	4	3	3.3	24	12	12	11.4	2,100
Williamstown	34	16	18	5.3	48	26	22	7.5	6,410
Wilmington	29	17	12	4.0	62	40	22	8.5	7,323
Winchendon	83	43	40	12.6	83	40	43	12.6	6,585
Winchester	140	64	76	9.0	133	61	72	8.5	15,566
Windsor	-	-	-	-	1	-	1	2.7	372
Winthrop	203	91	112	10.2	245	121	124	12.4	19,818
WOBURN	171	77	94	8.3	217	99	118	10.5	20,577
WORCESTER	2,733	1,474	1,259	13.4	2,344	1,266	1,078	11.5	204,700
Worthington	2	1	1	4.3	6	2	4	13.0	462
Wrentham	62	35	27	11.4	29	17	12	5.3	5,431
Yarmouth	31	16	15	9.1	42	25	17	12.3	3,415

¹Cities are printed in small capitals.²Exclusive of stillbirths.

Line No.	Table 2 STATE, COUNTIES AND SEX.	ALLOCATED DEATHS ¹ , BY SEX AND AGE ² , IN EACH COUNTY											
		All ages.	Under 5 years.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
1	The State.	52,940	2,564	2,184	133	87	84	76	189	118	211	258	387
2	Males	28,189	1,472	1,257	70	51	51	43	125	77	141	179	227
3	Females	24,751	1,092	927	63	36	33	33	64	41	70	79	160
4	BARNSTABLE.	636											
5	Males	358	22	19	3	-	-	-	1	-	-	4	4
6	Females	278	7	6	-	1	-	-	-	-	-	1	2
7	BERKSHIRE.	1,522											
8	Males	832	43	37	4	2	-	-	1	2	3	6	3
9	Females	690	35	33	1	-	-	1	2	3	4	-	3
10	BRISTOL.	4,423											
11	Males	2,419	127	110	4	6	5	2	10	4	16	8	19
12	Females	2,004	97	77	5	3	6	6	1	3	1	5	18
13	DUKES.	84											
14	Males	37	2	1	-	1	-	-	-	-	-	-	-
15	Females	47	1	1	-	-	-	-	-	-	-	-	-
16	ESSEX.	6,309											
17	Males	3,281	131	104	6	5	12	4	14	11	9	18	20
18	Females	3,028	111	93	6	4	5	3	8	6	7	7	13
19	FRANKLIN.	646											
20	Males	350	23	17	1	1	2	2	1	-	1	4	1
21	Females	296	17	17	-	-	-	-	-	-	-	4	-
22	HAMPDEN.	3,890											
23	Males	2,066	103	90	5	5	1	2	11	10	3	15	13
24	Females	1,824	106	90	7	3	3	3	8	5	8	10	15
25	HAMPSHIRE.	871											
26	Males	494	31	27	2	1	1	-	2	-	2	7	6
27	Females	377	19	18	1	-	-	-	-	1	2	1	1
28	MIDDLESEX.	11,467											
29	Males	5,963	341	296	15	11	9	10	37	14	36	37	51
30	Females	5,504	234	200	6	10	9	9	20	6	17	16	24
31	NANTUCKET.	50											
32	Males	22	1	-	1	-	-	-	-	-	-	-	1
33	Females	28	-	-	-	-	-	-	-	-	-	-	1
34	NORFOLK.	4,021											
35	Males	2,067	132	114	8	1	5	4	9	7	12	18	21
36	Females	1,954	77	65	7	1	2	2	5	3	1	8	17
37	PLYMOUTH.	2,325											
38	Males	1,268	56	45	3	3	2	3	8	5	10	7	12
39	Females	1,057	41	34	4	1	2	-	2	4	2	5	7
40	SUFFOLK.	10,953											
41	Males	5,922	278	240	13	9	7	9	16	17	30	37	58
42	Females	5,031	230	198	18	7	2	5	11	6	22	14	43
43	WORCESTER.	5,743											
44	Males	3,110	182	157	5	6	7	7	15	7	19	18	18
45	Females	2,633	117	95	8	6	4	4	7	4	6	8	16
46	MUNICIPALITIES												
47	AND SEX.												
48	ADAMS (TOWN).	128											
49	Males	82	6	6	-	-	-	-	-	1	-	-	-
50	Females	46	4	4	-	-	-	-	-	-	1	-	-
51	AGAWAM (TOWN).	88											
52	Males	46	3	3	-	-	-	-	-	1	-	-	-
53	Females	42	4	2	1	-	-	1	-	-	-	-	1
54	AMESBURY (TOWN).	142											
55	Males	68	3	2	1	-	-	-	1	-	1	-	1
56	Females	74	3	3	-	-	-	-	-	-	-	-	-
57	AMHERST (TOWN).	83											
58	Males	48	4	4	-	-	-	-	-	-	-	1	-
59	Females	35	3	3	-	-	-	-	-	-	-	1	-
60	ANDOVER (TOWN).	147											
61	Males	88	2	1	-	-	-	1	-	1	-	-	-
62	Females	59	2	2	-	-	-	-	-	-	-	-	-
63	ARLINGTON (TOWN).	499											
64	Males	243	10	10	-	-	-	-	-	-	1	1	-
65	Females	256	11	7	2	1	-	1	-	-	-	2	2

Exclusive of stillbirths.

AND IN MUNICIPALITIES HAVING OVER 10,000 INHABITANTS: 1951.

Line No.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Age unknown.
1	493	784	1,263	1,369	2,858	4,233	5,346	6,465	7,175	7,383	6,015	3,577	1,402	316	34	-
2	281	452	757	1,154	1,782	2,676	3,234	3,759	3,745	3,588	2,604	1,351	479	99	7	-
3	212	332	506	715	1,076	1,557	2,112	2,706	3,430	3,795	3,411	2,226	923	217	27	-
4																
5	2	5	6	10	18	30	32	48	38	64	41	21	9	3	-	-
6	3	5	4	11	10	18	19	32	36	46	34	37	9	4	-	-
7																
8	4	7	19	27	54	73	92	115	127	114	82	42	16	2	-	-
9	4	7	25	18	32	35	59	79	96	98	107	61	20	2	-	-
10																
11	25	40	61	103	134	212	319	342	336	314	189	111	41	7	1	-
12	14	24	37	52	92	152	183	218	289	282	279	183	56	17	1	-
13																
14	-	1	1	1	3	3	3	5	1	8	4	4	1	-	-	-
15	-	-	1	1	1	1	3	5	10	12	9	3	-	-	-	-
16																
17	29	50	87	108	181	301	381	438	457	442	334	194	65	10	1	-
18	18	41	59	87	125	185	227	331	436	492	429	281	134	27	4	-
19																
20	3	3	11	12	16	31	43	37	38	55	37	26	5	3	-	-
21	1	4	11	5	12	13	16	33	30	38	51	37	18	5	1	-
22																
23	23	24	59	72	146	234	234	308	275	231	172	82	42	9	-	-
24	19	16	46	59	78	130	158	199	260	256	227	151	52	21	-	-
25																
26	7	11	14	24	23	35	49	58	63	69	54	28	10	1	-	-
27	2	5	4	9	16	27	38	38	49	47	61	33	16	7	1	-
28																
29	63	100	159	272	388	572	623	743	738	780	564	322	101	22	-	-
30	55	67	99	157	233	326	447	572	755	877	803	508	230	49	9	-
31																
32	1	-	-	-	-	-	3	4	6	4	1	1	-	-	-	-
33	1	-	1	-	2	2	1	1	2	7	3	7	-	-	-	-
34																
35	22	33	46	80	136	180	233	263	242	255	222	111	34	11	-	-
36	14	27	40	53	82	107	140	213	244	314	271	230	82	24	2	-
37																
38	13	14	30	49	64	108	132	171	192	164	144	62	20	6	1	-
39	4	15	14	22	42	50	87	101	143	174	160	124	47	11	2	-
40																
41	63	117	196	292	448	594	717	821	798	698	444	205	77	14	2	-
42	46	82	116	176	239	341	500	570	737	748	636	346	140	24	4	-
43																
44	26	47	68	104	171	303	373	406	434	390	316	142	58	11	2	-
45	31	39	49	65	112	170	234	314	343	404	341	225	119	26	3	-
46																
47																
48																
49	-	1	1	-	7	3	12	12	14	12	9	3	1	-	-	-
50	-	-	5	3	4	-	2	3	5	8	8	3	-	-	-	-
51																
52	-	-	2	1	-	2	3	7	4	13	8	2	-	-	-	-
53	1	3	2	1	2	1	5	3	3	6	8	2	-	-	-	-
54																
55	-	-	3	1	2	8	10	10	5	8	7	7	1	-	-	-
56	-	-	1	4	2	4	6	9	10	9	13	9	4	-	-	-
57																
58	-	-	1	1	4	2	4	3	7	10	7	3	1	-	-	-
59	-	-	-	-	1	2	3	3	7	3	5	4	1	1	1	-
60																
61	1	2	3	3	8	9	8	11	13	11	10	4	2	-	-	-
62	1	-	3	3	2	2	4	6	14	3	11	5	3	-	-	-
63																
64	-	2	8	13	18	26	25	35	29	34	24	12	4	1	-	-
65	1	2	5	8	8	15	19	26	35	43	41	22	13	3	-	-

* Age at last birthday.

Table 2

ALLOCATED DEATHS¹, BY SEX AND AGE², IN EACH COUNTY

Line No.	MUNICIPALITIES AND SEX.	All ages.	Under 5 years.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
1	ATHOL (TOWN).	124											
2	Males	70	3	1	2	-	-	-	-	-	-	-	-
3	Females	54	-	-	-	-	-	-	-	-	-	-	-
4	ATTLEBORO.	265											
5	Males	141	11	10	-	1	-	-	-	-	1	-	-
6	Females	124	10	9	1	-	-	-	-	-	-	1	3
7	BAR STABLE (TOWN).	142											
8	Males	84	5	4	1	-	-	-	-	-	-	1	2
9	Females	58	3	2	-	-	-	-	-	-	-	1	1
10	BELMONT (TOWN).	296											
11	Males	128	7	6	1	-	-	-	-	-	1	1	1
12	Females	168	2	2	-	-	-	-	1	-	1	-	-
13	BEVERLY.	353											
14	Males	190	6	5	-	-	-	1	-	1	1	1	2
15	Females	163	9	9	-	-	-	-	1	-	1	-	1
16	BILLERICA (TOWN).	123											
17	Males	57	6	5	-	-	1	-	2	-	2	-	1
18	Females	66	5	4	-	-	-	1	-	-	-	-	-
19	BOSTON.	9,914											
20	Males	5,365	256	223	13	8	6	6	14	16	24	34	54
21	Females	4,549	216	185	17	7	2	5	8	5	21	14	36
22	BRAINTREE (TOWN).	208											
23	Males	105	11	9	2	-	-	-	-	-	-	1	1
24	Females	103	7	7	-	-	-	-	1	-	-	-	2
25	BROCKTON.	819											
26	Males	459	17	15	-	2	-	-	2	-	2	1	5
27	Females	360	9	6	2	-	1	-	1	-	-	2	2
28	BROOKLINE (TOWN).	733											
29	Males	330	10	9	-	-	1	-	1	-	1	4	2
30	Females	403	12	12	-	-	-	-	-	-	-	1	2
31	CAMBRIDGE.	1,314											
32	Males	680	32	28	1	2	1	-	1	-	3	3	10
33	Females	634	26	22	1	1	1	1	-	-	-	2	2
34	CHELSEA.	427											
35	Males	242	9	7	-	-	1	1	-	-	2	1	1
36	Females	185	6	5	1	-	-	-	1	1	-	-	2
37	CHICOPEE.	397											
38	Males	226	10	9	-	1	-	-	2	2	1	4	1
39	Females	171	13	12	-	-	1	-	2	1	2	-	1
40	CLINTON (TOWN).	142											
41	Males	70	3	1	1	1	-	-	1	1	-	1	-
42	Females	72	7	6	-	-	1	-	-	-	-	-	1
43	DANVERS (TOWN).	151											
44	Males	85	2	2	-	-	-	-	1	-	-	-	-
45	Females	66	2	2	-	-	-	-	-	1	-	-	1
46	DARTMOUTH (TOWN).	114											
47	Males	65	3	3	-	-	-	-	2	1	-	-	-
48	Females	49	2	1	-	-	1	-	-	-	-	-	-
49	DEDHAM (TOWN).	191											
50	Males	107	6	5	1	-	-	-	2	1	-	1	1
51	Females	84	5	3	2	-	-	-	1	-	1	-	1
52	EASTHAMPTON (TOWN).	95											
53	Males	61	2	2	-	-	-	-	1	-	-	1	-
54	Females	34	1	1	-	-	-	-	-	-	1	-	-
55	EVERETT.	454											
56	Males	236	14	12	-	-	1	1	1	2	1	2	2
57	Females	218	9	6	-	3	-	-	1	-	1	1	-
58	FAIRHAVEN (TOWN).	150											
59	Males	84	6	5	-	1	-	-	-	-	2	-	1
60	Females	66	3	2	-	-	-	1	-	-	-	-	-
61	FALL RIVER.	1,299											
62	Males	688	35	31	1	-	2	1	5	3	2	2	4
63	Females	611	25	20	1	2	1	1	1	2	-	1	5
64	FITCHBURG.	458											
65	Males	252	7	5	1	-	-	1	2	1	2	3	3
66	Females	206	5	4	-	-	-	1	-	-	-	1	1

¹ Exclusive of stillbirths.

AND IN MUNICIPALITIES HAVING OVER 10,000 INHABITANTS: 1951.

Line No.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Age unknown.
1																
2	1	1	1	1	4	3	8	7	12	10	13	3	2	1	-	-
3	-	1	1	2	3	4	8	4	5	14	7	3	2	-	-	-
4																
5	1	1	2	4	7	10	16	21	21	27	8	7	1	3	-	-
6	1	1	-	1	7	6	9	10	15	18	24	10	7	1	-	-
7																
8	-	1	1	2	4	5	7	11	7	18	12	5	2	1	-	-
9	-	3	1	4	1	2	2	8	4	8	5	11	3	1	-	-
10																
11	1	2	2	5	8	15	10	23	20	17	7	6	2	-	-	-
12	1	-	1	4	12	11	24	11	24	30	19	16	8	3	-	-
13																
14	2	1	5	7	4	14	24	29	20	34	23	11	4	-	1	-
15	-	4	4	3	5	6	11	23	24	31	21	12	5	2	-	-
16																
17	-	-	1	1	4	8	3	8	7	6	5	3	-	-	-	-
18	3	-	1	1	-	7	3	7	8	13	8	6	2	1	1	-
19																
20	59	106	173	269	414	538	651	740	712	625	408	185	71	14	2	-
21	42	76	105	160	219	306	445	501	660	681	575	323	130	22	4	-
22																
23	-	3	4	5	6	8	15	13	11	12	10	3	2	-	-	-
24	1	2	3	2	2	4	7	11	10	23	17	10	1	-	-	-
25																
26	7	5	9	16	30	47	64	53	58	64	51	22	5	1	-	-
27	1	3	4	5	13	14	29	36	59	54	61	50	13	3	1	-
28																
29	8	6	6	15	29	22	48	40	40	39	42	11	4	2	-	-
30	3	6	8	16	18	25	13	48	50	58	58	67	15	3	-	-
31																
32	17	14	21	39	47	88	88	76	83	85	52	19	1	1	-	-
33	10	5	11	22	19	40	51	84	97	105	80	51	22	6	1	-
34																
35	-	3	8	9	15	31	38	35	36	32	13	7	2	-	-	-
36	2	3	3	5	9	15	20	30	27	23	22	12	2	2	-	-
37																
38	2	3	9	8	12	29	33	27	33	23	17	5	4	1	-	-
39	1	4	4	6	12	9	22	21	19	23	15	6	6	4	-	-
40																
41	1	3	1	1	2	11	4	7	12	13	6	2	1	-	-	-
42	-	1	3	2	3	1	9	7	17	13	4	2	1	1	-	-
43																
44	-	1	5	3	3	5	4	10	17	13	12	7	2	-	-	-
45	-	1	1	-	2	2	3	5	10	12	12	7	5	1	1	-
46																
47	1	1	1	2	4	5	11	8	10	5	4	4	2	1	-	-
48	-	1	-	3	1	8	6	6	7	6	3	3	2	1	-	-
49																
50	1	2	3	3	5	15	10	13	9	21	3	10	1	-	-	-
51	-	1	2	3	4	6	11	8	10	16	7	7	-	-	1	-
52																
53	-	2	4	3	1	4	3	8	9	10	10	3	-	-	-	-
54	-	1	-	1	3	2	3	1	4	3	9	4	1	-	-	-
55																
56	1	5	9	12	16	20	23	38	28	27	17	12	4	2	-	-
57	4	4	2	4	14	15	23	30	27	41	24	13	3	1	1	-
58																
59	4	1	1	1	6	4	7	12	11	11	8	5	4	-	-	-
60	-	-	1	2	3	9	3	5	9	10	9	8	4	-	-	-
61																
62	5	11	22	35	34	61	107	92	102	87	49	23	8	1	-	-
63	6	7	12	17	35	39	47	77	98	93	88	47	10	1	-	-
64																
65	3	5	11	12	17	26	31	30	33	28	21	10	7	-	-	-
66	3	3	8	5	12	7	23	26	25	31	29	15	7	5	-	-

² Age at last birthday.

Line No.	Table 2 MUNICIPALITIES AND SEX.	ALLOCATED DEATHS ¹ , BY SEX AND AGE ² , IN EACH COUNTY											
		All ages.	Under 5 years.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
1	FRAMINGHAM (TOWN).	258											
2	Males	138	7	6	-	-	1	-	-	-	-	3	1
3	Females	120	4	4	-	-	-	-	-	-	1	-	-
4	GARDNER.	206											
5	Males	112	6	3	1	1	-	1	-	-	1	2	1
6	Females	94	3	3	-	-	-	-	-	-	-	-	-
7	GLOUCESTER.	320											
8	Males	172	12	11	1	-	-	-	-	2	1	1	2
9	Females	148	3	2	-	-	-	-	-	-	-	-	-
10	GREENFIELD (TOWN).	188											
11	Males	103	5	5	-	-	-	-	-	-	-	-	-
12	Females	85	2	2	-	-	-	-	-	-	-	2	-
13	HAVERHILL.	599											
14	Males	304	11	10	-	-	1	-	1	1	-	3	3
15	Females	295	7	5	-	1	-	1	1	1	1	-	1
16	HINGHAM (TOWN).	115											
17	Males	52	4	3	-	-	1	-	-	-	-	1	-
18	Females	63	4	4	-	-	-	-	-	-	-	-	1
19	HOLYOKE.	722											
20	Males	365	18	17	1	-	-	-	1	1	1	5	2
21	Females	357	20	16	3	1	-	-	2	-	1	2	4
22	LAWRENCE.	992											
23	Males	518	18	12	2	-	3	1	2	1	2	3	3
24	Females	474	14	10	2	1	1	-	-	1	1	-	5
25	LEOMINSTER.	233											
26	Males	129	9	9	-	-	-	-	2	-	-	-	1
27	Females	104	3	3	-	-	-	-	-	1	-	-	-
28	LEXINGTON (TOWN).	122											
29	Males	72	3	2	1	-	-	-	1	-	-	1	-
30	Females	50	3	2	1	-	-	-	-	-	1	-	-
31	LOWELL.	1,318											
32	Males	688	40	35	3	-	1	1	5	3	2	3	5
33	Females	630	26	25	-	-	-	1	3	-	4	2	5
34	LYNN.	1,225											
35	Males	639	16	10	1	1	4	-	1	2	3	3	2
36	Females	586	26	23	-	1	2	-	3	2	1	1	2
37	MALDEN.	707											
38	Males	357	11	10	1	-	-	-	1	-	1	1	3
39	Females	350	15	14	-	-	1	-	1	1	2	-	3
40	MARBLEHEAD (TOWN).	188											
41	Males	105	5	4	-	-	1	-	1	-	1	1	1
42	Females	83	1	1	-	-	-	-	-	-	-	-	-
43	MARLBOROUGH.	182											
44	Males	87	5	3	2	-	-	-	1	-	1	-	-
45	Females	95	6	4	-	1	1	-	2	-	-	1	-
46	MEDFORD.	654											
47	Males	340	14	9	3	1	1	-	7	-	-	-	5
48	Females	314	7	6	1	-	-	-	1	-	-	-	-
49	MELROSE.	324											
50	Males	162	8	7	-	1	-	-	-	1	1	1	2
51	Females	162	6	5	-	-	-	1	1	-	-	-	-
52	METHUEN (TOWN).	269											
53	Males	133	10	9	-	1	-	-	-	-	-	1	2
54	Females	136	5	5	-	-	-	-	-	-	-	-	-
55	MIDDLEBOROUGH (TOWN).	120											
56	Males	70	2	2	-	-	-	-	1	-	-	-	-
57	Females	50	3	3	-	-	-	-	-	-	-	-	-
58	MILFORD (TOWN).	163											
59	Males	80	5	4	-	1	-	-	-	-	1	-	-
60	Females	83	5	3	-	2	-	-	1	-	-	1	1
61	MILTON (TOWN).	254											
62	Males	125	4	3	1	-	-	-	-	-	2	1	2
63	Females	129	3	3	-	-	-	-	-	1	-	-	1
64	NATICK (TOWN).	209											
65	Males	113	12	12	-	-	-	-	2	-	-	1	3
66	Females	96	7	7	-	-	-	-	-	-	1	-	-

¹ Exclusive of stillbirths.

AND IN MUNICIPALITIES HAVING OVER 10,000 INHABITANTS: 1951.

Line No.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Age unknown.
1																
2	4	2	1	7	8	13	10	14	19	20	12	15	2	-	-	-
3	-	2	2	1	5	6	8	13	17	19	23	9	9	-	1	-
4																
5	-	-	5	5	5	7	11	18	16	15	11	7	2	-	-	-
6	1	-	1	-	3	7	8	16	14	16	16	9	3	1	-	-
7																
8	-	4	4	5	8	18	12	12	26	24	18	18	4	1	-	-
9	1	-	-	8	4	6	14	22	21	24	20	13	9	2	1	-
10																
11	2	1	2	3	7	12	11	18	13	16	6	7	-	-	-	-
12	-	1	5	2	7	7	4	15	11	7	6	11	4	1	-	-
13																
14	2	1	5	8	20	28	36	32	49	41	30	22	10	1	-	-
15	-	5	5	6	14	19	23	33	37	51	37	38	12	3	1	-
16																
17	1	1	4	3	3	5	6	6	5	2	6	4	1	-	-	-
18	-	-	-	1	6	1	4	7	8	13	6	3	5	4	-	-
19																
20	5	4	15	12	27	34	37	50	48	48	35	15	7	-	-	-
21	2	1	7	13	15	22	24	55	59	41	52	26	6	5	-	-
22																
23	7	14	11	17	28	52	61	96	71	67	48	12	5	-	-	-
24	5	7	14	14	35	25	39	51	72	78	57	43	12	1	-	-
25																
26	2	4	6	5	8	7	13	20	13	17	13	4	5	-	-	-
27	2	3	-	3	5	8	9	12	15	17	11	8	5	1	1	-
28																
29	1	-	-	3	4	4	12	10	8	7	12	4	2	1	-	-
30	-	-	2	-	1	-	5	6	7	8	6	8	2	-	1	-
31																
32	9	15	18	37	29	70	64	95	93	94	70	31	4	1	-	-
33	9	9	3	21	34	41	60	70	100	105	79	45	11	3	-	-
34																
35	6	6	20	23	38	58	85	86	88	86	64	35	15	2	-	-
36	4	6	15	18	18	50	45	60	87	89	84	47	24	4	-	-
37																
38	2	4	7	17	26	39	40	50	45	56	32	18	4	-	-	-
39	2	5	3	8	12	14	19	40	58	53	70	26	15	1	2	-
40																
41	-	1	4	7	5	9	16	10	13	14	5	11	-	1	-	-
42	2	-	-	3	-	3	5	8	12	17	12	9	8	3	-	-
43																
44	3	-	2	1	2	8	9	9	12	14	11	6	2	1	-	-
45	-	3	3	1	3	9	9	7	9	15	15	7	3	2	-	-
46																
47	1	9	14	12	21	37	36	48	39	41	23	26	7	-	-	-
48	2	7	3	12	9	25	27	30	45	45	45	40	13	3	-	-
49																
50	2	5	4	9	14	10	21	15	14	20	16	12	7	-	-	-
51	-	2	6	5	9	4	9	12	10	33	31	24	6	4	-	-
52																
53	2	2	4	3	7	17	13	18	14	23	10	5	1	1	-	-
54	-	2	1	5	6	4	10	19	20	25	19	13	7	-	-	-
55																
56	1	-	3	2	5	5	6	8	13	13	6	1	3	1	-	-
57	-	1	-	-	1	2	6	1	7	12	7	9	1	-	-	-
58																
59	2	-	-	2	2	6	14	9	14	14	9	1	1	-	-	-
60	-	1	-	1	2	7	6	12	12	11	11	4	1	-	-	-
61																
62	-	3	-	7	7	16	15	14	16	10	14	6	6	2	-	-
63	-	3	-	3	6	9	12	17	16	23	14	15	4	2	-	-
64																
65	2	2	4	5	7	9	10	7	16	16	11	1	2	3	-	-
66	1	1	1	4	4	6	5	9	7	16	21	7	6	-	-	-

* Age at last birthday.

Line No.	Table 2 MUNICIPALITIES AND SEX.	ALLOCATED DEATHS ¹ , BY SEX AND AGE ² , IN EACH COUNTY											
		All ages.	Under 5 years.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
1	NEEDHAM (TOWN).	150											
2	Males	72	6	4	1	-	-	1	-	-	-	-	-
3	Females	78	4	2	-	1	1	-	-	-	-	-	1
4	NEW BEDFORD.	1,359											
5	Males	749	34	30	2	-	1	1	1	-	3	4	12
6	Females	610	30	24	1	-	3	2	-	1	-	2	4
7	NEWBURYPORT.	208											
8	Males	100	4	4	-	-	-	-	1	-	-	2	-
9	Females	108	5	4	-	1	-	-	-	-	-	1	-
10	NEWTON.	815											
11	Males	419	25	21	-	1	1	2	2	1	1	3	2
12	Females	396	20	18	-	1	1	-	2	1	1	1	1
13	NORTH ADAMS.	275											
14	Males	160	4	2	1	1	-	-	1	1	1	2	-
15	Females	115	7	7	-	-	-	-	1	1	-	-	-
16	NORTH ATTLEBOROUGH (TOWN).	138											
17	Males	81	8	7	-	-	1	-	1	-	1	-	1
18	Females	57	3	2	-	-	-	1	-	-	-	-	-
19	NORTHAMPTON.	327											
20	Males	176	4	3	-	1	-	-	-	-	1	2	2
21	Females	151	6	5	1	-	-	-	-	1	-	-	-
22	NORTHBRIDGE (TOWN).	98											
23	Males	61	6	5	-	-	1	-	-	-	-	-	-
24	Females	37	3	3	-	-	-	-	1	-	-	-	-
25	NORWOOD (TOWN).	168											
26	Males	95	2	2	-	-	-	-	-	-	-	-	-
27	Females	73	4	4	-	-	-	-	-	-	-	-	-
28	PEABODY.	277											
29	Males	165	8	5	-	1	1	1	1	-	-	1	-
30	Females	112	5	4	1	-	-	-	1	-	1	1	-
31	PITTSFIELD.	599											
32	Males	315	19	18	1	-	-	-	-	-	-	3	2
33	Females	284	8	7	1	-	-	-	-	1	1	-	1
34	PLYMOUTH (TOWN).	148											
35	Males	86	2	2	-	-	-	-	3	-	-	-	-
36	Females	62	2	2	-	-	-	-	-	-	1	-	-
37	QUINCY.	827											
38	Males	434	29	25	1	1	1	1	2	1	2	2	6
39	Females	393	18	15	3	-	-	-	-	1	-	3	5
40	RANDOLPH (TOWN).	105											
41	Males	57	7	7	-	-	-	-	-	1	1	-	-
42	Females	48	1	1	-	-	-	-	-	1	-	-	-
43	READING (TOWN).	155											
44	Males	81	3	3	-	-	-	-	-	-	2	1	-
45	Females	74	2	1	-	-	1	-	-	-	-	1	-
46	REVERE.	367											
47	Males	194	8	6	-	1	-	1	2	1	1	1	2
48	Females	173	5	5	-	-	-	-	2	-	-	-	4
49	SALEM.	515											
50	Males	254	7	6	-	1	-	-	4	-	-	1	1
51	Females	261	9	8	1	-	-	-	-	-	-	2	1
52	SAUGUS (TOWN).	138											
53	Males	74	5	5	-	-	-	-	1	1	-	-	1
54	Females	64	4	1	-	-	1	2	-	-	-	1	-
55	SHREWSBURY (TOWN).	68											
56	Males	36	3	2	-	-	-	1	-	-	1	-	-
57	Females	32	4	4	-	-	-	-	-	-	-	-	-
58	SOMERVILLE.	1,12											
59	Males	628	43	40	1	-	1	1	5	3	6	2	3
60	Females	524	15	14	-	-	1	-	3	-	-	4	3
61	SOUTH HADLEY (TOWN).	79											
62	Males	46	8	7	-	-	1	-	-	-	1	1	1
63	Females	33	5	5	-	-	-	-	-	-	-	-	-
64	SOUTHBRIDGE (TOWN).	193											
65	Males	108	9	9	-	-	-	-	1	-	-	-	1
66	Females	85	3	1	1	-	1	-	1	-	-	-	-

¹ Exclusive of stillbirths.

AND IN MUNICIPALITIES HAVING OVER 10,000 INHABITANTS: 1951.

Line No.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Ages unknown.
1																
2	2	2	-	3	6	6	8	13	5	6	9	5	-	1	-	-
3	1	-	2	1	5	2	4	8	13	13	8	7	7	2	-	-
4																
5	8	14	17	32	44	73	98	121	109	87	51	31	8	1	1	-
6	4	6	13	19	22	52	69	65	89	85	78	47	15	8	1	-
7																
8	-	-	4	3	9	3	11	13	13	13	11	12	1	-	-	-
9	-	1	1	3	5	9	8	6	14	21	16	10	6	1	1	-
10																
11	2	8	9	29	33	32	39	39	56	55	39	33	10	1	-	-
12	2	4	6	10	15	20	25	39	37	70	68	46	22	5	1	-
13																
14	-	1	6	5	5	11	14	20	23	30	20	12	4	-	-	-
15	1	-	6	4	3	8	10	15	18	15	16	9	-	1	-	-
16																
17	-	1	2	6	6	7	9	5	9	15	4	3	2	1	-	-
18	-	1	-	1	2	1	7	4	6	9	11	8	2	2	-	-
19																
20	4	3	5	9	9	14	24	20	29	27	12	8	2	1	-	-
21	-	2	-	2	5	9	22	14	22	14	26	18	8	2	-	-
22																
23	1	-	1	2	2	9	5	9	7	8	6	5	-	-	-	-
24	1	1	1	1	2	2	3	3	4	10	5	-	-	-	-	-
25																
26	1	-	6	4	4	13	13	8	9	14	13	6	1	1	-	-
27	-	2	2	1	1	5	5	12	7	12	5	10	7	-	-	-
28																
29	1	4	4	10	7	21	22	28	24	16	13	5	-	-	-	-
30	1	2	5	5	4	12	6	18	14	15	14	7	1	-	-	-
31																
32	-	3	6	10	22	31	37	46	46	38	27	18	7	-	-	-
33	2	4	7	7	13	18	29	33	44	38	43	19	11	-	-	-
34																
35	-	-	-	4	3	4	4	16	20	15	9	5	1	-	-	-
36	-	1	2	2	3	5	6	5	8	12	8	6	-	1	-	-
37																
38	1	6	11	15	37	40	53	69	48	54	38	13	5	2	-	-
39	2	5	9	10	18	24	36	37	43	60	64	41	11	6	-	-
40																
41	-	1	1	1	2	6	4	11	9	4	5	4	-	-	-	-
42	1	-	-	3	2	3	5	7	7	7	6	5	-	-	-	-
43																
44	-	1	2	3	2	9	9	8	8	14	8	6	5	-	-	-
45	1	-	4	3	2	2	8	6	7	11	11	11	5	-	-	-
46																
47	4	4	7	9	14	17	18	32	29	22	12	9	2	-	-	-
48	2	3	5	10	6	13	21	23	27	20	20	8	4	-	-	-
49																
50	3	8	7	9	14	24	25	40	33	29	10	7	2	-	-	-
51	-	6	4	8	7	22	24	22	45	41	36	21	12	1	-	-
52																
53	1	3	1	3	3	5	6	9	19	4	4	8	-	-	-	-
54	-	-	1	-	3	2	5	8	8	8	14	8	2	-	-	-
55																
56	-	-	-	1	2	3	6	6	4	5	4	1	-	-	-	-
57	1	-	-	1	4	1	1	2	3	6	4	3	2	-	-	-
58																
59	6	8	25	28	52	56	52	91	60	83	59	35	7	4	-	-
60	5	8	15	15	34	29	39	47	73	75	79	55	20	5	-	-
61																
62	1	-	1	3	1	6	3	3	6	3	4	1	3	-	-	-
63	-	-	-	-	1	3	2	6	5	2	4	1	1	3	-	-
64																
65	-	1	1	2	5	9	9	18	21	15	11	4	1	-	-	-
66	1	3	3	1	2	10	8	13	12	10	8	6	4	-	-	-

² Age at last birthday.

Table 2

ALLOCATED DEATHS¹, BY SEX AND AGE², IN EACH COUNTY

Line No.	MUNICIPALITIES AND SEX.	All ages.	Under 5 years.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
1	SPRINGFIELD.	1,852											
2	Males	1,015	47	41	1	4	1	-	8	6	-	2	5
3	Females	837	35	33	2	-	-	-	3	1	3	5	7
4	STONEHAM (TOWN).	123											
5	Males	63	4	3	-	-	-	1	-	-	1	1	1
6	Females	60	4	3	-	1	-	-	-	1	-	-	-
7	STOUGHTON (TOWN).	100											
8	Males	57	3	3	-	-	-	-	-	-	-	1	1
9	Females	43	3	3	-	-	-	-	-	-	-	-	-
10	SWAMPSCOTT (TOWN).	145											
11	Males	73	4	3	-	-	1	-	-	-	-	-	-
12	Females	72	2	2	-	-	-	-	-	-	-	-	1
13	TAUNTON.	474											
14	Males	271	14	11	1	1	1	-	1	-	3	-	1
15	Females	203	13	9	2	1	1	-	-	-	-	-	1
16	WAKEFIELD (TOWN).	201											
17	Males	110	8	5	1	-	1	1	-	-	1	-	1
18	Females	91	3	3	-	-	-	-	-	-	-	-	2
19	WALTHAM.	465											
20	Males	240	11	10	1	-	-	-	1	1	1	3	2
21	Females	225	11	8	-	1	1	1	2	-	2	-	1
22	WATERTOWN (TOWN).	378											
23	Males	214	13	12	-	1	-	-	1	-	1	2	-
24	Females	164	8	7	1	-	-	-	-	-	-	-	3
25	WEBSTER (TOWN).	138											
26	Males	86	4	4	-	-	-	-	-	1	1	1	1
27	Females	52	3	3	-	-	-	-	-	-	-	-	-
28	WELLESLEY (TOWN).	174											
29	Males	84	5	5	-	-	-	-	-	-	1	1	1
30	Females	90	2	2	-	-	-	-	-	-	-	-	-
31	WEST SPRINGFIELD (TOWN).	189											
32	Males	94	5	4	1	-	-	-	-	-	-	1	2
33	Females	95	9	8	-	-	1	-	-	2	-	3	-
34	WESTFIELD.	202											
35	Males	100	5	4	-	-	-	1	-	-	-	3	-
36	Females	102	9	6	-	1	-	2	-	-	1	-	-
37	WEYMOUTH (TOWN).	344											
38	Males	196	16	14	1	-	-	1	3	1	3	2	4
39	Females	148	9	7	1	-	-	1	1	-	-	2	1
40	WINCHESTER (TOWN).	133											
41	Males	61	7	7	-	-	-	-	-	-	-	-	-
42	Females	72	4	3	-	-	-	1	-	-	-	-	-
43	WINTHROP (TOWN).	245											
44	Males	121	5	4	-	-	-	1	-	-	3	1	1
45	Females	124	3	3	-	-	-	-	-	-	1	-	1
46	WOBURN.	217											
47	Males	99	11	11	-	-	-	-	1	-	1	-	2
48	Females	118	6	6	-	-	-	-	-	-	-	-	-
49	WORCESTER.	2,344											
50	Males	1,266	74	68	-	2	3	1	7	2	7	5	6
51	Females	1,078	43	34	3	3	2	1	2	1	4	3	5

¹ Exclusive of stillbirths.

AND IN MUNICIPALITIES HAVING OVER 10,000 INHABITANTS: 1951.

Line No.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Age un-known.
1																
2	12	11	22	39	75	127	120	167	139	103	77	35	18	2	-	-
3	11	4	24	27	34	66	66	85	124	130	100	79	26	7	-	-
4																
5		2	-	-	6	5	4	9	10	4	9	5	1	1	-	-
6	1	1	1	2	3	4	7	4	10	5	4	8	2	3	-	-
7																
8	-	2	3	3	6	3	3	6	6	8	8	4	-	-	-	-
9	-	-	-	-	1	2	3	3	9	7	5	6	3	1	-	-
10																
11	1	1	-	1	3	9	16	3	13	9	9	3	1	-	-	-
12	-	2	1	1	2	3	6	8	7	13	9	11	5	1	-	-
13																
14	1	6	9	10	13	25	39	38	37	28	24	18	4	-	-	-
15	1	5	4	2	8	17	20	21	27	23	28	23	9	1	-	-
16																
17	-	1	2	1	9	10	10	10	16	18	11	7	5	-	-	-
18	1	1	4	1	2	7	8	6	11	14	17	12	1	1	-	-
19																
20	3	6	8	8	10	21	34	25	32	32	26	12	2	2	-	-
21	3	2	7	3	17	6	16	23	38	28	27	20	17	2	-	-
22																
23	2	2	4	14	19	26	20	28	29	23	18	10	1	1	-	-
24	-	2	2	7	10	8	18	17	24	26	18	15	4	1	1	-
25																
26	1	-	2	5	2	7	6	10	12	15	14	2	2	-	-	-
27	-	1	-	2	3	5	3	14	7	8	1	4	1	-	-	-
28																
29	2	-	-	3	10	5	8	13	6	10	8	7	2	2	-	-
30	1	2	1	1	5	7	3	8	13	15	13	9	7	3	-	-
31																
32	2	3	5	3	4	14	14	8	9	10	8	3	1	2	-	-
33	2	-	3	5	6	9	10	6	8	13	8	6	3	2	-	-
34																
35	-	1	3	3	7	8	10	15	15	9	8	7	4	2	-	-
36	1	3	1	3	3	6	13	7	13	11	17	10	4	-	-	-
37																
38	1	4	2	10	7	17	17	17	23	24	19	20	5	1	-	-
39	2	1	4	7	4	4	11	10	16	28	25	14	7	2	-	-
40																
41	-	1	1	2	4	3	8	6	8	7	8	4	2	-	-	-
42	-	2	-	2	2	5	3	8	8	9	9	10	10	-	-	-
43																
44	-	4	8	5	5	8	10	14	21	19	11	4	2	-	-	-
45	-	-	3	1	5	7	14	16	23	24	19	3	4	-	-	-
46																
47	-	2	2	1	5	7	16	12	13	8	13	1	4	-	-	-
48	3	1	1	7	4	7	10	14	12	13	22	11	7	-	-	-
49																
50	7	22	24	43	75	141	161	175	178	152	102	59	22	4	-	-
51	20	13	22	31	40	73	105	137	140	150	148	83	45	12	1	-

² Age at last birthday.

Table 3

YEARS.	MORTALITY ¹ OF MALES AND FEMALES: 1927 TO 1951.					
	DEATHS. ²		Deaths of males to 1,000 deaths of females.	DEATH RATES ² PER 1,000 POPULATION.		
	Males.	Females.		Males.	Females.	Excess of male rate.
1927	25,233	24,091	1,047	—	—	—
1928	26,032	25,360	1,028	—	—	—
1929	26,461	25,710	1,029	—	—	—
1930	25,242	24,261	1,041	12.2	11.1	1.1
1931	25,021	23,722	1,055	—	—	—
1932	25,321	24,210	1,046	—	—	—
1933	26,131	24,701	1,058	—	—	—
1934	26,569	24,191	1,098	—	—	—
1935	26,000	24,288	1,071	—	—	—
1936	27,104	24,950	1,086	—	—	—
1937	27,395	24,892	1,101	—	—	—
1938	26,046	23,850	1,092	—	—	—
1939	26,340	24,567	1,072	—	—	—
1940	26,572	24,708	1,075	12.6	11.2	1.4
1941	26,803	24,238	1,106	—	—	—
1942	27,031	24,171	1,118	—	—	—
1943	28,386	26,025	1,091	—	—	—
1944	27,046	24,408	1,108	—	—	—
1945	26,942	23,821	1,131	—	—	—
1946	27,021	24,268	1,113	—	—	—
1947	27,472	24,111	1,139	—	—	—
1948	27,852	24,463	1,139	—	—	—
1949	26,880	23,562	1,141	—	—	—
1950	26,870	23,489	1,144	11.7	9.8	1.9
1951	28,189	24,751	1,139	—	—	—

¹ Exclusive of stillbirths.² Rates are calculated on census population. Male and female population not enumerated in State census of 1935 and 1945. Rates for 1950 based on estimates supplied by the U. S. Census Bureau.³ Allocated since 1943.

Table 4

AGE PERIODS.	DEATHS ¹ AT SPECIFIED AGES: CENSUS YEARS 1925 TO 1950.					
	1950.	1945.	1940.	1935.	1930.	1925.
All Ages.	50,359 ²	50,763 ²	50,698 ²	49,634 ²	49,503	51,890
Under 5 years	2,672	2,889	2,925	3,809	5,873	8,623
Under 1 year	2,277	2,433	2,450	3,014	4,440	6,294
5 to 9 years	153	233	245	513	742	922
10 to 14 years	106	200	281	461	479	678
15 to 19 years	198	333	444	616	705	891
20 to 29 years	713	990	1,151	1,627	1,956	2,498
30 to 39 years	1,332	1,633	1,774	2,405	2,959	3,161
40 to 49 years	3,008	3,696	3,994	4,488	4,278	4,521
50 to 59 years	6,782	7,500	7,092	7,001	6,989	6,838
60 to 69 years	11,503	11,250	11,571	11,083	9,881	9,186
70 to 79 years	13,801	13,291	12,996	10,964	9,637	8,882
80 years and over	10,091	8,748	8,225	6,667	6,003	5,685
Age unknown	—	—	—	—	1	5
DEATH RATES PER 1,000 POPULATION ³ AT SPECIFIED AGES.						
All Ages.	10.7	11.3	11.7	11.4	11.6	12.5
Under 5 years	6.0	—	10.4	—	16.8	—
Under 1 year	27.2	—	46.6	—	68.3	—
5 to 9 years	.4	—	.8	—	1.9	—
10 to 14 years	.4	—	.8	—	1.2	—
15 to 19 years	.6	—	1.2	—	1.9	—
20 to 29 years	1.1	—	1.6	—	2.9	—
30 to 39 years	1.9	—	2.8	—	— ⁴	—
40 to 49 years	4.9	—	6.6	—	— ⁴	—
50 to 59 years	12.4	—	14.7	—	— ⁴	—
60 to 69 years	28.6	—	34.3	—	— ⁴	—
70 to 79 years	— ⁴	—	76.4	—	— ⁴	—
80 years and over	— ⁴	—	177.3	—	— ⁴	—

¹ Exclusive of stillbirths.² Allocated.³ Population by age groups not enumerated for 1925, 1935 and 1945.⁴ U. S. Census figures for 1930 and 1950 not available.

Table 5

YEARS.	PER CENT OF DEATHS ¹ AT SPECIFIED AGES— BOTH SEXES ² .			
	Under 1 year.	Under 5 years.	20 to 29 years.	All others.
1927	10.8	14.3	4.6	81.1
1928	10.0	13.6	4.3	82.1
1929	8.8	12.0	4.4	83.6
1930	9.0	11.9	3.9	84.2
1931	7.8	10.2	3.9	85.9
1932	7.3	9.7	3.7	86.6
1933	6.5	8.5	3.6	87.9
1934	6.2	8.0	3.5	88.5
1935	6.1	7.7	3.3	89.0
1936	5.5	7.1	3.2	89.7
1937	5.2	6.5	3.0	90.5
1938	4.9	6.2	2.9	90.9
1939	4.6	5.7	2.5	91.8
1940	4.8	5.8	2.3	91.9
1941	4.9	5.8	2.3	91.9
1942	5.2	6.2	2.6	91.2
1943	5.4	6.4	2.2	91.4
1944	5.0	6.0	2.1	91.9
1945	4.8	5.7	1.9	92.4
1946	5.8	6.7	2.0	91.3
1947	5.9	6.6	1.8	91.6
1948	5.0	5.8	1.6	92.6
1949	4.6	5.5	1.5	93.0
1950	4.5	5.3	1.4	93.3
1951	4.1	4.9	1.2	93.9

¹Exclusive of stillbirths.²Allocated since 1935.

Table 6 AGE PERIODS.	MALE DEATHS ¹ PER 1,000 FEMALE DEATHS ¹ AT SPECIFIED AGES.				Table 6 AGE PERIODS.	MALE DEATHS ¹ PER 1,000 FEMALE DEATHS ¹ AT SPECIFIED AGES.			
	1951.	1950.	1949.	1948.		1951.	1950.	1949.	1948.
All Ages	1,139	1,144	1,141	1,139	40 to 44 years . .	1,46	1,622	1,493	1,550
Under 1 year	1,356	1,404	1,369	1,311	45 to 49 years . .	1,614	1,521	1,512	1,702
1 year	1,111	1,526	1,083	1,436	50 to 54 years . .	1,656	1,714	1,680	1,636
2 years	1,417	1,537	1,479	1,794	55 to 59 years . .	1,719	1,593	1,484	1,668
3 years	1,545	1,022	1,275	2,172	60 to 64 years . .	1,531	1,484	1,571	1,473
4 years	1,303	1,240	1,172	1,103	65 to 69 years . .	1,389	1,340	1,239	1,315
5 to 9 years	1,953	1,593	1,363	1,575	70 to 74 years . .	1,092	1,079	1,093	1,063
10 to 14 years . . .	1,878	1,789	1,283	1,344	75 to 79 years . .	945	919	952	918
15 to 19 years . . .	2,014	1,912	1,786	1,742	80 to 84 years . .	763	813	792	814
20 to 24 years . . .	2,265	1,773	1,550	1,421	85 to 89 years . .	607	664	685	627
25 to 29 years . . .	1,419	1,164	1,382	1,392	90 to 94 years . .	519	483	495	462
30 to 34 years . . .	1,325	1,228	1,278	1,262	95 to 99 years . .	456	457	561	337
35 to 39 years . . .	1,361	1,516	1,515	1,257	100 years and over	259	267	250	136

¹Allocated.

Table 7		DEATHS ¹ OF MALES AND FEMALES AT SPECIFIED AGES: 1942 TO 1951.						
		BOTH SEXES.		MALES.		FEMALES.		Female deaths per 1,000 male deaths.
		Number ² .	Per Cent distribution.	Number ² .	Per Cent distribution.	Number ² .	Per Cent distribution.	
AGE PERIODS AND YEARS.								
ALL AGES.								
1942	.	50,523	100.0	26,650	100.0	23,873	100.0	896
1943	.	54,411	100.0	28,386	100.0	26,025	100.0	917
1944	.	51,454	100.0	27,046	100.0	24,408	100.0	902
1945	.	50,763	100.0	26,942	100.0	23,821	100.0	884
1946	.	51,289	100.0	27,021	100.0	24,268	100.0	898
1947	.	51,583	100.0	27,472	100.0	24,111	100.0	878
1948	.	52,315	100.0	27,852	100.0	24,463	100.0	878
1949	.	50,442	100.0	26,880	100.0	23,562	100.0	877
1950	.	50,359	100.0	26,870	100.0	23,489	100.0	874
1951	.	52,940	100.0	28,189	100.0	24,751	100.0	878
UNDER 1 YEAR.								
1942	.	2,651	5.2	1,498	5.6	1,153	4.8	770
1943	.	2,939	5.4	1,703	6.0	1,236	4.7	725
1944	.	2,582	5.0	1,453	5.4	1,129	4.6	777
1945	.	2,433	4.8	1,424	5.3	1,009	4.2	709
1946	.	2,996	5.8	1,758	6.5	1,238	5.1	704
1947	.	3,021	5.9	1,724	6.3	1,297	5.4	752
1948	.	2,614	5.0	1,483	5.3	1,131	4.6	763
1949	.	2,341	4.6	1,353	5.0	988	4.2	730
1950	.	2,277	4.5	1,330	4.9	947	4.0	712
1951	.	2,184	4.1	1,257	4.5	927	3.7	737
UNDER 5 YEARS.								
1942	.	3,118	6.2	1,770	6.6	1,348	5.6	762
1943	.	3,496	6.4	2,016	7.1	1,480	5.7	734
1944	.	3,078	6.0	1,722	6.4	1,356	5.5	787
1945	.	2,889	5.7	1,684	6.3	1,205	5.0	716
1946	.	3,454	6.7	2,014	7.4	1,440	5.9	715
1947	.	3,415	6.6	1,964	7.2	1,451	6.0	739
1948	.	3,052	5.8	1,751	6.3	1,301	5.3	743
1949	.	2,764	5.5	1,587	5.9	1,177	5.0	742
1950	.	2,672	5.3	1,557	5.8	1,115	4.7	716
1951	.	2,564	4.9	1,472	5.2	1,092	4.4	742
20 TO 29 YEARS.								
1942	.	1,340	2.6	743	2.8	597	2.5	803
1943	.	1,201	2.2	643	2.3	558	2.1	865
1944	.	1,109	2.1	600	2.2	509	2.1	850
1945	.	990	1.9	523	1.9	467	2.0	893
1946	.	994	2.0	538	2.0	456	1.9	848
1947	.	947	1.8	528	1.9	419	1.7	794
1948	.	815	1.6	476	1.7	339	1.4	712
1949	.	761	1.5	450	1.7	311	1.3	691
1950	.	713	1.4	417	1.5	296	1.3	710
1951	.	645	1.2	406	1.5	239	1.0	589
ALL OTHER AGES.								
1942	.	46,065	91.2	24,137	90.6	21,928	91.9	908
1943	.	49,714	91.4	25,727	90.6	23,987	92.2	932
1944	.	47,267	91.9	24,724	91.4	22,543	92.4	912
1945	.	46,884	92.4	24,735	91.8	22,149	93.0	895
1946	.	46,841	91.3	24,469	90.6	22,372	92.2	914
1947	.	47,221	91.6	24,980	90.9	22,241	92.3	890
1948	.	48,448	92.6	25,625	92.0	22,823	93.3	891
1949	.	46,917	93.0	24,843	92.4	22,074	93.7	889
1950	.	46,974	93.3	24,896	92.7	22,078	94.0	887
1951	.	49,731	93.9	26,311	93.3	23,420	94.6	890

¹ Exclusive of stillbirths.² Allocated.

Table 8

ALLOCATED DEATHS BY SEX, AGE, AND MARITAL CONDITION: 1951.

AGE AT DEATH.	Both Sexes.	MALES.						FEMALES.					
		Total.	Single.	Married.	Widowed.	Divorced.	Unknown.	Total.	Single.	Married.	Widowed.	Divorced.	Unknown.
The State 15 Years and Over.	50,069	26,515	4,059	15,285	6,396	733	42	23,554	4,135	7,663	11,355	389	12
15 to 19 years . . .	211	141	137	3	1	-	-	70	66	4	-	-	-
20 to 29 years . . .	645	406	269	135	-	2	-	239	92	139	3	5	-
30 to 39 years . . .	1,277	733	215	474	7	37	-	544	125	377	13	29	-
40 to 49 years . . .	3,132	1,911	405	1,321	64	118	3	1,221	207	864	90	60	-
50 to 59 years . . .	7,091	4,458	711	3,236	318	185	8	2,633	388	1,643	520	80	2
60 to 69 years . . .	11,811	6,993	959	4,635	1,177	209	13	4,818	681	2,287	1,759	87	4
70 to 79 years . . .	14,558	7,333	910	3,956	2,318	138	11	7,225	1,299	1,797	4,052	75	2
80 years and over . .	11,344	4,540	453	1,525	2,511	44	7	6,804	1,277	552	4,918	53	4
Boston 15 Years and Over.	9,399	5,079	1,108	2,585	1,182	187	17	4,320	910	1,334	1,982	92	1
15 to 19 years . . .	45	24	23	-	1	-	-	21	18	3	-	-	-
20 to 29 years . . .	138	88	61	26	-	1	-	50	22	27	-	1	-
30 to 39 years . . .	283	165	63	92	3	7	-	118	29	73	5	11	-
40 to 49 years . . .	707	442	124	256	24	37	1	265	50	178	21	16	-
50 to 59 years . . .	1,477	952	212	592	92	51	5	525	83	291	128	23	-
60 to 69 years . . .	2,337	1,391	296	785	251	53	6	946	172	400	362	12	-
70 to 79 years . . .	2,678	1,337	213	652	433	31	3	1,341	286	296	738	20	1
80 years and over . .	1,734	680	116	182	373	7	2	1,054	250	66	729	9	-

Table 9

ALLOCATED DEATHS¹, IN COUNTIES AND IN CITIES HAVING OVER 50,000 INHABITANTS, BY MONTHS: 1951.

COUNTIES AND CITIES HAVING OVER 50,000 INHABITANTS IN 1950. (Grouped in order of population).	The Year.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
The State	52,940	4,629	4,887	5,310	4,319	4,420	4,037	4,081	3,842	3,892	4,391	4,350	4,782
Average daily number of deaths.	145	149	175	171	144	143	135	132	124	130	142	145	154
COUNTIES.													
Middlesex . . .	11,467	1,011	1,027	1,160	973	981	871	905	838	777	974	958	992
Suffolk . . .	10,953	950	1,113	1,084	907	866	801	829	811	818	894	851	1,029
Worcester . . .	5,743	441	525	593	468	497	482	445	411	420	499	447	515
Essex . . .	6,309	604	560	616	508	512	499	491	449	464	489	504	613
Norfolk . . .	4,021	364	361	415	311	329	318	319	296	274	338	336	360
Bristol . . .	4,423	372	401	468	350	381	345	353	309	340	354	375	375
Hampden . . .	3,890	311	383	380	313	330	305	283	261	299	328	353	344
Plymouth . . .	2,325	227	193	228	186	233	152	177	163	188	183	174	221
Berkshire . . .	1,522	152	124	154	135	106	112	109	105	129	126	136	134
Hampshire . . .	871	73	94	74	60	66	63	57	76	66	77	88	77
Franklin . . .	646	55	43	64	51	59	38	64	51	49	54	63	55
Barnstable . . .	636	60	59	58	42	48	44	40	62	60	57	52	54
Dukes . . .	84	6	2	11	7	8	5	8	4	1	15	10	7
Nantucket . . .	50	3	2	5	8	4	2	1	6	7	3	3	6
CITIES OVER 100,000.													
Boston . . .	9,914	860	1,024	979	809	790	732	752	737	748	809	760	914
Worcester . . .	2,344	179	213	247	194	190	196	188	176	163	202	184	212
Springfield . . .	1,852	151	199	185	155	154	121	137	126	142	158	163	161
Cambridge . . .	1,314	112	119	151	123	105	100	100	95	86	103	122	98
Fall River . . .	1,299	125	126	127	111	129	97	96	92	94	95	96	111
New Bedford . . .	1,359	109	106	158	110	103	108	105	108	97	112	131	112
Somerville . . .	1,152	100	98	108	112	101	94	93	85	78	93	95	95
CITIES 50,000 TO 100,000.													
Lynn . . .	1,225	128	113	118	98	87	101	100	94	85	98	79	124
Lowell . . .	1,318	124	107	158	113	93	83	98	95	92	112	109	134
Quincy . . .	827	67	82	78	72	53	74	62	57	59	73	75	75
Newton . . .	815	65	62	74	65	65	71	84	68	42	73	76	70
Lawrence . . .	992	75	82	101	93	78	83	81	75	76	79	80	89
Medford . . .	654	55	59	54	55	65	44	51	46	44	61	52	68
Brockton . . .	819	88	70	78	72	84	46	61	59	62	64	64	71
Malden . . .	707	49	93	58	57	60	58	56	48	48	64	56	60
Holyoke . . .	722	62	73	64	53	64	59	46	51	59	66	68	57
Pittsfield . . .	599	60	52	64	56	43	43	37	35	50	48	59	52

¹Exclusive of stillbirths.

YEARS.	DEATHS. ¹		LIVE BIRTHS.		DEATHS UNDER 1 YEAR.		DEATHS UNDER 1 MONTH.	
	Number. ²	Per 1,000 population.	Number. ²	Per 1,000 population.	Number. ²	Per 1,000 live births.	Number. ²	Per 1,000 live births.
1900 . . .	51,156	18.2	73,386	26.2	11,500	156.7	-	-
1901 . . .	48,275	16.9	71,976	25.3	9,952	138.3	-	-
1902 . . .	47,491	16.4	72,219	25.0	10,075	139.5	-	-
1903 . . .	49,054	16.7	73,584	25.1	10,269	138.3	-	-
1904 . . .	48,482	16.3	75,014	25.3	9,992	133.2	-	-
1905 . . .	50,486	16.7	75,022	24.9	10,519	140.2	-	-
1906 . . .	50,624	16.4	80,237	26.0	11,106	138.4	-	-
1907 . . .	54,234	17.2	85,001	26.9	11,293	132.9	-	-
1908 . . .	51,788	16.0	86,911	26.9	11,606	133.5	-	-
1909 . . .	51,236	15.5	84,039	25.4	10,693	127.2	-	-
1910 . . .	54,407	16.1	86,539	25.6	11,499	132.9	-	-
1911 . . .	53,062	15.4	88,327	25.6	10,543	119.4	-	-
1912 . . .	52,400	14.9	89,882	25.6	10,472	116.5	-	-
1913 . . .	53,402	14.9	91,644	25.6	10,086	110.1	-	-
1914 . . .	52,978	14.5	93,399	25.6	9,894	105.9	-	-
1915 . . .	53,131	14.4	93,155	25.2	9,490	101.9	-	-
1916 . . .	56,366	14.9	93,487	24.8	9,334	99.8	-	-
1917 . . .	56,628	14.7	95,731	24.9	9,325	97.4	4,029	42
1918 . . .	78,842	20.2	95,607	24.5	10,820	113.2	4,292	45
1919 . . .	52,345	13.6	87,827	22.9	7,769	88.5	3,635	41
1920 . . .	53,632	13.9	91,859	23.8	8,382	91.2	3,823	42
1921 . . .	47,780	12.3	92,207	23.7	7,005	76.0	3,714	40
1922 . . .	51,115	13.0	87,636	22.3	7,129	81.3	3,514	40
1923 . . .	52,380	13.2	89,210	22.5	6,968	78.1	3,587	40
1924 . . .	49,466	12.4	91,413	22.8	6,191	67.7	3,469	38
1925 . . .	51,890	12.5	86,014	20.8	6,294	73.1	3,365	39
1926 . . .	52,888	12.7 ³	83,502	20.0	6,130	73.4	3,197	38
1927 . . .	49,324	11.8 ³	82,273	19.6	5,320	64.7	3,033	37
1928 . . .	51,442	12.2 ³	79,054	18.8	5,118	64.7	2,749	35
1929 . . .	52,171	12.3 ³	74,122	17.5	4,592	62.0	2,623	35
1930 . . .	49,503	11.6	73,690	17.3	4,440	60.3	2,594	35
1931 . . .	48,743	11.4	69,385	16.2	3,803	54.8	2,323	33
1932 . . .	49,531	11.5	68,518	15.9	3,635	53.1	2,267	33
1933 . . .	50,832	11.8	63,457	14.7	3,294	51.9	2,089	33
1934 . . .	50,760	11.7	63,767	14.7	3,136	49.2	1,935	30
1935 . . .	49,634	11.4	62,416	14.3	3,014	48.3	1,834	29
1936 . . .	51,435	11.7	61,184	14.0	2,854	46.6	1,810	30
1937 . . .	51,739	11.7	61,272	13.9	2,684	43.8	1,744	28
1938 . . .	49,285	11.1	62,382	14.1	2,439	39.1	1,661	27
1939 . . .	50,292	11.3	62,575	14.1	2,338	37.4	1,605	26
1940 . . .	50,698	11.7	65,369	15.1	2,450	37.5	1,655	25
1941 . . .	50,456	11.7	70,228	16.2	2,480	35.3	1,677	24
1942 . . .	50,523	11.7	83,371	19.2	2,651	31.8	1,917	23
1943 . . .	54,411	12.5	85,743	19.8	2,939	34.3	1,926	22
1944 . . .	51,454	11.8	78,140	18.0	2,582	33.0	1,754	22
1945 . . .	50,763	11.3	76,455	16.9	2,433	31.8	1,701	22
1946 . . .	51,289	11.3	96,903	21.3	2,996	30.9	2,222	23
1947 . . .	51,583	11.2	106,690	23.3	3,021	28.3	2,201	21
1948 . . .	52,315	11.3	98,933	21.4	2,614	26.4	1,986	20
1949 . . .	50,442	10.8	96,041	20.6	2,341	24.4	1,786 ⁴	19
1950 . . .	50,359	10.7	95,619	20.3	2,277	23.8	1,750 ⁴	18
1951 . . .	52,940	11.2	99,851	21.1	2,184	21.9	1,710 ⁴	17

¹ Exclusive of stillbirths.² Allocated since 1935.³ Revised.⁴ Under 4 weeks.

Detailed Int. List No.	Table 11 CAUSE OF DEATH.	SEX.	ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: 1951.												
			Total.	MONTHS.											
				January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
025	General paralysis of insane	T M F	21 18 3	- 1 -	- 3 1	- 1 -	- - -	- 2 -	- 2 1	- 2 -	- 1 -	- - -	- - 3	- 1 1	- - 2
026	Other syphilis of central nervous system	T M F	12 10 2	- - -	- - -	- - 1	- 2 -	- - -	- 1 1	- - -	- - -	- - 1	- 1 -	- 2 -	- 3 -
027	Other forms of late syphilis	T M F	8 4 4	- - -	- - 1	- 2 -	- - -	- - -	- 1 -	- - 1	- - -	- 1 -	- - -	- 1 -	- 1 -
029	Syphilis, unqualified	T M F	6 4 2	- - -	- 1 -	- - -	- - 1	- 1 1	- 1 -	- - -	- 1 -	- - -	- - -	- - -	- - -
040	Typhoid fever	T M F	2 1 1	- - -	- 1 -	- - -	- - -	- - -	- - -	- - -	- - 1	- - -	- - -	- - -	- - -
045	Bacillary dysentery	T M F	6 2 4	- - -	- - -	- 1 -	- - -	- - -	- - -	- - 1	- - 2	- 1 -	- 1 -	- - -	- - -
045.0	Flexner-Boyd group	T M F	3 1 2	- - -	- - -	- 1 -	- - -	- - -	- - -	- - -	- - 1	- 2 -	- 1 -	- - -	- - -
045.3	Sonne	T M F	1 - 1	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - 2	- - -	- 1 -	- - -	- - -
045.4	Other and unspecified	T M F	2 1 1	- - -	- - -	- - -	- - -	- - -	- - -	- - 1	- - -	- - -	- 1 -	- - -	- - -
046.0	Amebiasis without mention of liver abscess	T M F	2 - -	- - -	- - -	- - -	- 1 -	- - -	- 1 -	- - -	- - -	- - -	- - -	- - -	- - -
048	Unspecified forms of dysentery	T M F	4 1 3	- - -	- 1 -	- - -	- - -	- - -	- - -	- - -	- - 2	- - -	- 1 -	- - -	- - -
051	Streptococcal sore throat	T M F	1 - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - 1	- - -	- - -
053.4	Septicemia and pyemia, organism unspecified	T M F	5 3 2	- - 1	- - -	- 1 -	- - -	- - -	- 1 1	- - -	- 1 -	- - -	- 1 -	- - -	- - -
055	Diphtheria	T M F	8 4 4	- - 1	- 1 -	- - -	- 1 1	- 1 1	- - -	- - 1	- - -	- - 1	- - -	- - -	- - -
056.0	Whooping cough without mention of pneumonia	T M F	3 2 1	- - -	- - -	- 1 -	- 1 -	- - -	- - -	- 1 -	- - -	- - -	- 1 -	- - -	- - -
057	Meningococcal infections	T M F	17 7 10	- - 2	- 2 2	- 1 -	- 1 1	- 1 -	- - -	- - -	- 2 -	- - 2	- - 1	- 1 1	- 1 1
057.0	Meningococcal meningitis	T M F	12 5 7	- - 2	- 1 2	- 1 -	- 1 1	- 1 -	- - -	- - -	- 1 -	- - -	- 1 -	- - 1	- - -
057.1	Acute and unspecified meningococccemia	T M F	4 1 3	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- 1 -	- - -	- - 1	- - -	- - 1
057.3	Other forms of meningococcal infection	T M F	1 1 -	- - -	- 1 -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
061	Tetanus	T M F	4 1 3	- - -	- 1 -	- - 1	- - -	- - 2	- - -	- - -	- - -	- - -	- - -	- - -	- - -
063	Gas gangrene	T M F	1 - -	- - -	- - -	- - -	- - -	- - -	- - -	- 1 -	- - -	- - -	- - -	- - -	- - -
080	Acute poliomyelitis	T M F	11 5 6	- - -	- - 1	- - -	- - -	- 1 1	- - 2	- 1 2	- 1 -	- 2 1	- 1 -	- - -	- - -
080.0	Specified as bulbar poli-encephalitis	T M F	10 5 5	- - -	- 1 -	- - -	- - -	- - -	- - 1	- 1 2	- 1 -	- 2 1	- 1 -	- - -	- - -
080.3	Unspecified	T M F	1 - -	- - -	- - -	- - -	- - -	- - 1	- - -	- - -	- - -	- - -	- - -	- - -	- - -

Detailed Int. List No.	Table 11 CAUSE OF DEATH.	SEX.	Total.	ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: 1951.											
				MONTHS.											
				January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
081	Late effects of acute poliomyelitis	T M F	4 2 2	- - 1	- - 2	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - 1	- - -	- - -
082	Acute infectious encephalitis	T M F	2 1 1	- - -	- - -	- 1 -	- - -	- - -	- - -	- - -	- - -	- - 1	- - -	- - -	- - -
083.0	Postencephalitic Parkinsonism	T M F	2 1 1	- - -	- - -	- - -	- - -	- - -	- - -	- 1 -	- - -	- - 1	- - -	- 1 -	- - -
085.0	Measles without mention of pneumonia	T M F	5 3 2	- - -	- - -	- 2 -	- 1 -	- 1 -	- - -	- - -	- - -	- - -	- - -	- - -	- - 1
087	Chickenpox	T M F	5 2 3	- - 1	- 1 1	- - 1	- - -	- - -	- 1 -	- - -	- - -	- - -	- - -	- - -	- - -
088	Herpes zoster	T M F	3 1 2	- - 1	- 1 -	- - 1	- - -	- - -	- - -	- - -	- - -	- - -	- 1 -	- - -	- - -
089	Mumps	T M F	1 1 1	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- 1 -	- - -	- - -	- - -
092	Infectious hepatitis	T M F	34 16 18	- - 1	- 1 1	- 4 6	- 3 -	- 1 -	- 1 -	- 2 1	- 2 1	- 1 2	- 1 1	- 1 1	- - 1
096	Other diseases attributable to viruses	T M F	15 10 5	- - 1	- - -	- 1 -	- 2 1	- - -	- - 1	- 1 -	- - -	- - -	- 3 1	- 1 1	- 2 -
096.3	Cowpox	T M F	1 1 -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- 1 -	- - -	- - -
096.9	Other	T M F	14 9 5	- - 1	- - -	- 1 -	- 2 1	- - -	- - -	- 1 1	- - -	- - -	- 2 1	- 1 1	- 2 -
117	Recurrent induced malaria	T M F	1 1 -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- 1 -	- - -	- - -
122.1	Toxoplasmosis	T M F	1 1 -	- - -	- 1 -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
131	Dermatophytosis	T M F	1 1 -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- 1 -	- - -	- - -	- - -	- - -
134.1	Cryptococcosis (torulosis)	T M F	1 1 -	- - -	- - -	- 1 -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
II.	NEOPLASMS	T M F	8,812 4,263 4,549	- 361 360	- 333 378	- 366 366	- 395 380	- 361 391	- 346 367	- 358 365	- 331 409	- 353 382	- 354 392	- 366 387	- 339 372
140-205	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	T M F	8,666 4,199 4,467	- 355 352	- 328 370	- 363 358	- 387 373	- 355 384	- 342 363	- 355 357	- 328 402	- 343 376	- 349 385	- 361 379	- 333 368
140	Malignant neoplasm of lip	T M F	11 9 2	- - -	- 2 1	- 1 1	- 1 -	- - -	- 1 -	- 1 -	- - -	- - -	- 1 -	- - -	- 2 -
141	Malignant neoplasm of tongue	T M F	57 49 8	- 8 -	- 7 1	- 2 2	- 3 1	- 2 -	- 1 -	- 3 -	- 4 1	- 7 2	- 5 1	- 3 1	- 5 -
142.1	Other malignant neoplasm of salivary gland	T M F	23 13 10	- 1 1	- 1 3	- 3 -	- - -	- - 1	- 2 -	- - -	- 1 -	- 2 1	- 1 1	- 1 1	- 2 2
143	Malignant neoplasm of floor of mouth	T M F	14 12 2	- 1 -	- 1 -	- - -	- 2 -	- - 1	- - -	- - -	- 1 1	- - -	- 2 -	- 3 -	- 1 -
144	Malignant neoplasm of other parts of mouth and mouth unspecified	T M F	34 27 7	- 1 -	- 2 -	- 2 -	- 5 1	- 4 -	- 3 -	- 3 -	- 2 2	- 1 -	- 1 -	- 2 -	- 1 -
145	Malignant neoplasm of oral mesopharynx	T M F	20 18 2	- 3 1	- 2 -	- 3 1	- 1 -	- 2 -	- 1 -	- 3 -	- - -	- 2 -	- 1 -	- - -	- - -
146	Malignant neoplasm of nasopharynx	T M F	10 9 1	- - -	- - -	- - -	- - -	- - -	- - 1	- 3 -	- 2 -	- 1 -	- 1 -	- - -	- - -

Detailed Int. List No.	Table 11	CAUSE OF DEATH.	SEX.	Total.	MONTHS.											
					January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
147	Malignant neoplasm of hypopharynx . . .	T M F	3 1 2	- - -	- - 1	- 1 -	- - -	- - -	- - -	- - 1	- - -	- - -	- - -	- - -	- - -	
148	Malignant neoplasm of pharynx, unspecified . .	T M F	51 40 11	- 3 1	- 2 1	- 2 1	- 2 1	3 3 -	4 1 1	- 1 -	- 1 -	10 2 -	7 1 3	3 3 2	2 - -	
150	Malignant neoplasm of esophagus . . .	T M F	181 148 33	- 16 2	- 8 7	- 18 2	- 7 2	- 15 7	- 11 -	- 12 4	- 13 3	- 14 1	- 11 1	- 12 -	- 11 4	
151	Malignant neoplasm of stomach . . .	T M F	971 575 396	- 47 37	- 37 35	- 48 30	- 56 26	- 49 34	- 41 32	- 53 44	- 34 32	- 51 29	- 51 38	- 55 38	- 43 35	
152	Malignant neoplasm of small intestine, including duodenum . .	T M F	34 18 16	- 1 1	- 2 -	- -	- 4 1	- 1 -	- 2 -	- 1 -	- 3 1	- 3 1	- 1 2	- 1 2	- 2 -	
153	Malignant neoplasm of large intestine, except rectum . . .	T M F	1,192 487 705	- 42 57	- 42 57	- 45 54	- 43 65	- 36 61	- 50 58	- 34 45	- 41 66	- 40 56	- 46 65	- 37 75	- 31 46	
154	Malignant neoplasm of rectum . . .	T M F	486 263 223	- 26 23	- 13 16	- 20 17	- 32 15	- 26 15	- 12 17	- 16 21	- 20 21	- 21 18	- 25 19	- 26 28	- 23 26	
155	Malignant neoplasm of biliary passages and of liver (primary) . .	T M F	169 86 103	- 4 13	- 9 5	- 8 9	- 7 5	- 3 4	- 6 6	- 8 14	- 4 10	- 5 11	- 2 12	- 5 10	- 5 4	
156	Malignant neoplasm of liver (secondary and unspecified) . . .	T M F	237 115 122	- 6 8	- 8 8	- 12 11	- 9 15	- 14 10	- 18 9	- 6 12	- 7 11	- 10 8	- 6 8	- 13 11	- 11 11	
156.1	Unspecified . . .	T M F	205 105 100	- 6 7	- 8 6	- 11 10	- 9 13	- 13 10	- 15 8	- 6 11	- 6 8	- 9 2	- 5 5	- 13 11	- 4 9	
156.2	Secondary . . .	T M F	32 10 22	- -	- -	- 1 2	- -	- 1 1	- 3 1	- -	- 1 3	- 1 6	- 1 3	- 2 -	- 2 -	
157	Malignant neoplasm of pancreas . . .	T M F	370 225 145	- 19 9	- 15 15	- 19 12	- 18 12	- 20 11	- 22 13	- 22 15	- 18 15	- 17 9	- 19 8	- 24 10	- 14 16	
158	Malignant neoplasm of peritoneum . . .	T M F	45 13 32	- 2 -	- 5 -	- 2 -	- 3 6	- 1 2	- 2 4	- 2 1	- -	- 1 4	- 2 5	- 1 2	- -	
159	Malignant neoplasm of unspecified digestive organs . . .	T M F	33 18 15	- 2 2	- 1 1	- 1 -	- 2 3	- 4 1	- -	- 1 2	- 2 2	- 2 1	- 2 1	- -	- -	
160	Malignant neoplasm of nose, nasal cavities, middle ear, and accessory sinuses . .	T M F	23 13 10	- 2 -	- 1 3	- 1 -	- 1 1	- 2 -	- -	- 2 1	- 1 1	- 1 1	- 1 1	- 2 1	- -	
161	Malignant neoplasm of larynx . . .	T M F	60 55 5	- 8 -	- 8 -	- 5 1	- 5 -	- 4 -	- 4 -	- 3 1	- 4 -	- 1 1	- 5 1	- 5 3	- 1 -	
162	Malignant neoplasm of trachea, and of bronchus and lung (primary) . .	T M F	221 182 39	- 16 -	- 16 4	- 14 4	- 10 4	- 17 1	- 11 2	- 19 4	- 14 3	- 12 3	- 19 5	- 16 4	- 18 5	
163	Unspecified malignant neoplasm of lung and bronchus . . .	T M F	501 389 112	- 34 12	- 29 9	- 40 8	- 41 8	- 30 10	- 33 9	- 30 9	- 28 11	- 31 8	- 34 13	- 31 8	- 28 7	
164	Malignant neoplasm of mediastinum . . .	T M F	7 5 2	- 1 -	- 1 -	- -	- 1 -	- 1 -	- -	- -	- 2 -	- -	- -	- -	- -	
170	Malignant neoplasm of breast . . .	T M F	912 10 902	- 1 75	- -	- 80	- 2 73	- 1 74	- 1 71	- 56 78	- 2 81	- 1 82	- 2 58	- 98 -	- -	
171	Malignant neoplasm of cervix uteri . . .	T M F	231 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
172	Malignant neoplasm of corpus uteri . . .	T M F	14 -	- -	- -	- 3	- 2	- -	- -	- 3	- 3	- -	- -	- 1	- -	
173	Malignant neoplasm of other parts of uterus, including chorio-epithelioma . . .	T M F	1 -	- -	- -	- -	- -	- -	- -	- -	- 1	- -	- -	- -	- -	
174	Malignant neoplasm of uterus, unspecified . .	T M F	229 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	

Table 11

ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS)
FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE
DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: 1951.

Detailed Int. List No.	CAUSE OF DEATH.	Sex.	Total.	MONTHS.											
				January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
175	Malignant neoplasm of ovary, Fallopian tube, and broad ligament	T	261	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	261	24	19	24	19	23	26	18	22	19	25	24	18
176	Malignant neoplasm of other and unspecified female genital organs	T	30	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	30	-	1	3	-	6	2	2	3	5	5	2	1
177	Malignant neoplasm of prostate	T	375	-	-	-	-	-	-	-	-	-	-	-	-
		M	375	23	35	24	34	35	20	39	35	30	30	26	44
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
178	Malignant neoplasm of testis	T	20	-	-	-	-	-	-	-	-	-	-	-	-
		M	20	4	2	4	2	1	1	3	-	-	1	2	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
179	Malignant neoplasm of other and unspecified male genital organs	T	8	-	-	-	-	-	-	-	-	-	-	-	-
		M	8	3	1	-	-	1	1	1	-	1	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
180	Malignant neoplasm of kidney	T	151	-	-	-	-	-	-	-	-	-	-	-	-
		M	101	10	7	8	16	6	10	7	7	7	7	9	7
		F	50	6	3	3	6	4	4	3	7	8	3	1	2
181	Malignant neoplasm of bladder and other urinary organs	T	291	-	-	-	-	-	-	-	-	-	-	-	-
		M	190	21	11	19	17	19	20	15	15	12	14	15	12
		F	101	9	6	12	4	11	11	8	7	9	8	9	7
190	Malignant melanoma of skin	T	37	-	-	-	-	-	-	-	-	-	-	-	-
		M	23	2	3	5	2	-	1	1	1	-	1	2	5
		F	14	2	-	-	3	-	1	1	3	1	-	2	1
191	Other malignant neoplasm of skin	T	44	-	-	-	-	-	-	-	-	-	-	-	-
		M	21	4	1	-	3	2	-	1	1	2	5	2	-
		F	23	1	2	1	2	2	3	3	2	2	1	2	2
192	Malignant neoplasm of eye	T	13	-	-	-	-	-	-	-	-	-	-	-	-
		M	7	-	1	2	-	-	2	-	-	-	-	1	-
		F	6	-	1	-	-	1	-	1	2	1	-	-	-
193	Malignant neoplasm of brain and other parts of nervous system	T	192	-	-	-	-	-	-	-	-	-	-	-	-
		M	112	7	6	10	15	11	10	9	7	12	6	10	9
		F	80	5	10	8	5	5	2	8	6	8	1	8	14
194	Malignant neoplasm of thyroid gland	T	42	-	-	-	-	-	-	-	-	-	-	-	-
		M	16	1	-	3	-	2	4	2	1	2	-	-	1
		F	26	3	3	1	2	2	1	5	4	2	-	-	2
195	Malignant neoplasm of other endocrine glands	T	8	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	1	-	-	-	1	-	1	-	-	-	1	-
		F	4	-	-	1	-	-	1	1	-	-	1	-	-
196	Malignant neoplasm of bone (including jaw bone)	T	69	-	-	-	-	-	-	-	-	-	-	-	-
		M	46	4	3	2	5	4	5	4	3	2	3	6	5
		F	23	2	2	3	3	4	1	1	-	2	-	2	3
197	Malignant neoplasm of connective tissues	T	10	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	1	-	-	-	-	-	-	-	1	-	-
		F	8	-	-	-	2	3	1	-	-	-	1	1	-
198.1	Unspecified malignant neoplasm of lymph nodes	T	6	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	1	1	1	-	-	-	-	-	1	-	1	-
		F	1	-	-	1	-	-	-	-	-	-	-	-	-
199	Malignant neoplasm of other and unspecified sites	T	332	-	-	-	-	-	-	-	-	-	-	-	-
		M	158	8	13	15	10	9	10	17	17	12	16	16	-
		F	174	11	13	10	19	20	16	25	21	10	15	12	8
199.1	Malignant neoplasm of other specified sites (primary)	T	140	-	-	-	-	-	-	-	-	-	-	-	-
		M	63	1	8	5	4	1	8	5	9	4	6	7	5
		F	77	5	4	5	5	9	3	16	9	4	9	5	3
199.2	Malignant neoplasm (not secondary), site unspecified	T	6	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	1	-	-	1	1	-	-	-	-	-	-
		F	3	-	-	-	-	2	-	-	-	1	-	-	-
199.4	Malignant neoplasm of large intestine, except rectum (secondary)	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
199.5	Malignant neoplasm of brain and other parts of nervous system (secondary)	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	1	-	-	-	-	-	-	-
199.6	Secondary malignant neoplasm of bone (including jaw bone)	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
199.7	Malignant neoplasm of any other site except liver, thoracic organs, and lymph nodes (secondary)	T	51	-	-	-	-	-	-	-	-	-	-	-	-
		M	27	4	1	2	2	1	1	3	3	1	3	5	1
		F	24	3	3	1	4	2	1	-	4	1	1	3	1
199.8	Generalized and metastatic neoplasm of multiple sites	T	132	-	-	-	-	-	-	-	-	-	-	-	-
		M	63	3	3	8	3	6	6	9	5	7	6	4	3
		F	69	3	6	4	10	6	6	9	8	4	5	4	4

ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS)
FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE
DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: 1951.

Detailed Int. List No.	Table 11 CAUSE OF DEATH.	SEX.	ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: 1951.												
			Total.	MONTHS.											
				January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
200	Lymphosarcoma and reticulosarcoma . . .	T M F	112 59 53	- 3 3	- 6 5	- 5 3	- 4 6	- 6 5	- 5 8	- 4 4	- 3 5	- 5 2	- 4 5	- 7 6	- 7 1
200.0	Reticulum cell sarcoma . . .	T M F	24 14 10	- 2 1	- 3 1	- - -	- - 1	- 1 1	- - 3	- 2 -	- - -	- 1 -	- - 2	- 2 1	- 3 -
200.1	Lymphosarcoma . . .	T M F	65 34 31	- - 2	- 2 3	- 3 1	- 4 5	- 4 2	- 5 3	- 2 3	- 2 4	- 3 2	- 3 3	- 4 2	- 1 2
200.2	Other primary malignant neoplasms of lymphoid tissue . . .	T M F	23 11 12	- 1 -	- 1 1	- 2 2	- - -	- 1 2	- - 2	- - 1	- - 1	- 1 1	- 1 1	- 1 2	- 2 -
201	Hodgkin's disease . . .	T M F	129 84 45	- 6 4	- 6 4	- 7 3	- 7 2	- 9 6	- 7 3	- 8 4	- 8 5	- 5 5	- 6 4	- 5 3	- 10 2
202	Other forms of lymphoma (reticulos) . . .	T M F	35 19 16	- 2 1	- 3 2	- 1 -	- 1 4	- - 1	- - 1	- 1 -	- 1 1	- 3 3	- 3 -	- 2 3	- 1 1
202.0	Giant follicular lymphoma (Brill-Symmer's disease) . . .	T M F	2 1 1	- - -	- 1 -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - 1
202.1	Other	T M F	33 18 15	- 2 1	- 2 2	- 1 -	- 1 4	- - 1	- - 1	- 1 -	- 1 1	- 3 3	- 3 -	- 2 3	- 1 -
203	Multiple myeloma (plasmocytoma) . . .	T M F	50 28 22	- 2 1	- 3 1	- 2 1	- 1 3	- 4 1	- 5 2	- 4 -	- 2 4	- 3 2	- 4 4	- 3 -	- 1 -
204	Leukemia and aleukemia . . .	T M F	310 160 150	- 9 7	- 17 13	- 8 10	- 17 11	- 11 8	- 14 15	- 13 13	- 14 15	- 14 23	- 12 12	- 13 13	- 18 10
204.0	Lymphatic leukemia . . .	T M F	107 61 46	- 3 2	- 7 4	- 3 2	- 8 5	- 5 3	- 3 5	- 3 5	- 5 7	- 7 6	- 5 6	- 4 4	- 6 6
204.1	Myeloid leukemia . . .	T M F	84 42 42	- 3 2	- 4 5	- 1 4	- 4 3	- 3 2	- 4 3	- 4 3	- 2 6	- 3 8	- 3 1	- 6 2	- 5 3
204.2	Monocytic leukemia . . .	T M F	21 5 16	- - 1	- - 1	- 3 -	- - 1	- 1 3	- - 2	- - 2	- - 1	- - 4	- - -	- 1 -	- 1 -
204.3	Acute leukemia, unspecified type . . .	T M F	58 33 25	- 2 2	- 2 2	- 3 4	- 4 1	- 1 2	- 3 5	- 5 2	- 5 1	- 1 4	- 2 1	- 5 -	- 3 -
204.4	Other and unspecified leukemia . . .	T M F	40 19 21	- 1 -	- 1 1	- 1 -	- 1 2	- 1 4	- 2 2	- 1 5	- 2 1	- 3 4	- 2 1	- 1 -	- 3 -
205	Mycosis fungoides . . .	T M F	1 1 1	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- 1 -	- - -
210	Benign neoplasm of buccal cavity and pharynx . . .	T M F	1 1 1	- - -	- - -	- 1 -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
211	Benign neoplasm of other parts of digestive system . . .	T M F	5 2 3	- - -	- - -	- - -	- 1 -	- 1 -	- - 1	- - 1	- 1 -	- - -	- - -	- - 1	- - -
212	Benign neoplasm of respiratory system . . .	T M F	1 1 1	- - -	- 1 -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
214	Uterine fibromyoma . . .	T M F	14 - 14	- - -	- - 3	- - 1	- - 1	- - 1	- - 2	- - 2	- - 1	- - 2	- - 1	- - -	- - -
215	Other benign neoplasm of uterus . . .	T M F	2 - 2	- - -	- - -	- 1 -	- - -	- - -	- - 1	- - -	- - -	- - -	- - -	- - -	- - -
216	Benign neoplasm of ovary . . .	T M F	4 - 4	- - -	- - 2	- - -	- - -	- - 1	- - -	- - 1	- - -	- - -	- - -	- - -	- - -
219	Benign neoplasm of kidney and other urinary organs . . .	T M F	1 1 -	- 1 -	- - -	- - -	- - -	- 1 -	- - -	- 1 -	- - -	- - -	- - -	- - -	- - -
223	Benign neoplasm of brain and other parts of nervous system . . .	T M F	21 12 9	- 1 2	- - 1	- - -	- 2 1	- 1 -	- - 1	- - 1	- - 3	- 1 1	- 1 1	- 1 1	- 2 -

Table 11

ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS)
FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE
DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: 1951.

Detailed Int. List No.	CAUSE OF DEATH.	SEX.	Total.	MONTHS.											
				January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
224	Benign neoplasm of endocrine glands . .	T M F	5 2 3	-	-	-	1	-	-	-	-	1	-	-	-
225	Benign neoplasm of bone and cartilage . .	T M F	2 1 1	-	1	-	-	-	-	1	-	-	1	-	-
226	Lipoma	T M F	3 2 1	-	-	-	-	-	-	-	-	-	1	1	-
228	Hemangioma and lymphangioma . .	T M F	3 2 1	-	-	-	-	1	-	-	-	1	-	1	-
230	Neoplasm of unspecified nature of digestive organs .	T M F	11 4 7	-	-	1	-	-	-	-	-	1	1	-	1
231	Neoplasm of unspecified nature of respiratory organs .	T M F	4 3 1	-	1	1	-	-	-	1	1	-	-	-	-
233	Neoplasm of unspecified nature of uterus . .	T M F	2 - 2	-	-	-	-	-	1	-	-	-	-	-	-
236	Neoplasm of unspecified nature of other genitourinary organs .	T M F	4 1 3	1	-	1	-	-	-	-	-	-	-	1	-
237	Neoplasm of unspecified nature of brain and other parts of nervous system .	T M F	52 29 23	1	3	1	4	4	4	1	1	2	2	4	2
238	Neoplasm of unspecified nature of skin and musculo-skeletal system .	T M F	2 1 1	-	-	-	1	-	-	-	-	-	-	-	-
239	Neoplasm of unspecified nature of other and unspecified organs . .	T M F	9 3 6	-	1	-	1	-	1	1	1	-	-	1	-
III.	ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES	M F	1,254 511 743	39 72	53 61	54 87	45 50	39 48	35 57	32 64	44 52	43 65	38 66	39 53	50 68
241	Asthma	T M F	139 89 50	-	6 10 6	-	12 3 2	14 9 4	9 4 1	4 5 4	5 9 5	9 7 5	5 6 3	6 6 8	-
245	Other allergic disorders .	T M F	1 - 1	-	-	-	-	-	-	-	-	-	-	1	-
250	Simple goiter	T M F	2 1 1	-	-	-	-	-	-	-	-	-	-	1	-
251	Nontoxic nodular goiter .	T M F	1 - 1	-	-	-	-	-	-	-	-	-	-	-	-
252.0	Toxic diffuse goiter . .	T M F	9 1 8	-	-	-	-	1	-	-	-	-	-	-	-
253	Myxedema and cretinism .	T M F	4 - 4	-	-	1	-	-	1	1	1	-	3	2	-
254	Other diseases of thyroid gland . .	T M F	1 - 1	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus . . .	T M F	1,060 397 663	-	32 62	40 55	42 82	40 45	24 42	23 52	26 58	37 46	31 58	31 48	43 60
272	Diseases of pituitary gland . .	T M F	3 - 3	-	-	-	-	1	-	1	-	-	1	-	-
273	Diseases of thymus gland .	T M F	5 5 -	-	1	-	-	-	-	-	1	-	1	2	-
274	Diseases of adrenal glands .	T M F	10 5 5	-	1	-	1	-	1	-	-	1	-	-	-
277	Polyglandular dysfunction and other diseases of endocrine glands .	T M F	1 1 -	-	-	-	-	-	-	1	-	-	-	-	-

Detailed Int. List No.	Table 11 CAUSE OF DEATH.	Sex.	ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: 1951.												
			Total.	MONTHS.											
				January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
281	Pellagra	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	1	-	-	-	-	-	1	-	-	-	-	-
285	Osteomalacia	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
286	Other avitaminoses and nutritional deficiency states	T	11	-	-	-	-	-	-	-	-	-	-	-	-
		M	6	-	-	-	1	-	1	-	1	1	1	-	1
		F	5	-	1	1	1	-	1	-	1	-	-	-	-
286.0	Steatorrhea and sprue	T	3	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	1	-	-	-	1	-	-
		F	1	-	-	-	1	-	-	-	-	-	-	-	-
286.5	Malnutrition, unqualified	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-
286.6	Other and multiple deficiency states	T	7	-	-	-	-	-	-	-	-	1	-	-	-
		M	4	-	-	-	1	-	-	-	1	1	-	-	1
		F	3	-	1	1	-	-	1	-	-	-	-	-	-
289	Other metabolic diseases	T	4	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	-	1	-	-	1	-	-	-	1	-	1	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
289.1	Amyloidosis	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	1	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
289.2	Other	T	3	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	1	-	-	-	-	-	-	1	-	1	-
IV.	DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS	T	151	-	-	-	-	-	-	-	-	-	-	-	-
		M	69	6	11	7	3	6	2	10	3	5	5	6	5
		F	82	11	2	6	5	4	6	5	9	7	8	8	11
290	Pernicious and other hyperchromic anemias	T	71	-	-	-	-	-	-	-	-	-	-	-	-
		M	27	2	6	3	1	1	-	3	2	3	3	2	1
		F	44	7	1	4	1	-	3	4	2	4	5	5	8
290.0	Pernicious anemia	T	62	-	-	-	-	-	-	-	-	-	-	-	-
		M	24	2	6	3	1	1	-	2	2	3	2	1	1
		F	38	7	1	3	1	-	3	3	2	4	5	5	4
290.2	Other hyperchromic anemias	T	9	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	1	-	-	1	1	-
		F	6	-	-	1	-	-	-	1	-	-	-	-	4
291	Iron deficiency anemias (hypochromic)	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1
292	Other anemias of specified type	T	33	-	-	-	-	-	-	-	-	-	-	-	-
		M	18	2	1	2	2	-	2	4	-	1	-	1	3
		F	15	2	-	-	3	3	-	-	2	1	2	1	1
292.1	Acute hemolytic anemia	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-
292.2	Other hemolytic anemias	T	6	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	1	-	-	-	-	-	-	-	-	-
		F	5	1	-	-	-	1	-	-	2	-	1	-	-
292.3	Leuko-erythroblastic anemia	T	3	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	1	-	1	-	-	-	-	-	1	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
292.4	Aplastic anemia	T	19	-	-	-	-	-	-	-	-	-	-	-	-
		M	12	1	1	-	1	-	2	3	-	-	-	1	-
		F	7	1	-	-	1	2	-	-	-	1	1	-	-
292.6	Sickle cell anemia	T	3	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	1	-	-	-	-	-
		F	2	-	-	-	2	-	-	-	-	-	-	-	-
293	Anemia of unspecified type	T	9	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	-	1	1	-	1	-	-	-	-	-	1	-
		F	5	1	-	-	1	-	1	-	1	-	1	-	-
294	Polycythemia	T	8	-	-	-	-	-	-	-	-	-	-	-	-
		M	6	-	2	-	-	1	-	-	-	-	1	1	1
		F	2	-	1	-	-	-	-	-	-	-	-	1	-
295	Hemophilia	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
296	Purpura and other hemorrhagic conditions	T	16	-	-	-	-	-	-	-	-	-	-	-	-
		M	8	1	1	1	-	1	-	-	1	1	1	1	-
		F	8	-	-	2	-	-	2	-	2	1	-	-	-

Table 11

ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS)
FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE
DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: 1951.

Detailed Int. List No.	CAUSE OF DEATH.	SEX.	Total.	MONTHS.											
				January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
297	Agranulocytosis . . .	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-
298	Diseases of spleen . . .	T	9	-	-	-	-	-	-	-	1	-	-	-	-
		M	5	-	-	-	-	2	-	3	-	-	-	-	-
		F	4	1	-	-	-	1	-	1	1	-	-	1	-
298.0	Hepatolienal fibrosis . .	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	1	-	1	-	-	-	-	-
298.1	Other	T	7	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	-	-	-	-	2	-	3	-	-	-	-	-
		F	2	1	-	-	-	-	-	-	-	1	-	-	-
299	Other diseases of blood and blood-forming or- gans	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	1	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-
V.	MENTAL, PSYCHONEU- ROTIC, AND PERSON- ALITY DISORDERS . . .	T	112	-	-	-	-	-	-	-	-	-	-	1	-
		M	86	8	4	13	5	15	7	10	6	2	2	8	6
		F	26	2	2	3	1	4	2	1	2	3	2	4	4
300.7	Other and unspecified schizophrenic disorders	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
303	Paranoia and paranoid states	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	1	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
305	Presenile psychosis . . .	T	8	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	-	-	-	-	-	-	1	-	-	-	1	2
		F	4	-	-	-	-	-	-	-	-	-	-	-	1
306	Psychosis with cerebral arteriosclerosis	T	2	-	-	-	-	-	-	-	1	-	-	1	-
		M	1	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	1	-	-	-	-	-	-	-	-	-
307	Alcoholic psychosis . . .	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
308.1	Psychosis resulting from epilepsy and other con- vulsive disorders . . .	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
309	Other and unspecified psychoses	T	3	-	-	1	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	1	-	-	-	-
311	Hysterical reaction with- out mention of anxiety reaction	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	1	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
318.3	Psychoneurotic disor- ders, asthenic reaction	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	1	-	-	-	-	-	-	-
322	Alcoholism	T	84	-	-	-	-	-	-	-	-	-	-	-	-
		M	71	7	4	12	5	11	7	9	5	-	1	6	4
		F	13	2	1	1	1	1	1	-	-	-	2	2	2
322.0	Acute	T	28	-	-	-	-	-	-	-	-	-	-	-	-
		M	24	2	1	5	2	2	3	7	2	-	-	-	-
		F	4	-	1	-	-	-	-	-	-	-	-	-	-
322.1	Chronic	T	8	-	-	-	-	-	-	-	-	-	-	1	1
		M	8	2	-	-	1	2	-	1	-	-	1	1	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
322.2	Unspecified	T	48	-	-	-	-	-	-	-	-	-	-	-	-
		M	39	3	3	7	2	7	4	1	3	-	-	5	4
		F	9	2	-	1	1	1	1	-	-	-	1	1	1
323	Other drug addiction . .	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1
325	Mental deficiency . . .	T	8	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	1	-	-	-	1	-	-	-	1	-	-	-
		F	5	-	1	1	-	2	-	1	-	-	-	-	-
325.2	Moron	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
325.4	Mongolism	T	7	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	1	-	-	1	-	-	-	-
		F	5	-	1	1	-	2	-	1	-	-	-	-	-
VI.	DISEASES OF THE NERV- OUS SYSTEM AND SENSE ORGANS	T	6,108	-	-	-	-	-	-	-	-	-	-	-	-
		M	2,753	256	254	255	218	207	189	220	210	202	252	223	267
		F	3,355	304	271	326	227	298	266	267	257	278	296	270	295

Table 11

ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS)
FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE
DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: 1951.

Detailed Int. List No	CAUSE OF DEATH.	SEX.	Total.	MONTHS.											
				January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
330	Subarachnoid hemorrhage	T	116	-	-	-	-	-	-	-	-	-	-	-	-
		M	66	10	2	6	3	3	2	11	5	7	3	8	6
		F	50	4	6	3	3	4	2	5	7	6	5	1	3
331	Cerebral hemorrhage	T	3,952	-	-	-	-	-	-	-	-	-	-	-	-
		M	1,730	177	153	158	132	132	123	136	126	128	158	140	167
		F	2,222	196	170	216	158	201	184	176	179	185	198	172	187
332	Cerebral embolism and thrombosis	T	1,411	-	-	-	-	-	-	-	-	-	-	-	-
		M	625	38	62	63	55	46	42	50	54	44	66	44	61
		F	786	77	70	79	51	69	58	60	51	62	71	63	75
334	Other and ill-defined vascular lesions affecting central nervous system	T	181	-	-	-	-	-	-	-	-	-	-	-	-
		M	89	11	12	7	10	7	5	5	5	6	7	8	6
		F	92	10	5	4	4	10	9	9	5	9	9	8	10
340	Meningitis, except meningococcal and tuberculous	T	45	-	-	-	-	-	-	-	-	-	-	-	-
		M	30	3	1	1	1	5	2	2	2	2	3	5	3
		F	15	1	3	4	1	-	-	-	-	2	1	1	2
340.0	Hemophilus influenzae	T	7	-	-	-	-	-	-	-	-	-	-	-	-
		M	6	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-
340.1	Pneumococcus	T	12	-	-	-	-	-	-	-	-	-	-	-	-
		M	7	2	-	-	-	1	-	-	1	1	1	1	-
		F	5	1	-	2	-	-	-	-	-	1	-	-	1
340.2	Due to other specified organism	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	1	-	-	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
340.3	Unspecified cause	T	24	-	-	-	-	-	-	-	-	-	-	-	-
		M	15	1	-	1	-	3	2	-	1	1	1	3	2
		F	9	-	3	2	1	-	-	-	-	1	1	1	-
341	Phlebitis and thrombophlebitis of intracranial venous sinuses	T	4	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	1	-	-	-	-	-	-	-	-	-	3	-
342	Intracranial and intraspinal abscess	T	10	-	-	-	-	-	-	-	-	-	-	-	-
		M	8	2	-	1	2	-	1	-	-	-	1	1	-
		F	2	-	-	-	-	2	-	-	-	-	-	-	-
343	Encephalitis, myelitis, and encephalomyelitis (except acute infectious)	T	20	-	-	-	-	-	-	-	-	-	-	-	-
		M	6	-	2	-	1	2	-	-	-	1	-	-	-
		F	14	2	1	2	-	1	1	2	1	1	-	-	3
344	Late effects of intracranial abscess or pyogenic infection	T	6	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	-	-	-	2	-	1	1	-	-	-	-	-
		F	2	-	-	-	-	1	-	-	-	1	-	-	-
345	Multiple sclerosis	T	64	-	-	-	-	-	-	-	-	-	-	-	-
		M	27	2	6	1	1	2	2	2	1	2	-	4	4
		F	37	4	5	5	2	1	-	2	2	4	4	5	3
350	Paralysis agitans	T	120	-	-	-	-	-	-	-	-	-	-	-	-
		M	60	4	6	10	4	1	2	3	8	3	5	6	8
		F	60	1	6	9	5	3	6	8	5	3	3	7	4
351	Cerebral spastic infantile paralysis	T	9	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	-	-	-	-	1	-	-	1	-	-	1	1
		F	5	-	-	-	-	1	-	-	-	-	2	1	1
352	Other cerebral paralysis	T	8	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	2	1	-	-	-	-	-	-	-	-	-	-
		F	5	1	-	-	-	1	1	-	-	1	-	-	1
353	Epilepsy	T	85	-	-	-	-	-	-	-	-	-	-	-	-
		M	51	5	4	4	3	3	5	6	3	6	4	4	4
		F	34	2	3	3	1	3	3	3	4	2	2	5	3
353.1	Grand mal	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	1	-	-	-	-	-
353.2	Status epilepticus	T	16	-	-	-	-	-	-	-	-	-	-	-	-
		M	10	1	1	-	2	-	2	1	-	1	2	-	-
		F	6	-	-	1	1	-	-	-	-	1	1	-	2
353.3	Other and unspecified	T	67	-	-	-	-	-	-	-	-	-	-	-	-
		M	40	4	3	4	1	3	3	4	3	5	2	4	4
		F	27	2	3	2	-	3	3	2	4	1	1	5	1
355	Other diseases of brain	T	13	-	-	-	-	-	-	-	-	-	-	-	-
		M	6	-	-	-	-	2	-	2	1	-	-	-	1
		F	7	2	1	1	-	-	-	1	1	-	-	-	-
356	Motor neurone disease and muscular atrophy	T	41	-	-	-	-	-	-	-	-	-	-	-	-
		M	27	2	2	4	2	1	3	1	2	2	3	2	3
		F	14	2	1	-	2	1	-	-	2	1	-	3	2
356.0	Progressive muscular atrophy	T	18	-	-	-	-	-	-	-	-	-	-	-	-
		M	10	2	1	2	-	1	-	1	-	-	1	-	2
		F	8	1	1	-	1	-	-	-	1	1	-	1	2

Detailed Int. List No.	Table 11 CAUSE OF DEATH.	Sex.	ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: 1951.												
			Total.	MONTHS.											
				January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
356.1	Amyotrophic lateral sclerosis	T M F	22 16 6	- - 1	- - -	- 2 -	- 2 1	- - 1	- - 3	- - -	- 2 1	- 2 -	- 2 -	- 2 -	- 2 -
356.2	Spinal type of muscular atrophy	T M F	1 1 -	- - -	1 - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
357	Other diseases of spinal cord	T M F	3 2 1	- - -	- - -	- - -	- - -	- - -	- 1 -	- - -	1 - -	- - -	- - -	- - -	- - -
364	Polyneuritis and polyradiculitis	T M F	4 4 -	- - -	1 - -	- - -	- - -	1 - -	- - -	- - -	1 - -	- - -	1 - -	- - -	- - -
366	Other and unspecified forms of neuralgia and neuritis	T M F	2 2 -	- - -	- - -	- - -	1 - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
367	Other diseases of cranial nerves	T M F	1 1 1	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	1 - -	- - -	- - -	- - -
391	Otitis media without mention of mastoiditis	T M F	10 7 3	- - 1	- 1 -	- - -	1 - -	1 - -	- - -	- 1 1	- - -	1 - -	- - -	- - -	- 2 1
391.0	Acute	T M F	1 1 -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	1 - -	- - -	- - -	- - -
391.1	Chronic	T M F	3 2 1	- - -	- - -	- - -	- - -	1 - -	- - -	- - -	- - -	- - -	- - -	- - -	1 1 -
391.2	Unspecified	T M F	6 4 2	- - 1	1 - -	- - -	1 - -	- - -	- 1 1	- - -	- - -	- - -	- - -	- - -	1 1 -
392	Otitis media with mastoiditis	T M F	3 2 1	- - -	- 1 -	- - -	- - -	- - -	- 1 -	- - -	- - -	- - -	- - -	- - -	- 1 -
392.0	Acute	T M F	2 1 1	- - -	- 1 -	- - -	- - -	- - -	1 - -	- - -	- - -	- - -	- - -	- - -	- - -
392.1	Chronic	T M F	1 1 1	- - -	- - -	- - -	- - -	- - -	1 - -	- - -	- - -	- - -	- - -	- - -	- 1 -
VII.	DISEASES OF THE CIRCULATORY SYSTEM	T M F	24,911 13,563 11,348	1,229 1,011 -	1,311 1,124 -	1,346 1,220 -	1,081 963 -	1,164 927 -	1,045 849 -	1,025 819 -	967 745 -	968 773 -	1,116 887 -	1,094 923 -	1,217 1,107 -
400	Rheumatic fever without mention of heart involvement	T M F	1 1 -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
401	Rheumatic fever with heart involvement	T M F	15 2 13	- 1 -	- - 2	- - 3	- 1 3	- 2 -	- - -	- - -	- 2 -	- - -	1 - 1	- - -	- - -
401.0	Active rheumatic pericarditis	T M F	3 - 3	- - -	- - -	- 1 -	1 1 1	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
401.1	Active rheumatic endocarditis	T M F	8 1 7	- - -	- - 2	- - -	1 1 2	- - 1	- - -	- - -	- - -	- - -	- - -	- - -	- - -
401.2	Active rheumatic myocarditis	T M F	4 1 3	- 1 -	- - -	- - 2	- - -	- - -	- - -	- - -	1 - 1	- - -	- - -	- - -	- - -
410	Diseases of mitral valve	T M F	365 147 218	- 14 18	- 20 25	- 18 14	- 8 24	- 10 21	- 16 11	- 8 21	- 10 14	- 5 15	- 10 17	- 10 13	- 18 25
411	Diseases of aortic valve (rheumatic)	T M F	14 9 5	- 1 -	- 1 -	- - -	- 3 -	- 2 -	- - -	- - -	- 1 -	- - -	- 1 -	- - -	- - -
413	Diseases of pulmonary valve specified as rheumatic	T M F	4 2 2	- - -	- 1 -	- - -	- 1 -	- - -	- - -	- - -	1 1 -	- - -	- - -	- - -	- - -
414	Other rheumatic endocarditis	T M F	25 15 10	- 4 5	- 1 1	- - -	- 1 -	- - 2	- 1 -	- 3 1	- - -	- - -	2 - 1	2 - -	1 - -
415	Other rheumatic myocarditis	T M F	2 - 2	- - -	- - -	- - -	- 1 -	- - -	- - -	- 1 -	- - -	- - -	- - -	- - -	- - -

Detailed Int. List No.	Table 11 CAUSE OF DEATH.	SEX.	ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: 1951.												
			Total.	MONTHS.											
				January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
416	Other rheumatic heart disease	T	469	-	-	-	-	-	-	-	-	-	-	-	-
		M	193	21	28	13	12	19	24	8	12	8	17	16	15
		F	276	20	34	31	29	24	13	24	18	12	25	14	32
420	Arteriosclerotic heart disease, including coronary disease	T	15,725	-	-	-	-	-	-	-	-	-	-	-	-
		M	9,471	822	863	902	755	812	732	736	707	680	796	780	846
		F	6,294	560	583	650	535	526	476	463	427	452	510	527	585
420.0	Arteriosclerotic heart disease	T	6,474	-	-	-	-	-	-	-	-	-	-	-	-
		M	3,302	253	347	339	262	302	258	241	244	247	247	276	281
		F	3,172	291	314	370	256	244	235	219	191	217	253	280	302
420.1	Heart disease involving coronary arteries	T	9,204	-	-	-	-	-	-	-	-	-	-	-	-
		M	6,103	563	515	560	493	505	473	492	463	431	544	500	564
		F	3,101	268	266	277	277	279	240	244	236	232	255	246	281
420.2	Angina pectoris without mention of coronary disease	T	47	-	-	-	-	-	-	-	-	-	-	-	-
		M	26	1	1	3	-	5	1	3	-	2	5	4	1
		F	21	1	3	3	2	3	1	-	-	3	2	1	2
421	Chronic endocarditis (nonrheumatic)	T	284	-	-	-	-	-	-	-	-	-	-	-	-
		M	121	9	15	9	11	10	12	10	9	10	6	12	8
		F	163	10	17	18	11	12	20	10	8	10	16	18	13
421.0	Of mitral valve	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	1	-
421.1	Of aortic valve	T	99	-	-	-	-	-	-	-	-	-	-	-	-
		M	57	5	9	3	6	5	4	5	3	6	2	7	2
		F	42	4	5	3	4	4	3	1	2	4	-	9	3
421.2	Of tricuspid valve	T	3	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	1	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	1	-	-	-	-	-
421.3	Of pulmonary valve, not specified as rheumatic	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	1	-	-	-	-	-
421.4	Other and ill-defined	T	180	-	-	-	-	-	-	-	-	-	-	-	-
		M	62	4	6	6	5	4	8	4	6	4	4	5	6
		F	118	6	12	15	7	7	17	8	6	6	16	8	10
422	Other myocardial degeneration	T	2,412	-	-	-	-	-	-	-	-	-	-	-	-
		M	1,119	115	136	134	96	103	80	74	59	71	75	76	100
		F	1,293	109	146	150	119	97	104	67	74	89	102	111	125
422.0	Fatty degeneration	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-
422.1	With arteriosclerosis	T	1,361	-	-	-	-	-	-	-	-	-	-	1	-
		M	614	63	73	82	52	58	46	42	27	35	38	40	58
		F	747	63	83	85	69	55	61	36	41	46	65	73	70
422.2	Other	T	1,049	-	-	-	-	-	-	-	-	-	-	-	-
		M	504	52	63	52	44	45	33	32	32	36	37	36	42
		F	545	46	63	65	50	42	43	31	33	43	37	37	55
430	Acute and subacute endocarditis (nonrheumatic)	T	19	-	-	-	-	-	-	-	-	-	-	-	-
		M	9	-	-	1	3	-	-	1	-	-	3	-	1
		F	10	1	1	-	-	2	-	1	-	2	1	2	-
430.0	Acute and subacute bacterial endocarditis	T	13	-	-	-	3	-	-	-	-	-	2	-	1
		M	6	-	-	-	-	-	-	-	-	-	-	-	-
		F	7	-	1	-	-	1	-	1	-	1	1	2	-
430.1	Other acute endocarditis	T	6	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	1	-	-	-	1	-	-	1	-	-
		F	3	1	-	-	-	1	-	-	-	1	-	-	-
431	Acute myocarditis (nonrheumatic)	T	50	-	-	-	-	-	-	-	-	-	-	-	-
		M	28	1	5	1	-	4	-	5	2	2	3	2	3
		F	22	2	1	3	-	-	3	5	-	3	-	1	4
432	Acute pericarditis (nonrheumatic)	T	3	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	1	-	-	1	-	-	-	-	-	1	-
433	Functional disease of heart	T	79	-	-	-	-	-	-	-	-	-	-	-	-
		M	43	4	4	6	3	4	4	1	4	2	2	6	3
		F	36	1	2	7	4	4	2	2	2	4	3	2	3
433.0	Heart block	T	23	-	-	-	-	-	-	-	-	-	-	-	-
		M	14	1	-	3	1	1	2	1	3	-	-	-	2
		F	9	-	1	2	2	1	-	1	-	-	1	-	1
433.1	Other disorders of heart rhythm	T	56	-	-	-	-	-	-	-	-	-	-	-	-
		M	29	3	4	3	2	3	2	-	1	2	2	6	1
		F	27	1	1	5	2	3	2	1	2	4	2	2	2
434	Other and unspecified diseases of heart	T	601	-	-	-	-	-	-	-	-	-	-	-	-
		M	335	39	41	38	29	20	20	23	25	24	27	25	24
		F	266	21	31	30	22	15	24	23	19	23	19	20	19

Detailed Int. List No.	Table 11 CAUSE OF DEATH.	Sex.	ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: 1951.												
			Total.	MONTHS.											
				January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
434.0	Kyphoscoliotic heart disease	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-
434.1	Congestive heart failure	T	142	-	-	-	-	-	-	-	-	-	-	-	1
		M	73	6	5	10	12	6	-	7	6	2	7	4	8
		F	69	5	7	6	11	6	7	4	2	4	4	5	8
434.2	Left ventricular failure	T	32	-	-	-	-	-	-	-	-	-	-	-	-
		M	17	6	3	2	1	1	1	2	-	-	-	-	1
		F	15	2	4	-	1	-	1	1	-	2	2	2	-
434.3	Other and unspecified disease of heart	T	425	-	-	-	-	-	-	-	-	-	-	-	-
		M	244	27	33	25	16	13	19	14	19	22	20	21	15
		F	181	14	20	24	10	9	16	18	17	17	13	13	10
441	Essential malignant hypertension with heart disease	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	1	-	-	-	-	-	-	-
442	Hypertensive heart disease with arteriolar nephrosclerosis	T	464	-	-	-	-	-	-	-	-	-	-	-	-
		M	236	27	24	12	15	25	20	17	17	20	25	15	19
		F	228	20	21	17	18	23	21	14	14	13	21	14	32
443	Other and unspecified hypertensive heart disease	T	2,398	-	-	-	-	-	-	-	-	-	-	-	-
		M	927	93	104	110	67	77	67	71	57	63	60	73	85
		F	1,471	138	161	181	106	99	112	110	85	87	92	122	178
444	Essential benign hypertension without mention of heart	T	4	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	1	-	-	1	-	-	-	-
		F	2	-	1	1	-	-	-	-	-	-	-	-	-
445	Essential malignant hypertension without mention of heart	T	19	-	-	-	-	-	-	-	-	-	-	-	-
		M	12	-	-	2	4	-	1	2	1	-	1	-	1
		F	7	-	-	1	1	2	-	-	-	1	-	-	2
446	Hypertension with arteriolar nephrosclerosis without mention of heart	T	191	-	-	-	-	-	-	-	-	-	-	-	-
		M	96	14	4	7	7	9	9	8	8	8	9	4	8
		F	95	12	8	11	9	7	5	4	10	4	10	6	9
447	Other hypertensive disease without mention of heart	T	28	-	-	-	-	-	-	-	-	-	-	-	-
		M	16	1	1	1	2	-	-	1	-	2	-	3	1
		F	12	1	2	-	1	2	-	-	1	2	3	-	-
450	General arteriosclerosis	T	1,325	-	-	-	-	-	-	-	-	-	-	-	-
		M	582	49	49	65	50	47	35	38	37	48	53	53	58
		F	743	73	73	86	61	73	45	55	58	47	50	56	66
450.0	Without mention of gangrene	T	1,229	-	-	-	-	-	-	-	-	-	-	-	-
		M	526	43	46	59	46	42	31	36	33	42	49	49	50
		F	703	69	72	84	55	65	42	50	57	46	47	54	62
450.1	With gangrene	T	96	-	-	-	-	-	-	-	-	-	-	-	-
		M	56	6	3	6	4	5	4	2	4	6	4	4	8
		F	40	4	1	2	6	8	3	5	1	1	3	2	4
451	Aortic aneurysm (non-syphilitic), and dissecting aneurysm	T	141	-	-	-	-	-	-	-	-	-	-	-	-
		M	101	6	7	6	8	13	8	9	4	13	11	7	9
		F	40	5	-	1	5	7	2	9	3	-	3	4	1
452	Other aneurysm, except of heart and aorta	T	39	-	-	-	-	-	-	-	-	-	-	-	-
		M	26	1	3	7	1	2	2	-	1	1	3	1	4
		F	13	1	2	3	2	-	-	2	-	-	2	-	1
453	Peripheral vascular disease	T	7	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	-	-	1	-	-	-	1	1	-	-	-	1
		F	3	-	-	3	-	-	-	-	-	-	-	-	-
453.0	Raynaud's disease	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	1	-	-	-	-	-	-	-	-	-
453.1	Thrombo-angiitis obliterans	T	6	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	-	-	1	-	-	-	1	1	-	-	-	1
		F	2	-	-	2	-	-	-	-	-	-	-	-	-
454	Arterial embolism and thrombosis	T	13	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	-	-	1	1	-	1	-	-	-	1	-	-
		F	9	1	1	-	1	-	-	1	2	1	1	1	-
455	Gangrene of unspecified cause	T	5	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	1	-	-	-	-	-	-	2	1
456	Other diseases of arteries	T	23	-	-	-	-	-	-	-	-	-	-	-	1
		M	11	1	-	3	-	-	2	-	-	1	1	3	-
		F	12	1	3	-	2	-	-	2	1	-	1	1	2
460	Varicose veins of lower extremities	T	3	-	-	-	-	-	-	-	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	1	-	-	-	-	-
461	Hemorrhoids	T	1	-	-	-	-	-	-	-	-	-	1	-	-
		M	1	-	-	-	-	1	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-

Detailed Int. List No.	TABLE 11 CAUSE OF DEATH.	SEX.	Total.	ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: 1951.											
				MONTHS.											
				January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
462	Varicose veins of other specified sites	T M F	17 13 4	- - -	- - -	1 - -	- - -	- - -	2 1 1	1 - 1	- - -	2 - -	2 - -	2 1 1	3 1 1
462.1	Varicose veins of esophagus	T M F	16 12 4	- - -	- - -	1 - -	- - -	- - -	2 - 1	1 1 1	- - -	1 - -	2 - -	2 1 1	3 3 1
462.2	Others	T M F	1 1 1	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	1 - -	- - -	- - -	- - -
463	Phlebitis and thrombophlebitis of lower extremities	T M F	6 5 1	- - -	- - -	2 - -	- - -	1 - -	- - -	- - -	- - -	- - -	1 - -	1 1 -	- - -
464	Phlebitis and thrombophlebitis of other sites	T M F	68 29 39	- 2 8	1 1 1	3 4 4	2 2 2	1 3 3	4 3 6	3 3 3	3 4 3	4 1 2	1 2 1	2 3 3	3 3 3
465	Pulmonary embolism and infarction	T M F	67 31 36	- 2 2	- 1 2	- 3 5	- 2 5	- 2 4	- 3 3	- 3 1	- 4 2	- 2 4	- 2 5	- 1 1	- 6 2
466	Other venous embolism and thrombosis	T M F	16 7 9	- 2 2	- 2 3	- 1 -	- - -	- - -	1 - -	- - -	- - -	- - -	2 - 1	- 1 -	- 1 1
467	Other diseases of circulatory system	T M F	6 3 3	- - -	- - 2	- - -	- - -	- - -	- - 1	- 1 -	- - -	- 2 1	- - -	- - -	- - -
467.1	Diseases of capillaries	T M F	1 - 1	- - -	- 1 -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
467.2	Other and unspecified	T M F	5 3 2	- - -	- 1 -	- - -	- - -	- - -	- - 1	- 1 -	- - -	2 1 -	- - -	- - -	- - -
468.2	Lymphadenitis, unqualified	T M F	1 1 1	- - -	- - -	- - -	- - -	- - -	- - -	- 1 -	- 1 -	- - -	- - -	- - -	- - -
VIII.	DISEASES OF THE RESPIRATORY SYSTEM	T M F	1,729 1,043 686	- 106 54	- 167 96	- 174 159	- 83 43	- 58 49	- 55 25	- 66 39	- 43 28	- 54 25	- 81 46	- 74 51	- 82 71
471	Acute sinusitis	T M F	1 1 1	- - -	- - -	- - -	- - -	- - -	- - -	- 1 -	- - -	- - -	- - -	- - -	- - -
472.1	Other acute pharyngitis	T M F	4 2 2	- - -	- 1 -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	2 - -	- - -	- 1 -
473	Acute tonsillitis	T M F	6 5 1	1 1 1	- 1 -	- 1 -	- - -	1 - -	- - -	- 1 1	- 1 -	- - -	- - -	- - -	- - -
474	Acute laryngitis and tracheitis	T M F	5 4 1	- - -	- - -	1 - 1	1 - -	- - -	- - -	- - -	- - -	- - -	1 - -	1 - -	- - -
475	Acute upper respiratory infection of multiple or unspecified sites	T M F	17 8 9	- - 1	- 2 1	- 1 -	- - -	- - -	- - 2	- 1 -	- - -	- - -	- 1 1	1 1 1	- 2 3
480	Influenza with pneumonia	T M F	61 24 37	- 1 2	- 10 5	- 7 23	- 2 4	- 1 2	- 2 -	- - -	- - -	- - -	- - -	- 1 1	- - -
481	Influenza with other respiratory manifestations, and unqualified	T M F	21 6 15	- - 1	- 1 2	- 5 6	- - 4	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- 2 -
482	Influenza with digestive manifestations, but without respiratory symptoms	T M F	3 3 -	- - -	- - -	1 - -	1 1 -	- 1 -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
490	Lobar pneumonia	T M F	248 172 76	- 16 6	- 35 10	- 23 13	- 11 3	- 13 5	- 9 3	- 7 5	- 7 4	- 10 2	- 16 7	8 7 7	- 17 11
491	Bronchopneumonia	T M F	799 451 348	- 48 27	- 59 54	- 81 78	- 36 17	- 24 13	- 27 13	- 30 25	- 18 13	- 18 12	- 35 22	35 20 43	- 40 43
492	Primary atypical pneumonia	T M F	144 85 59	- 12 7	- 17 6	- 22 20	- 8 3	- 2 2	- 1 1	- 3 3	- 2 5	- 2 3	- 5 2	8 3 4	- 3 3
493	Pneumonia, other and unspecified	T M F	80 50 30	- 6 1	- 11 3	- 7 5	- 8 5	- 4 4	- 2 3	- 1 1	- 1 1	- 1 2	- 4 3	1 1 1	- 4 3

Table 11

ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS)
FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE
DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: 1951.

Detailed Int. List No.	CAUSE OF DEATH.	Sex.	Total.	MONTHS.											
				January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
500	Acute bronchitis . .	T	15	-	-	-	-	-	-	-	-	-	-	-	-
		M	9	-	3	1	1	1	-	-	-	1	-	-	2
		F	6	2	1	2	-	-	-	-	-	1	-	-	-
501	Bronchitis, unqualified .	T	22	-	-	-	-	-	-	-	-	-	-	-	-
		M	13	1	-	-	5	-	2	-	-	1	1	1	-
		F	9	-	3	2	-	1	-	-	-	1	-	1	1
502	Chronic bronchitis . .	T	32	-	-	-	-	-	-	-	-	-	-	-	-
		M	24	4	5	4	-	3	2	1	1	2	2	-	-
		F	8	2	2	1	-	-	-	1	-	1	-	-	1
502.0	Bronchitis with emphysema . .	T	10	-	-	-	-	-	-	-	-	-	-	-	-
		M	9	-	2	2	-	-	-	1	1	2	1	-	-
		F	1	-	-	-	-	-	-	1	-	-	-	-	-
502.1	Other	T	22	-	-	-	-	-	-	-	-	-	-	-	-
		M	15	4	3	2	-	3	2	-	-	-	1	-	-
		F	7	2	2	1	-	-	-	-	-	-	-	-	1
510.1	Hypertrophy of tonsils and adenoids with tonsillectomy or adenoidectomy	T	7	-	-	-	-	-	-	-	-	-	1	-	-
		M	3	1	1	-	-	-	-	1	-	-	2	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-
511	Peritonsillar abscess (quinsy)	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	-	-	-	-	-	-	-
513	Chronic sinusitis . .	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
517	Other diseases of upper respiratory tract . .	T	5	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	1	-	-	-	1	-	-	-	1	-
		F	2	1	-	-	-	-	-	-	-	-	1	-	-
518	Empyema	T	9	-	-	-	-	-	-	-	-	-	-	-	-
		M	7	2	-	-	-	-	-	-	1	-	-	-	2
		F	2	-	-	-	-	1	-	-	-	-	-	-	-
519	Pleurisy	T	8	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	1	-	-	-	-	-	-	-	-	1	1	-
		F	5	-	-	2	-	-	-	-	1	-	-	2	-
519.0	Without effusion or tuberculosis	T	7	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	1	-	-	-	-	-	-	-	-	-	1	-
		F	5	-	-	2	-	-	-	-	1	-	-	2	-
519.2	Other specified forms of effusion, except tuberculous	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
520	Spontaneous pneumothorax	T	3	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	1	-	-	-	-	-	-	-	-	-	2	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
521	Abscess of lung	T	19	-	-	-	-	-	-	-	-	-	-	-	-
		M	14	-	2	2	2	1	1	2	1	2	1	-	-
		F	5	-	-	1	1	1	-	1	-	-	1	-	-
522	Pulmonary congestion and hypostasis	T	32	-	-	-	-	-	-	-	-	-	-	-	-
		M	15	-	1	3	2	1	1	1	1	2	2	2	2
		F	17	1	3	1	2	2	-	1	-	-	2	5	-
523	Pneumoconiosis due to silica and silicates (occupational)	T	12	-	-	-	-	-	-	-	-	-	-	-	-
		M	12	1	-	1	1	2	1	2	-	3	-	1	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
523.0	Silicosis	T	7	-	-	-	-	-	-	-	-	-	-	-	-
		M	7	1	-	1	-	1	-	1	-	2	-	1	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
523.2	Asbestosis	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	1	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
523.3	Other, including pneumoconiosis, unspecified	T	4	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	-	-	-	1	1	1	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
524	Other specified pneumoconiosis and pulmonary fibrosis of occupational origin	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	1	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
525	Other chronic interstitial pneumonia	T	37	-	-	-	-	-	-	-	-	-	-	-	-
		M	24	1	4	2	4	-	-	2	2	1	4	3	1
		F	13	-	1	-	2	1	-	1	2	-	2	2	2
526	Bronchiectasis	T	63	-	-	-	-	-	-	-	-	-	-	-	-
		M	48	5	9	5	-	5	2	5	2	3	5	3	4
		F	15	2	2	3	1	-	1	-	1	1	-	3	1
527	Other diseases of lung and pleural cavity	T	73	-	-	-	-	-	-	-	-	-	-	-	-
		M	52	5	6	5	1	1	4	5	5	8	3	5	4
		F	21	-	1	1	1	5	2	2	-	1	3	2	3

Detailed Int. List No.	Table 11	CAUSE OF DEATH.	SEX.	ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: 1951.												
				Total.	MONTHS.											
					January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
527.0	Pulmonary collapse (1 year and over)	T	3	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	1	-	-	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	1	-	-	-	-	-	-
527.1	Emphysema without mention of bronchitis	T	47	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	37	3	3	2	1	1	4	3	4	6	3	4	3	
		F	10	-	1	-	-	4	1	1	-	-	1	1	1	
527.2	Other	T	23	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	13	2	2	3	-	-	-	2	1	1	-	1	1	
		F	10	-	-	1	1	1	1	-	1	1	2	1	2	
IX.	DISEASES OF THE DIGES- TIVE SYSTEM	T	2,165	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1,309	121	89	113	113	102	110	107	115	112	108	109	110	
		F	856	65	79	76	75	77	66	76	48	66	73	74	81	
532.3	Other inflammatory dis- eases of supporting structures of teeth	T	1	-	-	-	-	-	-	-	-	-	-	1	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
533.7	Other disorders of oc- clusion, eruption, and tooth development	T	2	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	1	-	-	-	-	-	-	-	-	1	
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
536	Stomatitis	T	2	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	1	-	-	-	-	-	-	-	-	-	-
537	Diseases of salivary glands	T	2	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	1	1	-	-	-	-	-
539.1	Other diseases of esoph- agus	T	15	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	8	-	1	-	-	1	1	2	-	-	1	-	2	
		F	7	1	-	1	1	1	-	-	-	-	2	-	1	
540	Ulcer of stomach	T	205	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	169	17	11	8	11	11	12	11	18	15	20	15	20	
		F	36	1	4	3	3	4	4	2	2	4	5	1	3	
540.0	Without mention of per- foration	T	146	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	117	11	8	6	8	7	7	6	13	9	15	11	16	
		F	29	1	2	3	3	2	4	1	2	3	4	1	3	
540.1	With perforation	T	59	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	52	6	3	2	3	4	5	5	5	6	5	4	4	
		F	7	-	2	-	-	2	-	1	-	1	1	-	-	-
541	Ulcer of duodenum	T	189	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	153	11	14	11	16	17	12	11	12	12	9	14	14	
		F	36	4	4	6	1	2	-	2	1	4	2	5	5	
541.0	Without mention of per- foration	T	113	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	89	7	10	7	9	9	9	4	4	7	3	11	9	
		F	24	2	3	5	-	1	-	2	1	2	2	3	3	
541.1	With perforation	T	76	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	64	4	4	4	7	8	3	7	8	5	6	3	5	
		F	12	2	1	1	1	1	-	-	-	2	-	2	2	
542	Gastrojejunal ulcer	T	2	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	1	-	-	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
542.0	Without mention of per- foration	T	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
542.1	With perforation	T	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
543	Gastritis and duodenitis	T	11	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	8	3	1	-	-	-	-	-	-	1	-	2	1	
		F	3	-	-	1	-	1	-	-	-	-	-	1	-	
544	Disorders of function of stomach	T	2	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	1	-	-	-	-	-	-
544.0	Disorders of gastric se- cretion	T	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	1	-	-	-	-	-	-
544.1	Disorders of gastric mo- tility	T	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
545	Other diseases of stom- ach and duodenum	T	9	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	7	-	1	2	-	-	2	-	1	-	1	-	-	-
		F	2	-	-	1	-	-	-	-	-	1	-	-	-	-
550	Acute appendicitis	T	97	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	62	3	4	5	7	7	6	6	2	12	3	5	2	
		F	35	3	2	1	3	6	4	5	-	2	2	3	3	

Detailed Int. List No.	Table 11 CAUSE OF DEATH.	Sex.	ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: 1951.												
			Total.	MONTHS.											
				January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
550.0	Without mention of peritonitis	T	17	-	-	-	-	-	-	-	-	-	-	-	-
		M	12	1	2	1	1	1	-	-	-	-	-	-	-
		F	5	-	-	-	1	1	3	-	-	4	-	-	-
550.1	With peritonitis	T	80	-	-	-	-	-	-	-	-	-	-	-	-
		M	50	2	2	4	6	6	6	6	2	8	3	4	1
		F	30	3	2	1	2	5	1	5	2	2	3	4	1
551	Appendicitis, unqualified	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-
560	Hernia of abdominal cavity without mention of obstruction	T	26	-	-	-	-	-	-	-	-	-	-	-	1
		M	15	3	-	-	1	-	1	1	1	1	2	5	-
		F	11	-	2	1	2	1	2	1	-	1	1	1	-
560.0	Inguinal	T	5	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	1	-	-	1	-	-	-	1	-	-	2	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
560.1	Femoral	T	3	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	1	-	-	-	-	-
		F	2	-	-	1	-	-	1	-	-	-	-	-	-
560.2	Umbilical	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	1	-	-	-	-	-	-	-
560.3	Ventral (incisional)	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
560.4	Other specified site	T	11	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	1	-	-	-	-	1	-	-	1	-	2	-
		F	6	-	-	-	2	-	-	1	1	-	1	1	-
560.5	Unspecified site	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	2	-	-	-	-	-	-	-	1	1	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
561	Hernia of abdominal cavity with obstruction	T	102	-	-	-	-	-	-	-	-	-	-	-	-
		M	49	4	3	6	1	1	7	6	4	4	4	4	5
		F	53	6	8	5	4	5	2	6	3	3	1	5	5
561.0	Inguinal	T	29	-	-	-	-	-	-	-	-	-	-	-	-
		M	23	2	1	3	-	1	4	2	3	2	1	2	2
		F	6	2	1	1	-	1	-	1	-	-	-	-	-
561.1	Femoral	T	12	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	1	-	-	-	-	-	-	1	-	1
		F	9	-	1	-	1	-	-	2	-	1	1	2	1
561.2	Umbilical	T	10	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	1	-	-	-	-	-	-	-	-	-	-
		F	8	1	-	1	-	2	-	1	1	-	-	1	1
561.3	Ventral (incisional)	T	18	-	-	-	-	-	-	-	-	-	-	-	-
		M	6	2	-	1	-	-	1	1	1	-	-	-	-
		F	12	2	1	2	2	1	1	-	-	2	-	-	-
561.4	Other specified site	T	9	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	-
		F	5	-	-	1	-	-	1	-	1	-	2	-	-
561.5	Unspecified site	T	24	-	-	-	-	-	-	-	-	-	-	-	-
		M	11	-	1	1	1	-	2	2	-	1	-	2	1
		F	13	1	5	-	1	1	1	1	1	-	-	1	1
570	Intestinal obstruction without mention of hernia	T	188	-	-	-	-	-	-	-	-	-	-	-	-
		M	89	11	6	7	12	8	7	12	5	6	9	4	2
		F	99	6	10	8	12	9	10	9	5	4	8	7	11
570.0	Intussusception	T	7	-	-	-	-	-	-	-	-	-	-	-	-
		M	6	1	1	-	-	-	2	1	-	-	-	1	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-
570.1	Paralytic ileus	T	16	-	-	-	-	-	-	-	-	-	-	-	-
		M	9	1	-	2	3	-	1	2	-	-	-	-	-
		F	7	-	1	1	-	1	1	-	-	-	-	1	2
570.2	Mesenteric infarction	T	75	-	-	-	-	-	-	-	-	-	-	-	-
		M	32	6	1	3	4	4	1	4	4	1	4	-	-
		F	43	2	3	2	10	5	4	3	2	-	6	2	4
570.3	Volvulus	T	25	-	-	-	-	-	-	-	-	-	-	-	-
		M	13	-	3	-	-	-	-	-	-	-	-	-	-
		F	12	2	1	1	-	1	2	3	-	1	1	2	-
570.4	Impaction of intestine	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	1	-	-
		F	1	-	-	1	-	-	-	-	-	-	-	-	-
570.5	Other	T	63	-	-	-	-	-	-	-	-	-	-	-	-
		M	28	3	1	2	2	3	3	3	1	4	3	1	2
		F	35	2	5	3	2	2	3	3	3	3	2	3	2

Table 11

ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS)
FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE
DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: 1951.

Detailed Int. List No.	CAUSE OF DEATH.	SEX.	Total.	MONTHS.											
				January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
571	Gastro-enteritis and colitis, except ulcerative (Age 4 weeks and over)	T	66	-	-	-	-	-	-	-	-	-	-	-	-
		M	32	2	1	6	5	3	2	2	2	1	1	3	4
		F	34	2	2	2	2	4	2	4	1	2	4	1	2
571.0	Ages between 4 weeks and 2 years	T	28	-	-	-	-	-	-	-	-	-	-	-	-
		M	17	1	-	4	1	1	1	2	1	1	-	2	-
		F	11	-	-	-	1	1	1	2	1	-	2	-	3
571.1	Ages 2 years and over	T	38	-	-	-	-	-	-	-	-	-	-	-	-
		M	15	1	1	2	1	2	1	1	1	-	1	1	4
		F	23	3	2	2	1	3	1	2	-	2	2	1	4
572	Chronic enteritis and ulcerative colitis	T	109	-	-	-	-	-	-	-	-	-	-	-	-
		M	46	2	3	5	3	5	4	5	5	3	2	3	6
		F	63	5	7	6	5	7	5	5	4	5	7	5	2
572.0	Regional enteritis	T	3	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	2	-	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
572.1	Diverticulitis	T	54	-	-	-	-	-	-	-	-	-	-	-	-
		M	23	1	1	1	1	3	2	4	3	1	-	1	5
		F	31	1	2	2	3	5	3	1	2	1	5	5	1
572.2	Ulcerative colitis	T	49	-	-	-	-	-	-	-	-	-	-	-	-
		M	18	1	2	3	-	1	2	1	2	2	2	1	1
		F	31	4	5	4	2	2	2	4	2	3	2	-	1
572.3	Other	T	3	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	1	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-
573.1	Mucous colitis	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-
574	Anal fissure and fistula	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	1	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
575	Abscess of anal and rectal regions	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-
576	Peritonitis	T	8	-	-	-	-	-	-	-	-	-	-	-	-
		M	6	-	1	-	1	-	-	1	2	-	1	-	-
		F	2	-	-	-	1	-	-	-	-	-	-	1	-
577	Peritoneal adhesion	T	8	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	1	1	-	-	-	-	-	-
		F	6	-	1	-	-	1	-	2	-	-	1	-	1
578	Other diseases of intestines and peritoneum	T	69	-	-	-	-	-	-	-	-	-	-	-	-
		M	43	8	5	6	1	2	3	2	5	4	-	4	3
		F	26	2	1	1	-	2	2	1	5	3	4	-	5
580	Acute and subacute yellow atrophy of liver	T	22	-	-	-	-	-	-	-	-	-	-	-	-
		M	10	1	-	-	3	1	1	-	-	-	1	2	1
		F	12	-	1	-	1	-	1	2	-	-	-	4	3
581	Cirrhosis of liver	T	735	-	-	-	-	-	-	-	-	-	-	-	-
		M	477	36	28	47	42	37	39	40	43	45	41	37	42
		F	258	16	26	20	23	22	20	24	14	23	21	28	21
581.0	Without mention of alcoholism	T	509	-	-	-	-	-	-	-	-	-	-	-	-
		M	323	25	15	37	31	25	27	27	26	28	29	25	28
		F	186	14	15	16	18	19	14	15	12	13	17	17	16
581.1	With alcoholism	T	226	-	-	-	-	-	-	-	-	-	-	-	-
		M	154	11	13	10	11	12	12	13	17	17	12	12	14
		F	72	2	11	4	5	3	6	9	2	10	4	11	5
582	Suppurative hepatitis and liver abscess	T	6	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	1	-	-	-	-	1	-	-	-	2	1	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1
583	Other diseases of liver	T	10	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	1	1	-	1	-	-	-	-	-	-
		F	7	-	1	-	-	1	1	-	1	1	-	1	1
584	Cholelithiasis	T	118	-	-	-	-	-	-	-	-	-	-	-	-
		M	42	7	2	5	2	2	1	2	7	2	8	2	2
		F	76	10	3	13	7	6	10	3	3	5	4	8	4
585	Cholecystitis without mention of calculi	T	75	-	-	-	-	-	-	-	-	-	-	-	-
		M	28	4	2	-	5	3	5	1	2	1	2	2	1
		F	47	6	4	4	8	2	3	5	4	2	5	1	3
586	Other diseases of gall-bladder and biliary ducts	T	10	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	1	-	-	1	-	-	-	-	-	1	-
		F	7	-	-	-	-	-	-	-	-	2	4	1	-
587	Diseases of pancreas	T	72	-	-	-	-	-	-	-	-	-	-	-	-
		M	43	8	4	2	2	2	1	5	6	4	1	4	4
		F	29	1	3	2	2	3	2	2	3	5	2	1	3

[illegible]

Detailed Int. List No.	Table 11 CAUSE OF DEATH.	SEX.	ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: 1951.												
			Total.	MONTHS.											
				January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
624	Salpingitis and oophoritis, unqualified	T M F	1 1 3	- - -	- - -	- - -	- - 1	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
626	Diseases of parametrium and pelvic peritoneum (female)	T M F	3 3 3	- - -	- - -	- - -	- - 1	- - -	- - -	1 - -	- - -	- - -	- - -	- - -	- - -
630	Infective disease of uterus, vagina and vulva	T M F	3 3 3	- - -	- - -	- - -	- - 2	- - -	- - -	- 1 -	- - -	- - -	- - -	- - -	1 - -
630.1	Other infective diseases of uterus	T M F	2 2 1	- - -	- - -	- - -	- 2 -	- - -	- - -	- 1 -	- - -	- - -	- - -	- - -	- - -
630.2	Vaginitis and vulvitis	T M F	1 1 3	- - -	- - -	- - -	- - -	- - -	- - -	- - 1	- - -	- - -	- - -	- - -	- - -
631	Uterovaginal prolapse	T M F	1 3 3	- - -	- - -	- - -	- - -	- - 1	- - -	- - 1	- - 1	- - -	- - -	- - -	- - -
633	Other diseases of uterus	T M F	2 2 2	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	1 - -	- - -
XI.	DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	T M F	35 - 35	- - 3	- - 4	- - 2	- - 1	- - 5	- - 2	- - 6	- - 1	- - 5	- - 2	- - 4	- - -
640	Pyelitis and pyelonephritis of pregnancy	T M F	1 1 6	- - -	- - -	- - -	- - -	- 1 -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
642	Toxemias of pregnancy	T M F	6 6 6	- - 1	- 1 -	- - -	- - 1	- 1 -	- 1 -	- - -	- - 1	- - -	- - 1	- - -	- - -
642.2	Pre-eclampsia of pregnancy	T M F	1 1 3	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - 1	- - -	- - -	- - -	- - -
642.3	Eclampsia of pregnancy	T M F	3 3 3	- - -	- - 1	- - -	- - -	- 1 -	- - -	- - -	- - -	- 1 -	- - -	- - -	- - -
642.4	Hyperemesis gravidarum	T M F	1 1 1	- - -	- - -	- - -	- - -	- 1 -	- - -	- - -	- - -	- - -	- - -	1 - -	- - -
642.5	Other	T M F	1 1 1	- - -	- - -	- - -	- - -	- - 1	- - -	- - -	- - -	- - -	- - -	- - -	- - -
643	Placenta praevia	T M F	1 1 1	- - -	1 - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
645	Ectopic pregnancy	T M F	2 2 2	- - -	- - -	- - -	- - -	- - 1	- - -	- - 1	- - -	- - -	- - -	1 - -	- - -
645.0	Without mention of sepsis	T M F	1 1 1	- - -	- - -	- - -	- - -	- - 1	- - -	- - 1	- - -	- - -	- - -	- - -	- - -
645.1	With sepsis	T M F	1 1 1	- - -	- - -	- - -	- - -	- - 1	- - -	- - -	- - -	- - -	- - -	- - -	- - -
648.3	Other complications arising from pregnancy	T M F	1 1 1	- - -	- - -	- - -	- - -	- - -	- - -	1 - -	- - -	- - -	- - -	- - -	- - -
650.2	Abortion without mention of sepsis or toxemia induced for reasons other than medical, legal, etc.	T M F	1 3 3	- - -	1 - -	- - -	- - -	- - -	- - -	- - -	- - -	- - 1	- - -	- - -	- - -
651.0	Spontaneous or unspecified abortion with sepsis	T M F	2 2 2	- - -	- 1 -	- - -	- - -	- - -	- - -	- - 1	- - -	- - -	- - -	- - -	- - -
670	Delivery complicated by placenta praevia or antepartum hemorrhage	T M F	3 3 3	- - -	- - -	- - -	- - -	- - 1	- - -	- - 1	- - -	- 1 -	- - -	- - -	- - -
670.5	Cesarean section	T M F	2 2 1	- - -	- - -	- - -	- - -	- - 1	- - -	- - 1	- - -	- - -	- - -	- - -	- - -
670.6	Unspecified type of delivery	T M F	1 1 1	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -

Table 11

ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS)
FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE
DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: 1951.

Detailed Int. List No.	CAUSE OF DEATH.	Sex.	Total.	MONTHS.											
				January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
671.6	Delivery complicated by retained placenta, (unspecified type)	T M F	3 3 1	-	-	-	-	-	1	-	-	-	1	-	1
672.6	Delivery complicated by other postpartum hemorrhage (unspecified type)	T M F	1 1 1	-	-	-	-	-	-	1	-	-	-	-	-
675.6	Delivery complicated by prolonged labor of other origin (unspecified type)	T M F	1 1 1	-	-	1	-	-	-	-	-	-	-	-	-
677.6	Delivery with other trauma (unspecified type)	T M F	3 3 1	-	-	-	1	1	-	1	-	-	-	-	-
678.5	Delivery with other complications of childbirth, (Cesarean section)	T M F	1 1 1	-	-	-	-	-	-	-	-	1	-	-	-
682	Puerperal phlebitis and thrombosis	T M F	1 1 1	-	-	-	-	-	-	-	-	-	-	-	-
684	Puerperal pulmonary embolism	T M F	4 4 4	-	-	-	-	-	-	-	-	-	-	-	-
685	Puerperal eclampsia	T M F	1 1 1	-	-	1	-	-	1	-	-	-	1	1	-
686	Other forms of puerperal toxemia	T M F	1 1 1	-	-	-	-	-	-	-	-	-	-	-	-
XII.	DISEASES OF THE SKIN, AND CELLULAR TISSUE.	T M F	49 18 31	-	-	-	-	-	-	-	1	-	-	-	-
690	Boil and carbuncle	T M F	2 1 1	1	3	3	4	4	2	1	5	3	3	1	1
690.1	Of neck	T M F	1 1 1	-	-	-	1	-	-	-	-	-	-	-	-
690.2	Of trunk	T M F	1 1 1	-	-	-	1	-	-	-	-	-	-	1	-
692	Other cellulitis and abscess without mention of lymphangitis	T M F	6 5 1	-	2	-	2	1	-	-	-	-	1	-	-
692.0	Of head and neck	T M F	2 2 2	-	-	-	2	-	-	-	-	-	-	-	-
692.1	Of trunk	T M F	1 1 1	-	-	-	-	1	-	-	-	-	-	-	-
692.4	Of leg	T M F	3 2 1	-	2	-	-	-	-	-	-	-	1	-	-
693.0	Other cellulitis and abscess of head and neck with lymphangitis	T M F	1 1 1	-	-	-	-	1	-	-	-	-	-	-	-
693	Other local infections of skin and subcutaneous tissue	T M F	3 1 2	-	1	-	-	1	1	-	-	-	-	-	-
701	Eczema	T M F	2 2 2	-	-	-	-	-	-	-	1	-	-	1	-
704.1	Dermatitis herpetiformis	T M F	7 3 4	-	1	1	1	-	1	1	-	-	-	-	-
705	Erythematous conditions	T M F	10 2 8	-	-	1	1	-	-	-	-	-	-	-	-
705.4	Lupus erythematosus	T M F	7 7 7	-	1	-	-	-	-	-	2	1	3	1	-
705.5	Other and unqualified	T M F	3 3 2	1	-	-	1	-	-	-	2	1	2	1	-

Detailed Int. List No.	Table 11 CAUSE OF DEATH.	Sex.	Total.	ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: 1951.											
				MONTHS.											
				January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
706.0	Psoriasis	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	1	-	-	-	-	-	-	-	-	-
710.0	Scleroderma and der- matomyositis	T	10	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	1	-	-	-	-	-	-	-	-	-
		F	9	-	1	1	2	1	1	-	1	1	-	-	1
715	Chronic ulcer of skin	T	7	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	1	-	-	-	-	1	1	-	-	-	-	-
		F	4	-	-	-	-	1	1	1	1	-	-	-	-
XIII.	DISEASES OF THE BONES AND ORGANS OF MOVE- MENT	T	97	-	-	-	-	-	-	-	-	-	-	-	-
		M	39	5	7	3	1	3	2	7	1	3	5	-	2
		F	58	4	5	4	4	2	8	2	2	8	9	6	4
720	Acute arthritis due to pyogenic organisms	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	1	-	-	-	-	-
722.0	Rheumatoid arthritis	T	36	-	-	-	-	-	-	-	-	-	-	-	-
		M	10	1	3	1	-	-	-	2	-	1	1	-	1
		F	26	1	2	-	2	-	4	1	2	5	3	4	2
723	Osteo-arthritis (arthro- sis) and allied condi- tions	T	11	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	1	-	-	-	-	1	-	1
		F	8	2	2	-	-	2	1	-	-	-	-	1	-
723.0	Osteo-arthritis (arthro- sis)	T	10	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	1	-	-	-	-	1	-	1
		F	7	2	2	-	-	1	1	-	-	-	-	1	-
723.1	Spondylitis osteoarthri- tica (spondylarthrosis)	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	1	-	-	-	-	-	-	-
724	Other specified forms of arthritis	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	1	-	-	-
725	Arthritis, unspecified	T	4	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	1	-	-	1	-	-	-	1	-	-
726.3	Other muscular rheuma- tism, fibrositis, and myalgia	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-
730.2	Unspecified osteomye- litis	T	5	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	1	-	-	-	3	-	-	-	-	-
731	Osteitis deformans	T	7	-	-	-	-	-	-	-	-	-	1	-	-
		M	5	2	-	-	-	1	-	1	-	-	1	-	-
		F	2	-	1	-	-	-	1	-	-	-	-	-	-
733	Other diseases of bone	T	4	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	1	-	-	-	-	-
		F	3	1	-	-	-	-	-	-	-	1	1	-	-
735	Displacement of inter- vertebral disc	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	1	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
744	Other diseases of muscle, tendon, and fascia	T	25	-	-	-	-	-	-	-	-	-	-	-	-
		M	15	1	4	2	1	1	2	-	1	1	2	-	-
		F	10	-	-	2	2	-	1	-	-	-	2	1	2
744.0	Myasthenia gravis	T	7	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	1	1	-	-	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	1	-	-	-	-
744.1	Inborn defect of muscle	T	18	-	-	-	-	-	-	-	-	-	-	1	1
		M	12	-	3	2	1	1	2	-	-	1	2	-	-
		F	6	-	-	2	-	-	1	-	-	-	2	-	1
745	Curvature of spine	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	1	-	-	-
XIV.	CONGENITAL MALFORM- ATIONS	T	505	-	-	-	-	-	-	-	-	-	-	-	-
		M	255	16	24	16	17	26	12	21	24	13	18	31	37
		F	250	17	16	31	22	21	28	17	20	12	29	17	20
750	Monstrosity	T	25	-	-	-	-	-	-	-	-	-	-	-	-
		M	8	-	2	-	-	2	-	1	1	-	-	1	1
		F	17	1	-	1	-	2	3	3	3	-	1	-	2
751	Spina bifida and meningo- cele	T	75	-	-	-	-	-	-	-	-	-	-	-	-
		M	38	4	3	3	2	3	2	2	4	1	3	4	7
		F	37	6	2	5	2	3	4	-	5	-	2	4	4
752	Congenital hydroceph- alus	T	57	-	-	-	-	-	-	-	-	-	-	-	-
		M	23	-	1	-	1	3	1	3	5	-	3	5	1
		F	34	2	4	2	5	2	3	5	-	3	3	2	3

Detailed Int. List No.	Table 11 CAUSE OF DEATH.	Sex.	ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: 1951.												
			Total.	MONTHS.											
				January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
753.1	Other congenital malformations of nervous system and sense organs	T	10	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	2	-	-	-	2	-	-	1	-	-	-	-
		F	5	-	-	-	1	1	2	-	-	-	-	1	-
754	Congenital malformations of circulatory system	T	209	-	-	-	-	-	-	-	-	-	-	-	-
		M	118	4	15	9	10	10	8	11	7	8	9	11	16
		F	91	5	3	11	12	7	9	6	7	4	12	8	7
754.0	Tetralogy of Fallot	T	6	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	-	1	-	1	-	-	-	-	-	-	-	3
		F	1	-	-	-	-	1	-	-	-	-	-	-	-
754.1	Patent ductus arteriosus (Botalli)	T	8	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	-	-	-	1	2	-	-	-	-	1	-	1
		F	3	-	-	1	1	-	-	-	-	-	-	1	-
754.2	Interventricular septal defect	T	4	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	1	-	-	1	1	-	-	-
754.3	Interauricular septal defect	T	6	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	-	-	1	1	1	-	-	-	-	-	-	1
		F	2	-	-	1	1	-	-	-	-	-	-	-	-
754.4	Other and unspecified malformations of heart	T	167	-	-	-	-	-	-	-	-	-	-	-	-
		M	98	3	14	7	7	7	8	11	6	8	8	11	8
		F	69	2	3	7	8	5	9	5	5	2	10	7	6
754.5	Coarctation of aorta	T	7	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	1	-	-	-	2
		F	4	2	-	-	2	-	-	-	-	-	-	-	-
754.6	Other circulatory malformations	T	11	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	1	-	1	-	-	-	-	-	-	-	-	1
		F	8	1	-	2	-	-	-	1	1	1	1	-	1
755	Cleft palate and harelip	T	6	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	1	-	1	-	-	-	1	-	-	-
		F	3	-	-	-	-	-	1	-	-	1	1	-	-
756	Congenital malformations of digestive system	T	62	-	-	-	-	-	-	-	-	-	-	-	-
		M	27	3	1	-	2	2	1	3	4	-	3	1	7
		F	35	3	5	6	-	3	5	1	2	2	5	1	2
756.0	Congenital hypertrophic pyloric stenosis	T	3	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	2	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
756.1	Imperforate anus	T	4	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	1	-	-	1	-	-
		F	2	-	1	-	-	1	-	-	-	-	-	-	-
756.2	Other	T	55	-	-	-	-	-	-	-	-	-	-	-	-
		M	22	3	1	-	2	-	1	1	4	-	2	1	7
		F	33	3	4	6	-	2	5	1	2	2	5	1	2
757	Congenital malformations of genito-urinary system	T	32	-	-	-	-	-	-	-	-	-	-	-	-
		M	22	2	2	2	2	2	-	1	1	1	-	7	2
		F	10	-	-	2	1	1	-	1	1	-	-	-	2
757.1	Polycystic disease of kidney	T	20	-	-	-	-	-	-	-	-	-	-	-	-
		M	13	-	2	1	2	1	-	1	1	1	-	4	-
		F	7	-	-	1	1	-	-	1	1	-	1	-	2
757.2	Congenital malformations of external genital organs	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	1	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
757.3	Other	T	11	-	-	-	-	-	-	-	-	-	-	-	-
		M	8	2	-	-	-	1	-	-	-	-	-	3	2
		F	3	-	-	1	-	1	-	-	-	-	1	-	-
758	Congenital malformations of bone and joint	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	1	-	1	-	-	-	-	-
758.2	Congenital malformations of skull	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	1	-	-	-	-	-
758.6	Other congenital malformations of bone and joint	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	1	-	-	-	-	-	-	-
759	Other and unspecified congenital malformations	T	27	-	-	-	-	-	-	-	-	-	-	-	-
		M	11	1	-	1	-	1	-	-	1	2	-	2	3
		F	16	-	2	4	-	1	1	-	2	2	3	1	-
759.0	Of respiratory system	T	5	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	2
		F	3	-	-	1	-	-	-	-	-	1	-	1	-
759.2	Of muscle	T	3	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	1	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	1	-	-	-	-	-	-	-

Detailed Int. List No.	Table 11	CAUSE OF DEATH.	ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: 1951.											
			Sex.	Total.	MONTHS.									
					January.	February.	March.	April.	May.	June.	July.	August.	September.	October.
759.3	Other and unspecified	T	19	-	-	-	1	-	-	-	-	1	2	-
		M	7	-	-	-	-	-	-	-	-	-	-	-
		F	12	-	-	1	4	-	-	1	-	2	1	3
XV.	CERTAIN DISEASES OF EARLY INFANCY	T	1,426	-	-	-	-	-	-	-	-	-	-	-
		M	840	59	64	64	72	82	69	61	69	69	76	81
		F	586	45	60	48	44	37	39	48	42	66	51	44
760	Intracranial and spinal injury at birth	T	123	-	-	-	-	-	-	-	-	-	-	-
		M	94	8	4	10	12	4	8	6	7	6	9	11
		F	29	2	2	3	5	1	-	1	2	6	2	3
760.0	Without mention of immaturity	T	102	-	-	-	-	-	-	-	-	-	-	-
		M	81	7	3	9	10	4	8	5	6	6	8	9
		F	21	1	1	3	5	1	-	1	1	4	1	2
760.5	With immaturity	T	21	-	-	-	-	-	-	-	-	-	-	-
		M	13	1	1	1	2	-	-	-	1	1	1	2
		F	8	1	1	-	-	-	-	-	1	2	1	1
761	Other birth injury	T	69	-	-	-	-	-	-	-	-	-	-	-
		M	46	4	3	4	3	8	2	6	2	3	5	3
		F	23	2	1	4	3	1	2	5	-	1	1	3
761.0	Without mention of immaturity	T	26	-	-	-	-	-	-	-	-	-	-	-
		M	18	3	1	2	1	3	-	-	-	1	2	1
		F	8	1	-	1	2	1	1	2	-	-	-	-
761.5	With immaturity	T	43	-	-	-	-	-	-	-	-	-	-	-
		M	28	1	2	2	2	5	2	6	1	1	3	2
		F	15	1	1	3	1	-	1	3	-	1	1	1
762	Postnatal asphyxia and atelectasis	T	460	-	-	-	-	-	-	-	-	-	-	-
		M	253	17	17	20	26	26	21	17	28	24	24	15
		F	207	18	20	17	17	12	19	19	13	25	15	12
762.0	Without mention of immaturity	T	157	-	-	-	-	-	-	-	-	-	-	-
		M	89	4	8	6	8	11	9	4	12	8	8	6
		F	68	6	7	3	7	4	8	6	4	9	4	4
762.5	With immaturity	T	303	-	-	-	-	-	-	-	-	-	-	-
		M	164	13	9	14	18	15	12	13	16	16	16	9
		F	139	12	13	14	10	8	11	13	9	16	11	8
763	Pneumonia of newborn	T	53	-	-	-	-	-	-	-	-	-	-	-
		M	29	2	3	2	2	1	-	2	2	4	2	3
		F	24	3	3	5	2	-	1	1	1	-	2	4
763.0	Without mention of immaturity	T	35	-	-	-	-	-	-	-	-	-	-	-
		M	21	1	2	2	2	1	-	1	1	3	1	3
		F	14	2	2	4	1	-	-	-	-	-	2	1
763.5	With immaturity	T	18	-	-	-	-	-	-	-	-	-	-	-
		M	8	1	1	-	-	-	-	1	1	1	1	2
		F	10	1	1	1	1	-	1	1	1	-	1	2
764.0	Diarrhea of newborn without mention of immaturity	T	2	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-
768.0	Other sepsis of newborn without mention of immaturity	T	2	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	1	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-
769	Neonatal disorders arising from maternal toxemia	T	4	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	1	-
		F	2	-	-	-	-	-	2	-	-	-	-	-
769.0	Attributed to "toxemia of pregnancy", without mention of immaturity	T	2	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	2	-	-	-	-	-
769.1	Attributed to maternal diabetes, without mention of immaturity	T	1	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	1	-
		F	1	-	-	-	-	-	-	-	-	-	-	-
769.5	Attributed to "toxemia of pregnancy", with immaturity	T	1	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
770	Hemolytic disease of newborn (erythroblastosis)	T	46	-	-	-	-	-	-	-	-	-	-	-
		M	26	3	6	1	2	2	1	3	2	1	3	1
		F	20	-	3	2	-	2	3	1	-	4	1	4
770.0	Erythroblastosis, with- out mention of nerv- ous affection or im- maturity	T	33	-	-	-	-	-	-	-	-	-	-	-
		M	18	3	4	1	2	1	1	2	1	1	2	-
		F	15	-	2	1	-	2	2	1	-	3	1	3
770.1	Kernicterus, without mention of imma- turity	T	3	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	1	-
		F	2	-	-	-	-	-	1	-	-	-	-	-
770.5	Erythroblastosis, with- out mention of nerv- ous affection but with immaturity	T	8	-	-	-	-	-	-	-	-	-	-	-
		M	5	-	2	-	-	1	-	-	1	1	-	-
		F	3	-	1	1	-	-	-	-	-	1	-	-

Detailed Int. List No.	Table 11 CAUSE OF DEATH.	Sex.	ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: 1951.													
			Total.	MONTHS.										November.	December.	
				January.	February.	March.	April.	May.	June.	July.	August.	September.	October.			
770.6	Kernicterus with immaturity	T M F	1 1 1	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
770.7	Erythroblastosis with disorder of liver other than icterus gravis, with immaturity	T M F	1 1 1	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	1 - -	- - -
771	Hemorrhagic disease of newborn	T M F	17 11 6	- - 2	1 1 2	- 1 2	- - -	2 2 -	- - 1	- - 1	- 1 1	- - 1	- - 1	- - 1	2 - -	1 - -
771.0	Without mention of immaturity	T M F	13 10 3	- - 1	- 1 1	- 1 -	- - -	- 2 -	- 1 1	- 1 1	- 1 1	- - 1	- - 1	- - 2	- 2 1	- 1 -
771.5	With immaturity	T M F	4 1 3	- - 1	- - 1	- - -	- - -	- - 1	- - -	- - -	- - -	- - -	- - -	- - 1	- - -	- - -
772.0	Nutritional maladjustment without mention of immaturity	T M F	2 1 1	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - 1	- - -	- - -	- - -	- - -
773	Ill-defined diseases peculiar to early infancy	T M F	16 9 7	- - 1	- 2 1	2 2 -	- - -	- - 1	- - 1	2 - 1	1 - 2	- - 1	- 1 1	- - -	1 1 -	- 1 -
773.0	Without mention of immaturity	T M F	8 3 5	- - 1	- - -	- - -	- - -	- 1 1	- - 1	- - 1	- 1 1	- - 2	- - -	- - -	- - 1	- - -
773.5	With immaturity	T M F	8 6 2	- - -	- 2 1	- 2 -	- - -	- - -	- - 1	- - -	- - -	- - -	- - -	- - 1	- 1 -	- - -
774	Immaturity with mention of any other subsidiary condition	T M F	7 5 2	- 1 -	- - -	- 1 -	- 2 -	- - -	- - -	- - -	- - -	- - 1	- - -	- - -	- - -	- - -
776	Immaturity, unqualified	T M F	625 362 263	- 24 16	- 28 28	- 23 17	- 25 17	- 39 18	- 35 13	- 24 21	- 25 25	- 29 25	- 30 28	- 46 23	- 34 31	- -
XVI.	SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS	T M F	294 156 138	- 13 13	- 17 11	- 16 21	- 7 9	- 23 10	- 6 6	- 8 10	- 10 15	- 6 4	- 19 11	- 16 14	- 15 14	- -
780	Certain symptoms referable to nervous system and special senses	T M F	4 3 1	- - -	- - 1	- 2 -	- - -	- 1 -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
780.0	Coma and stupor	T M F	1 1 1	- - -	- - -	- 1 -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
780.1	Delirium	T M F	1 1 1	- - -	- - -	- 1 -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
780.2	Convulsions	T M F	2 1 1	- - -	- - 1	- - -	- - -	- 1 -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
781.8	Encephalopathy	T M F	2 1 1	- - -	- - -	- - -	- - -	- 1 -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- 1 -
782	Symptoms referable to cardiovascular and lymphatic system	T M F	124 69 55	- 5 5	- 8 3	- 4 10	- 4 2	- 10 4	- 4 2	- 3 4	- 2 9	- 2 1	- 11 3	- 8 6	- 8 6	- -
782.4	Acute heart failure, undefined	T M F	120 68 52	- 5 5	- 8 3	- 4 9	- 4 2	- 10 4	- 4 2	- 2 4	- 2 8	- 2 1	- 11 3	- 8 6	- 8 5	- -
782.5	Syncope or collapse	T M F	1 1 1	- - -	- - -	- 1 -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
782.8	Splenomegaly	T M F	1 1 1	- - -	- - -	- 1 -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
782.9	Shock without mention of trauma	T M F	2 1 1	- - -	- - -	- - -	- - -	- - -	- - 1	- - -	- - -	- - -	- - -	- - -	- - 1	- - -
783	Symptoms referable to respiratory system	T M F	5 2 3	- 1 -	- - -	- - -	- - -	- - 1	- - -	- - 1	- - -	- 1 -	- - 1	- - -	- - -	- - -
783.0	Epistaxis	T M F	1 1 1	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - 1	- - -	- - -	- - -	- - -	- - -

Detailed Int. List No.	Table 11 CAUSE OF DEATH.	Sex.	ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: 1951.												
			Total.	MONTHS.											
				January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
783.1	Hemoptysis . . .	T	4	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	1	-	-	1	-	-	1	-	-
784.5	Hematemesis . . .	T	3	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	1	-	-	-	-	-	1	1
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
785	Symptoms referable to abdomen and lower gastro-intestinal system	T	10	-	-	-	-	-	-	-	-	-	-	-	-
		M	8	1	-	-	-	1	-	-	2	1	-	3	-
		F	2	-	-	1	-	-	-	-	-	-	-	-	1
785.1	Hepatomegaly . . .	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	1	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
785.2	Jaundice . . .	T	4	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	1	-	-	-	-	-	-	1	-	-	1	-
		F	1	-	-	1	-	-	-	-	-	-	-	-	-
785.5	Abdominal pain . . .	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	1	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-
785.6	Diarrhea, age 2 years and over . . .	T	4	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	1	1	-	1	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1
786	Symptoms referable to genito-urinary system . . .	T	3	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	1	-	-	-	-	-	-	1	-	-
		F	1	-	-	1	-	-	-	-	-	-	-	-	-
786.1	Retention of urine . . .	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	1	-	-
		F	1	-	-	-	1	-	-	-	-	-	-	-	-
786.5	Oliguria, anuria (not of newborn) . . .	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	1	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
788	Other general symptoms	T	4	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	1	-	-	-	1	-	-	1	-	-
788.6	Acidosis . . .	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-
788.8	Pyrexia of unknown origin . . .	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	1	-	-	-	1	-	-	-	-	-
790.1	Debility and undue fatigue . . .	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	1	-	-	-	-	-	-	-	-	-
792	Uremia, unqualified . . .	T	28	-	-	-	-	-	-	-	-	-	-	-	-
		M	14	-	1	1	1	-	-	-	2	3	-	2	2
		F	14	-	1	2	2	2	1	1	1	1	1	1	1
794	Senility without mention of psychosis . . .	T	30	-	-	-	-	-	-	-	-	-	-	-	-
		M	6	-	-	-	-	4	-	-	1	-	1	-	-
		F	24	3	2	3	3	2	-	-	3	-	3	5	-
795	Ill-defined and unknown causes . . .	T	47	5	8	8	2	5	2	3	2	2	4	2	4
		M	33	5	4	2	1	2	3	3	2	2	2	2	5
		F	13	-	-	-	-	-	-	-	-	-	-	-	-
795.0	Other ill-defined condi- tions . . .	T	2	1	-	-	-	-	-	-	-	-	1	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-
		F	11	2	-	1	-	-	2	1	1	1	-	2	1
795.2	Sudden death (cause unknown) . . .	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	-	-	-	-	-	-	-
795.5	Other, unknown and unspecified causes . . .	T	65	-	-	-	-	-	-	-	-	-	-	-	-
		M	44	4	8	7	2	5	2	3	2	2	3	2	4
		F	21	3	3	1	1	2	1	2	1	1	2	-	4
XVII.	ACCIDENTS, POISONINGS, AND VIOLENCE . . .	T	3,067	-	-	-	-	-	-	-	-	-	-	-	-
		M	1,862	157	138	163	152	151	150	178	141	142	144	172	174
		F	1,205	100	92	122	96	96	97	82	93	91	116	99	121
800- 962	Accidents and poisonings	T	2,553	-	-	-	-	-	-	-	-	-	-	-	-
		M	1,477	134	109	129	115	123	117	141	109	109	108	137	146
		F	1,076	91	79	114	80	79	86	75	83	82	106	93	108
800	Railway accident involv- ing railroad employee . . .	T	8	-	-	-	-	-	-	-	-	-	-	-	-
		M	8	1	2	-	1	-	-	-	1	1	-	-	2
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
801	Railway accident involv- ing passenger . . .	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-

Detailed Int. List No.	Table 11 CAUSE OF DEATH.	Sex.	ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: 1951.												
			Total.	MONTHS.											
				January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
802	Railway accident involving other and unspecified person	T	20	-	-	-	-	-	-	-	-	-	-	-	-
		M	17	-	1	1	-	2	3	1	2	-	1	5	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-
810	Motor-vehicle traffic accident involving collision with railway train	T	16	-	-	-	-	-	-	-	2	-	-	-	-
		M	11	-	1	1	-	1	1	-	-	2	-	4	-
		F	5	-	-	2	-	-	-	-	-	3	-	-	-
811	Motor-vehicle traffic accident involving collision with streetcar	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	1	-	-	-	-	-	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
812	Motor-vehicle traffic accident to pedestrian	T	263	-	-	-	-	-	-	-	-	-	-	-	-
		M	201	22	11	14	17	20	8	15	17	19	23	13	22
		F	62	5	3	5	5	3	7	1	2	8	7	6	10
813	Motor-vehicle traffic accident to rider of bicycle	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
814	Motor-vehicle traffic accident to rider or passenger of motorcycle, in collision with non-motor vehicle or object.	T	3	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	2	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
815	Motor-vehicle traffic accident to rider or passenger of motorcycle in collision with other motor vehicle	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	1	-	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
816	Other motor - vehicle traffic accident involving two or more motor vehicles	T	79	-	-	-	-	-	-	-	-	-	-	-	-
		M	53	9	2	3	5	6	1	6	8	2	2	3	6
		F	26	-	1	1	1	3	2	1	5	2	6	1	3
817	Motor-vehicle traffic accident to occupant of motor vehicle in collision with pedestrian or bicycle	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	1	-	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
819	Motor-vehicle traffic accident involving collision with fixed or unspecified object	T	87	-	-	-	-	-	-	-	-	-	-	-	-
		M	71	5	7	9	3	6	3	4	2	8	3	9	12
		F	16	-	1	5	-	4	-	1	1	1	-	-	3
821	Motor-vehicle traffic accident to rider of motorcycle not involving collision	T	6	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	-	-	-	-	1	1	-	-	-	1	1	-
		F	2	-	-	-	-	1	1	-	-	-	-	-	-
822	Motor-vehicle traffic accident involving overturning on highway	T	18	-	-	-	-	-	-	-	-	-	-	-	-
		M	16	2	-	-	-	-	3	1	5	1	2	2	-
		F	2	-	-	-	1	-	-	-	-	-	-	-	1
823	Motor-vehicle traffic accident involving running off highway	T	33	-	-	-	-	-	-	-	-	-	-	-	-
		M	26	-	1	1	3	1	5	2	2	5	1	1	4
		F	7	1	-	-	-	-	-	1	-	3	1	-	1
824	Other noncollision motor-vehicle traffic accident	T	11	-	-	-	-	-	-	-	-	-	-	-	-
		M	6	-	-	-	2	-	-	-	-	-	1	2	1
		F	5	-	-	1	-	1	-	1	-	-	-	1	-
825	Motor-vehicle traffic accident of unspecified nature	T	28	-	-	-	-	-	-	-	-	-	-	-	-
		M	21	3	1	1	-	2	1	5	2	-	2	2	2
		F	7	-	-	3	-	-	-	1	2	-	-	1	-
830	Motor - vehicle non-traffic accident to pedestrian	T	4	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	1	-	-	2	-	-
		F	1	-	-	-	-	-	-	-	1	-	-	-	-
831	Motor-vehicle nontraffic accident to rider of bicycle	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	1	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
834	Motor-vehicle nontraffic accident while boarding and alighting	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	1	-	-	-	-
835	Motor-vehicle nontraffic accident of other and unspecified nature	T	4	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	-	1	1	-	-	2	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
840	Streetcar accident to pedestrian	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	1	-
		F	1	-	-	-	-	1	-	-	-	-	-	-	-
842	Accident to pedestrian caused by bicycle	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	1	-	-	-	-	-	-	-	-	-
844	Accident to pedestrian caused by other non-motor road vehicle	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-

Detailed Int. List No.	Table 11 CAUSE OF DEATH.	Sex.	Total.	ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: 1951.											
				MONTHS.											
				January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
845	Other nonmotor road-vehicle accidents	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	1	-	-	-	-	-	-	-	-	-	-	-
850	Drowning of occupant of small boat	T	36	-	-	-	-	-	-	-	-	-	-	-	-
		M	33	-	-	5	-	5	4	9	4	3	1	2	-
		F	3	-	-	1	1	-	-	1	-	-	-	-	-
851	Other water-transport injury by drowning	T	16	-	-	-	-	-	-	-	-	-	-	-	-
		M	16	-	-	-	-	1	-	-	2	-	-	13	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
852	Fall on stairs and ladders in water transport	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
853	Other falls from one level to another in water transport	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	1	-	-	-	-	-	-	1	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
854	Falls on same level in water transport	T	5	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	-	-	-	-	1	-	-	-	-	-	4	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
857	Other specified accidents in water transport	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
858	Water-transport accident of unspecified cause	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
860	Accident to personnel in military aircraft	T	10	-	-	-	-	-	-	-	-	-	-	-	-
		M	10	1	2	1	-	1	1	2	1	-	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
863	Injury to occupant by accident to other aircraft	T	5	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	-	-	1	-	-	-	3	-	-	-	1	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
866	Other and unspecified aircraft accidents	T	4	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	3	-	1	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
871	Accidental poisoning by barbituric acid and derivatives	T	16	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	-	-	-	-	1	-	2	-	-	-	1	-
		F	12	-	2	1	2	-	-	-	1	2	1	2	-
872	Accidental poisoning by aspirin and salicylates	T	5	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	1	-	1	-	-	-	-	-	-	-	-	1
		F	2	-	-	1	-	-	-	-	-	1	-	-	-
874	Accidental poisoning by other analgesic and soporific drugs	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	1	-	-	-	-	-	-	-	-
878	Accidental poisoning by other and unspecified drugs	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	1	-	-	-	-	-
879	Accidental poisoning by noxious foodstuffs	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
880	Accidental poisoning by alcohol	T	29	-	-	-	-	-	-	-	-	-	-	-	-
		M	25	2	4	1	2	2	1	2	-	3	2	3	3
		F	4	-	-	1	-	-	-	-	-	-	-	-	1
882	Accidental poisoning by industrial solvents	T	7	-	-	-	-	-	-	-	-	-	-	-	-
		M	7	2	1	1	-	1	-	-	-	-	-	2	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
885	Accidental poisoning by lead and its compounds	T	4	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	1	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-
886	Accidental poisoning by arsenic and antimony, and their compounds	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
887	Accidental poisoning by fluorides	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	1	-	-	-
888	Accidental poisoning by other and unspecified solid and liquid substances	T	4	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	1	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	1	1	1
890	Accidental poisoning by utility (illuminating) gas	T	48	-	-	-	-	-	-	-	-	-	-	-	-
		M	32	4	4	2	2	1	2	-	2	2	2	5	6
		F	16	2	2	2	1	1	-	-	1	1	1	2	3
891	Accidental poisoning by motor-vehicle exhaust gas	T	13	-	-	-	-	-	-	-	-	-	-	-	-
		M	9	-	4	1	-	-	-	-	-	-	-	1	3
		F	4	-	2	1	-	-	-	-	-	-	-	-	1
892	Accidental poisoning by other carbon monoxide gas	T	5	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	1	1	-	-	-	-	-	-	-	1	-	-
		F	2	-	-	-	-	-	-	1	-	-	-	-	-

[illegible]

Table 11

ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS)
FROM EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE
DETAILED INTERNATIONAL LIST, BY MONTHS AND SEX: 1951.

Detailed Int. List No.	CAUSE OF DEATH.	SEX.	Total.	MONTHS.											
				January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
935	Lightning	T	3	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	1	-	-	-	1
936	Other and unspecified accidents	T	54	-	-	-	-	-	-	-	1	-	-	-	-
		M	44	2	4	3	4	4	6	2	2	4	3	6	4
		F	10	-	2	2	-	-	-	1	1	1	1	1	1
951	Therapeutic misadventure in infusion or transfusion	T	5	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	1	1	-	-	-	-	-	1	-	-	-
		F	2	-	-	1	-	-	-	-	-	-	-	-	-
953	Therapeutic misadventure in administration of drugs or biologicals	T	4	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	1	-	-	-	-	-	-
		F	3	-	-	2	-	-	-	-	-	-	1	-	-
954	Therapeutic misadventure in anesthesia	T	3	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	1	1	-	-	1	-	-	-	-
955	Other and unspecified therapeutic misadventure	T	7	-	-	-	-	1	-	-	-	-	-	-	-
		M	5	-	-	-	-	1	1	-	-	2	-	-	1
		F	2	-	-	-	-	1	-	-	-	-	-	1	-
962	Late effect of other accidental injury	T	4	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	3
		F	1	-	-	-	-	-	-	-	-	-	-	1	-
963.	Suicide and Self-Inflicted Injury.	T	464	-	-	-	-	-	-	-	-	-	-	-	-
970-		M	356	21	27	30	36	27	28	32	31	29	36	34	25
979		F	108	8	10	6	11	15	10	7	9	6	9	5	12
970	Suicide and self-inflicted poisoning by analgesic and soporific substances	T	31	-	-	-	-	-	-	-	-	-	-	-	-
		M	18	1	-	1	2	2	2	4	2	-	2	2	-
		F	13	-	1	-	4	1	-	3	1	1	2	-	-
970.1	Morphine and other opium derivatives	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
970.2	Barbituric acid and derivatives	T	26	-	-	-	-	-	-	-	-	-	-	-	-
		M	16	1	-	1	2	2	2	4	1	-	1	2	-
		F	10	-	1	-	4	-	-	3	-	1	1	-	-
970.4	Methyl salicylate	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-
970.5	Other salicylates	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	1	-	-	-	-	-	-	-
970.8	Others	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	1	-	-	-	-
971	Suicide and self-inflicted poisoning by other solid and liquid substances	T	20	-	-	-	-	-	-	-	-	-	-	-	-
		M	14	1	-	2	3	-	2	-	-	1	-	4	1
		F	6	1	1	-	-	1	1	-	-	-	1	-	1
971.3	Lye and potash	T	3	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	1	-	-	-	-	1	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-
971.5	Mercury and its compounds	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	1	-	-	-	-	-	-	1
971.6	Arsenic and its compounds	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
971.7	Fluorides	T	3	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	2	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
971.8	Others	T	11	-	-	-	-	-	-	-	-	-	-	-	-
		M	8	1	-	2	1	-	1	-	-	-	-	2	1
		F	3	-	1	-	-	-	1	-	-	-	1	-	-
972	Suicide and self-inflicted poisoning by gases in domestic use	T	80	-	-	-	-	-	-	-	-	-	-	-	-
		M	48	5	9	5	2	2	2	5	1	5	3	5	4
		F	32	2	5	1	3	6	2	-	2	1	4	3	3
973.1	Suicide and self-inflicted poisoning by motor-vehicle exhaust gas	T	44	-	-	-	-	-	-	-	-	-	-	-	-
		M	41	2	5	1	3	3	3	5	2	3	4	8	2
		F	3	1	-	-	-	-	1	-	-	-	-	-	1
974	Suicide and self-inflicted injury by hanging and strangulation	T	117	-	-	-	-	-	-	-	-	-	-	-	-
		M	94	6	7	5	11	5	7	11	10	8	10	5	9
		F	23	1	1	3	2	4	4	2	2	-	1	-	3
975	Suicide and self-inflicted injury by drowning and submersion	T	37	-	-	-	-	-	-	-	-	-	-	-	-
		M	22	-	-	2	4	2	2	1	2	3	4	2	-
		F	15	-	-	1	2	2	1	1	3	2	1	1	1

Detailed Int. List No.	Table 12	SEX.	ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM DETAILED INTERNATIONAL									
			Total.	AGE OF DECEDENTS (YEARS).								
				Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
026	Other syphilis of central nervous system	T M F	12 10 2	-	-	-	-	-	-	-	-	-
027	Other forms of late syphilis	T M F	8 4 4	-	-	-	-	-	-	-	-	-
029	Syphilis, unqualified	T M F	6 4 2	-	-	-	-	-	-	-	-	-
040	Typhoid fever	T M F	2 1 1	-	-	-	-	-	-	-	-	-
045	Bacillary dysentery	T M F	6 2 4	-	-	-	-	-	-	-	1	-
045.0	Flexner-Boyd group	T M F	3 1 2	-	-	-	-	-	-	-	1	-
045.3	Sonne	T M F	1 1 1	-	-	-	-	-	-	-	-	-
045.4	Other and unspecified	T M F	1 2 1	-	-	-	-	-	-	-	-	-
046.0	Amebiasis without mention of liver abscess	T M F	2 2 -	-	-	-	-	-	-	-	-	-
048	Unspecified forms of dysentery	T M F	4 1 3	-	-	-	-	-	-	-	-	-
051	Streptococcal sore throat	T M F	1 1 1	-	-	-	-	-	-	-	-	-
053.4	Septicemia and pyemia, organism unspecified	T M F	5 3 2	-	-	-	-	-	-	-	-	-
055	Diphtheria	T M F	8 4 4	-	-	-	-	-	-	-	-	-
056.0	Whooping cough without mention of pneumonia	T M F	3 2 1	-	1	-	1	-	-	-	-	-
057	Meningococcal infections	T M F	17 7 10	1 1 3	-	1	-	1	-	-	-	-
057.0	Meningococcal meningitis	T M F	12 5 7	3 1 1	-	-	-	1	-	-	1	-
057.1	Acute and unspecified meningococ- cemia	T M F	4 1 3	-	-	1	-	-	-	-	-	-
057.3	Other forms of meningococcal in- fection	T M F	1 1 -	-	-	-	-	-	-	-	1	-
061	Tetanus	T M F	4 1 3	-	-	-	-	-	1	-	-	-
063	Gas gangrene	T M F	1 1 -	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	T M F	11 5 6	-	-	-	1	-	3	1	-	-
080.0	Specified as bulbar or polioen- cephalitis	T M F	10 5 5	-	-	-	-	-	2	-	-	-
080.3	Unspecified	T M F	1 1 -	-	-	-	1	-	3	1	-	-
081	Late effects of acute poliomyelitis	T M F	1 4 2	-	-	-	-	-	-	-	-	1
082	Acute infectious encephalitis	T M F	2 1 1	-	1	-	-	-	-	-	1	1

[illegible]

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE
LIST, BY AGE AND SEX: 1951.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).															Unknown.
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	
083.0	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
085.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
087	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
088	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
089	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
092	-	-	1	1	-	2	2	2	1	2	1	1	-	-	-	-
096	-	1	1	-	2	1	1	2	1	1	2	-	1	-	-	-
096.3	-	-	-	-	-	-	1	1	3	-	1	-	1	1	-	-
096.9	-	-	-	-	-	-	1	-	3	1	1	-	-	1	-	-
117	-	-	-	-	-	-	-	1	-	-	1	-	1	1	-	-
122.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
131	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
134.1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
II.	31 26	40 56	51 107	97 198	187 277	296 394	473 488	637 562	708 600	616 604	531 517	325 373	137 199	25 61	3 10	-
140- 205	30 26	39 52	49 104	95 187	182 270	289 383	467 481	623 553	698 595	609 597	528 510	324 369	135 197	25 60	3 9	-
140	-	-	-	-	-	-	1	1	-	3	-	1	3	-	-	-
141	-	-	1	-	2	2	3	9	8	13	3	6	1	1	-	-
142.1	-	-	-	1	-	-	-	1	2	-	2	2	-	-	-	-
143	-	-	-	-	2	2	-	3	3	-	2	1	1	1	-	-
144	-	-	-	-	-	2	-	1	2	3	-	3	-	-	-	-
145	-	-	-	1	1	1	2	5	3	4	2	5	3	-	-	-
146	-	-	2	-	1	1	1	1	1	1	1	1	-	-	-	-
147	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
148	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
150	1	-	-	1	1	2	1	4	13	6	9	2	1	1	-	-
	-	-	-	2	-	8	19	35	29	23	16	13	3	-	-	-
	-	-	-	1	-	-	4	2	5	6	9	4	2	-	-	-

Detailed Int. List No.	Table 12 CAUSE OF DEATH.	SEX.	ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM DETAILED INTERNATIONAL									
			Total.	AGE OF DECEDENTS (YEARS).								
				Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
179	Malignant neoplasm of other and unspecified male genital organs . . .	T	8	-	-	-	-	-	-	-	-	-
		M	8	-	-	-	-	-	-	-	-	-
180	Malignant neoplasm of kidney . . .	T	151	-	-	-	-	-	-	-	-	-
		M	101	-	-	-	1	1	1	-	-	-
		F	50	1	-	1	-	-	-	-	-	-
181	Malignant neoplasm of bladder and other urinary organs . . .	T	291	-	-	-	-	1	1	-	-	-
		M	190	-	-	-	-	-	-	-	-	-
		F	101	-	-	-	-	-	-	-	-	-
190	Malignant melanoma of skin . . .	T	37	-	-	-	-	-	-	-	-	-
		M	23	-	-	-	-	-	-	-	-	-
		F	14	-	-	-	-	-	-	-	-	-
191	Other malignant neoplasm of skin . . .	T	44	-	-	-	-	-	-	-	-	-
		M	21	-	-	-	-	-	-	-	-	-
		F	23	-	-	-	-	-	-	-	-	-
192	Malignant neoplasm of eye . . .	T	13	-	-	-	-	-	-	-	-	-
		M	7	-	-	-	-	-	1	-	-	-
		F	6	-	-	-	-	-	-	-	-	-
193	Malignant neoplasm of brain and other parts of nervous system . . .	T	192	-	-	-	-	-	-	-	-	-
		M	112	-	2	3	2	-	5	-	3	3
		F	80	2	2	-	3	1	5	1	1	2
194	Malignant neoplasm of thyroid gland . . .	T	42	-	-	-	-	-	-	-	-	-
		M	16	-	-	-	-	-	-	-	-	-
		F	26	-	-	-	-	-	-	-	-	-
195	Malignant neoplasm of other endocrine glands . . .	T	8	-	-	-	-	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	1
		F	4	-	-	-	-	-	-	-	-	-
196	Malignant neoplasm of bone (including jaw bone) . . .	T	69	-	-	-	-	-	-	-	-	-
		M	46	-	-	-	-	-	-	-	2	-
		F	23	-	-	-	-	-	-	2	1	1
197	Malignant neoplasm of connective tissue . . .	T	10	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	1	-	-	-	-
		F	8	-	-	-	-	-	-	-	-	-
198.1	Unspecified malignant neoplasm of lymph nodes . . .	T	6	-	-	-	-	-	-	-	-	-
		M	5	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-
199	Malignant neoplasm of other and unspecified sites . . .	T	332	-	-	-	-	-	-	-	-	-
		M	158	-	-	-	-	-	-	-	-	1
		F	174	-	-	2	-	-	1	1	-	-
199.1	Malignant neoplasm of other specified sites (primary) . . .	T	140	-	-	-	-	-	-	-	-	-
		M	63	-	-	-	-	-	-	-	-	-
		F	77	-	-	1	-	-	1	1	-	-
199.2	Malignant neoplasm (not secondary), site unspecified . . .	T	6	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-
199.4	Malignant neoplasm of large intestine, except rectum (secondary) . . .	T	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
199.5	Malignant neoplasm of brain and other parts of nervous system (secondary) . . .	T	1	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-
199.6	Secondary malignant neoplasm of bone (including jaw bone) . . .	T	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
199.7	Malignant neoplasm of any other site except liver, thoracic organs and lymph nodes (secondary) . . .	T	51	-	-	-	-	-	-	-	-	-
		M	27	-	-	-	-	-	-	-	-	-
		F	24	-	-	1	-	-	-	-	-	-
199.8	Generalized and metastatic neoplasm of multiple sites . . .	T	132	-	-	-	-	-	-	-	-	-
		M	63	-	-	-	-	-	-	-	-	1
		F	69	-	-	-	-	-	-	-	-	-
200	Lymphosarcoma and reticulosarcoma . . .	T	112	-	-	-	-	-	-	-	-	-
		M	59	-	-	-	-	-	1	4	1	2
		F	53	-	-	-	2	1	-	-	2	-
200.0	Reticulum cell sarcoma . . .	T	24	-	-	-	-	-	-	-	-	-
		M	14	-	-	-	-	-	-	-	-	-
		F	10	-	-	-	-	-	-	-	-	-
200.1	Lymphosarcoma . . .	T	65	-	-	-	-	-	-	-	-	-
		M	34	-	-	-	-	-	1	4	1	2
		F	31	-	-	-	2	1	-	-	2	-
200.2	Other primary malignant neoplasms of lymphoid tissue . . .	T	23	-	-	-	-	-	-	-	-	-
		M	11	-	-	-	-	-	-	-	-	-
		F	12	-	-	-	-	-	-	-	-	-
201	Hodgkin's disease . . .	T	129	-	-	-	-	-	-	-	-	-
		M	84	-	-	-	-	-	1	2	3	4
		F	45	-	-	-	-	-	-	-	2	1
202	Other forms of lymphoma(reticulosis) . . .	T	35	-	-	-	-	-	-	-	-	-
		M	19	1	-	-	-	-	-	-	1	-
		F	16	-	1	-	-	-	-	-	-	1

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE
LIST, BY AGE AND SEX: 1951.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																Unknown.
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	
179	-	-	-	-	-	-	1	3	1	-	2	1	-	-	-	-	-
180	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
181	-	-	-	5	3	6	6	19	21	11	12	12	3	-	-	-	-
181	-	-	2	2	3	3	3	4	9	7	2	6	5	2	-	-	-
190	1	-	1	-	2	4	3	7	11	12	20	19	11	7	5	-	-
190	2	1	1	5	2	2	2	2	3	1	3	1	-	-	-	-	-
191	-	-	-	2	1	2	1	2	1	2	1	2	-	-	-	-	-
191	-	-	1	-	-	-	2	2	2	4	5	3	3	2	-	-	-
192	-	-	-	1	-	-	-	-	5	3	3	3	3	4	1	-	-
193	-	1	-	-	-	-	-	-	-	2	1	-	3	-	-	-	-
193	4	5	5	7	13	15	11	11	15	4	4	-	-	-	-	-	-
194	1	3	5	7	5	15	13	8	5	1	1	-	-	-	-	-	-
194	1	-	1	1	-	1	1	4	5	1	2	-	-	-	-	-	-
195	1	-	-	1	-	1	1	5	6	5	3	1	-	2	-	-	-
195	-	1	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-
196	1	2	-	1	5	1	6	5	10	5	5	2	-	-	-	-	-
197	-	1	1	2	1	1	-	2	4	2	2	3	-	-	-	-	-
197	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
198.1	-	-	-	1	-	1	2	-	2	1	-	1	-	-	-	-	-
199	-	1	-	-	2	-	1	-	-	2	-	-	-	-	-	-	-
199	1	-	2	7	5	13	14	31	24	29	10	11	7	3	-	-	-
199.1	1	2	1	8	10	8	16	22	25	21	26	15	11	4	-	-	-
199.1	1	-	-	4	2	2	3	15	12	8	7	3	3	3	-	-	-
199.2	-	1	1	5	4	3	5	12	8	6	11	7	8	3	-	-	-
199.2	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-
199.4	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-
199.4	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
199.5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
199.5	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
199.6	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
199.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
199.7	-	-	-	-	1	5	4	7	5	3	-	1	1	-	-	-	-
199.8	-	-	-	1	2	3	3	4	4	3	5	1	1	-	-	-	-
199.8	-	-	2	2	2	2	6	7	6	18	2	6	2	-	-	-	-
200	1	1	2	2	2	2	7	9	13	12	9	6	6	2	1	-	-
200.0	1	1	4	4	-	4	1	11	9	6	6	5	3	-	-	-	-
200.0	-	-	1	1	3	2	2	-	2	-	2	1	-	-	-	-	-
200.1	-	-	2	-	-	1	-	2	2	1	1	1	-	-	-	-	-
200.1	-	1	1	1	2	1	4	5	6	5	1	1	-	-	-	-	-
200.2	-	-	-	3	1	2	1	1	6	4	2	3	2	-	-	-	-
200.2	1	1	-	1	1	-	1	2	1	1	2	-	-	-	-	-	-
201	-	-	-	-	-	1	-	3	3	3	-	1	-	-	-	-	-
201	7	10	4	6	5	9	9	8	8	3	3	2	-	-	-	-	-
202	5	5	3	1	4	3	6	5	4	2	2	2	2	-	-	-	-
202	1	-	-	2	2	2	5	1	2	1	-	-	1	-	-	-	-
202	-	-	-	1	1	2	2	4	2	2	-	1	-	-	-	-	-

Detailed Int. List No.	Table 12	SEX.	ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM DETAILED INTERNATIONAL									
			Total.	AGE OF DECEDENTS (YEARS).								
				Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
306	Psychosis with cerebral arteriosclerosis	T	2	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-
307	Alcoholic psychosis	T	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
308.1	Psychosis resulting from epilepsy and other convulsive disorders	T	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
309	Other and unspecified psychoses	T	3	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-
311	Hysterical reaction without mention of anxiety reaction	T	1	-	-	-	-	-	-	-	1	-
		M	1	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
318.3	Psychoneurotic disorders, asthenic reaction	T	1	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
322	Alcoholism	T	1	-	-	-	-	-	-	-	-	-
		M	84	-	-	-	-	-	-	-	-	-
		F	71	-	-	-	-	-	-	-	-	-
322.0	Acute	T	13	-	-	-	-	-	-	-	-	-
		M	28	-	-	-	-	-	-	-	-	-
		F	24	-	-	-	-	-	-	-	-	-
322.1	Chronic	T	4	-	-	-	-	-	-	-	-	-
		M	8	-	-	-	-	-	-	-	-	-
		F	8	-	-	-	-	-	-	-	-	-
322.2	Unspecified	T	-	-	-	-	-	-	-	-	-	-
		M	48	-	-	-	-	-	-	-	-	-
		F	39	-	-	-	-	-	-	-	-	-
823	Other drug addiction	T	9	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
325	Mental deficiency	T	1	-	-	-	-	-	-	-	-	-
		M	8	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-
325.2	Moron	T	5	1	1	-	-	-	-	-	1	-
		M	1	5	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-
325.4	Mongolism	T	1	-	-	-	-	-	-	-	1	-
		M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
VI.	DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS	T	7	1	1	-	-	-	-	-	-	-
		M	2	1	1	-	-	-	-	-	-	-
		F	5	5	-	-	-	-	-	-	-	-
330	Subarachnoid hemorrhage	T	6,108	-	-	-	-	-	-	-	-	-
		M	2,753	8	9	4	3	5	7	7	7	4
		F	3,355	6	6	3	1	2	9	5	4	4
331	Cerebral hemorrhage	T	116	-	-	-	-	-	-	-	-	-
		M	66	-	-	-	-	-	-	1	-	-
		F	50	-	-	-	-	-	-	-	-	3
332	Cerebral embolism and thrombosis	T	3,952	-	-	-	-	-	-	-	-	-
		M	1,730	-	-	-	-	-	1	2	1	1
		F	2,222	-	-	-	-	-	2	-	1	1
334	Other and ill-defined vascular lesions affecting central nervous system	T	1,411	-	-	-	-	-	-	-	-	-
		M	625	-	-	-	-	-	-	-	-	1
		F	786	-	-	-	-	-	-	-	-	-
340	Meningitis, except meningococcal and tuberculous	T	181	-	-	-	-	-	-	-	-	-
		M	89	1	1	1	1	-	2	-	-	-
		F	92	-	-	-	-	-	-	-	-	-
340.0	Hemophilus influenzae	T	45	-	-	-	-	-	-	-	-	-
		M	30	3	2	-	-	3	1	-	1	-
		F	15	3	1	1	-	-	-	1	-	-
340.1	Pneumococcus	T	7	-	-	-	-	-	-	-	-	-
		M	6	-	-	-	-	3	1	-	-	-
		F	1	1	1	-	-	-	-	-	-	-
340.2	Due to other specified organism	T	12	-	-	-	-	-	-	-	-	-
		M	7	-	-	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-
340.3	Unspecified cause	T	2	2	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
341	Phlebitis and thrombophlebitis of intracranial venous sinuses	T	24	1	1	-	-	-	-	-	-	-
		M	15	1	1	-	-	-	-	-	1	-
		F	9	2	1	1	-	-	-	-	-	-
		T	4	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-
		F	4	1	-	-	-	-	-	-	-	-

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE
LIST, BY AGE AND SEX: 1951.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).															
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.
306										1						
307					1		1									
308.1									1							
309						1		1								
311													1			
318.3																
322		6	7	8	14	7	9	9	6	3	1	1				
322.0		4	5	1	3		2	1		1						
322.1			1	1	3	3	4	4	3	1						
322.2			2	2	1			1	1	1						
323		2	4	5	10	4	5	4	2	1	1	1				
325			3		2		2	1								
325.2			1													
325.4																
VI.	11	16	23	52	77	118	213	278	437	456	438	327	177	70	5	1
330	10	19	22	45	74	137	193	253	382	504	620	562	351	114	28	1
331	3	2	4	5	5	10	7	13	5	6	1	3	1			
332	4	1	1	3	3	5	9	7	4	4	4	2				
333	1	5	8	26	49	69	152	182	287	292	287	208	110	45	4	
334	2	8	11	30	59	99	153	164	262	320	420	374	227	69	19	1
335		1		5	8	16	30	56	99	119	124	90	57	17	1	1
336			1	4	6	18	21	52	86	138	155	154	105	39	8	
337				2	2	3	1	4	10	19	9	21	7	7		
338			1		1	1		6	4	23	17	20	11	5		
339	1			2	4	4	1	4		1	2	1				
340.0						2		2	1		4					
340.1						1										
340.2					1	3	1	1	1	1	2					
340.3																
341	1			2	3	1		4			1	1				
342								1			2					
343		1							2							

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE
LIST, BY AGE AND SEX: 1951.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).														100 and over.	Unknown.
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	
342	1	-	-	1	1	2	-	-	3	-	-	-	-	-	-	-
343	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
344	-	2	1	-	-	-	5	-	-	-	2	-	-	1	-	-
345	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
350	1	1	5	5	2	8	1	6	5	-	1	-	1	-	1	-
351	-	-	-	4	2	2	4	10	14	11	7	4	1	1	-	-
352	-	-	-	2	2	-	-	8	7	15	12	7	7	-	-	-
353	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
353.1	1	6	7	3	2	3	4	1	2	2	1	1	1	-	-	-
353.2	1	5	1	1	-	2	1	3	5	1	1	1	-	-	-	-
353.3	-	1	3	-	1	-	1	1	-	-	-	-	-	-	-	-
355	1	6	4	3	1	3	3	2	2	2	1	1	1	-	-	-
356	-	4	1	-	-	2	-	-	5	3	3	3	2	-	-	-
356.0	3	1	1	1	1	1	1	1	3	1	1	1	1	-	-	-
356.1	2	-	1	-	-	-	1	1	3	1	1	1	-	-	-	-
356.2	1	1	1	-	-	2	3	2	3	2	-	-	-	-	-	-
357	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
364	-	-	-	-	1	1	1	1	-	1	-	-	-	-	-	-
366	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
367	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
391	1	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-
391.0	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
391.1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
391.2	1	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-
392	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-

Detailed Int. List No.	Table 12	SEX.	ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM DETAILED INTERNATIONAL									
			Total.	AGE OF DECEDENTS (YEARS).								
				Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
392.0	Acute	T	2	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-
392.1	Chronic	T	1	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-
VII.	DISEASES OF THE CIRCULATORY SYSTEM	T	24,911	-	-	-	-	-	-	-	-	-
		M	13,563	5	1	1	2	2	1	3	7	13
		F	11,348	3	-	-	-	-	-	-	5	9
400	Rheumatic fever without mention of heart involvement	T	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-
401	Rheumatic fever with heart involvement	T	15	-	-	-	-	-	-	1	-	-
		M	2	-	-	-	-	-	-	-	-	-
		F	13	-	-	-	-	-	-	-	-	-
401.0	Active rheumatic pericarditis	T	3	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-
401.1	Active rheumatic endocarditis	T	8	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-
		F	7	-	-	-	-	-	-	-	-	-
401.2	Active rheumatic myocarditis	T	4	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-
410	Diseases of mitral valve	T	365	-	-	-	-	-	-	-	-	-
		M	147	-	-	-	-	-	-	-	4	2
		F	218	-	-	-	-	-	-	-	1	-
411	Diseases of aortic valve (rheumatic)	T	14	-	-	-	-	-	-	-	-	-
		M	9	-	-	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-
413	Diseases of pulmonary valve specified as rheumatic	T	4	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-
414	Other rheumatic endocarditis	T	25	-	-	-	-	-	-	-	-	-
		M	15	-	-	-	-	-	-	1	1	-
		F	10	-	-	-	-	-	-	-	-	-
415	Other rheumatic myocarditis	T	2	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-
416	Other rheumatic heart disease	T	469	-	-	-	-	-	-	-	-	-
		M	193	-	-	-	-	-	-	-	-	4
		F	276	-	-	-	-	-	1	2	-	3
420	Arteriosclerotic heart disease, including coronary disease	T	15,725	-	-	-	-	-	-	-	-	-
		M	9,431	-	-	-	-	-	-	-	-	3
		F	6,294	-	-	-	-	-	-	-	1	-
420.0	Arteriosclerotic heart disease	T	6,474	-	-	-	-	-	-	-	-	-
		M	3,302	-	-	-	-	-	-	-	-	-
		F	3,172	-	-	-	-	-	-	-	-	-
420.1	Heart disease involving coronary arteries	T	9,204	-	-	-	-	-	-	-	-	-
		M	6,103	-	-	-	-	-	-	-	-	3
		F	3,101	-	-	-	-	-	-	-	1	-
420.2	Angina pectoris without mention of coronary disease	T	47	-	-	-	-	-	-	-	-	-
		M	26	-	-	-	-	-	-	-	-	-
		F	21	-	-	-	-	-	-	-	-	-
421	Chronic endocarditis (nonrheumatic)	T	284	-	-	-	-	-	-	-	-	-
		M	121	2	-	-	-	-	-	-	1	-
		F	163	-	-	-	-	-	-	-	-	-
421.0	Of mitral valve	T	1	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-
421.1	Of aortic valve	T	99	-	-	-	-	-	-	-	-	-
		M	57	-	-	-	-	-	-	-	-	-
		F	42	-	-	-	-	-	-	-	-	-
421.2	Of tricuspid valve	T	3	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-
421.3	Of pulmonary valve, not specified as rheumatic	T	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
421.4	Other and ill-defined	T	180	-	-	-	-	-	-	-	-	-
		M	62	2	-	-	-	-	-	-	1	-
		F	118	-	-	-	-	-	-	-	-	-
422	Other myocardial degeneration	T	2,412	-	-	-	-	-	-	-	-	-
		M	1,119	-	-	-	-	-	-	1	-	2
		F	1,293	1	-	-	-	-	-	-	-	-

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE
LIST, BY AGE AND SEX: 1951.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																100 and over.	Unknown.
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.			
392.0	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-		
392.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
VII.	22	58	141	291	529	904	1,370	1,627	1,867	2,038	2,008	1,510	794	301	72	3		
400	21	39	69	131	170	330	589	882	1,272	1,765	2,055	1,941	1,312	584	141	20		
401	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
401.0	-	-	1	1	-	2	2	2	3	-	1	1	-	-	-	-		
401.1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-		
401.2	-	-	1	-	-	2	1	1	1	-	-	1	-	-	-	-		
410	4	7	7	4	8	21	11	17	14	10	13	14	8	3	-	-		
411	4	14	15	18	13	17	16	17	23	21	17	24	16	2	-	-		
413	-	-	-	-	2	2	2	1	-	2	-	1	-	-	-	-		
414	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-		
415	1	-	1	1	2	3	1	3	2	2	1	1	-	-	-	-		
416	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-		
420	4	4	14	17	26	26	31	30	15	14	3	3	1	1	-	-		
420.0	10	11	23	32	29	29	36	32	30	20	7	9	2	-	-	-		
420.1	5	31	83	209	396	706	1,055	1,190	1,380	1,435	1,337	940	453	169	33	1		
420.2	3	13	40	66	161	319	517	780	1,058	1,232	1,073	668	287	68	8	-		
421	1	1	4	12	34	72	165	295	464	603	677	531	297	117	28	1		
421.0	4	30	79	197	361	630	887	892	913	828	658	405	154	52	10	-		
421.1	3	13	36	56	131	243	359	483	541	586	364	197	70	14	4	-		
421.2	-	-	-	1	4	3	3	3	4	2	4	2	2	-	-	-		
421.3	-	-	-	1	1	1	2	3	3	3	6	2	2	-	-	-		
421.4	1	1	3	7	8	9	12	16	9	12	16	14	5	5	-	-		
422	1	1	1	1	3	7	13	12	16	14	34	28	23	8	2	-		
422.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
422.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
422.2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
422.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
422.4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
422.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
422.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
422.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
422.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
422.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
423	1	2	6	7	16	22	60	82	119	178	233	197	133	45	14	1		
424	3	1	1	7	8	22	64	96	174	233	290	234	108	16	4	-		

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE
LIST, BY AGE AND SEX: 1951.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
422.0	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
422.1	-	-	-	1	3	2	16	24	53	106	150	131	88	32	8	-	-
422.2	-	-	-	2	-	4	14	21	46	99	137	187	152	76	7	2	-
430	1	2	6	6	13	20	44	58	66	72	83	65	45	13	6	1	-
430	1	3	1	5	8	18	18	43	50	75	95	103	82	32	9	2	-
430.0	-	1	-	1	1	1	-	2	3	1	-	-	-	-	-	-	-
430.1	-	1	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-
431	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-	-	-
431	-	1	2	-	3	2	-	5	3	1	2	8	1	-	-	-	-
432	-	-	1	-	3	3	-	3	1	3	2	4	1	-	-	-	-
433	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
433	1	-	-	1	1	1	2	4	4	4	13	8	5	1	-	-	-
433.0	-	-	-	-	-	-	4	2	2	5	6	5	6	2	-	-	-
433.1	-	-	-	-	-	-	1	1	1	1	2	2	1	1	-	-	-
434	-	1	-	1	1	-	1	3	3	2	9	6	3	1	-	-	-
434	2	1	5	10	11	17	30	42	42	50	41	43	22	14	1	-	-
434.0	2	3	5	4	5	10	12	17	30	32	48	39	37	15	3	-	-
434.1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
434.2	-	-	1	2	2	3	3	9	5	15	9	12	5	6	1	-	-
434.2	1	-	1	-	1	3	2	2	8	6	15	10	13	6	1	-	-
434.3	-	1	-	1	-	-	1	3	2	2	1	5	1	1	-	-	-
434.3	2	1	4	7	9	14	26	29	35	33	31	26	16	7	-	-	-
441	1	2	3	4	4	6	10	14	20	25	31	24	22	9	2	-	-
442	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
442	-	3	3	6	4	8	18	25	35	40	44	33	11	3	3	-	-
443	-	1	1	4	3	9	12	19	23	47	42	37	19	8	2	-	-
443	2	2	8	17	26	40	109	143	144	150	142	100	32	10	2	-	-
444	-	1	1	11	27	45	110	150	192	252	270	237	125	42	8	-	-
445	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
445	-	-	2	-	2	5	2	-	-	2	-	-	-	-	-	-	-
446	1	-	-	2	-	-	1	-	-	-	1	-	1	-	-	-	-
446	1	2	1	3	3	11	9	7	9	12	16	7	9	5	-	-	-
447	-	-	1	2	2	10	8	13	11	11	12	10	7	6	2	-	-
447	-	1	1	-	1	-	1	-	4	3	-	4	-	1	-	-	-
450	-	-	-	1	-	1	-	1	4	2	2	1	-	-	-	-	-
450	-	-	-	1	1	10	4	24	50	89	118	122	108	40	14	1	-
450.0	-	-	-	2	2	1	6	14	30	88	128	160	163	104	39	8	-
450.0	-	-	-	1	1	9	3	20	46	79	104	110	100	38	14	1	-
450.0	-	-	-	2	2	1	6	14	27	84	117	149	157	101	37	8	-

Detailed Int. List No.	Table 12 CAUSE OF DEATH.	SEX.	ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM DETAILED INTERNATIONAL									
			Total.	AGE OF DECEDENTS (YEARS).								
				Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
450.1	With gangrene	T	96	-	-	-	-	-	-	-	-	-
		M	56	-	-	-	-	-	-	-	-	-
		F	40	-	-	-	-	-	-	-	-	-
451	Aortic aneurysm (nonsyphilitic), and dissecting aneurysm	T	141	-	-	-	-	-	-	-	-	-
		M	101	-	-	-	-	-	-	-	-	-
		F	40	-	-	-	-	-	-	-	-	-
452	Other aneurysm, except of heart and aorta	T	39	-	-	-	-	-	-	-	-	-
		M	26	-	-	-	-	-	-	-	1	-
		F	13	-	-	-	-	-	-	-	-	-
453	Peripheral vascular disease	T	7	-	-	-	-	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-
453.0	Raynaud's disease	T	1	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-
453.1	Thrombo-angitis obliterans	T	6	-	-	-	-	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-
454	Arterial embolism and thrombosis	T	13	-	-	-	-	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-
		F	9	-	-	-	-	-	-	-	-	-
455	Gangrene of unspecified cause	T	5	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-
456	Other diseases of arteries	T	23	-	-	-	-	-	-	-	-	-
		M	11	-	-	-	-	-	-	-	-	-
		F	12	-	-	-	-	-	-	-	1	1
460	Varicose veins of lower extremities	T	3	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-
461	Hemorrhoids	T	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
462	Varicose veins of other specified sites	T	17	-	-	-	-	-	-	-	-	-
		M	13	-	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-
462.1	Varicose veins of esophagus	T	16	-	-	-	-	-	-	-	-	-
		M	12	-	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-
462.2	Other	T	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
463	Phlebitis and thrombophlebitis of lower extremities	T	6	-	-	-	-	-	-	-	-	-
		M	5	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-
464	Phlebitis and thrombophlebitis of other sites	T	68	-	-	-	-	-	-	-	-	-
		M	29	-	-	-	-	-	-	-	-	-
		F	39	-	-	-	-	-	-	-	-	-
465	Pulmonary embolism and infarction	T	67	-	-	-	-	-	-	-	-	-
		M	31	1	-	-	-	-	-	-	-	-
		F	36	-	1	-	1	-	-	-	-	1
466	Other venous embolism and throm- bosis	T	16	-	-	-	-	-	-	-	-	-
		M	7	-	-	-	-	-	-	-	-	-
		F	9	-	-	-	-	-	-	-	-	-
467	Other diseases of circulatory system	T	6	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-
467.1	Diseases of capillaries	T	1	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-
467.2	Other and unspecified	T	5	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-
468.2	Lymphadenitis, unqualified	T	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
VIII.	DISEASES OF THE RESPIRATORY Sys- TEM	T	1,729	-	-	-	-	-	-	-	-	-
		M	1,043	-	-	-	-	-	-	-	-	-
		F	686	102	27	10	6	1	16	1	5	7
471	Acute sinusitis	T	1	66	19	4	3	6	9	3	3	1
		M	1	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
472.1	Other acute pharyngitis	T	4	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-
		F	2	-	1	-	-	-	-	-	-	-

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE
LIST, BY AGE AND SEX: 1951.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																Unknown.
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	
450.1	-	-	-	-	-	1	1	4	4	10	14	12	8	2	-	-	
451	1	2	-	3	8	6	11	16	15	14	16	5	1	3	2	-	
452	-	1	1	1	4	2	4	1	3	7	8	6	1	-	-	-	
453	-	-	1	1	4	1	1	-	3	1	-	2	-	-	-	-	
453.0	-	-	-	-	1	1	1	1	-	2	-	-	-	-	-	-	
453.1	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	
454	-	-	-	-	-	-	1	1	-	1	-	-	1	-	-	-	
455	-	-	-	-	-	-	2	1	4	-	1	1	-	-	-	-	
456	2	-	2	2	-	1	-	4	1	2	1	-	1	-	-	-	
460	-	-	3	2	-	-	-	-	1	-	-	-	-	-	-	-	
461	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	
462	-	-	-	1	1	4	1	1	1	2	1	1	-	-	-	-	
462.1	-	-	-	1	-	1	-	-	-	2	-	-	-	-	-	-	
462.2	-	-	-	1	1	4	1	1	1	2	1	1	-	-	-	-	
463	-	-	-	-	1	1	-	-	-	2	-	-	-	-	-	-	
464	-	-	2	1	2	1	2	4	3	7	3	2	1	1	-	-	
465	-	-	-	1	1	3	3	3	3	9	3	7	6	2	-	-	
466	-	-	1	1	1	4	5	2	6	7	2	2	2	-	1	-	
467	1	-	1	-	-	1	3	1	2	6	1	2	1	-	-	-	
467.1	-	-	-	-	-	1	-	2	1	2	1	-	-	-	-	-	
467.2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
468.2	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	
VIII.	5	7	17	27	30	44	79	84	119	114	128	118	62	25	8	1	
471	8	3	8	12	18	16	17	45	40	78	87	107	73	45	13	2	
472.1	-	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	

Detailed Int. List No.	Table 12	S. X.	ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM DETAILED INTERNATIONAL									
			Total.	AGE OF DECEDENTS (YEARS).								
				Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
473	Acute tonsillitis	T M F	6 5 1	-	1	-	-	-	2	-	-	-
474	Acute laryngitis and tracheitis	T M F	5 4 1	-	-	-	1	-	1	-	-	-
475	Acute upper respiratory infection of multiple or unspecified sites	T M F	17 8 9	-	1	-	1	-	1	-	-	-
480	Influenza with pneumonia	T M F	61 24 37	-	1	-	-	-	-	-	-	1
481	Influenza with other respiratory manifestations, and unqualified	T M F	21 6 15	-	1	2	-	-	-	-	-	-
492	Influenza with digestive manifestations, but without respiratory symptoms	T M F	3 3 -	-	1	-	-	-	-	-	-	-
490	Lobar pneumonia	T M F	248 172 76	-	5 3	2	1	-	1	1	1	2
491	Bronchopneumonia	T M F	799 451 348	-	44 28	8 9	5 1	1 3	5 1	-	5 2	2 1
492	Primary atypical pneumonia	T M F	144 85 59	-	12 9	2 3	1 1	-	1 2	-	-	1
493	Pneumonia, other and unspecified	T M F	80 50 30	-	-	8 3	-	1	1	-	-	-
500	Acute bronchitis	T M F	15 9 6	-	1	2	1	-	-	1	-	-
501	Bronchitis unqualified	T M F	22 13 9	-	6 3	2	1	-	1 1	-	-	-
502	Chronic bronchitis	T M F	32 24 8	-	1	-	-	-	-	-	-	-
502.0	Bronchitis with emphysema	T M F	10 9 1	-	-	-	-	-	-	-	-	-
502.1	Other	T M F	22 15 7	-	1	-	-	-	-	-	-	-
510.1	Hypertrophy of tonsils and adenoids with tonsillectomy or adenoidectomy	T M F	7 3 4	-	-	-	-	1	1	3	-	-
511	Peritonsillar abscess (quinsy)	T M F	1 1 1	-	-	-	-	-	-	-	1	-
513	Chronic sinusitis	T M F	1 1 1	-	-	-	-	-	-	-	-	-
517	Other diseases of upper respiratory tract	T M F	5 3 2	-	1	-	1	-	1	-	-	-
518	Empyema	T M F	9 7 2	-	-	-	-	-	-	-	-	-
519	Pleurisy	T M F	8 3 5	-	-	-	-	-	-	-	-	-
519.0	Without effusion or tuberculosis	T M F	7 2 5	-	-	-	-	-	-	-	-	-
519.2	Other specified forms of effusion, except tuberculous	T M F	1 1 -	-	-	-	-	-	-	-	-	-
520	Spontaneous pneumothorax	T M F	3 3 -	-	-	-	-	-	-	-	-	-
521	Abscess of lung	T M F	19 14 5	-	1	-	-	-	-	-	-	-

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE
LIST, BY AGE AND SEX: 1951.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).															100 and over.	Unknown.
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.		
473	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
474	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
475	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
480	1	1	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-
481	-	-	-	-	2	1	1	-	2	2	3	7	4	1	-	-	-
482	1	-	-	-	-	-	-	2	2	-	7	8	8	3	1	-	-
490	-	-	-	-	-	-	-	-	-	-	4	-	2	1	-	-	-
491	1	2	9	7	12	8	15	17	19	15	22	23	6	3	3	1	-
491	-	-	-	5	6	1	1	5	10	14	7	6	5	4	3	-	-
492	2	2	4	9	8	15	30	25	53	63	65	55	30	15	4	-	-
492	2	2	2	4	7	5	8	25	16	36	48	76	37	28	4	2	-
493	-	-	1	2	3	5	8	9	7	5	9	9	6	-	1	-	-
493	-	-	2	-	1	4	1	5	3	5	5	5	9	3	1	-	-
500	-	-	-	-	-	-	-	2	3	6	3	3	5	1	-	-	-
501	-	-	-	1	-	-	-	-	-	-	2	-	1	1	-	-	-
502	-	-	1	-	-	-	1	-	-	-	1	1	-	-	1	-	-
502.0	1	-	-	-	-	2	4	3	-	8	2	1	2	1	-	-	-
502.1	1	-	-	-	-	-	-	1	-	1	2	3	-	-	-	-	-
510.1	-	-	-	-	-	1	1	3	-	3	-	-	1	-	-	-	-
511	1	-	-	-	-	-	3	-	-	5	2	1	1	1	-	-	-
513	-	-	-	-	-	-	-	1	-	1	2	3	-	-	-	-	-
517	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
518	-	1	-	-	1	-	1	-	1	-	-	1	-	-	-	-	-
519	-	-	1	-	-	-	-	-	2	-	1	1	-	-	-	-	-
519.0	-	-	1	-	-	2	1	-	1	-	-	-	-	-	-	-	-
519.2	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
520	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-
521	-	-	-	-	-	2	1	5	-	2	1	2	-	-	-	-	-
	1	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE
LIST, BY AGE AND SEX: 1951.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																Unknown.
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	
522	-	-	-	-	2	1	-	1	1	-	3	3	-	-	-	-	-
523	1	-	-	1	-	1	-	3	1	4	2	1	3	2	1	-	-
523.0	-	-	-	-	-	-	1	1	3	2	-	-	-	-	-	-	-
523.2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
523.3	-	-	-	-	-	-	2	-	1	-	-	1	-	-	-	-	-
524	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
525	-	-	-	2	-	1	1	4	2	1	-	-	1	-	-	-	-
526	-	1	-	-	-	1	1	1	1	1	-	1	-	-	-	-	-
527	-	-	1	1	1	4	6	5	11	7	6	4	1	1	1	-	-
527.0	-	-	-	2	3	3	6	8	8	5	4	2	2	1	1	-	-
527.1	-	-	-	1	1	-	2	1	1	5	3	2	1	-	-	-	-
527.2	-	-	-	1	2	3	6	6	7	5	4	2	1	1	-	-	-
IX.	-	-	-	-	1	-	-	2	1	2	-	1	1	1	-	-	-
532.3	10 9	25 19	45 29	73 42	88 56	124 58	174 70	183 106	173 80	142 108	112 104	63 73	33 50	5 9	1 2	-	-
533.7	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
536	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
537	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
539.1	-	-	-	-	-	1	-	-	2	1	2	-	1	-	1	-	-
540	-	-	-	-	-	-	-	-	1	1	2	1	-	-	-	-	-
540.0	2 1	4 1	7 1	5 2	13 3	22 3	36 4	26 4	14 6	23 7	10 7	6 1	1 1	-	-	-	-
540.1	1 1	3 1	6 1	4 2	8 2	13 2	26 3	18 3	10 6	15 4	7 6	5 1	1 1	-	-	-	-
541	1 1	7 1	10 1	5 4	20 3	17 1	25 6	21 4	25 3	14 4	4 6	3 3	-	-	-	-	-
541.0	-	3	8	1	14 3	8 1	14 4	16 3	14 3	6 2	3 4	2 2	-	-	-	-	-
541.1	1	1	4	2	4	6	9	11	5	11	8	1	1	-	-	-	-
542	-	1	-	-	2	-	-	2	1	-	2	2	1	-	-	-	-

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE
LIST, BY AGE AND SEX: 1951.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).															100 and over.	Unknown.
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.		
542.0	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
542.1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
543	-	-	1	1	-	1	2	3	1	-	1	-	-	-	-	-	-
544	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
544.0	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
544.1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
545	-	-	-	-	1	1	1	1	1	1	1	1	-	-	-	-	-
550	1	5	-	4	6	4	3	8	12	7	3	3	2	-	-	-	-
550.0	-	1	-	1	3	2	-	5	2	2	10	-	2	-	-	-	-
550.1	-	-	-	1	1	-	-	-	-	-	1	-	1	-	-	-	-
551	1	4	-	4	6	4	3	7	8	5	3	3	1	-	-	-	-
551	-	-	-	-	2	2	-	5	2	2	9	-	2	-	-	-	-
560	-	-	-	-	1	-	1	2	1	2	1	1	1	-	-	-	-
560.0	-	-	-	-	-	-	-	3	-	3	-	2	1	-	-	-	-
560.1	-	-	-	1	-	1	-	-	-	1	-	1	-	-	-	-	-
560.2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
560.3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
560.4	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
560.5	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-
561	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-
561.0	2	1	-	-	-	2	3	7	8	12	6	12	4	2	-	-	-
561.1	-	-	-	-	-	-	-	3	4	4	2	4	2	1	-	-	-
561.2	-	-	-	-	1	-	-	1	1	4	-	1	2	-	-	-	-
561.3	-	-	-	-	-	1	1	1	1	3	-	-	-	1	-	-	-
561.4	1	-	-	-	-	1	2	2	3	1	1	1	-	-	-	-	-
561.5	-	-	-	-	-	-	-	1	-	1	2	1	-	-	-	-	-
-	-	1	1	-	-	-	1	2	2	3	2	2	-	-	-	-	-

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE LIST, BY AGE AND SEX: 1951.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																100 and over.	Unknown.
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.			
570	1	1	1	1	5	6	8	13	13	10	9	9	2	-	-	-	-	
570.0	2	4	-	3	5	4	5	9	9	15	12	14	8	5	1	-	-	
570.1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
570.2	1	-	-	1	1	1	-	3	1	1	-	1	-	-	-	-	-	
570.3	1	1	-	2	3	1	5	5	4	4	4	3	1	-	-	-	-	
570.4	-	1	-	-	1	1	-	4	5	5	5	9	4	4	-	-	-	
570.5	-	2	-	-	2	-	-	1	-	1	1	1	1	-	-	-	-	
571	1	1	1	1	2	3	1	1	7	4	4	4	4	-	-	-	-	
571.0	1	1	1	-	1	1	-	2	2	5	5	4	4	1	1	-	-	
571.1	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	
572	1	1	1	-	1	1	-	2	1	6	2	4	2	-	-	-	-	
572.0	3	1	3	-	-	3	9	7	2	6	6	3	2	-	-	-	-	
572.1	2	-	4	4	2	2	2	8	4	10	11	6	5	-	-	-	-	
572.2	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	
572.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
573.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
574	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
575	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
576	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
577	-	-	1	-	2	-	1	2	1	-	-	1	-	-	-	-	-	
578	-	-	-	-	1	-	1	1	-	1	-	1	1	-	-	-	-	
580	1	1	2	1	1	3	4	3	10	5	4	3	2	-	-	-	-	
581	1	1	-	-	1	1	2	1	1	1	1	1	-	-	1	-	-	
581.0	2	7	16	22	24	32	32	34	28	19	18	9	12	-	-	-	-	
581.1	1	3	8	14	11	22	21	25	25	17	16	8	12	-	-	-	-	
-	1	3	5	19	19	28	35	18	19	5	1	1	-	-	-	-	-	
-	4	8	8	8	13	10	11	9	3	2	2	1	-	-	-	-	-	

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE
LIST, BY AGE AND SEX: 1951.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
582	1	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-
583	-	-	-	-	1	2	-	-	-	-	1	-	-	-	-	-	-
584	-	-	1	-	-	1	2	-	1	-	-	-	1	-	-	-	-
585	-	-	3	2	4	2	4	5	6	8	8	2	1	-	-	-	-
586	1	3	3	3	1	1	2	1	3	6	7	3	1	-	-	-	-
587	-	1	1	2	-	-	-	2	-	1	-	1	1	-	-	-	-
587.0	1	3	7	7	4	4	6	4	3	1	1	1	1	-	-	-	-
587.1	1	1	1	7	4	4	6	3	5	2	1	1	1	-	-	-	-
587.2	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
X.	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-
590	12 8	12 8	22 12	21 11	20 19	30 30	36 35	59 40	70 49	91 43	93 76	74 59	51 28	16 13	5 4	1 2	-
591	-	1	2	4	-	1	-	2	2	5	1	1	1	-	-	-	-
592	2	-	-	2	2	1	1	1	4	2	-	1	1	-	-	-	-
593	7 3	6 7	18 8	11 7	14 9	15 15	23 23	30 23	25 25	34 32	41 54	32 44	24 23	5 12	- 4	1 2	-
594	1	-	-	1	1	1	3	4	3	1	2	1	2	1	-	-	-
600	-	-	-	-	1	1	-	1	1	1	-	-	-	-	-	-	-
600.0	2 2	4 1	2 3	3 2	2 1	6 6	4 5	3 5	13 13	13 4	15 9	6 7	5 1	-	-	-	-
600.1	1 2	4 1	2 3	3 2	2 1	5 6	3 4	3 5	12 12	13 4	15 9	6 7	4 1	-	-	-	-
601	1	-	-	-	-	1	1	-	1	-	-	-	1	-	-	-	-
602	-	-	1	-	-	-	-	2	-	1	-	1	-	-	-	-	-
603	-	1	-	1	2	2	3	2	3	2	1	-	-	1	-	-	-
604	-	-	-	-	1	1	-	1	1	2	-	-	-	-	-	-	-
605	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
606	-	-	-	-	1	-	-	1	1	2	1	2	1	-	-	-	-
608	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-

[illegible]

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE
LIST, BY AGE AND SEX: 1951.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
651.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
670	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
670.5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
670.6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
671.6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
672.6	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
675.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
677.6	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
678.5	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
682	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
684	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
685	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
686	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XII.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
690	1	1	2	-	1	2	1	1	1	3	4	2	1	-	-	-	-
690.1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
690.2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
692	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
692.0	-	-	-	-	-	1	-	1	-	-	2	1	-	-	-	-	-
692.1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
692.4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
693.0	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-
698	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
701	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-
704.1	-	-	-	-	-	1	-	-	1	1	-	-	1	-	-	-	-

Detailed Int. List No.	Table 12	CAUSE OF DEATH.	Sex.	ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM DETAILED INTERNATIONAL										
				Total.	AGE OF DECEDENTS (YEARS).									
					Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.	
705	Erythematous conditions	T	10	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-
		F	8	-	-	-	-	-	-	-	-	-	-	-
705.4	Lupus erythematosus	T	7	-	-	-	-	-	-	-	-	-	-	1
		M	7	-	-	-	-	-	-	-	-	-	-	-
		F	7	-	-	-	-	-	-	-	-	-	-	1
705.5	Other and unqualified	T	3	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-
706.0	Psoriasis	T	1	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-
710.0	Scleroderma and dermatomyositis	T	10	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-
		F	9	-	-	-	-	-	-	1	-	-	-	-
715	Chronic ulcer of skin	T	7	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-
XIII.	DISEASES OF THE BONES AND ORGANS OF MOVEMENT	T	97	-	-	-	-	-	-	-	-	-	-	-
		M	39	2	-	-	-	-	-	-	-	2	2	2
		F	58	-	-	-	-	-	-	1	-	-	-	-
720	Acute arthritis due to pyogenic organisms	T	1	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-
722.0	Rheumatoid arthritis	T	36	-	-	-	-	-	-	-	-	-	-	-
		M	10	-	-	-	-	-	-	-	-	-	-	-
		F	26	-	-	-	-	-	-	-	-	-	-	-
723	Osteo-arthritis (arthrosis) and allied conditions	T	11	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-
		F	8	-	-	-	-	-	-	-	-	-	-	-
723.0	Osteo-arthritis (arthrosis)	T	10	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-
		F	7	-	-	-	-	-	-	-	-	-	-	-
723.1	Spondylitis osteo-arthritis (spondylarthrosis)	T	1	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-
724	Other specified forms of arthritis	T	1	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-									

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE
LIST, BY AGE AND SEX: 1951.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
705	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
705.4	1	-	-	-	-	1	1	3	-	1	-	1	-	-	-	-	-
705.5	1	-	-	-	-	1	1	2	-	1	-	-	-	-	-	-	-
706.0	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-
710.0	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
715	-	-	2	-	1	-	1	1	2	1	-	-	-	-	-	-	-
XIII.	-	-	-	-	-	-	-	1	-	1	2	1	1	1	-	-	-
720	2	1	2	1	3	2	2	4	5	2	7	1	3	1	-	-	-
722.0	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
723	-	1	-	-	3	1	3	2	3	2	2	1	3	1	-	-	-
723.0	-	-	-	-	-	1	-	-	2	-	2	2	1	1	-	-	-
723.1	-	-	-	-	1	1	-	-	2	-	1	2	1	1	-	-	-
724	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
725	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
726.3	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-
730.2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
731	1	1	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-
733	-	-	-	-	-	-	1	-	1	1	-	-	2	-	-	-	-
735	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-
744	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
744.0	2	-	1	1	-	2	2	2	1	2	1	1	-	-	-	-	-
744.1	1	-	1	1	-	1	-	2	-	1	-	-	-	-	-	-	-
745	2	-	-	-	-	1	2	1	1	-	1	-	-	-	-	-	-
XIV.	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750	3	1	1	2	5	3	1	2	-	2	-	-	-	-	-	-	-
750	3	-	2	2	2	1	2	1	1	1	-	-	-	-	-	-	-

Detailed Int. List No.	Table 12	SEX.	ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM DETAILED INTERNATIONAL											
			Total.	AGE OF DECEDENTS (YEARS).										
				Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.		
751	Spina bifida and meningocele	T	75	-	-	-	-	-	-	-	-	-	-	-
		M	38	31	4	2	-	-	-	1	-	-	-	-
		F	37	33	2	1	-	-	-	-	1	-	-	-
752	Congenital hydrocephalus	T	57	-	-	-	-	-	-	-	-	-	-	-
		M	23	19	1	1	1	-	1	-	-	-	-	-
		F	34	26	3	2	-	1	1	-	-	-	-	1
753.1	Other congenital malformations of nervous system and sense organs	T	10	-	-	-	-	-	-	-	-	-	-	-
		M	5	1	-	1	2	-	1	-	-	-	-	-
		F	5	5	-	-	-	-	-	-	-	-	-	-
754	Congenital malformations of circulatory system	T	209	-	-	-	-	-	-	-	-	-	-	-
		M	118	99	-	1	1	1	1	1	-	3	3	3
		F	91	71	3	2	1	-	2	1	-	1	2	2
754.0	Tetralogy of Fallot	T	6	-	-	-	-	-	-	-	-	-	-	-
		M	5	2	-	1	-	-	-	-	-	-	1	-
		F	1	1	1	-	-	-	-	-	-	-	-	-
754.1	Patent ductus arteriosus (Botalli)	T	8	-	-	-	-	-	-	-	-	-	-	-
		M	5	4	-	-	-	1	-	-	-	-	-	-
		F	3	3	-	-	-	-	-	-	-	-	-	-
754.2	Interventricular septal defect	T	4	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	3	-	-	-	-	-	-	-	-	-	-
754.3	Interauricular septal defect	T	6	-	-	-	-	-	-	-	-	-	-	-
		M	4	3	-	-	-	-	-	-	-	-	-	-
		F	2	2	-	-	-	-	-	-	-	-	-	-
754.4	Other and unspecified malformations of heart	T	167	-	-	-	-	-	-	-	-	-	-	-
		M	98	85	-	-	1	-	1	-	3	2	-	-
		F	69	58	1	2	1	-	2	1	1	-	-	-
754.5	Coarctation of aorta	T	7	-	-	-	-	-	-	-	-	-	-	-
		M	3	2	-	-	-	-	-	-	-	-	-	-
		F	4	4	-	-	-	-	-	-	-	-	-	-
754.6	Other circulatory malformations	T	11	-	-	-	-	-	-	-	-	-	-	-
		M	3	3	-	-	-	-	-	-	-	-	-	-
		F	8	1	1	-	-	-	-	-	-	-	2	-
755	Cleft palate and harelip	T	6	-	-	-	-	-	-	-	-	-	-	-
		M	3	1	-	1	-	-	-	-	-	-	-	-
		F	3	3	-	-	-	-	-	-	-	-	-	-
756	Congenital malformations of digestive system	T	62	-	-	-	-	-	-	-	-	-	-	-
		M	27	26	-	1	-							

[illegible]

Detailed Int. List No.	Table 12	SEX.	ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM DETAILED INTERNATIONAL										
			Total.	AGE OF DECEDENTS (YEARS).									
				Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.	
759.2	Of muscle	T	3	-	-	-	-	-	-	-	-	-	
		M	2	2	-	-	-	-	-	-	-	-	
		F	1	1	-	-	-	-	-	-	-	-	
759.3	Other and unspecified	T	19	-	-	-	-	-	-	-	-	-	
		M	7	7	-	-	-	-	-	-	-	-	
		F	12	12	-	-	-	-	-	-	-	-	
XV.	CERTAIN DISEASES OF EARLY INFANCY	T	1,426	-	-	-	-	-	-	-	-	-	
		M	840	839	-	-	-	-	1	-	-	-	
		F	586	586	-	-	-	-	-	-	-	-	
760	Intracranial and spinal injury at birth	T	123	-	-	-	-	-	-	-	-	-	
		M	94	94	-	-	-	-	-	-	-	-	
		F	29	29	-	-	-	-	-	-	-	-	
760.0	Without mention of immaturity	T	102	-	-	-	-	-	-	-	-	-	
		M	81	81	-	-	-	-	-	-	-	-	
		F	21	21	-	-	-	-	-	-	-	-	
760.5	With immaturity	T	21	-	-	-	-	-	-	-	-	-	
		M	13	13	-	-	-	-	-	-	-	-	
		F	8	8	-	-	-	-	-	-	-	-	
761	Other birth injury	T	69	-	-	-	-	-	-	-	-	-	
		M	46	46	-	-	-	-	-	-	-	-	
		F	23	23	-	-	-	-	-	-	-	-	
761.0	Without mention of immaturity	T	26	-	-	-	-	-	-	-	-	-	
		M	18	18	-	-	-	-	-	-	-	-	
		F	8	8	-	-	-	-	-	-	-	-	
761.5	With immaturity	T	43	-	-	-	-	-	-	-	-	-	
		M	28	28	-	-	-	-	-	-	-	-	
		F	15	15	-	-	-	-	-	-	-	-	
762	Postnatal asphyxia and atelectasis	T	460	-	-	-	-	-	-	-	-	-	
		M	253	253	-	-	-	-	-	-	-	-	
		F	207	207	-	-	-	-	-	-	-	-	
762.0	Without mention of immaturity	T	157	-	-	-	-	-	-	-	-	-	
		M	89	89	-	-	-	-	-	-	-	-	
		F	68	68	-	-	-	-	-	-	-	-	
762.5	With immaturity	T	303	-	-	-	-	-	-	-	-	-	
		M	164	164	-	-	-	-	-	-	-	-	
		F	139	139	-	-	-	-	-	-	-	-	
763	Pneumonia of newborn	T	53	-	-	-	-	-	-	-	-	-	
		M	29	29	-	-	-	-	-	-	-	-	
		F	24	24	-	-	-	-	-	-	-	-	
763.0	Without mention of immaturity	T	35	-	-	-	-	-	-	-	-	-	
		M	21	21	-	-	-	-	-	-	-	-	
		F	14	14	-	-	-	-	-	-	-	-	
763.5	With immaturity	T	18	-	-	-	-	-	-	-	-	-	
		M	8	8	-	-	-	-	-	-	-	-	
		F	10	10	-	-	-	-	-	-	-	-	
764.0	Diarrhea of newborn without mention of immaturity	T	2	-	-	-	-	-	-	-	-	-	
		M	1	1	-	-	-	-	-	-	-	-	
		F	1	1	-	-	-	-	-	-	-	-	
768.0	Other sepsis of newborn without mention of immaturity	T	2	-	-	-	-	-	-	-	-	-	
		M	1	1	-	-	-	-	-	-	-	-	
		F	1	1	-	-	-	-	-	-	-	-	
769	Neonatal disorders arising from maternal toxemia	T	4	-	-	-	-	-	-	-	-	-	
		M	2	2	-	-	-	-	-	-	-	-	
		F	2	2	-	-	-	-	-	-	-	-	
769.0	Attributed to "toxemia of pregnancy", without mention of immaturity	T	2	-	-	-	-	-	-	-	-	-	
		M	-	-	-	-	-	-	-	-	-	-	
		F	2	2	-	-	-	-	-	-	-	-	
769.1	Attributed to maternal diabetes, without mention of immaturity	T	1	-	-	-	-	-	-	-	-	-	
		M	1	1	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	
769.5	Attributed to "toxemia of pregnancy", with immaturity	T	1	-	-	-	-	-	-	-	-	-	
		M	1	1	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	
770	Hemolytic disease of newborn (erythroblastosis)	T	46	-	-	-	-	-	-	-	-	-	
		M	26	25	-	-	-	-	1	-	-	-	
		F	20	20	-	-	-	-	-	-	-	-	
770.0	Erythroblastosis, without mention of nervous affection or immaturity	T	33	-	-	-	-	-	-	-	-	-	
		M	18	18	-	-	-	-	-	-	-	-	
		F	15	15	-	-	-	-	-	-	-	-	
770.1	Kernicterus, without mention of immaturity	T	3	-	-	-	-	-	-	-	-	-	
		M	1	-	-	-	-	-	-	-	-	-	
		F	2	2	-	-	-	-	1	-	-	-	
770.5	Erythroblastosis, without mention of nervous affection but with immaturity	T	8	-	-	-	-	-	-	-	-	-	
		M	5	5	-	-	-	-	-	-	-	-	
		F	3	3	-	-	-	-	-	-	-	-	

[illegible]

[illegible]

Detailed Int. List No.	Table 12	SEX.	ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM DETAILED INTERNATIONAL									
			Total.	AGE OF DECEDENTS (YEARS).								
				Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
784.5	Hematemesis	T	3	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-
785	Symptoms referable to abdomen and lower gastro-intestinal system	F	10	-	-	-	-	-	-	-	-	-
		T	8	4	-	-	-	-	-	-	-	-
785.1	Hepatomegaly	M	2	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-
785.2	Jaundice	T	1	1	-	-	-	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-
785.5	Abdominal pain	F	3	2	-	-	-	-	-	-	-	-
		T	1	-	-	-	-	-	-	-	-	-
785.6	Diarrhea, age 2 years and over	M	1	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-
786	Symptoms referable to genito-urinary system	T	1	-	-	-	-	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-
786.1	Retention of urine	F	3	-	-	-	-	-	-	-	-	-
		T	2	-	-	-	-	-	-	-	-	-
786.5	Oliguria anuria (not of newborn)	M	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-
788	Other general symptoms	T	1	-	-	-	-	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-
788.6	Acidosis	F	1	-	-	-	-	-	-	-	-	-
		T	3	-	-	-	-	-	-	-	-	-
788.8	Pyrexia of unknown origin	M	2	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-
790.1	Debility and undue fatigue	T	2	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-
792	Uremia, unqualified	F	1	-	-	-	-	-	-	-	-	-
		T	28	-	-	-	-	-	-	-	-	-
794	Senility without mention of psychosis	M	14	-	-	-	-	-	-	-	-	-
		F	14	-	-	-	-	-	-	-	-	-
795	Ill-defined and unknown causes	T	30	-	-	-	-	-	-	-	-	-
		M	6	-	-	-	-	-	-	-	-	-
795.0	Other ill-defined conditions	F	24	-	-	-	-	-	-	-	-	-
		T	80	-	-	-	-	-	-	-	-	-
795.2	Sudden death (cause unknown)	M	47	2	-	-	-	-	-	-	-	-
		F	33	6	-	-	-	-	1	1	3	5
795.5	Other, unknown and unspecified causes	T	13	-	-	-	-	-	-	-	-	-
		M	2	2	-	-	-	-	-	-	-	-
XVII.	ACCIDENTS, POISONINGS, AND VIOLENCE	F	11	5	-	-	-	-	-	1	-	-
800-962	Accidents and poisonings	T	2	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-
800	Railway accident involving railroad employee	F	1	-	-	-	-	-	1	-	-	-
		T	65	-	-	-	-	-	-	-	-	-
801	Railway accident involving passenger	M	44	-	-	-	-	-	-	-	3	5
		F	21	1	-	-	-	-	-	-	-	-
802	Railway accident involving other and unspecified person	T	3,067	-	-	-	-	-	-	-	-	-
		M	1,862	30	17	12	19	21	59	37	80	101
810	Motor-vehicle traffic accident involving collision with railway train	F	1,205	18	11	10	9	5	10	7	24	21
		T	2,553	-	-	-	-	-	-	-	-	-
		M	1,477	29	16	12	19	21	57	36	72	84
		F	1,076	17	11	9	8	4	10	7	21	15
		T	8	-	-	-	-	-	-	-	-	-
		M	8	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
		T	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
		T	20	-	-	-	-	-	-	-	-	-
		M	17	-	-	-	-	-	2	2	1	-
		F	3	-	-	-	-	-	-	-	-	-
		T	16	-	-	-	-	-	-	-	-	-
		M	11	-	-	-	-	-	1	-	-	-
		F	5	-	-	-	1	-	-	-	2	-

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE LIST, BY AGE AND SEX: 1951.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).														100 and over.	Unknown.
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	
784.5	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-
785	-	-	-	1	-	-	1	-	1	-	1	1	-	-	1	-
785.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
785.2	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
785.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
785.6	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-
786	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
786.1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
786.5	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
788	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-
788.6	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
788.8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
790.1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
792	-	-	-	-	-	1	3	1	1	2	1	3	-	1	-	-
794	-	1	1	-	1	2	2	1	1	1	2	1	1	-	-	-
795	-	-	-	-	-	-	-	-	1	2	2	1	1	7	4	1
795.0	3	2	1	3	-	8	5	3	5	3	1	1	2	1	-	-
795.2	-	1	2	1	-	-	1	3	3	3	4	3	2	-	-	-
795.5	-	-	-	1	-	-	-	-	-	1	-	2	1	-	-	-
XVII.	97	79	91	97	98	109	153	156	152	108	144	112	60	26	3	1
800-	21	23	34	23	32	41	42	54	99	128	176	182	147	74	13	-
962	77	52	56	64	72	76	101	105	127	88	120	104	59	26	3	1
800	10	12	19	13	25	29	33	46	83	120	170	180	146	74	13	1
801	-	-	1	-	1	2	3	-	-	-	-	-	-	-	-	-
802	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
810	-	1	1	1	1	1	2	-	-	-	1	-	-	-	-	-

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE
LIST, BY AGE AND SEX: 1951.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).															1 00 and over.	Unknown.
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.		
811	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
812	4 1	-	-	9 1	3 3	15 3	17 9	16 6	32 6	16 10	21 4	13 5	4	1	-	-	-
813	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
814	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
815	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
816	13 2	5	4 2	-	2 3	2 3	1	3 2	4 3	-	3	1	-	-	1	-	-
817	-	-	-	-	-	-	-	-	-	4	-	-	1	-	-	-	-
819	6	9 1	7	4	3 1	-	-	5	2 1	-	-	-	-	-	-	-	-
821	1	1	-	-	-	1	3	2	1	1	-	1	-	-	-	-	-
822	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
823	5	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
824	3	6 1	1	1	1	1	2 2	1	-	1	-	1	-	-	-	-	-
825	1	2	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-
830	4 1	1	2	1	2	2 1	1	1 2	-	1	1 1	1	-	-	-	-	-
831	1	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-
834	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
835	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
840	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
842	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
844	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
845	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
850	3	1	2	1	4 1	2	1	-	3	1	1	-	-	-	-	-	-
851	-	1	-	1	5	3	4	1	1	-	-	-	-	-	-	-	-
852	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
853	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE
LIST, BY AGE AND SEX: 1951.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
854	1	-	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-
857	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
858	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
860	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
863	1	-	-	1	-	2	-	-	-	-	-	1	-	-	-	-	-
866	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
871	-	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-
872	1	3	3	1	-	-	1	-	2	-	-	-	-	-	-	-	-
874	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
878	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
879	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
880	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
882	-	-	2	4	3	6	3	4	2	1	-	-	-	-	-	-	-
885	-	2	-	3	-	1	1	-	-	-	-	-	-	-	-	-	-
886	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
887	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
888	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
890	2	1	2	1	2	2	1	2	6	6	4	1	-	-	-	-	-
891	1	1	1	-	3	-	1	-	2	3	4	2	-	-	-	-	-
892	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-
894	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
900	-	-	1	3	4	1	7	11	10	8	10	9	3	1	-	-	-
901	-	-	1	-	1	4	3	5	9	11	22	16	8	2	1	-	-
902	-	1	-	-	-	1	2	-	2	1	2	1	1	-	-	-	-
903	-	-	3	3	4	7	7	7	12	6	10	12	5	4	-	-	-
	-	-	1	-	1	1	1	1	2	8	11	22	13	11	3	-	-
	1	-	-	3	2	1	3	2	-	3	2	-	2	-	1	-	-
	-	-	-	1	1	-	-	1	5	2	5	5	1	2	-	-	-

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE
LIST, BY AGE AND SEX: 1951.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
904	3 1	1 1	4	3 2	13 2	6 8	8 7	23 18	30 43	29 66	46 111	58 126	38 122	17 56	2 9	1 1	-
910	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
912	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
913	2	-	-	-	2	2	1	3	4	-	1	-	-	-	-	-	-
914	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-
915	2	1	2	2	1	-	-	1	-	1	-	-	-	-	-	-	-
916	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
917	2 2	5 -	4 2	7 2	5 2	3 1	4 1	8 5	5 8	6 5	9 5	2 1	3 1	1 2	-	-	-
919	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
921	1	1	-	-	1	2	2	-	-	-	-	-	-	-	-	-	-
922	-	1	-	-	1	-	-	-	-	1	1	-	1	-	-	-	-
923	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
924	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
925	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
928	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
929	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
931	8	3 1	7	6	4 1	6 1	7 1	7	4	3 1	3 2	1	-	2	-	-	-
932	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-
933	-	-	-	-	-	1	2	-	1	1	2	-	-	-	-	-	-
935	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
936	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
951	3	-	3 2	4	3 2	-	6	5	1	-	3	-	-	-	-	-	-
953	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-
954	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
955	-	1	-	1	-	1	1	1	-	-	1	1	-	-	-	-	-

Detailed Int. List No.	Table 12	SEX.	ALLOCATED DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM DETAILED INTERNATIONAL									
			Total.	AGE OF DECEDENTS (YEARS).								
				Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 24.
962	Late effect of other accidental injury	T	4	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-
963,	<i>Suicide and self-inflicted injury</i>	T	464	-	-	-	-	-	-	-	-	-
970-		M	356	-	-	-	-	-	-	-	-	-
979		F	108	-	-	-	-	-	-	1	4	14
970	Suicide and self-inflicted poisoning	T	31	-	-	-	-	-	-	-	-	-
	by analgesic and soporific sub-	M	18	-	-	-	-	-	-	-	-	-
	stances	F	13	-	-	-	-	-	-	-	-	-
970.1	Morphine and other opium deriva-	T	1	-	-	-	-	-	-	-	-	-
	tives	M	1	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
970.2	Barbituric acid and derivatives	T	26	-	-	-	-	-	-	-	-	-
		M	16	-	-	-	-	-	-	-	-	-
		F	10	-	-	-	-	-	-	-	-	-
970.4	Methyl salicylate	T	1	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-
970.5	Other salicylates	T	1	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-
970.8	Others	T	2	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-
971	Suicide and self-inflicted poisoning by	T	20	-	-	-	-	-	-	-	-	-
	other solid and liquid substances	M	14	-	-	-	-	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	-
971.3	Lye and potash	T	3	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-
971.5	Mercury and its compounds	T	2	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-
971.6	Arsenic and its compounds	T	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
971.7	Fluorides	T	3	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
971.8	Others	T	11	-	-	-	-	-	-	-	-	-
		M	8	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-
972	Suicide and self-inflicted poisoning	T	80	-	-	-	-	-	-	-	-	-
	by gases in domestic use	M	48	-	-	-	-	-	-	-	-	3
		F	32	-	-	-	-	-	-	-	1	1
973.1	Suicide and self-inflicted poison-	T	44	-	-	-	-	-	-	-	-	-
	ing by motor-vehicle exhaust	M	41	-	-	-	-	-	-	-	-	3
	gas	F	3	-	-	-	-	-	-	-	1	-
974	Suicide and self-inflicted injury by	T	117	-	-	-	-	-	-	-	-	-
	hanging and strangulation	M	94	-	-	-	-	-	-	1	2	5
		F	23	-	-	-	-	-	-	-	-	-
975	Suicide and self-inflicted injury by	T	37	-	-	-	-	-	-	-	-	-
	drowning and submersion	M	22	-	-	-	-	-	-	-	-	1
		F	15	-	-	-	-	-	-	-	-	-
976	Suicide and self-inflicted injury by	T	95	-	-	-	-	-	-	-	-	-
	firearms and explosives	M	83	-	-	-	-	-	-	-	2	2
		F	12	-	-	-	-	-	-	-	1	3
977	Suicide and self-inflicted injury by	T	19	-	-	-	-	-	-	-	-	-
	cutting and piercing instruments	M	19	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
978	Suicide and self-inflicted injury by	T	17	-	-	-	-	-	-	-	-	-
	jumping from high place	M	15	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-
979	Suicide and self-inflicted injury by	T	4	-	-	-	-	-	-	-	-	-
	other and unspecified means	M	2	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-
964,	<i>Homicide and operations of War</i>	T	50	-	-	-	-	-	-	-	-	-
965,		M	29	1	1	-	-	-	2	-	4	3
980-		F	21	1	-	1	1	1	-	-	-	2
999		T	3	-	-	-	-	-	-	-	-	-
980	Nonaccidental poisoning by another	M	3	-	1	-	-	-	-	-	-	-
	person	F	-	-	-	-	-	-	1	-	-	-

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE
LIST, BY AGE AND SEX: 1951.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																
	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 to 84.	85 to 89.	90 to 94.	95 to 99.	100 and over.	Unknown.
962	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-
963,	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
970-	18	25	32	31	25	31	52	49	23	19	23	8	1	-	-	-	-
979	8	9	13	8	5	12	8	7	15	8	5	2	1	-	-	-	-
970	3	3	2	3	1	2	3	1	4	-	1	-	-	-	-	-	-
970.1	2	2	1	-	-	2	1	1	-	-	-	-	-	-	-	-	-
970.2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
970.4	2	3	2	3	1	1	3	-	-	-	1	-	-	-	-	-	-
970.5	1	2	1	-	-	2	1	1	2	-	-	-	-	-	-	-	-
970.8	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
971	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
971.3	1	1	4	1	-	1	1	2	2	1	1	1	-	-	-	-	-
971.5	-	-	1	-	-	-	-	-	3	-	-	-	-	-	-	-	-
971.6	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
971.7	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
971.8	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-
972	-	1	2	1	-	1	-	1	1	-	1	-	-	-	-	-	-
973.1	1	2	4	6	4	4	6	8	4	3	3	-	-	-	-	-	-
974	2	2	3	3	2	4	3	3	3	3	1	1	-	-	-	-	-
975	1	3	3	5	5	6	7	4	2	-	2	-	-	-	-	-	-
976	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
977	5	5	5	8	6	6	11	13	11	5	4	7	-	-	-	-	-
978	1	-	5	2	2	4	2	-	2	3	2	-	-	-	-	-	-
979	2	1	1	1	1	2	7	2	1	2	-	-	1	-	-	-	-
980-	1	2	1	-	-	1	1	3	1	2	2	-	1	-	-	-	-
981	4	9	9	6	8	7	14	10	1	2	8	1	-	-	-	-	-
982	1	1	2	2	-	-	1	-	1	-	-	-	-	-	-	-	-
983	-	1	1	-	-	2	1	5	2	4	3	-	-	-	-	-	-
984	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
985,	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
986-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
987	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
988	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
989	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
990	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
991	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
992	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
993	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
994	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
995	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
996	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
997	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
998	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
999	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

[illegible]

Detailed Int. List No.	Table 13	CAUSE OF DEATH.	SEX.	DEATHS (EXCLUSIVE OF STILLBIRTHS) OF RESIDENTS ACCORDING TO THE DETAILED INTERNATIONAL											
				Total.	MONTHS.										
					January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.
		All Causes	T	1,276	86	97	108	87	84	112	143	125	112	127	94
			M	732	54	46	55	54	50	65	82	77	65	66	52
			F	544	32	51	53	33	34	47	61	48	47	61	42
			T	38	-	-	-	-	-	-	-	-	-	-	-
			M	27	3	2	1	5	1	4	3	3	1	1	2
			F	11	-	-	1	1	1	1	2	1	-	1	3
001-019		Tuberculosis (total)	T	33	-	-	-	-	-	-	-	-	-	-	-
			M	23	2	1	1	5	1	3	3	3	1	1	1
			F	10	-	-	1	1	1	1	2	1	-	1	1
001-008		Tuberculosis of the respiratory system	T	33	-	-	-	-	-	-	-	-	-	-	-
			M	23	2	1	1	5	1	3	3	3	1	1	1
			F	10	-	-	1	1	1	1	2	1	-	1	1
002		Pulmonary tuberculosis	T	33	-	-	-	-	-	-	-	-	-	-	-
			M	23	2	1	1	5	1	3	3	3	1	1	1
			F	10	-	-	1	1	1	1	2	1	-	1	1
022		Aneurysm of aorta	T	2	-	-	-	-	-	-	-	-	-	-	-
			M	2	1	-	-	-	-	-	-	-	-	-	-
027		Other forms of late syphilis	T	1	-	-	-	-	-	-	-	-	-	-	-
			M	1	-	-	-	-	-	-	-	-	-	-	-
057.1		Acute and unspecified meningococcemia	T	1	-	-	-	-	-	-	-	-	-	-	-
			M	1	-	-	-	-	-	-	-	-	-	-	-
080.3		Acute poliomyelitis, unspecified	T	1	-	-	-	-	-	-	-	-	-	-	-
			M	1	-	1	-	-	-	-	-	-	-	-	-
II.		NEOPLASMS	T	335	-	-	-	-	-	-	-	-	-	-	-
			M	178	11	12	18	10	11	15	22	18	13	15	16
			F	157	6	15	15	10	11	14	16	13	10	23	8
140-205		Malignant neoplasms including neoplasms of lymphatic and hematopoietic tissues	T	330	-	-	-	-	-	-	-	-	-	-	-
			M	177	11	11	18	10	11	15	22	18	13	15	16
			F	153	5	15	15	10	11	14	16	13	10	21	7
141		Malignant neoplasm of tongue	T	2	-	-	-	-	-	-	-	-	-	-	-
			M	2	-	-	-	-	-	-	-	-	-	-	-
142.1		Other malignant neoplasm of salivary gland	T	2	-	-	-	-	-	-	-	-	-	-	-
			M	1	-	-	-	-	-	-	-	-	-	-	-
144		Malignant neoplasm of other parts of mouth and mouth unspecified	T	1	-	-	-	-	-	-	-	-	-	-	-
			M	1	-	-	-	-	-	-	-	-	-	-	-
146		Malignant neoplasm of nasopharynx	T	1	-	-	-	-	-	-	-	-	-	-	-
			M	1	-	-	-	-	-	-	-	-	-	-	-
148		Malignant neoplasm of pharynx, unspecified	T	2	-	-	-	-	-	-	-	-	-	-	-
			M	2	-	-	-	-	-	-	-	-	-	-	-
150		Malignant neoplasm of esophagus	T	5	-	-	-	-	-	-	-	-	-	-	-
			M	3	-	-	-	-	-	-	-	-	-	-	-
151		Malignant neoplasm of stomach	T	17	-	1	-	-	-	-	1	-	-	-	-
			M	7	-	2	1	1	-	-	1	-	-	-	-
153		Malignant neoplasm of large intestine, except rectum	T	10	-	2	2	-	2	-	1	-	1	-	2
			M	11	-	2	2	1	1	2	-	-	-	2	-
154		Malignant neoplasm of rectum	T	15	1	-	1	2	1	2	1	-	2	1	1
			M	16	-	-	-	-	-	-	-	-	-	-	3
155		Malignant neoplasm of biliary passages and of liver (primary)	T	8	2	-	1	-	2	1	1	1	-	-	-
			M	8	-	-	2	-	-	1	-	1	3	-	1
156.1		Malignant neoplasm of liver (unspecified)	T	5	-	-	1	-	-	-	-	-	-	1	2
			M	3	-	1	-	-	-	-	-	1	-	-	-
157		Malignant neoplasm of pancreas	T	3	-	-	-	-	-	-	2	-	-	-	-
			M	7	-	-	-	-	-	-	-	-	-	-	1
158		Malignant neoplasm of peritoneum	T	5	1	-	-	1	-	2	1	-	-	-	-
			M	2	-	-	-	1	-	-	-	-	-	-	-
159		Malignant neoplasm of unspecified digestive organs	T	1	-	-	-	-	-	-	-	1	-	-	-
			M	1	-	-	-	-	-	-	-	-	-	-	-
			F	1	-	-	1	-	-	-	-	-	-	-	-

OUT OF STATE DYING IN MASSACHUSETTS, FROM EACH CAUSE AND CLASS OF CAUSES,
LIST, BY MONTHS AND SEX AND BY AGE AND SEX: 1951.

AGE OF DECEDENTS (YEARS).																			
Detailed Int. List No.	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.	
I.	74 42 32	5 4 1	12 7 5	12 8 4	12 7 5	30 19 11	15 8 7	19 11 8	79 50 29	81 48 33	126 77 49	191 128 63	253 155 98	228 115 113	125 49 76	14 4 10	-	-	
001-019	1	-	-	-	-	1	-	-	2 4	4 2	1	11 2	7	1	1	1	-	-	
001-008	-	-	-	-	-	-	-	-	2 4	3 2	1	10 2	7	1	1	-	-	-	
002	-	-	-	-	-	-	-	-	2 4	3 2	1	10 2	7	1	1	-	-	-	
022	-	-	-	-	-	-	-	-	2 4	3 2	1	10 2	7	1	1	-	-	-	
027	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	
057.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
080.3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
II.	2 2	2 2	4 1	5 3	6 5	12 7	2 2	1 -	8 3	5 10	17 17	27 28	56 32	23 26	8 17	- 4	-	-	
140-205	2 2	2 2	4 1	5 3	6 5	12 6	1 2	1 -	8 2	5 9	17 17	27 28	55 32	23 25	8 17	- 4	-	-	
141	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	
142.1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
144	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	
146	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
148	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
150	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	
151	-	-	-	-	-	-	-	-	-	-	1	-	6	1	-	1	-	-	
153	-	-	-	-	-	-	-	-	1	1	-	1	1	4	2	1	-	-	
154	-	-	-	-	-	-	-	-	1	1	3	2	6 3	4 4	2	-	-	-	
155	-	-	-	-	-	-	-	-	-	1	1	2	3 1	3	1	-	-	-	
156.1	-	-	-	-	-	-	-	-	-	-	-	3 1	1 1	1	-	-	-	-	
157	-	-	-	-	-	-	-	-	-	-	3	-	1	-	2	-	-	-	
158	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	
159	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	

OUT OF STATE DYING IN MASSACHUSETTS, FROM EACH CAUSE AND CLASS OF CAUSES,
LIST, BY MONTHS AND SEX AND BY AGE AND SEX: 1951.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
160	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
161	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
162	-	-	-	-	-	-	-	-	-	-	-	4	2	1	-	-	-	-
163	-	-	-	-	-	-	-	-	-	-	4	4	10	3	-	-	-	-
164	-	-	-	-	-	-	-	-	-	-	1	2	-	2	-	-	-	-
170	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171	-	-	-	-	-	-	-	-	1	6	6	8	4	4	2	-	-	-
174	-	-	-	-	-	-	-	-	1	2	5	2	-	-	-	-	-	-
175	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-
176	-	-	-	-	-	-	-	-	-	-	2	2	-	-	1	-	-	-
177	-	-	-	-	-	-	-	-	1	-	-	-	6	3	3	-	-	-
178	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
180	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
181	-	-	-	-	1	-	-	-	-	-	-	1	3	1	1	-	-	-
190	-	1	-	-	-	-	-	-	-	-	1	-	2	1	1	-	-	-
191	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
193	-	-	-	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-
195	-	-	1	2	1	-	-	-	1	2	2	6	4	1	-	-	-	-
196	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
197	-	-	1	-	-	-	-	1	-	1	-	-	-	1	1	-	-	-
198.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
199	-	-	-	-	-	1	-	1	1	1	1	1	2	4	-	-	-	-
199.1	-	-	-	-	-	-	-	-	2	1	1	-	1	1	-	-	-	-
199.7	-	-	-	-	-	-	-	-	1	-	-	-	1	3	-	-	-	-
199.8	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-

Detailed Int. List No.	Table 13	SEX.	DEATHS (EXCLUSIVE OF STILLBIRTHS) OF RESIDENTS ACCORDING TO THE DETAILED INTERNATIONAL												
			Total.	MONTHS.											
				January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	CAUSE OF DEATH.														
200	Lymphosarcoma and reticulo-sarcoma	T	6	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-
200.0	Reticulum cell sarcoma	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	1	-	-	-	-	-	-	-	1	-	-	-
200.1	Lymphosarcoma	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-
200.2	Other primary malignant neoplasms of lymphoid tissue	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	1	-	1	-	-	-	-	-
201	Hodgkin's disease	T	5	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	1	1	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-
202.1	Other forms of lymphoma (reticulosis)	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-
203	Multiple myeloma (plasmocytoma)	T	3	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	2	-	-	-	-	1
204	Leukemia and aleukemia	T	50	-	-	-	-	-	-	-	-	-	-	-	-
		M	35	5	3	4	2	3	4	4	3	1	1	2	3
		F	15	-	2	1	-	-	3	2	2	-	2	-	3
204.0	Lymphatic leukemia	T	7	-	-	-	-	-	-	-	-	-	-	-	-
		M	6	2	-	2	-	-	-	-	-	-	-	1	1
		F	1	-	-	-	-	-	-	-	-	-	-	-	-
204.1	Myeloid leukemia	T	8	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	-	-	-	-	1	-	1	1	-	-	1	1
		F	3	-	1	-	-	-	-	-	-	-	-	-	-
204.3	Acute leukemia, unspecified type	T	33	-	-	-	-	-	-	-	-	-	-	-	-
		M	24	3	3	2	2	2	4	3	2	1	1	-	1
		F	9	-	-	1	-	-	3	1	-	-	1	-	3
204.4	Other and unspecified leukemia	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	1	-	-	-	-	-	1	-	-	-	-
216	Benign neoplasm of ovary	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-
223	Benign neoplasm of brain and other parts of nervous system	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-
237	Neoplasm of unspecified nature of brain and other parts of nervous system	T	3	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	1	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-
III.	ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES	T	26	-	-	-	-	-	-	-	-	-	-	-	-
		M	14	-	1	1	-	1	5	-	2	1	2	-	1
		F	12	1	1	-	-	-	2	1	2	4	1	-	-
241	Asthma	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-
245	Other allergic disorders	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	1	-	-	-	-	-	-
260	Diabetes mellitus	T	21	-	-	-	-	-	-	-	-	-	-	-	-
		M	10	-	-	-	-	1	4	-	1	1	2	-	1
		F	11	1	1	-	-	-	2	1	1	4	1	-	-
273	Diseases of thymus gland	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
289.1	Amyloidosis	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	1	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
IV.	DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS	T	6	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	1	-	-	-	-	-	-	-	1	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-
290.0	Pernicious anemia	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	1	-	-	-	-	-	-
292.4	Aplastic anemia	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-
296	Purpura and other hemorrhagic conditions	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	1	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	1	-	-	-

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).															100 and over.	Unknown.
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.		
200																	
200.0						1							2				
200.1																	
200.2						1					1						
201													2				
202.1		1										1	1				
203														1			
204	2	1	3			10	1		2	2	1	2	5				
204.0	2		1	2	2	4	1		1	1				1			
204.1						2						2	2				
204.3									1	2	1		1	1			
204.4	2	1	3	2	4	8	1		1				2				
216	2		1	2	2	3	1										
223														1			
237						1											
III.	1								1	1							
241						1			1	2	1			5	2		
245											1		1				
260																	
273						1			1	2		1	4	5	2		
289.1	1											1					
IV.																	
290.0							1		2			1	1	1			
292.4									1								
296									1			1					

Detailed Int. List No.	Table 13	CAUSE OF DEATH.	SEX.	DEATHS (EXCLUSIVE OF STILLBIRTHS) OF RESIDENTS ACCORDING TO THE DETAILED INTERNATIONAL											
				Total.	MONTHS.										
					January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.
298.0	Hepatolienal fibrosis . . .	T	M	2	-	-	-	-	-	-	-	-	-	-	-
		F	T	1	-	-	-	-	-	-	-	-	-	1	-
V.	MENTAL, PSYCHONEUROTIC, AND PERSONALITY DIS- ORDERS . . .	M	F	-	-	-	-	-	-	-	1	-	-	-	-
VI.	DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS	T	M	119	-	-	-	-	-	-	-	-	-	-	-
		F	T	50	-	-	2	2	5	1	7	8	7	6	7
		M	F	69	4	6	10	1	5	6	7	7	5	7	8
330	Subarachnoid hemorrhage . .	T	M	2	-	-	-	-	-	-	-	-	-	-	-
		F	T	2	-	-	-	-	-	-	-	1	-	1	-
331	Cerebral hemorrhage . . .	T	M	74	-	-	-	-	-	-	-	-	-	-	-
		F	T	29	-	-	-	2	5	-	4	4	5	2	3
		M	F	45	4	4	7	1	2	2	6	3	5	4	5
332	Cerebral embolism and throm- bosis . . .	T	M	29	-	-	-	-	-	-	-	-	-	-	-
		F	T	12	-	2	1	-	-	-	2	2	2	3	1
		M	F	17	-	-	-	-	2	3	1	4	-	2	1
334	Other and ill-defined vascular lesions affecting central nervous system . . .	T	M	4	-	-	-	-	-	-	-	-	-	-	-
		F	T	2	-	-	1	-	-	-	-	1	-	1	-
340	Meningitis, except meningo- coccal and tuberculous . .	T	M	2	-	-	-	-	-	-	-	-	-	-	-
		F	T	1	-	-	1	-	-	-	1	-	-	-	-
340.0	Hemophilus influenzae . . .	T	M	1	-	-	-	-	-	-	-	-	-	-	-
		F	T	-	-	-	-	-	-	-	-	-	-	-	-
340.1	Pneumococcus . . .	T	M	1	-	-	1	-	-	-	-	-	-	-	-
		F	T	1	-	-	-	-	-	-	1	-	-	-	-
344	Late effects of intracranial abscess or pyogenic infec- tion . . .	T	M	1	-	-	-	-	-	-	-	-	-	-	-
		F	T	-	-	-	1	-	-	-	-	-	-	-	-
345	Multiple sclerosis . . .	T	M	1	-	-	-	-	-	-	-	-	-	-	-
		F	T	-	-	-	-	-	-	-	-	-	-	1	-
350	Paralysis agitans . . .	T	M	1	-	-	-	-	-	-	-	-	-	-	-
		F	T	1	-	-	-	-	-	-	-	-	-	-	1
352	Other cerebral paralysis . .	T	M	1	-	-	-	-	-	-	-	-	-	-	-
		F	T	1	-	-	-	-	-	1	-	-	-	-	-
353.3	Other and unspecified epilepsy	T	M	1	-	-	-	-	-	-	-	-	-	-	-
		F	T	-	-	-	-	-	-	-	-	-	-	-	-
355	Other diseases of brain . .	T	M	1	-	-	-	-	1	-	-	-	-	-	-
		F	T	-	-	-	-	-	-	-	-	-	-	-	-
385	Cataract . . .	T	M	1	-	-	-	-	-	1	-	-	-	-	-
		F	T	1	-	-	1	-	-	-	-	-	-	-	-
391.1	Chronic otitis media without mention of mastoiditis . .	T	M	1	-	-	-	-	-	-	-	-	-	-	-
		F	T	1	-	-	-	-	-	-	-	-	-	1	-
VII.	DISEASES OF THE CIRCULA- TORY SYSTEM . . .	T	M	418	-	-	-	-	-	-	-	-	-	-	-
		F	T	254	21	19	18	20	19	24	30	22	21	24	16
		M	F	164	11	18	11	10	6	16	19	15	19	21	9
400	Rheumatic fever without mention of heart involve- ment . . .	T	M	2	-	-	-	-	-	-	-	-	-	-	-
		F	T	1	-	-	-	-	-	-	-	-	-	-	1
401.1	Active rheumatic endocar- ditis . . .	T	M	2	-	-	-	-	-	-	-	-	-	-	-
		F	T	1	-	1	-	-	-	-	-	-	-	-	-
410	Diseases of mitral valve . .	T	M	22	-	-	-	-	-	-	-	-	-	-	-
		F	T	10	1	1	2	-	-	-	2	-	2	-	1
413	Diseases of pulmonary valve specified as rheumatic . .	T	M	12	-	1	-	-	1	1	2	-	1	3	1
		F	T	1	-	-	-	-	-	-	-	-	-	-	2
416	Other rheumatic heart disease	T	M	15	-	-	-	-	1	-	-	-	-	-	-
		F	T	4	-	1	-	-	2	-	-	-	-	1	-
		M	F	11	2	3	1	-	1	-	-	-	1	2	1
420	Arteriosclerotic heart disease, including coronary disease .	T	M	263	-	-	-	-	-	-	-	-	-	-	-
		F	T	173	15	12	13	12	16	18	20	16	12	19	8
		M	F	90	8	8	6	6	2	7	11	11	11	11	6

OUT OF STATE DYING IN MASSACHUSETTS, FROM EACH CAUSE AND CLASS OF CAUSES,
LIST, BY MONTHS AND SEX AND BY AGE AND SEX: 1951.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																	Unknown.
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	
298.0							1											
V.															1			
VI.																		
330			1			1		1	2	4	3	9	9	18	5			
331										1	7	8	13	20	15	2		
332			1								1	6	11	10	2			
334										1	4	6	6	13	8	2	2	
340											1	2	2	5	2			
340.0																		
340.1																		
344										1								
345											1							
350												1						
352														1				
353.3									1									
355						1												
385											1							
391.1														1				
VII.																		
400						3	2	1	2	19	30	59	56	50	29	3		
401.1						1				7	10	14	39	53	28	3		
410							1								1			
413									2	7	3	5	2					
416									1									
420							1	1	2	2	2	1	2	1				
									1	3	21	40	45	41	19	3		
											2	8	26	35	17	2		

OUT OF STATE DYING IN MASSACHUSETTS, FROM EACH CAUSE AND CLASS OF CAUSES,
LIST, BY MONTHS AND SEX AND BY AGE AND SEX: 1951.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																100 and over.	Unknown.
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.		
420.0											3	12	6	13	9	3		
420.1									1	3	18	28	39	28	12	2		
421										1	2	7	21	19	5			
421.1												1	1		1			
421.4												1	2	1				
422								1			1				1			
422.1									1		1	2	3	2	4	1		
422.2								1					1	1	3			
431							1		1		1		2	1	1	1		
432												1			1			
433						1				1								
433.0													1	1				
433.1					1									1				
434					1				1		1	2	1		1			
434.1					1								1	1	2			
434.3											1		1		1			
442									1	1		1		1	2			
443												1	2	1	2			
446										2	1	5	2	3	1			
447										3	1	1						
450											1		1					
450.0													3	1	3			
450.1														3	1			
451															2			
452												3	2		1			

OUT OF STATE DYING IN MASSACHUSETTS, FROM EACH CAUSE AND CLASS OF CAUSES,
LIST, BY MONTHS AND SEX AND BY AGE AND SEX: 1951.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).															100 and over.	Unknown.
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	
460	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
462.1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
464	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-
465	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
466	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-
VIII.	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
490	1	-	-	-	-	-	1	-	1	1	1	1	3	4	2	-	-
491	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-
492	1	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-
493	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
500	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
502.1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
517	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
521	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-
526	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
527	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
527.1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
527.2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
IX.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
539.1	3	1	-	-	-	-	1	1	2	3	5	3	10	5	4	-	-
540	-	-	-	-	-	-	-	-	1	6	1	7	9	4	-	-	-
540.0	-	-	-	-	-	-	-	-	1	1	-	1	2	1	-	-	-
540.1	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-
541	-	-	-	-	-	-	-	-	-	1	2	1	3	-	-	-	-
541.0	-	-	-	-	-	-	-	-	-	1	-	2	2	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-

OUT OF STATE DYING IN MASSACHUSETTS, FROM EACH CAUSE AND CLASS OF CAUSES,
LIST, BY MONTHS AND SEX AND BY AGE AND SEX: 1951.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																	Unknown.
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	
541.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
543	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
550.1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
551	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
560	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
560.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
560.4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
561.0	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
570	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
570.2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-
570.3	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
570.5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
571	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
571.0	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
571.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
572	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
572.1	-	-	-	-	-	-	-	1	-	-	-	-	3	-	-	-	-	-
572.2	-	-	-	-	-	-	-	-	1	-	-	-	3	-	-	-	-	-
576	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
578	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
581	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
581.0	-	-	-	-	-	-	-	-	1	5	1	1	2	1	-	-	-	-
581.1	-	-	-	-	-	-	-	-	1	5	1	1	2	-	-	-	-	-
582	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
584	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-

OUT OF STATE DYING IN MASSACHUSETTS, FROM EACH CAUSE AND CLASS OF CAUSES,
LIST, BY MONTHS AND SEX AND BY AGE AND SEX: 1951.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
585	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
587	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
587.0	-	-	-	-	-	-	1	-	-	-	-	1	1	2	-	-	-	-
587.1	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-
X.	-	-	-	-	-	-	1	1	1	1	4	3	3	1	4	-	-	-
590	-	-	-	1	-	3	1	1	4	2	2	-	1	-	-	-	-	-
591	-	-	-	1	-	1	-	-	1	-	-	-	-	1	-	-	-	-
592	-	-	-	-	-	2	1	-	1	-	1	1	1	3	-	-	-	-
593	-	-	-	-	-	-	1	1	1	2	1	-	-	-	-	-	-	-
594	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
600.0	-	-	-	-	-	-	-	-	2	1	1	1	-	1	-	-	-	-
602	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-
610	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
XI.	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
681	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XII.	1	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
692.1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
701	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
705.5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XIII.	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-
722.0	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
744	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
744.0	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
744.2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
XIV.	8	-	1	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-
12	1	1	1	1	-	1	-	1	1	-	1	1	-	-	-	-	-	-

[illegible]

Detailed Int. List No.	Table 13 CAUSE OF DEATH.	SEX.	DEATHS (EXCLUSIVE OF STILLBIRTHS) OF RESIDENTS ACCORDING TO THE DETAILED INTERNATIONAL											
			Total.	MONTHS.										
				January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.
776	Immaturity, unqualified	T	17	-	-	-	-	-	-	-	-	-	-	-
		M	9	1	1	-	-	5	-	-	-	-	-	-
		F	8	-	3	-	-	1	-	1	-	1	-	1
XVI.	SYMPTOMS, SENILITY AND ILL- DEFINED CONDITIONS	T	10	-	-	-	-	-	-	-	-	-	-	2
		M	4	-	3	-	-	-	-	1	-	-	-	-
		F	6	1	-	-	-	1	1	1	1	1	-	-
780.2	Convulsions	T	1	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	1	-	-	-	-
781	Other symptoms referable to nervous system and special senses	T	2	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	-	-	-	-	-	-
781.7	Other disturbance of sensa- tion	T	1	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	-	-	-	-	-	-
781.8	Encephalopathy	T	1	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-
782.4	Acute heart failure, undefined	T	1	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-
783.1	Hemoptysis	T	2	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-
792	Uremia, unqualified	T	1	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-
794	Senility without mention of psychosis	T	1	-	-	-	-	-	-	-	-	1	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-
795	Ill-defined and unknown causes	T	2	-	-	-	-	-	-	-	-	1	-	-
		M	1	-	-	-	-	-	-	-	1	-	-	-
		F	1	-	-	-	-	1	-	-	-	-	-	-
795.0	Other ill-defined conditions	T	1	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	1	-	-	-	-	-	-
795.5	Other, unknown and unspeci- fied causes	T	1	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	1	-	-	-	-
XVII.	ACCIDENTS, POISONINGS, AND VIOLENCE	T	126	-	-	-	-	-	-	-	-	-	-	-
		M	91	10	2	5	8	2	6	9	12	9	9	6
		F	35	5	3	4	2	3	3	5	4	1	3	13
800- 962	Accidents and poisonings	T	104	-	-	-	-	-	-	-	-	-	-	-
		M	75	8	2	4	7	1	5	8	9	8	6	11
		F	29	4	3	3	2	3	3	3	3	-	3	2
800	Railway accident involving railroad employee	T	1	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-
801	Railway accident involving passenger	T	1	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	1	-	-	-	-	-
810	Motor-vehicle traffic accident involving collision with railway train	T	1	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	1	-	-	-	-	-	-	-
		F	7	-	-	-	-	-	-	-	-	-	-	-
812	Motor-vehicle traffic accident to pedestrian	T	7	-	-	-	-	-	-	-	-	-	-	-
		M	6	1	1	-	-	-	-	-	2	1	1	-
		F	1	-	1	-	-	-	-	-	-	-	-	-
816	Other motor-vehicle traffic accident involving two or more motor vehicles	T	16	-	-	-	-	-	-	-	-	-	-	-
		M	11	1	1	1	2	-	1	2	-	1	-	2
		F	5	-	1	-	-	1	1	1	-	-	1	-
819	Motor-vehicle traffic accident involving collision with fixed or unspecified object	T	8	-	-	-	-	-	-	-	-	-	-	-
		M	7	1	-	-	2	-	-	1	-	1	-	2
		F	1	-	-	1	-	-	-	-	-	-	-	-
821	Motor-vehicle traffic accident to rider of motorcycle not involving collision	T	1	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	1	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-
823	Motor-vehicle traffic accident involving running off high- way	T	8	-	-	-	-	-	-	-	-	-	-	-
		M	5	3	-	-	-	-	-	1	-	-	1	-
		F	3	3	-	-	-	-	-	-	-	-	-	-
824	Other noncollision motor- vehicle traffic accident	T	2	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	1	-
		F	1	-	-	-	-	-	-	-	-	-	-	-
825	Motor-vehicle traffic accident of unspecified nature	T	5	-	-	-	-	-	-	-	-	-	-	1
		M	4	-	-	-	-	1	-	-	2	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-

OUT OF STATE DYING IN MASSACHUSETTS, FROM EACH CAUSE AND CLASS OF CAUSES,
LIST, BY MONTHS AND SEX AND BY AGE AND SEX: 1951.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
776																		
XVI.																		
780.2			1						2		1		1		1			
781			1															
781.7									1				1					
781.8									1									
782.4																		
783.1															1			
792									1									
794														1				
795																1		
795.0											1							
795.5											1							
XVII.																		
800-			2		2		1	7	31	10	17	9	2	7	3			
962			1			1	2	3	4	2	7	4	2	3	5	1		
800			2		2		1	6	24	6	15	8	2	6	3			
			1			1	2	2	4	2	3	3	2	3	5	1		
801													1					
									1									
810																		
									1									
812																		
		1							1		2							
816														1				
							1		4		4	2						
819								1			2	2						
									5	2								
821								1										
									1									
823																		
								1	1		3							
824										1	1	1						
							1											
825								2	1						1		1	

OUT OF STATE DYING IN MASSACHUSETTS, FROM EACH CAUSE AND CLASS OF CAUSES,
 LIST, BY MONTHS AND SEX AND BY AGE AND SEX: 1951.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
972									1	1								
973.1									1	1	1							
974									1									
975										1	1							
976									2	1	1	1						
977																		
978												1		1				
964, 965, 980- 999 981								1	1									

OF MASSACHUSETTS DYING OUT OF STATE, FROM EACH CAUSE AND CLASS OF CAUSES,
LIST, BY MONTHS AND SEX AND BY AGE AND SEX: 1951.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																	Unknown.
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	
I.	16 8 8	2 1 1	1 1		3 3		1 1	21 18 3	54 47 7	30 23 7	54 38 16	117 96 21	143 92 51	126 72 54	69 27 42	7 2 5		
001- 019										1 1	1 1	2 1	1 1	1 1				
001- 008										1 1	1 1	2 1	1 1	1 1				
002										1 1	1 1	2 1	1 1	1 1				
012.0										1 1	1 1	2 1	1 1	1 1				
II.									3 3	3 3	1 4 1	10 6 10	15 7 12	8 6 8	2 3 2			
140- 205					1 1				3 3	3 3	1 4 1	10 6 6	15 7 7	8 6 6	2 3 3			
141												1 1	1 1					
142.1													1 1					
150													1 1					
151											1 1	1 1	2 1					
153										2 2			1 1	3 2	1 1			
154												2 1		1 1				
155													1 1					
157																		
161											1 1	1 1	1 1	1 1				
162												2 2		1 1				
163													2 2					
170												1 1	2 2		1 1			
171																		
174													2 2					
175												1 1						
177												1 1	2 2					
180											1 1		1 1					

OF MASSACHUSETTS DYING OUT OF STATE, FROM EACH CAUSE AND CLASS OF CAUSES,
LIST, BY MONTHS AND SEX AND BY AGE AND SEX: 1951.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
181											1				1			
193									2	1		1	2	1				
199													1	1	1			
199.2															1			
199.7													1					
199.8														1				
200									1	1								
200.1									1									
200.2										1								
201											1							
204											1							
204.0					1							1		1				
204.1					1							1						
231														1				
237													2					
III.									1		2	1	1	2	2	2		
241											1	1	4	2	1			
260											1	1		1				
274									1		1	1	4	2	1			
IV.									1									
290.0														1				
298.1									1					1				
V.																		
305	1	1									1	1						
322											1	1						

Detailed Int. List No.	Table 14 CAUSE OF DEATH.	Sex.	DEATHS (EXCLUSIVE OF STILLBIRTHS) OF RESIDENTS ACCORDING TO THE DETAILED INTERNATIONAL												
			Total.	MONTHS.											
				January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
322.0	Acute	T	2	-	-	-	-	-	-	1	-	-	-	-	-
		M	1	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-
322.1	Chronic	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-
325.4	Mongolism	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-
VI.	DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS	T	60	-	-	-	-	-	-	-	-	-	-	-	-
		M	35	4	6	3	-	2	4	3	4	4	2	-	3
		F	25	-	4	3	2	3	-	4	2	2	2	1	2
330	Subarachnoid hemorrhage	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	1	-	-	-	-	-	-	-
331	Cerebral hemorrhage	T	45	-	-	-	-	-	-	-	-	-	-	-	-
		M	29	4	4	3	-	1	2	3	3	4	2	-	3
		F	16	-	3	1	2	2	-	3	2	1	1	-	1
332	Cerebral embolism and throm- bosis	T	7	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	1	-	-	1	-	-	1	-	-	-	-
		F	4	-	1	1	-	-	-	-	-	1	-	1	-
334	Other and ill-defined vascular lesions affecting central nervous system	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	1	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1
340.3	Meningitis (except meningo- coccal and tuberculous) un- specified	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-
343	Encephalitis, myelitis, and encephalomyelitis (except acute infections)	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-
351	Cerebral spastic infantile paralysis	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-
353.3	Other and unspecified epilepsy	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	1	-	-	-	-	-
357	Other diseases of spinal cord	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-
VII.	DISEASES OF THE CIRCULA- TORY SYSTEM	T	251	-	-	-	-	-	-	-	-	-	-	-	-
		M	163	18	10	15	14	13	17	23	18	7	9	8	11
		F	88	6	3	13	3	5	9	12	13	4	9	4	7
410	Diseases of mitral valve	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	1	-
416	Other rheumatic heart dis- ease	T	7	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	-	1	-	-	1	-	-	1	-	-	1	-
		F	3	1	-	-	-	-	-	-	1	-	-	-	1
420	Arteriosclerotic heart disease, including coronary disease	T	157	-	-	-	-	-	-	-	-	-	-	-	-
		M	113	14	4	13	9	8	13	17	11	4	8	5	7
		F	44	2	2	7	-	1	6	10	5	3	4	2	2
420.0	Arteriosclerotic heart disease	T	36	-	-	-	-	-	-	-	-	-	-	-	-
		M	17	2	-	2	3	-	1	3	1	-	1	3	1
		F	19	1	1	4	-	1	3	4	-	1	2	2	-
420.1	Heart disease involving cor- onary arteries	T	120	-	-	-	-	-	-	-	-	-	-	-	-
		M	95	12	4	11	6	8	11	14	10	4	7	2	6
		F	25	1	1	3	-	-	3	6	5	2	2	-	2
420.2	Angina pectoris without men- tion of coronary disease	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-
421	Chronic endocarditis (non- rheumatic)	T	3	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	1	-	-	-	-	-
		F	2	-	-	-	-	-	1	-	-	-	1	-	-
421.3	Of pulmonary valve, not spe- cified as rheumatic	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-
421.4	Other and ill-defined	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	1	-	-	-	1	-	-
422	Other myocardial degeneration	T	31	-	-	-	-	-	-	-	-	-	-	-	-
		M	17	2	2	1	2	2	1	3	-	-	-	1	3
		F	14	2	1	1	1	-	2	-	5	-	1	-	1
422.1	With arteriosclerosis	T	14	-	-	-	-	-	-	-	-	-	-	-	-
		M	9	2	1	1	-	1	-	2	-	-	-	-	2
		F	5	-	-	1	-	-	-	-	3	-	1	-	-

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).															100 and over.	Unknown.
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.		
322.0												1					
322.1											1						
325.4		1															
VI.	1																
330							1	1		1		3	8	10	4	1	
331										1	3	5	7	8	4	1	
332												3	5	3	4	1	
334											1		2	2	1		
340.3								1						1			
343										1							
351																	
353.3							1										
357														1			
VII.									1	5	14	46	43	39	14	1	
410					1					1	3	4	23	26	28	2	
416									1	1							
420									1	1		1	2	1			
420.0									4	12	33	32	24	8			
420.1									1	1	4	3	6	2			
420.2									3	11	28	29	18	6			
421												1					
421.3												1			2		
421.4																	
422												3	2	6	5	1	
422.1											1	1	1	4	7	1	
										1				4	3	1	

OF MASSACHUSETTS DYING OUT OF STATE, FROM EACH CAUSE AND CLASS OF CAUSES,
LIST, BY MONTHS AND SEX AND BY AGE AND SEX: 1951.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																	100 and over.	Unknown.
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.			
422.2	-	-	-	-	-	-	-	-	-	-	-	2	2	2	2	-	-		
430.0	-	-	-	-	-	-	-	-	-	-	-	1	1	4	3	-	-		
431	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
433.1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-		
434	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-		
434.1	-	-	-	-	-	-	-	-	-	-	-	3	2	2	-	-	-		
434.3	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-		
442	-	-	-	-	-	-	-	-	-	-	-	3	2	1	-	-	-		
443	-	-	-	-	-	-	-	-	-	-	-	2	1	2	1	1	-		
445	-	-	-	-	-	-	-	-	-	1	-	2	2	6	1	-	-		
448	-	-	-	-	-	-	-	-	-	-	-	1	4	-	-	-	-		
450	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-		
450.0	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	-	-		
450.1	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	-	-		
451	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-		
453.1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-		
467.2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
VIII.	1	-	1	-	-	-	-	-	1	1	-	3	3	1	2	-	-		
490	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-		
491	-	-	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-		
500	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-		
502.1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-		
521	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
523.0	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-		
526	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-		

OF MASSACHUSETTS DYING OUT OF STATE, FROM EACH CAUSE AND CLASS OF CAUSES,
LIST, BY MONTHS AND SEX AND BY AGE AND SEX: 1951.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																100 and over.	Unknown.
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.		
527												1	1					
527.0												1						
527.1													1					
IX.	1									2	2	7	7					
537									1		1	1	4	6		1		
540																1		
540.0													2					
540.1													1					
541.0										1	1		1					
550.1										1					1			
560.4	1								1						1			
570												1						
570.2												1		1				
570.4																		
572											1			1				
572.1											1		1	1				
572.2													1					
576											1			1				
578													1					
581												3	3					
581.0												1	1					
581.1												1	2					
584												2	1					
585												1		1				
587.0											1	1		1				

OF MASSACHUSETTS DYING OUT OF STATE, FROM EACH CAUSE AND CLASS OF CAUSES,
LIST, BY MONTHS AND SEX AND BY AGE AND SEX: 1951.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
X.									1			2		4				
591												1		1				
592									1			2		1				
606												1		1				
610														1				
XI.									1		1							
651.0									1									
682									1									
XII.											1							
XIII.																		
XIV.	2																	
752	2				1													
754.4	1				1													
757.1	1																	
XV.	4																	
760.0	4																	
762	1																	
762.0	3																	
762.5	1																	
763.0	2																	
770.5	1																	
776	1																	
XVI.								3	9	3	2	12	7	3	2			
782.4	1								1			1	5	6	2	1		
792												1		2				

Detailed Int. List No.	Table 14 CAUSE OF DEATH.	Sex.	DEATHS (EXCLUSIVE OF STILLBIRTHS) OF RESIDENTS ACCORDING TO THE DETAILED INTERNATIONAL												
			Total.	MONTHS.											
				January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
794	Senility without mention of psychosis	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	1	-	-	-	-
795	Ill-defined and unknown causes	T	54	-	-	-	-	-	-	-	-	-	-	-	-
		M	37	4	7	7	2	5	2	2	1	1	2	1	3
		F	17	2	3	2	1	2	1	1	1	1	1	2	2
795.0	Other ill-defined conditions	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	1	-	-	-	-	1	-	-	-	-
795.5	Other, unknown and unspecified causes	T	52	-	-	-	-	-	-	-	-	-	-	-	-
		M	37	4	7	7	2	5	2	2	1	1	2	1	3
		F	15	2	3	1	1	2	1	1	1	1	1	2	2
XVII.	ACCIDENTS, POISONINGS, AND VIOLENCE	T	100	-	-	-	-	-	-	-	-	-	-	-	-
		M	82	5	8	4	7	7	11	14	3	5	2	13	3
		F	18	2	1	4	3	-	1	1	2	2	-	2	-
800-962	Accidents and poisonings	T	95	-	-	-	-	-	-	-	-	-	-	-	-
		M	77	4	7	4	7	7	10	14	3	5	2	11	3
		F	18	2	1	4	3	-	1	1	2	2	-	2	-
802	Railway accident involving other and unspecified person	T	3	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	2	-
		F	1	-	-	-	-	-	-	-	-	-	-	1	-
812	Motor-vehicle traffic accident to pedestrian	T	5	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	-	2	-	-	-	-	-	1	-	-	-	1
		F	1	-	-	-	-	-	1	-	-	-	-	-	-
816	Other motor-vehicle traffic accident involving two or more motor vehicles	T	5	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	1	1	-	-	-	-	1	-	1	-	-	-
		F	1	-	-	1	-	-	-	-	-	-	-	-	-
819	Motor-vehicle traffic accident involving collision with fixed or unspecified object	T	3	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	1	-	-	-	-	1	-	-	-	1	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
822	Motor-vehicle traffic accident involving overturning on highway	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	1	-	-	-	-	-	-	-	-
823	Motor-vehicle traffic accident involving running off highway	T	3	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	1	-	-	-	-	-
		F	2	1	-	-	-	-	-	-	-	1	-	-	-
825	Motor-vehicle traffic accident of unspecified nature	T	12	-	-	-	-	-	-	-	-	-	-	-	-
		M	9	1	1	1	-	2	-	2	-	-	1	1	-
		F	3	-	-	1	-	-	-	-	2	-	-	-	-
830	Motor-vehicle nontraffic accident to pedestrian	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
850	Drowning of occupant of small boat	T	4	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	1	1	1	-	-	-	-	-
		F	1	-	-	-	1	-	-	-	-	-	-	-	-
852	Falls on stairs and ladders in water transport	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
857	Other specified accidents in water transport	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
860	Accidents to personnel in military aircraft	T	4	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	-	-	1	-	-	1	1	-	-	-	1	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
863	Injury to occupant by accident to other aircraft	T	4	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	-	-	-	-	-	-	3	-	-	-	1	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
866	Other and unspecified aircraft accidents	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	1	-	1	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
888	Accidental poisoning by other and unspecified solid and liquid substances	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	1	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-
890	Accidental poisoning by utility (illuminating) gas	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	1	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
891	Accidental poisoning by motor-vehicle exhaust gas	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
900	Fall on stairs	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	1	-	-	-	-	-	-	-	-
902	Other falls from one level to another	T	3	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	1	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	1	-	-	-

OF MASSACHUSETTS DYING OUT OF STATE, FROM EACH CAUSE AND CLASS OF CAUSES,
LIST, BY MONTHS AND SEX AND BY AGE AND SEX: 1951.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																	100 and over.	Unknown.
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.			
794																			
795								3	8	3	2	11	7	1	2	1			
795.0	1											1	5	6	2				
795.5	1														1				
XVII.								3	8	3	2	11	7	1	2				
800-		1						14	30	9	11	7	6	4	1				
962								3	5	4	4	3		1	1				
802		1						14	29	8	8	7	6	4	1				
								3	5		4	3		1	1				
812										1	1								
									1										
816								1	1		1								
									1			1	1						
819								1	1	1									
822																			
									1		1								
823								1											
								1			1								
825											1								
									4	1	2	1	1						
830									2										
														1					
850								1											
								1	2										
852												1							
857										1									
860									2	2									
863											1	2				1			
866									1			1							
883																			
												1							
890										1									
891											1								
900																			
												1							
902									1										
		1										1							

OF MASSACHUSETTS DYING OUT OF STATE, FROM EACH CAUSE AND CLASS OF CAUSES,
LIST, BY MONTHS AND SEX AND BY AGE AND SEX: 1951.

[illegible]

Abbreviated List No.	Table 15	CAUSE OF DEATH. ¹	DEATHS FROM					
			THE STATE.	Barnstable.	Berkshire.	Bristol.	Dukes.	Essex.
		All Causes. ²	52,940	636	1,522	4,423	84	6,309
(1)		Tuberculosis of the respiratory system (1-8)	840	5	17	74	-	77
(2)		All other forms of tuberculosis (10-19)	55	2	2	6	1	9
(3)		Syphilis (20-29)	86	-	2	9	1	10
(4)		Typhoid fever (40)	2	-	-	-	-	-
(5)		Dysentery, all forms (45-48)	12	1	-	-	-	1
(7)		Scarlet fever and streptococcal sore throat (50, 51)	1	-	-	-	-	-
(8)		Diphtheria (55)	8	-	-	2	-	1
(9)		Whooping cough (56)	3	-	-	-	-	-
(10)		Meningococcal infections (57)	17	-	-	1	-	1
(12)		Acute poliomyelitis (80)	11	-	1	-	-	2
(14)		Measles (85)	5	-	-	-	-	1
(16)		Malaria (110-117)	1	-	-	-	-	-
(17)		Infectious hepatitis (92)	34	-	1	4	-	2
(17)		All other diseases classified as infective and parasitic (residual)	45	-	1	2	-	6
(18)		Malignant neoplasms (140-205)	8,666	105	251	728	14	983
(19)		Benign and unspecified neoplasms (210-239)	146	1	1	8	1	20
(20)		Diabetes mellitus (260)	1,060	9	33	112	1	134
(21)		Anemias (290-293)	114	-	6	6	-	16
(22)		Vascular lesions affecting central nervous system (330-334)	5,660	76	165	466	16	788
(23)		Nonmeningococcal meningitis (340)	45	-	1	3	-	7
(24)		Rheumatic fever (400-402)	16	-	-	5	-	1
(25)		Chronic rheumatic heart disease (410-416)	879	8	25	70	1	95
(26)		Arteriosclerotic heart disease, including coronary disease (420)	15,725	204	368	1,188	23	1,957
(26)		Degenerative heart disease (421, 422)	2,696	29	117	325	3	284
(27)		Other diseases of heart (430-434)	752	6	47	65	-	93
(28)		Hypertension with heart disease (440-443)	2,863	24	84	287	7	329
(29)		Hypertension without mention of heart (444-447)	242	5	8	27	-	36
(30)		Influenza (480-483)	85	5	3	11	-	6
(31)		Pneumonia (490-493)	1,271	12	36	77	2	141
(32)		Bronchitis (500-502)	69	-	-	3	-	9
(33)		Ulcer of stomach and duodenum (540, 541)	394	4	4	32	-	42
(34)		Appendicitis (550-553)	98	-	3	6	-	10
(35)		Intestinal obstruction and hernia (560, 561, 570)	316	3	11	34	-	40
(36)		Gastritis, duodenitis, enteritis, and colitis, except diarrhea of the newborn (543, 571, 572)	186	2	7	26	-	25
(37)		Cirrhosis of the liver (581)	735	11	19	46	-	64
(38)		Nephritis and nephrosis (590-594)	728	6	42	80	-	108
(39)		Hyperplasia of prostate (610)	146	3	-	16	-	14
(40)		Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	35	-	-	6	-	2
(41)		Congenital malformations (750-759)	505	3	15	43	-	59
(42)		Birth injuries, postnatal asphyxia and atelectasis (760-762)	652	10	16	45	1	54
(43)		Infections of the newborn (763-768)	57	2	6	7	-	4
(44)		Other diseases, peculiar to early infancy, and immaturity unqualified (769-776)	717	7	19	60	1	67
(45)		Senility without mention of psychosis, ill-defined and unknown causes (780-795)	294	2	7	30	1	30
(46)		Arteriosclerosis (450)	1,325	13	48	102	8	205
(46)		All other diseases (residual)	2,276	35	66	191	2	249
(47)		Motor-vehicle accidents (810-835)	561	2	17	41	-	46
(48)		Railroad accidents and injuries (800-802)	29	1	-	1	-	1
(48)		Air-transport accidents (860-866)	19	4	-	2	-	3
(48)		Burns (fire, explosion, scalds, conflagration, etc.) (transport accidents excepted) (915-917)	130	3	4	11	-	12
(48)		Accidental drowning (850, 851, 929)	193	5	7	16	-	18
(48)		Accidental falls (transport accidents excepted) (900-904)	1,242	11	34	97	-	153
(48)		All other accidents	379	7	12	26	1	45
(49)		Suicide and self-inflicted injury (963, 970-979)	464	9	16	24	-	48
(50)		Homicide and operations of war (964, 965, 980-999)	50	1	-	2	-	1

¹The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1951.

Abbreviated List No.	Franklin.	Hampden.	Hampshire.	Middlesex.	Nantucket.	Norfolk.	Plymouth.	Suffolk.	Worcester.
(1)	646	3,890	871	11,467	50	4,021	2,325	10,953	5,743
(2)	4	47	19	131	—	51	27	320	68
(3)	—	3	2	8	—	2	1	17	2
(4)	—	11	3	14	2	5	4	17	8
(6)	—	—	—	1	—	1	—	—	—
(7)	—	—	—	7	—	—	1	2	—
(8)	—	1	—	—	—	—	—	—	—
(9)	—	—	—	—	—	—	—	4	1
(10)	—	2	—	5	—	—	—	2	1
(12)	—	—	—	6	—	—	—	6	2
(14)	—	—	—	1	—	—	—	—	2
(16)	—	—	—	1	—	1	—	1	1
(17)	1	1	—	9	—	1	—	—	—
(17)	1	3	1	7	—	7	1	11	5
(18)	96	666	126	1,902	4	696	399	1,785	911
(19)	1	12	3	25	—	16	3	31	24
(20)	14	43	18	205	1	89	40	264	97
(21)	—	9	2	22	—	5	4	35	9
(22)	72	379	84	1,393	6	437	264	949	565
(23)	—	4	—	4	—	6	4	12	4
(24)	—	—	—	6	—	1	—	3	—
(25)	5	69	10	224	2	70	28	205	67
(26)	182	1,160	236	3,310	15	1,204	702	3,298	1,878
(26)	36	250	61	553	3	203	108	407	317
(27)	14	40	17	163	—	58	27	149	73
(28)	27	239	67	583	4	214	128	572	298
(29)	5	20	3	45	—	15	11	43	24
(30)	1	2	2	25	—	4	4	8	14
(31)	15	86	28	277	3	88	80	286	140
(32)	1	3	2	14	—	8	2	23	4
(33)	6	15	4	97	—	23	17	102	48
(34)	2	8	—	20	—	9	3	26	11
(35)	7	23	2	67	—	19	13	65	32
(36)	4	14	4	42	—	13	9	18	22
(37)	5	55	11	166	—	30	31	212	85
(38)	14	54	12	173	—	37	33	107	62
(39)	—	7	3	30	—	9	10	40	14
(40)	1	—	—	9	—	5	2	7	3
(41)	6	41	13	109	—	45	19	92	60
(42)	11	55	11	156	—	55	19	155	64
(43)	1	5	1	13	—	2	2	11	3
(44)	13	62	14	155	—	63	21	139	96
(45)	5	48	9	42	1	16	7	71	25
(46)	24	87	18	296	1	106	56	233	128
(46)	23	163	27	446	1	158	107	569	239
(47)	10	40	8	136	—	54	25	111	71
(48)	3	3	—	6	—	2	2	8	5
(48)	—	—	—	6	—	—	1	—	—
(48)	3	10	6	15	—	6	6	43	11
(48)	2	9	5	50	1	19	10	36	15
(48)	12	76	22	314	2	83	46	247	145
(48)	8	20	9	79	2	34	24	82	30
(49)	11	40	8	86	2	47	21	102	50
(50)	—	5	—	13	—	4	3	17	4

* Not elsewhere specified.

Abbreviated List No.	Table 15	CAUSE OF DEATH. ¹	DEATHS FROM									
			THE STATE.	Abington.	Acton.	Acushnet.	Adams.	Agawam.	Alford.	Amesbury.	Amherst.	Andover.
		All Causes. ²	52,940	93	47	48	128	88	4	142	83	147
(1)		Tuberculosis of the respiratory system (1-8)	840	1	-	1	1	-	-	-	-	1
(2)		All other forms of tuberculosis (10-19)	55	-	-	-	-	-	-	-	-	-
(3)		Syphilis (20-29)	86	-	-	1	1	-	-	-	-	-
(4)		Typhoid fever (40)	2	-	-	-	-	-	-	-	-	-
(6)		Dysentery, all forms (45-48)	12	-	-	-	-	-	-	-	-	-
(7)		Scarlet fever and streptococcal sore throat (50, 51)	1	-	-	-	-	-	-	-	-	-
(8)		Diphtheria (55)	8	-	-	-	-	-	-	-	-	-
(9)		Whooping cough (56)	3	-	-	-	-	-	-	-	-	-
(10)		Meningococcal infections (57)	17	-	-	-	-	-	-	-	-	-
(12)		Acute poliomyelitis (80)	11	-	-	-	-	-	-	-	-	-
(14)		Measles (85)	5	-	-	-	-	-	-	-	-	-
(16)		Malaria (110-117)	1	-	-	-	-	-	-	-	-	-
(17)		Infectious hepatitis (92)	34	-	-	-	-	-	-	-	-	-
(17)		All other diseases classified as infective and parasitic (residual)	45	-	-	-	-	-	-	-	-	-
(18)		Malignant neoplasms (140-205)	8,666	16	12	8	22	17	1	19	10	27
(19)		Benign and unspecified neoplasms (210-239)	146	-	-	-	-	1	-	-	-	-
(20)		Diabetes mellitus (260)	1,060	2	-	-	6	3	-	7	1	1
(21)		Anemias (290-293)	114	-	-	-	1	2	-	-	-	-
(22)		Vascular lesions affecting central nervous system (330-334)	5,660	8	3	6	10	11	-	21	13	16
(23)		Nonmeningococcal meningitis (340)	45	-	-	-	-	-	-	-	-	1
(24)		Rheumatic fever (400-402)	16	-	-	-	-	-	-	-	-	-
(25)		Chronic rheumatic heart disease (410-416)	879	1	-	1	1	1	1	5	1	2
(26)		Arteriosclerotic heart disease, including coronary disease (420)	15,725	30	12	17	40	21	1	38	33	58
(26)		Degenerative heart disease (421, 422)	2,696	4	2	1	8	4	-	4	1	1
(27)		Other diseases of heart (430-434)	752	-	-	3	1	-	-	4	-	1
(28)		Hypertension with heart disease (440-443)	2,863	6	3	1	3	4	-	7	4	7
(29)		Hypertension without mention of heart (444-447)	242	-	1	-	2	-	-	-	-	-
(30)		Influenza (480-483)	85	-	-	-	-	-	-	1	-	-
(31)		Pneumonia (490-493)	1,271	5	-	1	3	3	-	2	3	3
(32)		Bronchitis (500-502)	69	-	-	-	-	-	-	-	-	-
(33)		Ulcer of stomach and duodenum (540, 541)	394	1	-	-	1	1	-	1	-	1
(34)		Appendicitis (550-553)	98	-	-	-	-	-	-	-	-	-
(35)		Intestinal obstruction and hernia (560, 561, 570)	316	-	-	1	-	-	-	3	1	2
(36)		Gastritis, duodenitis, enteritis, and colitis, except diarrhea of the newborn (543, 571, 572)	186	1	-	-	1	-	-	-	1	-
(37)		Cirrhosis of the liver (581)	735	-	2	-	1	-	-	-	-	-
(38)		Nephritis and nephrosis (590-594)	728	1	1	2	4	1	-	6	4	2
(39)		Hyperplasia of prostate (610)	146	-	-	-	-	-	-	-	-	1
(40)		Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	35	-	-	-	-	-	-	-	-	-
(41)		Congenital malformations (750-759)	505	1	-	-	3	-	-	-	1	-
(42)		Birth injuries, postnatal asphyxia and atelectasis (760-762)	652	2	1	-	1	1	-	1	2	1
(43)		Infections of the newborn (763-768)	57	-	-	-	1	1	-	-	-	-
(44)		Other diseases, peculiar to early infancy, and immaturity unqualified (769-776)	717	-	-	-	2	2	-	3	3	1
(45)		Senility without mention of psychosis, ill-defined and unknown causes (780-795)	294	1	-	1	1	1	-	-	-	-
(46)		Arteriosclerosis (450)	1,325	1	1	-	5	5	-	6	-	7
(46)		All other diseases (residual)	2,276	6	2	3	2	7	-	4	2	6
(47)		Motor-vehicle accidents (810-835)	561	-	1	1	-	1	-	2	-	-
(48)		Railroad accidents and injuries (800-802)	29	-	-	-	-	-	-	-	-	-
(48)		Air-transport accidents (860-866)	19	-	-	-	-	-	-	-	-	-
(48)		Burns (fire, explosion, scalds, conflagration, etc.) (transport accidents excepted) (915-917)	130	-	-	-	-	-	-	1	-	-
(48)		Accidental drowning (850, 851, 929)	193	1	-	-	-	-	-	-	-	1
(48)		Accidental falls (transport accidents excepted) (900-904)	1,242	2	1	-	1	-	-	5	1	1
(48)		All other accidents	379	2	-	-	4	-	-	1	1	3
(49)		Suicide and self-inflicted injury (963, 970-979)	464	1	4	-	2	-	1	1	1	3
(50)		Homicide and operations of war (964, 965, 980-999)	50	-	1	-	-	-	-	-	-	-

¹ The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1951.

Abbreviated List No.	Arlington.	Ashburnham.	Ashby.	Ashfield.	Ashland.	Athol.	ATTLEBORO.	Auburn.	Avon.	Ayer.	Barnstable.	Barre.	Becket.	Bedford.	Belchertown.	Bellingham.	Belmont.	Berkeley.	Berlin.
(1)	499	34	12	29	41	124	265	64	27	44	142	33	8	36	33	35	296	13	16
(2)	4	-	-	-	-	1	3	-	-	-	1	-	-	1	1	-	3	-	1
(3)	2	-	-	-	-	1	2	-	-	-	1	-	-	-	-	1	-	-	-
(4)	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
(6)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(7)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(8)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(9)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(10)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(18)	87	6	3	2	5	23	40	17	4	8	22	7	-	7	3	4	50	2	4
(19)	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-
(20)	9	1	1	-	1	2	5	-	1	-	2	1	-	-	1	2	4	1	-
(21)	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-
(22)	61	3	2	7	8	5	28	5	2	7	14	5	-	2	4	4	48	1	2
(23)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
(24)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(25)	12	3	-	-	1	1	4	1	1	-	2	-	-	-	-	-	8	-	-
(26)	150	11	4	10	14	34	73	20	12	10	47	13	5	16	9	11	79	1	7
(26)	26	2	-	2	1	10	20	2	2	-	4	-	1	1	3	4	13	1	-
(27)	5	-	-	-	1	4	3	-	-	-	1	2	2	-	1	-	-	-	-
(28)	30	2	1	1	2	9	11	1	-	2	3	2	-	3	4	4	24	2	1
(29)	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
(30)	1	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	1	-	-
(31)	8	-	1	1	1	1	2	1	1	1	3	-	-	-	-	1	5	-	-
(32)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(33)	2	-	-	-	1	3	4	-	-	1	2	-	-	-	-	1	6	-	-
(34)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
(35)	1	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-	-
(36)	4	-	-	1	-	2	2	-	-	-	2	-	-	-	-	-	-	-	-
(37)	5	-	-	-	1	6	5	-	-	1	3	-	-	-	-	-	4	1	-
(38)	5	1	-	-	-	5	3	3	-	-	1	-	-	1	-	-	4	2	-
(39)	3	-	-	-	-	1	3	-	-	-	2	-	-	-	-	-	-	-	-
(40)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(41)	2	-	-	-	-	-	8	-	1	-	-	-	-	-	-	-	2	-	-
(42)	8	1	-	-	-	-	4	2	1	2	3	-	-	-	1	-	2	1	-
(43)	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
(44)	6	-	-	-	2	1	4	2	-	1	2	-	-	2	-	-	4	-	-
(45)	2	-	-	-	-	-	3	-	-	-	-	1	-	-	1	-	2	-	-
(46)	18	-	-	-	-	2	4	-	1	3	6	-	-	-	1	1	9	1	-
(46)	14	-	-	1	1	4	17	3	-	-	2	9	-	-	2	-	7	-	-
(47)	4	3	-	-	1	1	5	-	-	1	-	-	-	-	1	-	3	-	-
(48)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(48)	1	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-
(48)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(48)	19	-	-	2	1	5	5	1	1	1	5	-	-	1	1	-	7	-	-
(48)	2	-	-	2	-	-	1	-	-	-	2	-	-	-	-	-	-	-	1
(49)	-	-	-	-	1	1	-	1	-	-	1	-	-	1	-	1	5	-	-
(50)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Exclusive of stillbirths.

Abbreviated List No.	Table 15	CAUSE OF DEATH. ¹	DEATHS FROM									
			Bernardston.	Beverly.	BillERICA.	Blackstone.	Blandford.	Bolton.	Boston.	Bourne.	Boxborough.	Boxford.
		All Causes. ²	13	353	123	39	12	12	9,914	47	3	12
(1)		Tuberculosis of the respiratory system (1-8)	-	4	2	-	-	-	304	2	-	-
(2)		All other forms of tuberculosis (10-19)	-	2	-	-	1	-	17	1	-	-
(3)		Syphilis (20-29)	-	-	-	-	-	-	15	-	-	-
(4)		Typhoid fever (40)	-	-	-	-	-	-	-	-	-	-
(6)		Dysentery, all forms (45-48)	-	1	-	-	-	-	2	-	-	-
(7)		Scarlet fever and streptococcal sore throat (50, 51)	-	-	-	-	-	-	-	-	-	-
(8)		Diphtheria (55)	-	-	-	-	-	-	4	-	-	-
(9)		Whooping cough (56)	-	-	-	-	-	-	2	-	-	-
(10)		Meningococcal infections (57)	-	1	1	-	-	-	5	-	-	-
(12)		Acute poliomyelitis (80)	-	-	1	-	-	-	1	-	-	-
(14)		Measles (85)	-	-	-	-	-	-	-	-	-	-
(16)		Malaria (110-117)	-	-	-	-	-	-	-	-	-	-
(17)		Infectious hepatitis (92)	-	-	-	-	-	-	10	-	-	-
(17)		All other diseases classified as infective and parasitic (residual)	-	1	-	-	-	1	11	-	-	-
(18)		Malignant neoplasms (140-205)	2	61	18	6	1	1	1,613	6	-	1
(19)		Benign and unspecified neoplasms (210-239)	-	1	-	-	-	-	29	-	-	-
(20)		Diabetes mellitus (260)	-	6	-	1	1	1	242	-	-	-
(21)		Anemias (290-293)	-	-	1	-	-	-	31	-	-	-
(22)		Vascular lesions affecting central nervous system (330-334)	2	44	15	2	-	1	830	6	1	-
(23)		Nonmeningococcal meningitis (340)	-	-	-	-	-	-	12	-	-	3
(24)		Rheumatic fever (400-402)	-	-	-	-	-	-	2	-	-	-
(25)		Chronic rheumatic heart disease (410-416)	-	3	1	-	-	-	184	-	-	-
(26)		Arteriosclerotic heart disease, including coronary disease (420)	4	113	33	11	5	2	2,971	12	1	4
(26)		Degenerative heart disease (421, 422)	-	13	3	5	-	1	360	2	-	1
(27)		Other diseases of heart (430-434)	1	7	-	1	-	-	133	-	-	1
(28)		Hypertension with heart disease (440-443)	-	17	13	-	1	1	514	1	1	-
(29)		Hypertension without mention of heart (444-447)	-	2	3	-	-	-	34	1	-	-
(30)		Influenza (480-483)	-	-	-	-	-	-	5	-	-	-
(31)		Pneumonia (490-493)	-	7	1	1	1	-	269	1	-	-
(32)		Bronchitis (500-502)	-	1	1	-	-	-	21	-	-	-
(33)		Ulcer of stomach and duodenum (540, 541)	-	1	3	-	-	-	91	-	-	-
(34)		Appendicitis (550-553)	-	-	-	-	-	-	22	-	-	-
(35)		Intestinal obstruction and hernia (560, 561, 570)	2	1	-	-	1	-	63	-	-	-
(36)		Gastritis, duodenitis, enteritis, and colitis, except diarrhea of the newborn (543, 571, 572)	-	1	-	1	-	-	17	-	-	-
(37)		Cirrhosis of the liver (581)	-	2	3	1	-	-	187	2	-	-
(38)		Nephritis and nephrosis (590-594)	-	3	2	1	-	1	94	2	-	-
(39)		Hyperplasia of prostate (610)	-	-	1	1	-	-	37	-	-	-
(40)		Complications of pregnancy, childbirth, and the puerperium (640-652, 670-689)	-	-	-	1	-	-	6	-	-	-
(41)		Congenital malformations (750-759)	-	5	1	2	-	-	85	1	-	-
(42)		Birth injuries, postnatal asphyxia and atelectasis (760-762)	1	5	4	-	-	-	142	1	-	-
(43)		Infections of the newborn (763-768)	-	-	-	-	-	-	9	1	-	-
(44)		Other diseases, peculiar to early infancy, and immaturity unqualified (769-776)	-	2	1	-	-	-	132	-	-	-
(45)		Senility without mention of psychosis, ill-defined and unknown causes (780-795)	-	3	2	-	-	-	68	-	-	-
(46)		Arteriosclerosis (450)	-	13	2	1	-	-	218	1	-	-
(46)		All other diseases (residual)	-	18	3	3	-	-	534	3	-	1
(47)		Motor-vehicle accidents (810-835)	-	2	3	-	-	-	101	1	-	-
(48)		Railroad accidents and injuries (800-802)	-	-	-	-	-	-	8	-	-	-
(48)		Air-transport accidents (860-866)	-	-	-	-	-	-	-	2	-	-
(48)		Burns (fire, explosion, scalds, conflagration, etc.) (transport accidents excepted) (915-917)	-	1	-	-	-	-	38	-	-	-
(48)		Accidental drowning (850, 851, 929)	-	1	-	1	-	1	31	-	-	-
(48)		Accidental falls (transport accidents excepted) (900-904)	1	7	4	-	1	1	232	-	-	1
(48)		All other accidents	-	2	1	-	-	-	71	-	-	-
(49)		Suicide and self-inflicted injury (963, 970-979)	-	2	-	-	-	1	93	1	-	-
(50)		Homicide and operations of war (964, 965, 930-999)	-	-	-	-	-	-	14	-	-	-

¹ The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1951.

Abbreviated List No.	Boylston.	Braintree.	Brewster.	Bridgewater.	Brimfield.	BROCKTON.	Brookfield.	Brookline.	Buckland.	Burlington.	CAMBRIDGE.	Canton.	Carlisle.	Carver.	Charlemont.	Charlton.	Chatham.	Chelmsford.	CHELSEA.
(1)	8	208	12	84	14	819	13	733	19	25	1,314	81	15	18	18	35	34	161	427
(2)		3		2		9		14			28	1						1	6
(3)						1		1			2								2
(4)						1													
(6)																			
(7)																			
(8)																			
(9)																			
(10)																			
(12)																			
(14)											1								
(16)																			
(17)								1			2								
(17)								1			1								
(18)	1	23	2	12	2	134	2	124	6	3	207	16	3	3	4	3	8	11	69
(19)		3						3			4	1							1
(20)			1	1		12		17	1	2	28	1			1			1	10
(21)		3				2					4								1
(22)		23	3	8	1	101		80	1	2	175	14	1	2		2	6	17	51
(23)		2				2					2								
(24)																			1
(25)		2				6		19		1	26			1			4		8
(26)	4	64	5	23	3	265	1	260	7	5	373	12	3	6	4	13	11	28	135
(26)		13		3		37	2	26	1	2	36	11	1	1	3	4	2	3	15
(27)		3		2	1	12		14			12						1	1	3
(28)	2	7	1	8		39	1	35		3	59	3		2		4	1	7	32
(29)		3				3		4							1	1		1	5
(30)						3		1			3								2
(31)		7		2	1	37		8		1	48	5				1		4	8
(32)						1		2			3								1
(33)		2				8		4			11		2	1				2	5
(34)						1		2			4		1						1
(35)				2		3	1	6			8				1			1	
(36)		2		1	1	1		2			3							1	
(37)		3		1		9	1	4			22							2	16
(38)		4		2		16		3		1	14	4			1			4	7
(39)						3	1	1			5								1
(40)		2				1			1										1
(41)	1	4				2		4	1	1	14	2							3
(42)		5		1		4	1	8		1	11	1			1	1	1	2	5
(43)		1									2								
(44)		3				11	2	6			17							1	3
(45)		2		1	1	1					6				1			2	
(46)		4		7	1	23		20	1	2	36		1		1	1			8
(46)		4		4		32		25			52	5	1	1			3	5	10
(47)		3		2		7		6			11	2				1		1	3
(48)		1																	
(48)						1				1									
(48)		1		1		1					5			1					2
(48)		1				1		1			3								2
(48)		3			1	17		16			55	3	1			3		2	4
(48)		2		1	1	4		6			11								4
(49)		4				8	1	9			8		1				2		1
(50)		1									1								1

² Exclusive of stillbirths.

Abbreviated List No.	Table 15	DEATHS FROM									
		CAUSE OF DEATH. ¹									
		Cheshire.	Chester.	Chesterfield.	CHICOPPEE.	Chilmark.	Clarksburg.	Clinton.	Cohasset.	Colrain.	Concord.
	All Causes. ²	14	13	7	397	2	11	142	48	15	88
(1)	Tuberculosis of the respiratory system (1-8)	-	-	-	3	-	-	1	-	-	1
(2)	All other forms of tuberculosis (10-19)	-	-	-	1	-	-	-	-	-	-
(3)	Syphilis (20-29)	-	-	-	-	-	-	-	-	-	-
(4)	Typhoid fever (40)	-	-	-	-	-	-	-	-	-	-
(6)	Dysentery, all forms (45-48)	-	-	-	-	-	-	-	-	-	-
(7)	Scarlet fever and streptococcal sore throat (50, 51)	-	-	-	-	-	-	-	-	-	-
(8)	Diphtheria (55)	-	-	-	-	-	-	1	-	-	-
(9)	Whooping cough (56)	-	-	-	-	-	-	-	-	-	-
(10)	Meningococcal infections (57)	-	-	-	-	-	-	-	-	-	1
(12)	Acute poliomyelitis (80)	-	-	-	-	-	-	-	-	-	-
(14)	Measles (85)	-	-	-	-	-	-	-	-	-	-
(16)	Malaria (110-117)	-	-	-	-	-	-	-	-	-	-
(17)	Infectious hepatitis (92)	-	-	-	-	-	-	-	-	-	-
(17)	All other diseases classified as infective and parasitic (residual)	-	-	-	-	-	-	-	-	-	-
(18)	Malignant neoplasms (140-205)	2	1	3	77	-	3	17	9	2	13
(19)	Benign and unspecified neoplasms (210-239)	-	-	-	1	-	-	-	-	-	-
(20)	Diabetes mellitus (260)	1	-	-	5	-	-	3	-	2	1
(21)	Anemias (290-293)	-	-	-	-	-	-	1	-	-	-
(22)	Vascular lesions affecting central nervous system (330-334)	2	1	1	30	1	-	13	11	-	7
(23)	Nonmeningococcal meningitis (340)	-	-	-	2	-	-	1	-	-	-
(24)	Rheumatic fever (400-402)	-	-	-	-	-	-	-	-	-	-
(25)	Chronic rheumatic heart disease (410-416)	-	-	1	4	-	-	-	-	-	2
(26)	Arteriosclerotic heart disease, including coronary disease (420)	2	4	-	128	1	1	58	16	6	21
(26)	Degenerative heart disease (421, 422)	1	2	-	15	-	4	7	3	-	5
(27)	Other diseases of heart (430-434)	-	-	1	5	-	-	2	-	1	1
(28)	Hypertension with heart disease (440-443)	2	-	1	31	-	-	4	-	2	4
(29)	Hypertension without mention of heart (444-447)	-	2	-	-	-	-	1	-	-	1
(30)	Influenza (480-483)	-	-	-	-	-	-	-	-	-	-
(31)	Pneumonia (490-493)	1	-	-	7	-	-	5	1	-	9
(32)	Bronchitis (500-502)	-	-	-	-	-	-	-	-	-	-
(33)	Ulcer of stomach and duodenum (540, 541)	-	-	-	2	-	-	-	-	-	-
(34)	Appendicitis (550-553)	-	-	-	-	-	-	-	-	-	-
(35)	Intestinal obstruction and hernia (560, 561, 570)	-	1	-	3	-	-	-	-	-	-
(36)	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of the newborn (543, 571, 572)	-	-	-	2	-	-	1	-	-	-
(37)	Cirrhosis of the liver (581)	-	-	-	8	-	-	1	2	-	-
(38)	Nephritis and nephrosis (590-594)	-	-	-	5	-	1	-	-	-	1
(39)	Hyperplasia of prostate (610)	-	1	-	-	-	-	-	-	-	-
(40)	Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	-	-	-	-	-	-	-
(41)	Congenital malformations (750-759)	-	-	-	3	-	-	-	-	-	-
(42)	Birth injuries, postnatal asphyxia and atelectasis (760-762)	-	1	-	6	-	-	3	-	-	-
(43)	Infections of the newborn (763-768)	1	-	-	-	-	-	-	-	-	-
(44)	Other diseases, peculiar to early infancy, and immaturity unqualified (769-776)	-	-	-	11	-	-	3	-	-	-
(45)	Senility without mention of psychosis, ill-defined and unknown causes (780-795)	-	-	-	3	-	-	-	-	-	-
(46)	Arteriosclerosis (450)	1	-	-	9	-	-	6	-	-	5
(46)	All other diseases (residual)	-	-	-	16	-	-	7	2	1	10
(47)	Motor-vehicle accidents (810-835)	-	-	-	3	-	-	3	1	-	-
(48)	Railroad accidents and injuries (800-802)	-	-	-	-	-	-	-	-	-	-
(48)	Air-transport accidents (860-866)	-	-	-	-	-	-	-	-	-	-
(48)	Burns (fire, explosion, scalds, conflagration, etc.) (transport accidents excepted) (915-917)	-	-	-	3	-	-	1	-	-	-
(48)	Accidental drowning (850, 851, 929)	1	-	-	1	-	-	-	-	-	2
(48)	Accidental falls (transport accidents excepted) (900-904)	-	-	-	3	-	-	3	-	1	1
(48)	All other accidents	-	-	-	3	-	2	-	1	-	1
(49)	Suicide and self-inflicted injury (963, 970-979)	-	-	-	5	-	-	-	2	-	2
(50)	Homicide and operations of war (964, 965, 980-999)	-	-	-	2	-	-	-	-	-	-

¹ The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1951.

Abbreviated List No.	Conway.	Cumington.	Dalton.	Danvers.	Dartmouth.	Dedham.	Deerfield.	Dennis.	Dighton.	Douglas.	Dover.	Dracut.	Dudley.	Dunstable.	Duxbury.	East Bridgewater.	East Brookfield.	East Longmeadow.	Eastham.
(1)	6	4	58	151	114	191	38	43	27	17	19	78	33	3	40	47	18	50	15
(2)	-	-	-	3	-	2	-	1	1	-	-	-	-	-	1	-	-	-	-
(3)	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
(4)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(6)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(7)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(8)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(9)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(10)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(17)	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
(18)	1	1	11	-	18	36	6	8	5	-	4	20	5	1	5	11	3	11	1
(19)	-	-	-	17	-	-	2	-	-	-	-	-	-	-	-	-	-	1	-
(20)	-	-	-	-	4	-	-	-	2	-	-	-	1	1	2	1	1	1	-
(21)	-	-	-	3	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-
(22)	-	-	7	17	8	15	2	7	3	3	2	6	1	-	2	8	2	7	4
(23)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(24)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(25)	-	-	-	-	1	-	-	-	-	-	1	1	2	-	-	1	-	3	1
(26)	1	-	11	61	36	60	12	13	6	5	6	13	12	-	12	13	4	14	3
(26)	1	-	4	12	7	10	5	1	-	-	-	6	1	-	1	3	-	3	-
(27)	-	-	2	3	3	3	-	-	4	-	-	1	3	-	-	-	2	-	1
(28)	1	-	6	2	8	9	1	3	3	-	2	4	3	-	-	2	1	4	-
(29)	-	-	-	-	1	1	-	-	-	-	-	2	-	-	2	-	-	-	-
(30)	-	-	1	-	1	1	-	1	-	-	-	1	1	-	2	-	-	-	-
(31)	1	2	2	6	1	10	-	1	-	-	1	2	-	1	3	1	-	-	-
(32)	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(33)	-	-	-	1	2	2	-	-	-	-	-	2	-	-	1	-	-	-	-
(34)	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
(35)	-	-	1	2	1	-	2	-	1	-	-	-	-	-	1	-	-	-	-
(36)	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(37)	-	-	-	-	1	2	-	1	-	-	-	1	1	-	1	-	1	-	-
(38)	-	-	4	3	1	3	1	-	1	-	1	1	-	-	1	-	-	-	-
(39)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(40)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(41)	-	-	1	-	2	3	-	-	-	1	-	-	-	-	-	-	-	-	2
(42)	-	-	-	2	1	1	-	-	-	-	-	-	1	-	-	1	-	-	-
(43)	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
(44)	-	-	1	1	1	2	-	-	-	-	-	4	-	-	-	-	1	2	1
(45)	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	1	1	-
(46)	-	-	1	5	2	4	-	2	1	2	-	4	-	-	1	3	1	1	-
(46)	-	-	3	4	5	7	2	2	2	1	1	2	3	-	3	1	1	2	-
(47)	-	-	-	3	-	5	-	-	-	-	-	-	-	-	1	-	-	-	-
(48)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(48)	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-
(48)	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
(48)	-	-	1	2	2	2	-	-	-	-	-	1	1	-	-	-	-	-	2
(48)	1	-	1	3	2	1	-	-	-	1	-	1	1	-	1	-	1	-	-
(48)	-	-	-	3	3	2	-	1	-	-	1	2	-	-	2	-	-	-	-
(49)	-	-	-	-	2	3	-	-	-	1	-	-	-	-	-	-	-	-	-
(50)	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-

¹ Exclusive of stillbirths.

Abbreviated List No.	Table 15	CAUSE OF DEATH. ¹	DEATHS FROM									
			Easthampton.	Easton.	Edgartown.	Egremont.	Erving.	Essex.	EVERETT.	Fairhaven.	FALL RIVER.	Falmouth.
		All Causes. ²	95	74	23	6	6	21	454	150	1,299	89
(1)		Tuberculosis of the respiratory system (1-8)	1	1	-	-	-	-	4	-	24	-
(2)		All other forms of tuberculosis (10-19)	-	-	1	-	-	-	1	-	2	-
(3)		Syphilis (20-29)	-	-	-	-	-	-	3	-	1	-
(4)		Typhoid fever (40)	-	-	-	-	-	-	-	-	-	-
(6)		Dysentery, all forms (45-48)	-	-	-	-	-	-	-	-	-	-
(7)		Scarlet fever and streptococcal sore throat (50, 51)	-	-	-	-	-	-	-	-	-	-
(8)		Diphtheria (55)	-	-	-	-	-	-	-	-	-	-
(9)		Whooping cough (56)	-	-	-	-	-	-	-	-	-	-
(10)		Meningococcal infections (57)	-	-	-	-	-	-	-	-	-	-
(12)		Acute poliomyelitis (80)	-	-	-	-	-	-	-	-	-	-
(14)		Measles (85)	-	-	-	-	-	-	-	-	-	-
(16)		Malaria (110-117)	-	-	-	-	-	-	-	-	-	-
(17)		Infectious hepatitis (92)	-	-	-	-	-	-	2	-	1	-
(17)		All other diseases classified as infective and parasitic (residual)	1	-	-	-	-	-	1	-	1	-
(18)		Malignant neoplasms (140-205)	16	11	7	-	-	1	87	16	22	13
(19)		Benign and unspecified neoplasms (210-239)	2	-	-	-	-	-	-	2	2	1
(20)		Diabetes mellitus (260)	-	1	-	-	-	-	9	1	39	-
(21)		Anemias (290-293)	2	-	-	-	-	-	2	1	3	-
(22)		Vascular lesions affecting central nervous system (330-334)	7	7	1	-	1	1	45	26	146	5
(23)		Nonmeningococcal meningitis (340)	-	-	-	1	-	-	-	-	1	-
(24)		Rheumatic fever (400-402)	-	1	-	-	-	-	-	-	3	-
(25)		Chronic rheumatic heart disease (410-416)	2	-	-	-	-	-	12	5	24	1
(26)		Arteriosclerotic heart disease, including coronary disease (420)	28	28	5	3	1	6	132	40	283	30
(26)		Degenerative heart disease (421, 422)	5	3	1	-	1	2	19	5	151	2
(27)		Other diseases of heart (430-434)	3	5	-	-	-	-	9	4	18	2
(28)		Hypertension with heart disease (440-443)	3	3	-	-	1	4	17	6	76	8
(29)		Hypertension without mention of heart (444-447)	1	-	-	-	-	-	2	5	5	1
(30)		Influenza (480-483)	1	-	-	-	-	-	1	-	7	-
(31)		Pneumonia (490-493)	4	4	2	-	-	-	14	4	15	4
(32)		Bronchitis (500-502)	-	-	-	-	-	-	-	-	-	-
(33)		Ulcer of stomach and duodenum (540, 541)	-	-	-	-	-	-	6	-	12	1
(34)		Appendicitis (550-553)	-	-	-	-	-	-	1	-	3	-
(35)		Intestinal obstruction and hernia (560, 561, 570)	1	1	-	-	-	-	3	-	9	-
(36)		Gastritis, duodenitis, enteritis, and colitis, except diarrhea of the newborn (543, 571, 572)	1	-	-	-	-	-	3	-	10	-
(37)		Cirrhosis of the liver (581)	2	-	-	-	1	-	7	-	14	-
(38)		Nephritis and nephrosis (590-594)	1	1	-	-	-	-	9	1	32	1
(39)		Hyperplasia of prostate (610)	-	-	-	-	-	-	1	-	5	-
(40)		Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	-	-	-	-	-	2	-
(41)		Congenital malformations (750-759)	2	-	-	-	-	-	1	4	10	2
(42)		Birth injuries, postnatal asphyxia and atelectasis (760-762)	1	-	-	-	-	1	8	2	7	1
(43)		Infections of the newborn (763-768)	-	-	-	-	-	-	1	-	-	-
(44)		Other diseases, peculiar to early infancy, and immaturity unqualified (769-776)	-	-	1	-	-	-	5	2	24	2
(45)		Senility without mention of psychosis, ill-defined and unknown causes (780-795)	-	-	-	-	-	-	2	-	12	-
(46)		Arteriosclerosis (450)	3	2	3	-	1	2	4	8	22	-
(46)		All other diseases (residual)	3	2	2	-	-	-	20	4	63	6
(47)		Motor-vehicle accidents (810-835)	1	2	-	1	-	1	7	1	7	1
(48)		Railroad accidents and injuries (800-802)	-	-	-	-	-	-	-	-	-	1
(48)		Air-transport accidents (860-866)	-	-	-	-	-	-	-	-	-	1
(48)		Burns (fire, explosion, scalds, conflagration, etc.) (transport accidents excepted) (915-917)	1	-	-	-	-	-	-	-	1	1
(48)		Accidental drowning (850, 851, 929)	1	1	-	-	-	-	5	2	4	1
(48)		Accidental falls (transport accidents excepted) (900-904)	2	1	-	1	-	1	6	8	25	1
(48)		All other accidents	-	-	-	-	-	-	1	2	7	1
(49)		Suicide and self-inflicted injury (963, 970-979)	-	-	-	-	-	2	3	1	5	1
(50)		Homicide and operations of war (964, 965, 980-999)	-	-	-	-	-	-	1	-	1	1

¹ The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1951.

Abbreviated List No.	FITCHBURG.	Florida.	Foxborough.	Framingham.	Franklin.	Freetown.	GARDNER.	Gay Head.	Georgetown.	Gill.	GLOUCESTER.	Goshen.	Gosnold.	Grafton.	Granby.	Granville.	Great Barrington.	Greenfield.	Groton.
(1)	458	2	80	258	84	28	206	—	28	9	320	4	1	77	21	8	99	188	32
(2)	4	—	2	1	2	2	1	—	—	—	1	1	—	—	—	—	3	1	—
(3)	1	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
(4)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(6)	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(7)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(8)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(9)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(10)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(12)	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
(14)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(16)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(17)	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
(17)	1	—	1	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—
(18)	70	1	15	41	17	5	36	—	2	2	44	—	—	13	3	2	13	43	8
(19)	2	—	1	1	—	—	2	—	—	—	1	—	—	2	—	—	—	1	—
(20)	6	—	3	4	3	—	3	—	—	—	5	—	—	1	1	—	2	3	—
(21)	—	—	—	—	—	—	2	—	—	—	1	—	—	1	—	—	—	—	—
(22)	56	—	9	29	10	4	20	—	7	—	36	—	—	7	1	2	11	20	3
(23)	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
(24)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(25)	8	—	—	5	2	—	4	—	—	—	1	—	—	—	—	—	3	1	2
(26)	146	—	21	77	16	6	67	—	10	3	97	—	1	24	3	1	23	52	10
(26)	32	—	6	17	5	2	10	—	—	—	15	—	—	2	1	—	4	3	—
(27)	4	—	3	5	—	2	2	—	—	—	2	—	—	—	1	—	—	4	1
(28)	12	—	5	14	8	3	13	—	1	1	39	—	—	5	1	—	9	8	—
(29)	2	—	—	1	—	—	1	—	—	—	1	—	—	—	—	—	—	—	1
(30)	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(31)	14	—	—	4	3	1	2	—	3	—	7	—	—	4	—	—	3	6	—
(32)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	—
(33)	3	—	—	1	1	—	1	—	—	—	5	—	—	—	1	—	—	1	—
(34)	2	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	1	—
(35)	2	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	2	—	—
(36)	3	—	—	1	—	—	—	—	—	—	1	—	—	1	—	1	—	—	1
(37)	9	—	—	3	—	—	4	—	—	—	2	—	—	1	2	—	2	3	—
(38)	3	—	1	3	1	—	3	—	—	—	5	—	—	1	1	—	1	5	2
(39)	2	—	—	—	—	—	2	—	2	—	1	—	—	—	—	—	—	—	—
(40)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(41)	4	—	—	4	1	—	1	—	—	—	3	—	—	2	1	—	—	1	—
(42)	3	—	1	2	2	—	—	—	—	—	4	—	—	1	1	—	—	2	—
(43)	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	1	1	3	—
(44)	2	—	—	3	1	1	4	—	—	—	5	—	—	—	—	—	1	3	1
(45)	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
(46)	15	—	—	11	2	1	4	—	1	2	17	—	—	1	2	—	4	4	—
(46)	19	1	7	15	3	—	11	—	—	—	7	2	—	5	—	—	4	8	—
(47)	7	—	1	3	3	—	3	—	—	—	2	—	—	—	—	—	4	2	—
(48)	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(48)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(48)	—	—	—	1	—	—	1	—	—	—	2	1	—	—	1	—	1	—	—
(48)	—	—	—	1	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—
(48)	10	—	1	2	—	—	2	—	—	—	4	—	—	2	—	—	1	5	1
(48)	1	—	—	2	—	—	1	—	—	—	6	—	—	—	1	—	2	1	—
(49)	7	—	—	3	2	—	3	—	1	1	3	—	—	2	—	—	1	4	2
(50)	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

* Exclusive of stillbirths.

Abbreviated List No.	Table 15 CAUSE OF DEATH. ¹	DEATHS FROM									
		Groveland.	Hadley.	Halifax.	Hamilton.	Hampden.	Hancock.	Hanover.	Hanson.	Hardwick.	Harvard.
	All Causes.²	23	23	8	36	7	5	33	43	19	15
(1)	Tuberculosis of the respiratory system (1-8)	-	1	-	-	1	-	-	-	-	-
(2)	All other forms of tuberculosis (10-19)	-	-	-	-	-	-	-	-	-	-
(3)	Syphilis (20-29)	-	-	-	-	-	-	-	-	-	-
(4)	Typhoid fever (40)	-	-	-	-	-	-	-	-	-	-
(6)	Dysentery, all forms (45-48)	-	-	-	-	-	-	-	-	-	-
(7)	Scarlet fever and streptococcal sore throat (50, 51)	-	-	-	-	-	-	-	-	-	-
(8)	Diphtheria (55)	-	-	-	-	-	-	-	-	-	-
(9)	Whooping cough (56)	-	-	-	-	-	-	-	-	-	-
(10)	Meningococcal infections (57)	-	-	-	-	-	-	-	-	-	-
(12)	Acute poliomyelitis (80)	-	-	-	-	-	-	-	-	-	-
(14)	Measles (85)	-	-	-	-	-	-	-	-	-	-
(16)	Malaria (110-117)	-	-	-	-	-	-	-	-	-	-
(17)	Infectious hepatitis (92)	-	-	-	-	-	-	-	-	-	-
(17)	All other diseases classified as infective and parasitic (residual)	-	-	-	1	-	-	-	-	-	-
(18)	Malignant neoplasms (140-205)	5	2	2	4	-	2	7	4	-	-
(19)	Benign and unspecified neoplasms (210-239)	-	-	-	-	-	-	-	-	-	-
(20)	Diabetes mellitus (260)	-	-	-	-	-	-	-	-	-	-
(21)	Anemias (290-293)	3	-	-	-	-	-	-	-	-	-
(22)	Vascular lesions affecting central nervous system (330-334)	-	2	2	1	-	-	2	3	1	3
(23)	Nonmeningococcal meningitis (340)	-	-	-	-	-	-	-	-	-	-
(24)	Rheumatic fever (400-402)	-	-	-	-	-	-	1	1	-	-
(25)	Chronic rheumatic heart disease (410-416)	-	-	-	-	-	-	-	-	-	-
(26)	Arteriosclerotic heart disease, including coronary disease (420)	11	5	1	14	4	-	12	14	8	3
(26)	Degenerative heart disease (421, 422)	-	1	-	1	1	-	1	2	-	2
(27)	Other diseases of heart (430-434)	1	-	-	1	-	-	1	1	-	-
(28)	Hypertension with heart disease (440-443)	1	4	-	4	1	-	1	3	-	1
(29)	Hypertension without mention of heart (444-447)	-	-	-	-	-	-	-	-	-	2
(30)	Influenza (430-433)	-	-	-	-	-	-	-	-	-	-
(31)	Pneumonia (490-493)	-	-	1	3	-	-	1	1	1	-
(32)	Bronchitis (500-502)	-	-	-	-	-	-	-	-	-	-
(33)	Ulcer of stomach and duodenum (540, 541)	-	-	-	-	-	-	-	1	-	-
(34)	Appendicitis (550-553)	-	-	-	-	-	-	-	-	-	-
(35)	Intestinal obstruction and hernia (560, 561, 570)	-	-	-	2	-	-	-	2	-	-
(36)	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of the newborn (543, 571, 572)	-	-	-	-	-	-	-	-	-	-
(37)	Cirrhosis of the liver (581)	-	-	-	-	-	-	1	1	-	-
(38)	Nephritis and nephrosis (590-594)	2	-	-	-	-	1	-	2	-	-
(39)	Hyperplasia of prostate (610)	-	-	-	-	-	-	-	-	-	-
(40)	Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	-	-	-	-	-	-	-
(41)	Congenital malformations (750-759)	-	-	-	-	-	-	-	-	-	-
(42)	Birth injuries, postnatal asphyxia and atelectasis (760-762)	-	-	-	-	-	-	3	-	-	-
(43)	Infections of the newborn (763-768)	-	-	-	-	-	1	-	-	-	-
(44)	Other diseases, peculiar to early infancy, and immaturity unqualified (769-776)	-	2	-	1	-	-	-	1	1	-
(45)	Senility without mention of psychosis, ill-defined and unknown causes (780-795)	-	-	-	-	-	-	-	1	3	-
(46)	Arteriosclerosis (450)	-	-	-	1	-	-	1	1	1	2
(46)	All other diseases (residual)	-	1	1	1	-	-	1	4	-	1
(47)	Motor-vehicle accidents (810-835)	-	-	-	-	-	1	-	-	2	-
(48)	Railroad accidents and injuries (800-802)	-	-	-	-	-	-	-	-	-	-
(48)	Air-transport accidents (860-866)	-	-	-	-	-	-	-	-	-	-
(48)	Burns (fire, explosion, scalds, conflagration, etc.) (transport accidents excepted) (915-917)	-	-	-	-	-	-	1	-	-	-
(48)	Accidental drowning (850, 851, 929)	-	1	-	-	-	-	-	1	-	-
(48)	Accidental falls (transport accidents excepted) (900-904)	-	-	-	-	-	-	-	-	-	1
(48)	All other accidents	-	3	1	2	-	-	-	-	1	-
(49)	Suicide and self-inflicted injury (963, 970-979)	-	1	-	-	-	-	-	-	1	-
(50)	Homicide and operations of war (964, 965, 980-999)	-	-	-	-	-	-	-	-	-	-

¹ The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1951.

Abbreviated List No.	Harwich.	Hatfield.	HAVERHILL.	Hawley.	Heath.	Hingham.	Hinsdale.	Holbrook.	Holden.	Holland.	Holliston.	HOLYOKE.	Hopedale.	Hopkinton.	Hubbardston.	Hudson.	Hull.	Huntington.	Ipswich.
(1)	50	27	599	3	8	115	8	52	49	6	44	722	36	51	22	122	59	15	93
(2)	1	2	7	-	-	3	-	1	1	-	-	7	-	-	1	2	1	-	-
(3)	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(4)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(6)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(7)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(8)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(9)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(10)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(17)	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
(18)	3	4	85	-	-	28	1	7	7	2	9	130	4	9	3	17	6	3	10
(19)	-	-	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1
(20)	-	2	19	1	-	-	-	1	3	-	-	7	-	2	-	3	3	-	3
(21)	-	-	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
(22)	5	3	88	1	-	12	2	6	6	-	9	70	8	8	4	16	4	3	9
(23)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(24)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(25)	-	2	10	-	-	2	-	2	1	-	-	12	1	1	-	1	1	-	1
(26)	22	9	167	1	2	27	2	12	12	1	8	233	9	15	7	36	16	1	30
(26)	1	1	27	-	-	6	-	2	2	-	6	52	2	2	1	11	2	4	6
(27)	1	-	17	-	-	-	1	1	1	-	-	7	1	-	1	1	1	-	2
(28)	1	1	30	-	-	9	-	6	3	1	2	34	5	4	-	2	2	2	6
(29)	1	-	1	-	1	-	-	-	-	-	-	3	-	-	-	1	-	-	-
(30)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(31)	2	-	10	-	-	2	-	-	1	-	2	17	1	1	-	3	2	1	1
(32)	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
(33)	-	-	2	-	-	1	-	-	-	-	-	2	-	-	-	1	1	-	1
(34)	-	-	1	-	-	-	-	-	-	-	-	3	-	-	1	-	-	-	-
(35)	2	-	7	-	-	-	1	1	-	-	-	4	-	-	-	-	-	-	-
(36)	-	-	2	-	-	-	-	-	-	-	-	5	-	-	-	2	-	-	-
(37)	-	-	4	-	-	3	-	-	-	-	-	10	1	1	-	2	-	-	2
(38)	1	-	12	-	-	3	-	-	2	-	-	11	2	1	-	2	1	-	3
(39)	-	-	1	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
(40)	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(41)	-	-	5	-	-	2	-	1	-	1	-	7	1	-	-	2	-	-	2
(42)	1	-	5	-	1	3	-	-	-	-	1	11	-	-	-	-	3	-	2
(43)	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
(44)	2	-	4	-	1	1	-	4	2	-	-	14	3	1	1	3	-	-	-
(45)	-	-	2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-
(46)	-	-	14	-	1	3	-	2	1	1	2	8	-	-	-	3	-	-	2
(46)	2	1	28	-	1	6	1	3	6	-	1	25	-	2	2	6	1	-	5
(47)	-	2	3	-	1	1	-	2	-	-	1	11	-	1	-	-	-	-	1
(48)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(48)	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(48)	1	-	1	-	-	-	-	-	-	-	-	3	-	1	-	-	1	-	1
(48)	-	-	4	-	-	1	-	-	-	-	-	1	-	-	-	2	-	-	1
(48)	2	-	21	-	-	1	-	1	1	-	-	18	-	1	1	2	3	-	1
(48)	-	-	6	-	-	-	-	-	-	-	-	4	-	1	-	1	1	-	-
(49)	1	-	3	-	-	-	-	-	1	-	3	6	-	-	-	2	-	-	-
(50)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-

¹ Exclusive of stillbirths.

Abbreviated List No.	Table 15 CAUSE OF DEATH. ¹	DEATHS FROM									
		Kingston.	Lakeville.	Lancaster.	Lanesborough.	LAWRENCE.	Lee.	Leicester.	Lenox.	LEOMINSTER.	Leverett.
	All Causes. ²	45	26	34	31	992	60	54	36	233	14
(1)	Tuberculosis of the respiratory system (1-8)	-	-	-	1	19	-	-	-	-	-
(2)	All other forms of tuberculosis (10-19)	-	-	-	-	3	-	-	-	-	-
(3)	Syphilis (20-29)	-	-	-	-	2	-	-	-	-	-
(4)	Typhoid fever (40)	-	-	-	-	-	-	-	-	-	-
(6)	Dysentery, all forms (45-48)	-	-	-	-	-	-	-	-	-	-
(7)	Scarlet fever and streptococcal sore throat (50, 51)	-	-	-	-	-	-	-	-	-	-
(8)	Diphtheria (55)	-	-	-	-	1	-	-	-	-	-
(9)	Whooping cough (56)	-	-	-	-	-	-	-	-	-	-
(10)	Meningococcal infections (57)	-	-	-	-	-	-	-	-	-	-
(12)	Acute poliomyelitis (80)	-	-	-	-	-	-	-	-	1	-
(14)	Measles (85)	-	-	-	-	-	-	-	-	-	-
(16)	Malaria (110-117)	-	-	-	-	-	-	-	-	-	-
(17)	Infectious hepatitis (92)	-	-	-	-	-	-	-	-	-	-
(17)	All other diseases classified as infective and parasitic (residual)	-	-	-	-	-	-	-	-	-	-
(18)	Malignant neoplasms (140-205)	10	4	6	2	165	11	11	4	40	-
(19)	Benign and unspecified neoplasms (210-239)	-	1	-	-	6	-	-	-	-	-
(20)	Diabetes mellitus (260)	3	1	-	-	21	1	-	1	5	-
(21)	Anemias (290-293)	-	-	-	-	9	-	-	-	-	-
(22)	Vascular lesions affecting central nervous system (330-334)	4	3	4	4	128	11	2	3	21	1
(23)	Nonmeningococcal meningitis (340)	-	-	-	-	1	-	-	-	-	-
(24)	Rheumatic fever (400-402)	-	-	-	-	-	-	-	-	-	-
(25)	Chronic rheumatic heart disease (410-416)	-	-	-	1	13	-	1	-	1	1
(26)	Arteriosclerotic heart disease, including coronary disease (420)	11	8	10	6	252	17	13	11	80	4
(26)	Degenerative heart disease (421, 422)	3	-	3	2	74	5	4	4	16	-
(27)	Other diseases of heart (430-434)	-	-	-	-	15	1	2	1	4	1
(28)	Hypertension with heart disease (440-443)	2	-	-	2	45	3	6	1	10	1
(29)	Hypertension without mention of heart (444-447)	-	1	-	-	7	-	-	-	2	-
(30)	Influenza (480-483)	-	-	-	1	2	-	-	-	-	-
(31)	Pneumonia (490-493)	-	2	1	-	28	-	2	-	4	-
(32)	Bronchitis (500-502)	-	-	-	-	-	-	-	-	-	-
(33)	Ulcer of stomach and duodenum (540, 541)	1	-	1	-	6	-	-	-	5	-
(34)	Appendicitis (550-553)	-	-	-	-	1	-	1	-	-	-
(35)	Intestinal obstruction and hernia (560, 561, 570)	-	-	-	-	5	-	1	-	1	1
(36)	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of the newborn (543, 571, 572)	1	1	1	-	5	-	-	-	-	-
(37)	Cirrhosis of the liver (581)	-	-	-	-	19	-	-	1	2	-
(38)	Nephritis and nephrosis (590-594)	1	-	-	-	13	2	-	-	2	2
(39)	Hyperplasia of prostate (610)	-	-	-	-	5	-	-	-	-	-
(40)	Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	-	1	-	-	-	1	-
(41)	Congenital malformations (750-759)	-	-	1	-	4	1	1	-	2	-
(42)	Birth injuries, postnatal asphyxia and atelectasis (760-762)	-	-	2	1	8	1	-	2	4	-
(43)	Infections of the newborn (763-768)	-	-	-	-	1	2	-	-	-	-
(44)	Other diseases, peculiar to early infancy, and immaturity unqualified (769-776)	-	-	-	-	7	-	1	-	3	1
(45)	Senility without mention of psychosis, ill-defined and unknown causes (780-795)	-	-	-	1	2	-	-	-	-	-
(46)	Arteriosclerosis (450)	4	1	1	1	24	2	1	1	3	1
(46)	All other diseases (residual)	1	-	2	6	42	3	2	2	9	-
(47)	Motor-vehicle accidents (810-835)	-	1	1	-	9	-	1	-	3	-
(48)	Railroad accidents and injuries (800-802)	-	-	-	-	-	-	-	-	-	-
(48)	Air-transport accidents (860-866)	-	-	-	-	1	-	-	-	-	-
(48)	Burns (fire, explosion, scalds, conflagration, etc.) (transport accidents excepted) (915-917)	-	-	-	-	1	-	-	1	1	-
(48)	Accidental drowning (850, 851, 929)	-	-	-	-	1	-	-	-	2	-
(48)	Accidental falls (transport accidents excepted) (900-904)	2	2	1	2	28	-	2	4	8	-
(48)	All other accidents	-	1	-	1	4	-	1	-	2	-
(49)	Suicide and self-inflicted injury (963, 970-979)	1	-	-	-	13	-	1	-	1	1
(50)	Homicide and operations of war (964, 965, 980-999)	1	-	-	-	1	-	-	-	-	-

¹ The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1951.

Abbreviated List No.	Lexington.	Leyden.	Lincoln.	Littleton.	Longmeadow.	LOWELL.	Ludlow.	Lunenburg.	LYNN.	Lynnfield.	MALDEN.	Manchester.	Mansfield.	Marblehead.	Marion.	MARLBOROUGH.	Marshfield.	Mashpee.	Mattapoisett.
(1)	122	2	22	25	58	1,318	73	30	1,225	27	707	39	96	188	28	182	34	4	23
(2)	-	-	-	-	-	23	2	-	22	-	6	-	4	2	1	2	-	-	-
(3)	1	-	-	-	-	-	-	-	3	1	1	-	-	-	-	1	1	-	-
(4)	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-
(6)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(7)	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(8)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(9)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(10)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(12)	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	4	-	-	-
(14)	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
(16)	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
(17)	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
(17)	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
(18)	19	1	3	3	6	205	17	5	190	1	96	6	17	35	2	27	5	-	9
(19)	1	-	-	-	1	1	1	-	4	-	1	-	-	1	-	1	-	-	-
(20)	1	-	-	-	-	24	3	-	20	-	20	-	3	4	-	5	-	-	1
(21)	-	-	-	-	1	5	-	-	-	-	-	-	-	-	-	-	-	-	-
(22)	16	-	1	4	5	153	11	5	164	1	91	2	7	24	3	20	6	3	3
(23)	-	-	-	-	-	-	1	-	3	-	-	-	1	-	-	-	-	-	-
(24)	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
(25)	-	-	-	-	-	19	1	-	16	1	16	-	2	2	-	3	-	-	-
(26)	34	-	9	8	20	360	19	11	421	12	248	17	23	67	11	62	7	1	3
(26)	14	-	2	-	4	57	6	2	44	-	27	2	2	1	-	17	2	1	1
(27)	-	-	-	-	-	30	-	-	17	-	5	-	5	1	-	-	1	-	-
(28)	6	-	2	1	6	66	3	2	62	1	38	4	5	8	2	4	4	-	3
(29)	1	-	-	-	-	9	1	-	6	-	3	-	-	-	-	-	-	-	-
(30)	-	-	-	-	-	3	-	-	-	-	2	-	-	-	-	1	-	-	-
(31)	5	-	-	-	-	39	-	-	27	1	17	2	2	3	-	3	1	-	-
(32)	-	-	-	-	-	2	-	-	3	1	-	-	-	-	-	1	-	-	-
(33)	-	-	-	1	-	16	-	-	12	-	6	-	-	1	-	-	1	-	-
(34)	-	-	-	-	-	4	-	-	3	-	1	-	-	-	-	-	-	-	-
(35)	1	-	-	-	-	9	-	-	2	-	8	-	-	1	-	2	-	-	-
(36)	-	-	-	-	-	7	-	-	4	-	1	-	-	-	-	1	-	-	-
(37)	3	-	-	-	1	16	1	-	12	1	7	-	-	3	-	3	-	-	1
(38)	-	1	1	1	2	29	-	-	19	-	12	2	1	4	1	2	-	-	-
(39)	-	-	-	-	-	5	-	-	1	-	1	-	-	-	1	-	-	-	-
(40)	-	-	-	-	-	3	-	-	-	-	-	-	1	-	-	-	-	-	-
(41)	2	-	-	-	-	13	-	2	12	2	5	-	-	3	1	2	1	-	1
(42)	2	-	-	-	-	15	1	-	5	-	8	-	3	1	-	1	1	-	-
(43)	-	-	-	-	-	1	-	-	-	-	2	-	1	-	1	-	-	-	-
(44)	1	-	-	-	-	25	1	-	15	1	6	-	-	1	-	2	-	-	-
(45)	2	-	-	-	1	2	2	-	9	-	3	-	1	1	-	4	1	-	-
(46)	-	-	1	3	2	49	1	1	29	1	11	1	4	7	1	-	-	-	-
(46)	2	-	2	-	4	44	1	1	38	2	21	-	8	9	2	7	1	-	-
(47)	3	-	-	1	-	15	-	-	11	1	7	-	3	1	2	1	1	-	-
(48)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(48)	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
(48)	-	-	-	-	-	3	-	-	3	-	2	-	-	-	-	-	1	-	-
(48)	4	-	-	2	2	38	-	1	34	-	22	3	3	4	-	4	-	-	-
(48)	1	-	1	-	-	6	1	-	5	-	4	-	-	-	-	-	-	-	-
(49)	1	-	-	1	1	8	-	-	3	-	2	-	-	3	-	-	-	-	1
(50)	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	1	-	-	-

* Exclusive of stillbirths.

Abbreviated List No.	Table 15	CAUSE OF DEATH. ¹	DEATHS FROM									
			Maynard.	Medfield.	MEDFORD.	Medway.	MELROSE.	Mendon.	Merrimac.	Methuen.	Middleborough.	Middlefield.
		All Causes. ²	104	33	654	41	324	10	39	269	120	6
(1)		Tuberculosis of the respiratory system (1-8)	1	-	8	-	3	-	-	1	2	-
(2)		All other forms of tuberculosis (10-19)	-	-	-	-	-	-	-	-	-	-
(3)		Syphilis (20-29)	-	-	1	-	-	-	-	-	-	-
(4)		Typhoid fever (40)	-	-	-	-	-	-	-	-	-	-
(6)		Dysentery, all forms (45-48)	-	-	-	-	1	-	-	-	-	-
(7)		Scarlet fever and streptococcal sore throat (50, 51)	-	-	-	-	-	-	-	-	-	-
(8)		Diphtheria (55)	-	-	-	-	-	-	-	-	-	-
(9)		Whooping cough (56)	-	-	-	-	-	-	-	-	-	-
(10)		Meningococcal infections (57)	-	-	-	-	-	-	-	-	-	-
(12)		Acute poliomyelitis (80)	-	-	-	-	-	-	-	-	-	-
(14)		Measles (85)	-	-	-	-	-	-	-	-	-	-
(16)		Malaria (110-117)	-	-	-	-	-	-	-	-	-	-
(17)		Infectious hepatitis (92)	-	-	-	-	-	-	-	-	-	-
(17)		All other diseases classified as infective and parasitic (residual)	-	-	1	-	-	-	-	1	-	-
(18)		Malignant neoplasms (140-205)	16	4	121	6	58	-	7	47	12	1
(19)		Benign and unspecified neoplasms (210-239)	1	-	2	-	1	-	-	1	1	-
(20)		Diabetes mellitus (260)	5	2	10	1	7	-	1	10	2	-
(21)		Anemias (290-293)	-	-	3	-	2	-	-	1	1	-
(22)		Vascular lesions affecting central nervous system (330-334)	9	3	58	2	51	-	9	31	18	1
(23)		Nonmeningococcal meningitis (340)	-	-	-	-	-	-	-	-	-	-
(24)		Rheumatic fever (400-402)	-	-	-	-	-	-	-	-	-	-
(25)		Chronic rheumatic heart disease (410-416)	-	1	20	-	6	1	-	8	1	-
(26)		Arteriosclerotic heart disease, including coronary disease (420)	23	6	201	9	103	2	7	88	40	3
(26)		Degenerative heart disease (421, 422)	5	3	30	3	10	2	1	11	4	-
(27)		Other diseases of heart (430-434)	2	1	6	1	3	2	-	4	1	-
(28)		Hypertension with heart disease (440-443)	9	2	39	7	11	1	1	7	6	-
(29)		Hypertension without mention of heart (444-447)	1	1	4	1	-	-	-	4	4	-
(30)		Influenza (480-483)	-	-	-	-	-	-	-	-	-	-
(31)		Pneumonia (490-493)	4	1	15	-	7	1	-	3	1	-
(32)		Bronchitis (500-502)	-	-	1	-	-	-	-	-	-	-
(33)		Ulcer of stomach and duodenum (540, 541)	1	-	5	1	2	-	-	1	1	-
(34)		Appendicitis (550-553)	-	-	2	-	-	-	-	-	-	-
(35)		Intestinal obstruction and hernia (560, 561, 570)	-	-	6	-	1	-	-	-	-	-
(36)		Gastritis, duodenitis, enteritis, and colitis, except diarrhea of the newborn (543, 571, 572)	1	-	5	1	2	-	-	2	2	-
(37)		Cirrhosis of the liver (581)	4	1	12	-	2	-	-	3	1	-
(38)		Nephritis and nephrosis (590-594)	1	1	9	-	2	-	1	3	1	-
(39)		Hyperplasia of prostate (610)	-	1	1	-	-	-	-	-	2	-
(40)		Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	1	-	-	-	-	-	-	-	-	-
(41)		Congenital malformations (750-759)	-	-	7	-	-	-	-	8	-	-
(42)		Birth injuries, postnatal asphyxia and atelectasis (760-762)	-	1	6	-	2	1	1	-	-	-
(43)		Infections of the newborn (763-768)	-	-	-	-	1	-	-	-	-	-
(44)		Other diseases, peculiar to early infancy, and immaturity unqualified (769-776)	1	-	2	-	6	-	2	2	3	-
(45)		Senility without mention of psychosis, ill-defined and unknown causes (780-795)	1	-	3	-	-	-	1	1	2	-
(46)		Arteriosclerosis (450)	1	2	10	3	11	-	2	14	2	-
(46)		All other diseases (residual)	4	3	28	2	17	-	2	6	7	-
(47)		Motor-vehicle accidents (810-835)	3	-	7	3	4	-	1	2	1	-
(48)		Railroad accidents and injuries (800-802)	-	-	-	-	-	-	-	-	1	-
(48)		Air-transport accidents (860-866)	-	-	1	-	-	-	-	-	-	-
(48)		Burns (fire, explosion, scalds, conflagration, etc.) (transport accidents excepted) (915-917)	-	-	-	-	1	-	-	2	-	-
(48)		Accidental drowning (850, 851, 929)	-	-	9	-	-	-	-	-	-	-
(48)		Accidental falls (transport accidents excepted) (900-904)	6	-	10	1	5	-	2	3	2	1
(48)		All other accidents	1	-	7	-	1	-	1	3	2	-
(49)		Suicide and self-inflicted injury (963, 970-979)	2	-	3	-	4	-	-	2	1	-
(50)		Homicide and operations of war (964, 965, 980-999)	1	-	1	-	-	-	-	-	1	-

¹ The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1951.

Abbreviated List No.	Middleton.	Milford.	Milbury.	Millis.	Millville.	Milton.	Monroe.	Monson.	Montague.	Monterey.	Montgomery.	Mount Washington.	Nahant.	Nantucket.	Natick.	Needham.	New Ashford.	NEW BEDFORD.	New Braintree.
(1)	25	163	76	25	19	254	3	37	84	7	1	-	30	50	209	150	1	1,359	9
(2)	1	1	1	-	-	6	1	-	1	-	-	-	-	-	2	1	-	23	-
(3)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
(4)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4	-
(6)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(7)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(8)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
(9)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(10)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-
(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(17)	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
(18)	3	29	8	7	2	55	-	4	9	-	-	-	6	4	36	39	1	240	1
(19)	-	1	2	-	-	1	-	-	-	-	-	-	-	-	1	-	-	2	-
(20)	-	3	-	-	1	3	-	-	1	-	-	-	1	1	2	1	-	33	-
(21)	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
(22)	2	19	10	1	2	35	1	1	8	-	1	-	5	6	26	14	-	139	1
(23)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
(24)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23	-
(25)	-	3	-	1	-	5	-	2	-	-	-	-	1	2	4	4	-	-	-
(26)	9	56	28	10	8	82	1	19	24	5	-	-	10	15	53	42	-	370	2
(26)	3	5	2	1	-	8	-	-	6	-	-	-	-	3	15	5	-	89	-
(27)	-	-	1	-	1	3	-	-	1	-	-	-	-	-	1	1	-	18	-
(28)	-	7	7	1	1	8	-	2	5	-	-	-	1	4	8	10	-	95	1
(29)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	9	-
(30)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
(31)	-	4	1	-	-	6	-	1	1	-	-	-	1	3	7	-	-	31	-
(32)	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	1	-	1	-
(33)	-	1	1	-	1	1	-	-	2	-	-	-	1	-	1	-	-	5	-
(34)	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
(35)	-	-	-	-	-	3	-	-	1	-	-	-	-	-	2	1	-	13	-
(36)	-	1	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	5	-
(37)	1	2	-	1	-	-	-	-	-	-	-	-	1	-	1	1	-	17	-
(38)	1	2	-	-	1	1	-	1	2	-	-	-	-	-	3	1	-	17	-
(39)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	-
(40)	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	3	-
(41)	-	1	-	-	-	1	-	2	2	-	-	-	-	-	5	3	-	11	-
(42)	-	4	3	-	-	2	-	-	-	-	-	-	-	-	10	4	-	18	-
(43)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	5	-
(44)	2	2	3	-	-	-	-	-	3	-	-	-	1	-	2	-	-	11	-
(45)	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	5	3
(46)	1	8	-	-	1	5	-	2	3	-	-	-	-	1	4	6	-	35	-
(46)	-	3	4	-	-	10	-	1	5	-	-	-	-	1	7	4	-	53	1
(47)	1	3	-	2	-	4	-	-	1	-	-	-	-	-	5	1	-	11	-
(48)	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
(48)	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	4	-
(48)	-	-	1	-	-	-	-	-	2	-	-	-	-	1	-	1	-	4	-
(48)	1	5	4	1	-	2	-	-	-	2	-	-	1	2	6	6	-	33	-
(48)	-	1	-	-	-	4	-	-	1	-	-	-	-	2	2	-	-	7	-
(49)	-	-	-	-	-	4	-	-	2	-	-	-	1	2	1	1	-	11	-
(50)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

¹ Exclusive of stillbirths.

Abbreviated List No.	Table 15	DEATHS FROM									
		CAUSE OF DEATH. ¹									
		New Marlborough.	New Salem.	Newbury.	NEWBURYPORT.	NEWTON.	Norfolk.	NORTH ADAMS.	North Andover.	North Attleborough.	North Brookfield.
	All Causes. ²	15	4	31	208	815	12	275	85	138	42
(1)	Tuberculosis of the respiratory system (1-8)	-	-	-	3	6	-	4	2	1	1
(2)	All other forms of tuberculosis (10-19)	-	-	-	1	-	-	1	-	-	-
(3)	Syphilis (20-29)	-	-	-	-	1	-	-	-	-	-
(4)	Typhoid fever (40)	-	-	-	-	-	-	-	-	-	-
(6)	Dysentery, all forms (45-48)	-	-	-	-	-	-	-	-	-	-
(7)	Scarlet fever and streptococcal sore throat (50, 51)	-	-	-	-	-	-	-	-	-	-
(8)	Diphtheria (55)	-	-	-	-	-	-	-	-	1	-
(9)	Whooping cough (56)	-	-	-	-	-	-	-	-	1	-
(10)	Meningococcal infections (57)	-	-	-	-	-	-	-	-	-	-
(12)	Acute poliomyelitis (80)	-	-	-	-	1	-	-	-	-	-
(14)	Measles (85)	-	-	-	-	-	-	-	-	-	-
(16)	Malaria (110-117)	-	-	-	-	-	-	-	-	-	-
(17)	Infectious hepatitis (92)	1	-	-	-	1	-	-	-	-	-
(17)	All other diseases classified as infective and parasitic (residual)	-	-	-	-	-	-	-	-	-	-
(18)	Malignant neoplasms (140-205)	3	1	6	27	138	2	46	17	10	5
(19)	Benign and unspecified neoplasms (210-239)	-	-	-	-	1	-	-	-	-	-
(20)	Diabetes mellitus (260)	1	-	1	2	16	-	6	1	6	-
(21)	Anemias (290-293)	-	-	-	2	2	-	3	-	-	1
(22)	Vascular lesions affecting central nervous system (330-334)	-	1	6	34	102	3	31	8	16	7
(23)	Nonmeningococcal meningitis (340)	-	-	-	-	-	-	-	-	-	-
(24)	Rheumatic fever (400-402)	-	-	-	-	1	-	-	-	-	-
(25)	Chronic rheumatic heart disease (410-416)	-	-	1	4	18	-	5	2	-	-
(26)	Arteriosclerotic heart disease, including coronary disease (420)	5	-	7	62	263	4	66	29	53	12
(26)	Degenerative heart disease (421, 422)	1	-	1	14	26	1	35	-	11	1
(27)	Other diseases of heart (430-434)	-	-	2	3	16	1	1	2	2	2
(28)	Hypertension with heart disease (440-443)	1	-	-	9	30	-	12	3	2	1
(29)	Hypertension without mention of heart (444-447)	-	-	-	1	3	-	1	1	2	-
(30)	Influenza (480-483)	-	-	-	2	2	-	-	-	-	-
(31)	Pneumonia (490-493)	-	-	1	2	18	-	7	3	1	2
(32)	Bronchitis (500-502)	-	-	-	-	-	-	-	-	-	-
(33)	Ulcer of stomach and duodenum (540, 541)	-	-	1	-	7	-	-	-	1	-
(34)	Appendicitis (550-553)	-	-	-	-	1	-	-	-	-	1
(35)	Intestinal obstruction and hernia (560, 561, 570)	-	-	-	3	4	-	2	1	-	-
(36)	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of the newborn (543, 571, 572)	-	-	-	-	2	-	2	-	1	-
(37)	Cirrhosis of the liver (581)	-	1	-	-	11	-	5	1	1	1
(38)	Nephritis and nephrosis (590-594)	-	-	2	5	9	-	13	-	4	1
(39)	Hyperplasia of prostate (610)	-	-	-	-	3	-	-	1	2	-
(40)	Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	-	3	-	-	-	-	-
(41)	Congenital malformations (750-759)	-	-	2	-	7	-	4	-	3	1
(42)	Birth injuries, postnatal asphyxia and atelectasis (760-762)	-	-	1	3	12	-	1	2	1	1
(43)	Infections of the newborn (763-768)	-	-	-	-	-	-	1	-	-	-
(44)	Other diseases, peculiar to early infancy, and immaturity unqualified (769-776)	-	-	-	5	11	-	2	2	4	1
(45)	Senility without mention of psychosis, ill-defined and unknown causes (780-795)	1	-	1	1	1	-	1	2	1	-
(46)	Arteriosclerosis (450)	-	-	-	9	14	-	8	2	1	1
(46)	All other diseases (residual)	1	-	-	7	34	-	5	5	8	2
(47)	Motor-vehicle accidents (810-835)	-	-	-	1	4	-	2	-	-	-
(48)	Railroad accidents and injuries (800-802)	-	-	-	-	-	-	-	-	1	-
(48)	Air-transport accidents (860-866)	-	-	-	-	-	-	-	-	-	-
(48)	Burns (fire, explosion, scalds, conflagration, etc.) (transport accidents excepted) (915-917)	-	-	-	-	-	-	-	-	-	-
(48)	Accidental drowning (850, 851, 929)	-	-	-	-	1	-	-	-	2	-
(48)	Accidental falls (transport accident excepted) (900-904)	-	-	-	4	25	1	5	1	2	-
(48)	All other accidents	1	-	-	3	9	-	2	-	1	-
(49)	Suicide and self-inflicted injury (963, 970-979)	-	-	-	1	12	-	4	-	-	1
(50)	Homicide and operations of war (964, 965, 980-999)	-	-	-	-	-	-	-	-	-	-

¹ The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1951.

Abbreviated List No.	North Reading.	NORTHAMPTON.	Northborough.	Northbridge.	Northfield.	Norton.	Norwell.	Norwood.	Oak Bluffs.	Oakham.	Orange.	Orleans.	Otis.	Oxford.	Palmer.	Paxton.	PEABODY.	Pelham.	Pembroke.
(1)	43	327	42	98	32	42	29	168	34	6	83	38	3	56	80	9	277	6	20
(2)	-	11	-	-	-	-	1	2	-	-	-	-	-	1	-	-	5	-	1
(3)	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(4)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(6)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(7)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(8)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(9)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(10)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
(18)	6	49	4	17	4	7	8	22	6	2	7	6	1	9	13	-	52	2	-
(19)	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
(20)	-	10	3	2	-	1	1	9	-	-	1	1	-	1	-	-	13	-	1
(21)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(22)	3	34	4	8	5	6	2	19	7	-	14	4	1	4	7	1	33	-	-
(23)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
(24)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
(25)	-	1	-	-	-	-	-	1	1	-	1	1	-	-	1	-	8	-	-
(26)	12	84	10	28	11	13	11	50	9	3	21	15	1	15	22	4	70	-	6
(26)	-	31	3	10	2	1	1	11	1	-	8	2	-	4	3	-	8	1	3
(27)	1	4	-	1	1	1	1	3	-	-	2	-	-	-	3	1	3	-	-
(28)	4	29	3	3	2	4	-	9	5	1	3	2	-	5	5	-	10	1	1
(29)	-	2	1	-	1	-	-	-	-	-	1	-	-	1	-	-	5	-	-
(30)	-	1	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
(31)	-	7	2	2	-	-	-	5	-	-	4	-	-	2	6	-	5	1	1
(32)	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	4	-	-
(33)	1	1	1	2	-	-	-	1	-	-	1	-	-	1	-	-	1	-	-
(34)	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
(35)	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	-
(36)	-	1	-	2	1	-	-	2	-	-	-	-	-	-	-	2	3	-	-
(37)	1	4	-	1	-	-	1	2	-	-	-	1	-	2	-	-	-	-	1
(38)	-	5	1	-	-	1	-	2	-	-	1	-	-	-	1	-	6	-	-
(39)	-	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	1
(40)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(41)	-	3	1	4	1	-	-	2	-	-	-	-	-	-	3	-	3	-	1
(42)	1	4	1	1	1	-	-	1	1	-	2	-	-	1	-	-	2	-	-
(43)	1	-	1	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-
(44)	1	1	1	3	-	-	-	2	-	-	3	-	-	2	2	-	4	-	-
(45)	-	3	-	-	-	-	-	-	1	-	-	-	-	5	1	-	4	-	-
(46)	-	11	1	5	2	2	2	5	3	-	5	-	-	1	5	-	8	-	1
(46)	5	4	-	4	-	-	-	9	-	-	1	3	-	-	2	-	16	1	1
(47)	3	2	1	1	-	1	-	1	-	-	1	-	-	1	1	1	-	-	1
(48)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(48)	1	3	-	-	-	3	-	-	-	-	-	-	-	-	-	-	1	-	-
(48)	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(48)	2	11	1	-	-	-	-	3	-	-	1	2	-	-	3	-	7	-	-
(48)	-	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-
(49)	-	3	1	1	-	-	-	1	-	-	2	-	-	-	1	-	-	-	-
(50)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Exclusive of stillbirths.

Abbreviated List No.	Table 15	CAUSE OF DEATH. ¹	DEATHS FROM									
			Pepperell.	Peru.	Petersham.	Phillipston.	PITTSFIELD.	Plainfield.	Plainville.	Plymouth.	Plympton.	Princeton.
		All Causes. ²	46	6	10	13	599	1	12	148	12	17
(1)		Tuberculosis of the respiratory system (1-8)	-	-	-	-	7	-	-	-	-	-
(2)		All other forms of tuberculosis (10-19)	-	-	-	-	1	-	-	-	-	-
(3)		Syphilis (20-29)	-	-	1	-	-	-	-	-	-	-
(4)		Typhoid fever (40)	-	-	-	-	-	-	-	-	-	-
(6)		Dysentery, all forms (45-48)	-	-	-	-	-	-	-	-	-	-
(7)		Scarlet fever and streptococcal sore throat (50, 51)	-	-	-	-	-	-	-	-	-	-
(8)		Diphtheria (55)	-	-	-	-	-	-	-	-	-	-
(9)		Whooping cough (56)	-	-	-	-	-	-	-	-	-	-
(10)		Meningococcal infections (57)	-	-	-	-	-	-	-	-	-	-
(12)		Acute poliomyelitis (80)	-	-	-	-	-	-	-	-	-	-
(14)		Measles (85)	-	-	-	-	-	-	-	-	-	-
(16)		Malaria (110-117)	-	-	-	-	-	-	-	-	-	-
(17)		Infectious hepatitis (92)	-	-	-	-	-	-	-	-	-	-
(17)		All other diseases classified as infective and parasitic (residual)	-	-	-	-	1	-	1	1	-	-
(18)		Malignant neoplasms (140-205)	11	-	-	2	99	-	-	36	2	2
(19)		Benign and unspecified neoplasms (210-239)	-	-	-	-	1	-	-	-	-	-
(20)		Diabetes mellitus (260)	3	-	1	-	12	-	-	4	-	-
(21)		Anemias (290-293)	-	-	-	-	-	-	-	-	-	-
(22)		Vascular lesions affecting central nervous system (330-334)	6	-	-	2	70	1	4	13	1	3
(23)		Nonmeningococcal meningitis (340)	-	-	-	-	1	-	1	-	-	-
(24)		Rheumatic fever (400-402)	-	-	-	-	-	-	-	-	-	-
(25)		Chronic rheumatic heart disease (410-416)	1	1	-	-	10	-	-	3	1	-
(26)		Arteriosclerotic heart disease, including coronary disease (420)	10	-	1	3	134	-	3	45	3	4
(26)		Degenerative heart disease (421, 422)	3	-	28	1	34	-	1	4	1	2
(27)		Other diseases of heart (430-434)	2	1	3	-	33	-	-	2	-	-
(28)		Hypertension with heart disease (440-443)	-	2	1	1	41	-	-	4	-	2
(29)		Hypertension without mention of heart (444-447)	-	-	-	-	4	-	-	-	-	-
(30)		Influenza (480-483)	-	-	-	-	1	-	-	-	-	-
(31)		Pneumonia (490-493)	-	-	1	-	15	-	-	5	-	1
(32)		Bronchitis (500-502)	-	-	-	-	-	-	-	-	-	-
(33)		Ulcer of stomach and duodenum (540, 541)	-	-	-	-	3	-	1	1	-	1
(34)		Appendicitis (550-553)	-	-	-	-	2	-	1	-	-	-
(35)		Intestinal obstruction and hernia (560, 561, 570)	-	-	-	-	5	-	-	1	-	-
(36)		Gastritis, duodenitis, enteritis, and colitis, except diarrhea of the newborn (543, 571, 572)	-	-	-	-	2	-	-	-	-	-
(37)		Cirrhosis of the liver (581)	-	-	-	-	6	-	-	3	-	-
(38)		Nephritis and nephrosis (590-594)	2	-	-	-	13	-	-	2	-	-
(39)		Hyperplasia of prostate (610)	-	-	-	1	-	-	-	-	1	-
(40)		Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	-	-	-	-	-	-	-
(41)		Congenital malformations (750-759)	-	1	-	-	5	-	-	2	1	-
(42)		Birth injuries, postnatal asphyxia and atelectasis (760-762)	-	1	-	-	7	-	-	1	-	-
(43)		Infections of the newborn (763-768)	-	-	-	-	-	-	-	-	-	-
(44)		Other diseases, peculiar to early infancy, and immaturity unqualified (769-776)	1	-	-	-	8	-	-	1	1	1
(45)		Senility without mention of psychosis, ill-defined and unknown causes (780-795)	-	-	-	-	2	-	-	-	-	-
(46)		Arteriosclerosis (450)	3	-	-	-	22	-	-	2	1	-
(46)		All other diseases (residual)	1	-	-	2	30	-	-	7	-	1
(47)		Motor-vehicle accidents (810-835)	2	-	-	-	7	-	-	-	-	-
(48)		Railroad accidents and injuries (800-802)	-	-	-	-	-	-	-	-	-	-
(48)		Air-transport accidents (860-866)	-	-	-	-	-	-	-	-	-	-
(48)		Burns (fire, explosion, scalds, conflagration, etc.) (transport accidents excepted) (915-917)	-	-	-	-	-	-	-	1	-	-
(48)		Accidental drowning (850, 851, 929)	-	-	-	-	2	-	-	2	-	-
(48)		Accidental falls (transport accidents excepted) (900-904)	1	-	-	-	13	-	-	4	-	-
(48)		All other accidents	-	-	-	1	-	-	-	3	-	-
(49)		Suicide and self-inflicted injury (963, 970-979)	-	-	-	-	7	-	-	1	-	-
(50)		Homicide and operations of war (964, 965, 980-999)	-	-	-	-	-	-	-	-	-	-

¹ The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1951.

Abbreviated List No.	Provincetown.	QUINCY.	Randolph.	Raynham.	Reading.	Rehoboth.	REVERE.	Richmond.	Rochester.	Rockland.	Rockport.	Rowe.	Rowley.	Royalston.	Russell.	Rutland.	SALEM.	Salisbury.	Sandisfield.
(1)	54	827	105	30	155	28	367	6	22	120	69	3	9	9	10	23	515	36	3
(2)	—	10	—	—	1	—	5	—	—	2	—	—	1	—	—	9	5	1	—
(3)	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(4)	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(6)	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(7)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(8)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(9)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(10)	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
(12)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(14)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(16)	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—
(17)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(17)	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(18)	15	142	22	5	26	3	58	1	3	20	13	1	3	1	2	4	75	4	—
(19)	—	2	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
(20)	4	18	2	—	2	1	8	—	—	1	2	—	—	2	—	—	6	—	—
(21)	—	3	1	—	—	—	1	—	1	—	—	—	—	—	—	—	1	—	—
(22)	11	95	7	1	20	3	41	—	3	19	7	—	1	2	—	1	51	2	—
(23)	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(24)	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(25)	1	12	3	1	1	—	10	1	—	2	1	—	1	—	1	—	9	1	—
(26)	10	255	25	9	51	11	108	2	8	35	15	1	1	2	3	4	167	13	3
(26)	6	27	10	—	6	1	24	—	—	7	3	—	—	—	—	1	14	4	—
(27)	—	8	2	—	1	—	7	—	—	2	—	—	—	—	—	—	5	—	—
(28)	—	40	6	5	10	3	21	—	2	5	5	—	2	—	2	2	33	2	—
(29)	—	2	—	—	1	—	2	—	—	—	—	—	—	—	—	—	3	—	—
(30)	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
(31)	—	15	—	1	2	1	4	—	3	6	2	—	—	—	—	—	14	1	—
(32)	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
(33)	—	6	1	—	—	—	6	—	—	—	—	—	—	—	—	—	4	—	—
(34)	—	2	—	—	—	—	3	—	—	—	—	—	—	—	—	—	3	—	—
(35)	—	3	—	1	—	1	2	—	—	1	—	—	—	—	—	—	5	1	—
(36)	—	4	—	—	—	—	—	1	—	1	—	—	—	—	—	—	3	—	—
(37)	1	7	1	—	1	1	8	—	—	1	—	—	—	—	—	1	10	—	—
(38)	—	6	2	1	1	—	3	—	—	—	4	—	—	—	—	—	6	2	—
(39)	—	2	—	—	1	—	1	—	—	—	—	—	—	—	—	—	2	—	—
(40)	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(41)	—	8	4	—	3	—	3	—	—	2	1	1	—	—	1	—	8	—	—
(42)	—	10	2	1	—	—	3	—	—	—	2	—	—	—	1	—	4	—	—
(43)	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—
(44)	1	24	1	—	2	—	3	—	—	1	—	—	—	—	—	—	1	—	—
(45)	—	9	1	—	1	—	1	—	—	1	1	—	—	—	—	1	1	—	—
(46)	—	24	5	2	8	1	3	—	2	3	1	—	—	1	—	—	28	1	—
(46)	2	29	2	1	8	—	14	—	—	5	3	—	—	—	—	—	26	2	—
(47)	—	8	—	—	2	1	4	—	—	2	—	—	—	—	—	—	3	1	—
(48)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(48)	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(48)	—	2	1	—	—	—	2	—	—	—	1	—	—	—	—	—	—	—	—
(48)	—	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—
(48)	—	25	—	—	3	1	6	1	—	2	—	—	—	—	—	—	13	1	—
(48)	1	5	5	—	1	—	5	—	—	1	—	—	—	1	—	—	5	—	—
(49)	—	5	2	—	2	—	6	—	—	1	2	—	—	—	—	—	4	—	—
(50)	—	1	1	1	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—

* Exclusive of stillbirths.

Abbreviated List No.	Table 15	CAUSE OF DEATH. ¹	DEATHS FROM									
			Sandwich.	Saugus.	Savoy.	Scituate.	Seekonk.	Sharon.	Sheffield.	Shelburne.	Sherborn.	Shirley.
		All Causes. ²	33	138	9	82	46	47	31	29	9	33
(1)		Tuberculosis of the respiratory system (1-8)	-	-	-	-	-	2	-	-	-	-
(2)		All other forms of tuberculosis (10-19)	-	1	-	-	-	-	-	-	-	-
(3)		Syphilis (20-29)	-	-	-	-	-	-	-	-	-	-
(4)		Typhoid fever (40)	-	-	-	-	-	-	-	-	-	-
(6)		Dysentery, all forms (45-48)	-	-	-	-	-	-	-	-	-	-
(7)		Scarlet fever and streptococcal sore throat (50, 51)	-	-	-	-	-	-	-	-	-	-
(8)		Diphtheria (55)	-	-	-	-	-	-	-	-	-	-
(9)		Whooping cough (56)	-	-	-	-	-	-	-	-	-	-
(10)		Meningococcal infections (57)	-	-	-	-	-	-	-	-	-	-
(12)		Acute poliomyelitis (80)	-	-	-	-	-	-	-	-	-	-
(14)		Measles (85)	-	-	-	-	-	-	-	-	-	-
(16)		Malaria (110-117)	-	-	-	-	-	-	-	-	-	-
(17)		Infectious hepatitis (92)	-	1	-	-	-	-	-	-	-	-
(17)		All other diseases classified as infective and parasitic (residual)	-	-	-	-	-	-	-	-	-	-
(18)		Malignant neoplasms (140-205)	7	28	4	14	10	9	9	-	1	5
(19)		Benign and unspecified neoplasms (210-239)	-	1	-	1	-	2	-	-	-	-
(20)		Diabetes mellitus (260)	-	5	1	1	1	3	-	1	-	-
(21)		Anemias (290-293)	-	-	-	-	-	-	1	-	-	-
(22)		Vascular lesions affecting central nervous system (330-334)	3	14	-	9	1	3	3	5	1	1
(23)		Nonmeningococcal meningitis (340)	-	-	-	-	-	-	-	-	-	-
(24)		Rheumatic fever (400-402)	-	-	-	-	-	-	-	-	-	-
(25)		Chronic rheumatic heart disease (410-416)	-	4	-	3	1	1	-	1	-	-
(26)		Arteriosclerotic heart disease, including coronary disease (420)	9	41	2	27	16	12	10	8	1	3
(26)		Degenerative heart disease (421, 422)	5	5	1	2	3	5	3	1	1	2
(27)		Other diseases of heart (430-434)	1	2	-	1	1	-	1	1	1	1
(28)		Hypertension with heart disease (440-443)	1	6	-	5	3	-	1	1	1	-
(29)		Hypertension without mention of heart (444-447)	-	1	-	1	-	1	-	-	-	-
(30)		Influenza (480-483)	-	-	-	-	-	-	-	-	-	1
(31)		Pneumonia (490-493)	-	3	-	3	1	1	-	-	-	1
(32)		Bronchitis (500-502)	-	2	-	-	-	-	-	-	-	-
(33)		Ulcer of stomach and duodenum (540, 541)	-	-	-	-	-	-	-	-	-	-
(34)		Appendicitis (550-553)	-	1	-	1	1	-	-	-	-	1
(35)		Intestinal obstruction and hernia (560, 561, 570)	-	1	-	-	-	1	-	-	-	1
(36)		Gastritis, duodenitis, enteritis, and colitis, except diarrhea of the newborn (543, 571, 572)	-	1	-	-	-	-	-	-	-	-
(37)		Cirrhosis of the liver (581)	-	-	-	2	-	-	1	-	-	-
(38)		Nephritis and nephrosis (590-594)	1	3	-	-	-	1	-	-	-	2
(39)		Hyperplasia of prostate (610)	-	-	-	-	-	-	-	-	-	-
(40)		Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	-	-	-	-	-	-	-
(41)		Congenital malformations (750-759)	-	-	-	-	1	-	-	-	-	3
(42)		Birth injuries, postnatal asphyxia and atelectasis (760-762)	-	2	-	-	-	-	-	1	1	3
(43)		Infections of the newborn (763-768)	-	-	-	-	-	-	-	-	-	-
(44)		Other diseases, peculiar to early infancy and immaturity unqualified (769-776)	-	3	-	-	1	3	-	-	-	2
(45)		Senility without mention of psychosis, ill-defined and unknown causes (780-795)	-	-	-	-	1	1	-	-	2	-
(46)		Arteriosclerosis (450)	1	2	-	2	1	-	1	4	-	1
(46)		All other diseases (residual)	3	8	-	4	1	-	-	2	-	2
(47)		Motor-vehicle accidents (810-835)	-	-	-	-	-	1	1	2	-	2
(48)		Railroad accidents and injuries (800-802)	-	1	-	1	-	-	-	-	-	-
(48)		Air-transport accidents (860-866)	-	-	-	-	-	-	-	-	-	-
(48)		Burns (fire, explosion, scalds, conflagration, etc.) (transport accidents excepted) (915-917)	-	-	1	-	1	-	-	1	-	-
(48)		Accidental drowning (850, 851, 929)	-	-	-	1	-	-	-	-	-	-
(48)		Accidental falls (transport accidents excepted) (900-904)	1	2	-	2	2	1	-	1	-	2
(48)		All other accidents	1	-	-	-	-	-	-	-	-	-
(49)		Suicide and self-inflicted injury (963, 970-979)	-	-	-	2	-	-	-	-	-	-
(50)		Homicide and operations of war (964, 965, 980-999)	-	-	-	-	-	-	-	-	-	-

¹ The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1951.

Abbreviated List No.	Shrewsbury.	Shutesbury.	Somerset.	SOMERVILLE.	South Hadley.	Southampton.	Southborough.	Southbridge.	Southwick.	Spencer.	SPRINGFIELD.	Sterling.	Stockbridge.	Stoneham.	Stoughton.	Stow.	Sturbridge.	Sudbury.	Sunderland.
(1)	68	3	72	1,152	79	12	29	193	28	61	1,852	30	29	123	100	19	25	21	14
(2)	-	-	1	11	1	-	-	1	-	-	26	-	-	-	-	-	-	-	-
(3)	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
(4)	-	-	-	-	-	1	-	-	-	-	9	-	-	1	-	-	-	-	-
(6)	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
(7)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(8)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(9)	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
(10)	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(17)	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1
(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(18)	10	1	11	176	8	2	6	38	4	7	308	5	2	31	10	4	6	4	2
(19)	-	-	-	1	1	-	-	1	1	-	4	-	-	-	-	-	-	-	-
(20)	-	-	2	19	2	-	1	4	-	2	17	2	1	1	1	-	1	-	1
(21)	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
(22)	6	-	9	144	4	2	7	25	3	10	177	1	5	10	11	5	4	2	1
(23)	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
(24)	-	-	-	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(25)	2	-	1	23	2	-	-	1	-	1	38	-	1	1	-	-	1	-	-
(26)	27	-	20	287	24	4	8	52	10	15	542	12	5	37	38	3	8	5	3
(26)	3	-	5	108	4	-	1	11	1	6	125	-	1	6	9	1	2	2	3
(27)	1	-	-	23	3	-	-	2	-	5	13	-	-	2	3	2	-	-	-
(28)	2	-	4	60	5	-	2	9	1	2	121	-	1	6	1	-	1	-	-
(29)	-	-	-	5	-	-	-	-	-	1	11	-	-	-	-	-	-	1	-
(30)	-	-	-	2	-	-	-	-	-	4	1	-	-	-	-	-	-	-	-
(31)	-	-	1	21	1	-	-	7	-	-	44	-	1	2	2	1	-	-	-
(32)	1	-	-	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
(33)	2	-	-	7	-	1	-	3	-	-	9	-	-	2	-	-	-	-	-
(34)	-	-	-	1	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-
(35)	1	-	-	9	-	-	-	-	-	1	10	1	-	1	-	-	-	-	-
(36)	-	-	2	2	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-
(37)	-	-	1	20	1	-	-	3	1	-	31	1	3	1	2	-	-	-	-
(38)	1	-	1	21	-	1	-	3	1	1	24	-	1	1	-	-	-	-	-
(39)	-	-	-	3	1	-	-	1	-	-	4	-	-	-	-	-	-	-	-
(40)	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
(41)	2	-	-	9	4	-	-	5	-	-	20	1	-	3	-	-	1	-	-
(42)	1	-	2	18	3	-	-	1	-	-	24	1	1	2	1	-	-	1	-
(43)	-	-	-	1	4	-	-	-	-	1	3	-	-	-	-	-	-	-	-
(44)	2	-	1	16	-	-	1	5	1	-	22	1	-	1	5	-	-	-	1
(45)	1	-	4	3	3	-	-	-	-	1	31	-	-	-	-	-	-	-	-
(46)	-	-	2	37	-	-	1	2	1	-	46	-	1	5	1	1	1	-	1
(46)	1	-	1	49	1	1	1	10	-	2	81	2	4	4	10	1	-	1	-
(47)	2	1	-	13	1	-	-	2	1	-	14	-	-	2	-	-	-	1	-
(48)	-	-	-	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
(48)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(48)	1	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	-	-
(48)	-	-	-	6	1	-	-	1	1	-	5	-	2	1	-	-	-	2	-
(48)	1	-	2	32	2	-	1	3	-	-	45	2	-	1	-	-	-	2	1
(48)	1	-	1	7	-	-	-	1	1	1	7	-	-	-	2	-	-	-	-
(49)	-	1	2	8	2	-	-	-	1	-	22	-	-	-	3	-	-	-	-
(50)	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

¹ Exclusive of stillbirths.

Abbreviated List No.	Table 15	CAUSE OF DEATH. ¹	DEATHS FROM									
			Sutton.	Swampscott.	Swansea.	TAUNTON.	Templeton.	Tewksbury.	State Infirmary.	Tisbury.	Tolland.	Topsfield.
		All Causes. ²	30	145	73	474	41	51		23		9
(1)		Tuberculosis of the respiratory system (1-8)	-	-	-	13	-	3	-	-	-	-
(2)		All other forms of tuberculosis (10-19)	-	-	-	1	-	-	-	-	-	-
(3)		Syphilis (20-29)	-	-	-	-	-	-	-	1	-	-
(4)		Typhoid fever (40)	-	-	-	-	-	-	-	-	-	-
(5)		Dysentery, all forms (45-48)	-	-	-	-	-	-	-	-	-	-
(7)		Scarlet fever and streptococcal sore throat (50, 51)	-	-	-	-	-	-	-	-	-	-
(8)		Diphtheria (55)	-	-	-	-	-	-	-	-	-	-
(9)		Whooping cough (56)	-	-	-	-	-	-	-	-	-	-
(10)		Meningococcal infections (57)	-	-	-	-	-	1	-	-	-	-
(12)		Acute poliomyelitis (80)	-	-	-	-	-	-	-	-	-	-
(14)		Measles (85)	-	-	-	-	-	-	-	-	-	-
(16)		Malaria (110-117)	-	-	-	-	-	-	-	-	-	-
(17)		Infectious hepatitis (92)	-	-	-	-	-	-	-	-	-	-
(17)		All other diseases classified as infective and parasitic (residual)	-	-	-	1	-	-	-	-	-	-
(18)		Malignant neoplasms (140-205)	4	19	15	71	8	6	-	1	-	-
(19)		Benign and unspecified neoplasms (210-239)	-	-	-	2	-	-	-	-	-	-
(20)		Diabetes mellitus (260)	-	1	3	8	1	1	-	1	-	-
(21)		Anemias (290-293)	-	-	-	-	-	-	-	1	-	-
(22)		Vascular lesions affecting central nervous system (330-334)	5	16	13	39	5	4	-	7	-	2
(23)		Nonmeningococcal meningitis (340)	-	-	-	1	-	-	-	-	-	-
(24)		Rheumatic fever (400-402)	-	-	-	-	-	-	-	-	-	-
(25)		Chronic rheumatic heart disease (410-416)	-	2	-	7	-	2	-	-	-	-
(26)		Arteriosclerotic heart disease, including coronary disease (420)	12	49	16	155	17	11	-	6	-	3
(26)		Degenerative heart disease (421, 422)	2	9	5	12	1	2	-	1	-	1
(27)		Other diseases of heart (430-434)	-	3	-	2	1	-	-	-	-	-
(28)		Hypertension with heart disease (440-443)	1	10	5	46	1	1	-	2	-	-
(29)		Hypertension without mention of heart (444-447)	-	4	1	3	-	-	-	-	-	-
(30)		Influenza (480-483)	1	-	-	1	-	-	-	-	-	-
(31)		Pneumonia (490-493)	-	3	-	7	-	3	-	-	-	-
(32)		Bronchitis (500-502)	-	1	-	1	-	-	-	-	-	-
(33)		Ulcer of stomach and duodenum (540, 541)	-	-	-	8	-	-	-	-	-	-
(34)		Appendicitis (550-553)	-	-	-	1	-	-	-	-	-	-
(35)		Intestinal obstruction and hernia (560, 561, 570)	-	1	-	4	-	1	-	-	-	-
(36)		Gastritis, duodenitis, enteritis, and colitis, except diarrhea of the newborn (543, 571, 572)	-	3	-	5	-	-	-	-	-	-
(37)		Cirrhosis of the liver (581)	-	3	-	5	-	2	-	-	-	-
(38)		Nephritis and nephrosis (590-594)	1	-	6	5	-	1	-	-	-	-
(39)		Hyperplasia of prostate (610)	-	-	1	2	-	-	-	-	-	-
(40)		Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	-	-	-	-	-	-	-
(41)		Congenital malformations (750-759)	1	1	1	3	-	1	-	-	-	-
(42)		Birth injuries, postnatal asphyxia and atelectasis (760-762)	1	2	1	2	1	-	-	-	-	-
(43)		Infections of the newborn (763-768)	-	-	-	-	-	-	-	-	-	-
(44)		Other diseases, peculiar to early infancy, and immaturity unqualified (769-776)	-	2	-	11	-	-	-	-	-	-
(45)		Senility without mention of psychosis, ill-defined and unknown causes (780-795)	-	-	-	5	-	1	-	-	-	1
(46)		Arteriosclerosis (450)	-	4	-	9	-	3	-	2	-	1
(46)		All other diseases (residual)	1	7	2	18	2	4	-	-	-	1
(47)		Motor-vehicle accidents (810-835)	-	1	-	7	1	1	-	-	-	-
(48)		Railroad accidents and injuries (800-802)	-	-	-	-	1	-	-	-	-	-
(48)		Air-transport accidents (860-866)	-	-	-	1	-	-	-	-	-	-
(48)		Burns (fire, explosion, scalds, conflagration, etc.) (transport accidents excepted) (915-917)	-	-	-	1	-	-	-	-	-	-
(48)		Accidental drowning (850, 851, 929)	-	-	-	1	-	-	-	-	-	-
(48)		Accidental falls (transport accidents excepted) (900-904)	-	2	1	11	2	1	-	-	-	-
(48)		All other accidents	1	-	1	3	-	1	-	1	-	-
(49)		Suicide and self-inflicted injury (963, 970-979)	-	3	2	2	-	-	-	-	-	-
(50)		Homicide and operations of war (964, 965, 980-999)	-	-	-	-	-	-	-	-	-	-

¹ The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1951.

Abbreviated List No.	Townsend.	Truro.	Tyngsborough.	Tyringham.	Upton.	Usbridge.	Wakefield.	Wales.	Walpole.	WALTHAM.	Ware.	Wareham.	Warren.	Warwick.	Washington.	Watertown.	Wayland.	Webster.	Wellesley.
(1)	31	9	27	1	41	68	201	12	88	465	93	110	42	8	4	378	58	138	174
(2)	1	-	-	-	1	1	2	1	1	6	1	3	-	-	-	5	1	3	-
(3)	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	1	-
(4)	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
(6)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(7)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(8)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(9)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(10)	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(17)	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
(17)	-	-	-	-	-	-	2	-	-	1	-	-	-	1	-	-	-	-	-
(18)	4	2	2	-	6	10	39	1	17	72	17	23	5	1	1	74	6	20	34
(19)	-	-	1	-	1	1	1	-	-	2	-	-	-	-	-	1	1	1	1
(20)	-	-	-	-	1	1	2	-	4	9	-	-	-	-	-	4	-	5	3
(21)	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-
(22)	5	1	5	-	4	8	21	1	7	70	5	9	5	1	-	37	6	13	19
(23)	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
(24)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(25)	2	1	-	-	1	1	1	-	1	8	1	1	1	-	-	7	2	1	9
(26)	7	3	9	-	17	19	71	4	22	136	26	35	10	1	1	118	16	44	51
(26)	3	-	-	-	2	4	7	-	5	12	7	2	1	1	-	19	4	3	5
(27)	2	-	2	-	1	3	2	-	-	10	3	1	-	-	1	3	2	2	3
(28)	-	-	2	-	-	1	11	-	4	29	12	9	8	-	-	17	5	7	8
(29)	-	-	-	-	-	1	-	-	-	-	-	2	1	-	-	-	-	2	-
(30)	-	-	-	-	1	-	1	-	-	3	3	-	1	-	-	-	-	-	1
(31)	1	-	1	1	-	1	4	-	4	6	-	2	-	-	-	5	-	2	6
(32)	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
(33)	-	-	-	-	-	-	3	-	1	3	-	-	-	-	-	3	-	2	-
(34)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1
(35)	-	-	-	-	-	2	-	-	-	6	-	-	1	-	-	-	-	-	1
(36)	-	-	2	-	-	-	-	1	2	1	1	1	-	-	-	2	-	-	-
(37)	1	-	-	-	1	1	4	-	9	9	2	-	-	-	-	8	1	4	-
(38)	-	-	-	-	-	-	4	2	2	4	-	2	1	-	-	6	1	3	2
(39)	-	-	-	-	-	-	1	-	1	1	-	1	1	-	-	1	-	1	-
(40)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(41)	-	-	-	-	-	1	2	-	1	6	2	2	-	-	-	5	3	2	2
(42)	-	-	-	-	-	1	3	-	4	9	-	-	-	1	-	7	2	3	3
(43)	-	-	-	-	-	-	-	2	-	3	-	-	-	-	-	5	-	-	-
(44)	-	-	-	-	-	-	2	-	1	-	2	-	2	1	1	-	-	-	2
(45)	1	-	-	-	-	2	-	-	1	3	-	-	-	-	-	2	-	-	-
(46)	2	-	2	-	-	3	4	-	1	1	2	-	-	-	-	7	2	2	3
(46)	-	-	-	-	2	3	6	-	3	17	4	5	2	-	-	18	3	8	5
(47)	1	-	1	-	2	3	2	-	1	7	1	3	-	-	-	5	1	3	3
(48)	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
(48)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
(48)	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-
(48)	-	1	-	-	1	-	-	-	-	-	-	2	-	-	-	1	1	-	2
(48)	-	-	-	-	-	1	1	-	2	18	2	1	-	-	-	9	2	3	4
(48)	1	1	-	-	-	1	1	-	-	5	-	1	-	1	-	2	-	2	3
(49)	-	-	-	-	-	1	1	-	4	1	1	3	1	-	-	1	-	1	3
(50)	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-

¹ Exclusive of stillbirths.

Abbreviated List No.	Table 15	DEATHS FROM									
		CAUSE OF DEATH. ¹									
		Wellfleet.	Wendell.	Wenham.	West Boylston.	West Bridgewater.	West Brookfield.	West Newbury.	West Springfield.	West Stockbridge.	West Tisbury.
	All Causes. ²	24	3	14	26	48	16	14	189	14	1
(1)	Tuberculosis of the respiratory system (1-8)	-	-	-	-	-	-	-	1	-	-
(2)	All other forms of tuberculosis (10-19)	-	-	-	-	-	-	-	-	-	-
(3)	Syphilis (20-29)	-	-	-	-	-	-	-	1	-	-
(4)	Typhoid fever (40)	-	-	-	-	-	-	-	-	-	-
(6)	Dysentery, all forms (45-48)	-	-	-	-	-	-	-	-	-	-
(7)	Scarlet fever and streptococcal sore throat (50, 51)	-	-	-	-	-	-	-	-	-	-
(8)	Diphtheria (55)	-	-	-	-	-	-	-	-	-	-
(9)	Whooping cough (56)	-	-	-	-	-	-	-	-	-	-
(10)	Meningococcal infections (57)	-	-	-	-	-	-	-	-	-	-
(12)	Acute poliomyelitis (80)	-	-	-	-	-	-	-	-	-	-
(14)	Measles (85)	-	-	-	-	-	-	-	-	-	-
(16)	Malaria (110-117)	-	-	-	-	-	-	-	-	-	-
(17)	Infectious hepatitis (92)	-	-	-	-	-	-	-	-	-	-
(17)	All other diseases classified as infective and parasitic (residual)	-	-	-	-	-	-	-	-	-	-
(18)	Malignant neoplasms (140-205)	5	-	1	1	10	2	2	29	4	-
(19)	Benign and unspecified neoplasms (210-239)	-	-	-	-	-	-	-	1	-	-
(20)	Diabetes mellitus (260)	-	-	1	1	-	-	1	2	-	-
(21)	Anemias (290-293)	-	-	-	-	-	-	-	1	-	-
(22)	Vascular lesions affecting central nervous system (330-334)	3	1	1	2	9	3	1	21	-	-
(23)	Nonmeningococcal meningitis (340)	-	-	-	-	-	-	-	-	-	-
(24)	Rheumatic fever (400-402)	-	-	-	-	-	-	-	-	-	-
(25)	Chronic rheumatic heart disease (410-416)	1	-	-	-	-	-	-	2	-	-
(26)	Arteriosclerotic heart disease, including coronary disease (420)	9	-	4	12	12	6	4	45	4	1
(26)	Degenerative heart disease (421, 422)	1	-	-	-	1	-	2	14	1	-
(27)	Other diseases of heart (430-434)	-	-	-	-	1	-	-	4	1	-
(28)	Hypertension with heart disease (440-443)	-	-	2	1	2	1	-	12	-	-
(29)	Hypertension without mention of heart (444-447)	-	-	-	-	-	-	-	-	-	-
(30)	Influenza (480-483)	-	-	-	-	-	-	-	-	-	-
(31)	Pneumonia (490-493)	1	-	-	1	-	-	-	2	-	-
(32)	Bronchitis (500-502)	-	-	-	-	-	-	-	-	-	-
(33)	Ulcer of stomach and duodenum (540, 541)	-	-	-	-	-	-	-	2	-	-
(34)	Appendicitis (550-553)	-	-	-	-	-	-	-	-	-	-
(35)	Intestinal obstruction and hernia (560, 561, 570)	-	-	1	1	1	1	-	3	-	-
(36)	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of the newborn (543, 571, 572)	-	-	1	-	-	-	-	1	-	-
(37)	Cirrhosis of the liver (581)	1	-	-	1	2	-	-	3	-	-
(38)	Nephritis and nephrosis (590-594)	-	1	1	-	-	-	-	3	-	-
(39)	Hyperplasia of prostate (610)	1	-	-	-	1	-	-	-	-	-
(40)	Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	-	-	-	-	-	-	-
(41)	Congenital malformations (750-759)	-	-	-	-	1	-	-	1	-	-
(42)	Birth injuries, postnatal asphyxia and atelectasis (760-762)	-	-	-	-	1	-	-	5	1	-
(43)	Infections of the newborn (763-768)	-	-	-	-	-	-	-	-	-	-
(44)	Other diseases, peculiar to early infancy, and immaturity unqualified (769-776)	-	-	-	1	-	-	-	5	-	-
(45)	Senility without mention of psychosis, ill-defined and unknown causes (780-795)	-	-	1	-	-	1	-	4	-	-
(46)	Arteriosclerosis (450)	1	-	-	1	-	2	1	3	-	-
(46)	All other diseases (residual)	-	-	-	1	2	-	-	18	2	-
(47)	Motor-vehicle accidents (810-835)	-	-	-	1	1	-	-	3	-	-
(48)	Railroad accidents and injuries (800-802)	-	-	-	-	-	-	-	-	-	-
(48)	Air-transport accidents (860-866)	-	-	-	-	-	-	-	-	-	-
(48)	Burns (fire, explosion, scalds, conflagration, etc.) (transport accidents excepted) (915-917)	-	1	-	-	-	-	-	-	-	-
(48)	Accidental drowning (850, 851, 929)	-	-	-	2	-	-	-	-	-	-
(48)	Accidental falls (transport accidents excepted) (900-904)	-	-	1	-	2	-	2	1	-	-
(48)	All other accidents	-	-	-	-	2	-	-	-	-	-
(49)	Suicide and self-inflicted injury (963, 970-979)	1	-	-	-	-	-	1	2	1	-
(50)	Homicide and operations of war (964, 965, 980-999)	-	-	-	-	-	-	-	-	-	-

¹ The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1951.

Abbreviated List No.	Westborough.	WESTFIELD.	Westford.	Westhampton.	Westminster.	Weston.	Westport.	Westwood.	Weymouth.	Whately.	Whitman.	Wilbraham.	Williamsburg.	Williamstown.	Wilmington.	Winchendon.	Winchester.	Windsor.	Winthrop.
(1)	64	202	37	5	21	38	47	54	344	12	108	31	24	48	62	83	133	1	245
(2)	1	3	-	-	-	-	-	2	1	1	-	1	-	1	2	-	1	-	5
(3)	-	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
(4)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(6)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(7)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(8)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(9)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(10)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(17)	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(18)	5	38	8	1	4	9	12	9	55	1	13	1	1	7	10	15	25	-	45
(19)	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1
(20)	1	4	1	-	1	2	1	-	7	-	4	-	1	1	1	4	-	-	4
(21)	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2
(22)	7	29	2	1	2	3	3	5	31	-	10	1	1	4	8	6	15	-	27
(23)	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
(24)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
(25)	-	4	1	-	1	-	-	-	5	-	3	-	-	1	1	7	3	-	3
(26)	23	54	9	-	5	15	12	17	83	5	21	8	6	8	22	22	35	-	84
(26)	14	13	1	-	-	-	3	1	22	-	17	6	2	8	1	8	7	-	8
(27)	-	6	2	-	-	-	1	1	7	1	-	-	-	1	1	1	4	-	6
(28)	1	10	1	-	1	1	2	4	34	-	9	1	-	-	3	2	5	-	5
(29)	-	2	-	-	-	-	-	-	2	-	-	1	-	1	-	-	-	-	2
(30)	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	1	2	-	1
(31)	2	2	3	-	-	-	2	-	10	1	2	2	5	3	1	1	-	-	5
(32)	1	1	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-
(33)	-	1	-	-	1	-	-	-	1	-	-	1	1	-	-	-	1	-	-
(34)	1	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-
(35)	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
(36)	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1
(37)	1	-	1	-	-	1	-	-	3	-	3	-	-	-	-	2	1	-	1
(38)	-	2	1	-	-	-	1	1	2	-	1	1	-	2	-	1	4	-	3
(39)	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
(40)	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
(41)	-	3	-	-	1	1	2	1	6	-	1	-	-	-	1	2	1	-	1
(42)	1	3	-	-	-	1	-	-	7	-	-	-	-	-	-	-	4	-	5
(43)	-	-	-	1	-	-	-	-	1	-	1	-	-	1	1	-	-	-	1
(44)	3	-	1	1	-	-	-	1	6	1	-	2	-	2	3	-	3	-	1
(45)	-	1	-	-	-	-	-	-	1	-	-	-	2	1	-	-	-	-	2
(46)	1	2	-	-	-	1	2	2	13	1	2	1	1	1	-	1	5	1	4
(46)	-	6	2	1	2	-	2	3	20	-	6	-	1	1	2	2	5	-	11
(47)	-	4	2	-	-	1	1	2	5	-	1	2	-	1	-	2	1	-	3
(48)	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(48)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(48)	-	-	-	-	-	-	1	-	2	-	-	-	-	1	-	-	-	-	1
(48)	-	-	-	-	-	-	1	2	4	-	-	1	-	1	-	-	-	-	3
(48)	-	2	-	-	2	-	-	-	9	-	5	-	2	1	1	4	5	-	5
(48)	-	2	-	-	1	-	-	1	2	1	3	-	1	-	1	-	3	-	2
(49)	2	1	2	-	-	-	-	1	-	-	2	1	-	-	-	2	-	-	2
(50)	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Exclusive of stillbirths.

Abbreviated List No.	Table 15 CAUSE OF DEATH. ¹	DEATHS FROM IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1951.				
		Woburn.	Worcester.	Worthington.	Wrentham.	Yarmouth.
	All Causes. ²	217	2,344	6	29	42
(1)	Tuberculosis of the respiratory system (1-8)	1	38	-	1	-
(2)	All other forms of tuberculosis (10-19)	-	-	-	-	-
(3)	Syphilis (20-29)	-	4	-	-	-
(4)	Typhoid fever (40)	-	-	-	-	-
(6)	Dysentery, all forms (45-48)	-	-	-	-	-
(7)	Scarlet fever and streptococcal sore throat (50, 51)	-	-	-	-	-
(8)	Diphtheria (55)	-	-	-	-	-
(9)	Whooping cough (56)	-	-	-	-	-
(10)	Meningococcal infections (57)	-	1	-	-	-
(12)	Acute poliomyelitis (80)	-	-	-	-	-
(14)	Measles (85)	-	1	-	1	-
(16)	Malaria (110-117)	-	-	-	-	-
(17)	Infectious hepatitis (92)	-	3	-	-	-
(17)	All other diseases classified as infective and parasitic (residual)	-	-	-	-	-
(18)	Malignant neoplasms (140-205)	42	383	-	4	7
(19)	Benign and unspecified neoplasms (210-239)	1	13	-	-	-
(20)	Diabetes mellitus (260)	4	26	-	-	-
(21)	Anemias (290-293)	-	4	-	-	-
(22)	Vascular lesions affecting central nervous system (330-334)	29	207	1	2	1
(23)	Nonmeningococcal meningitis (340)	-	3	-	-	-
(24)	Rheumatic fever (400-402)	-	-	-	-	-
(25)	Chronic rheumatic heart disease (410-416)	8	23	-	-	-
(26)	Arteriosclerotic heart disease, including coronary disease (420)	48	802	1	5	14
(26)	Degenerative heart disease (421, 422)	11	114	-	4	2
(27)	Other diseases of heart (430-434)	1	21	1	-	-
(28)	Hypertension with heart disease (440-443)	18	134	-	1	3
(29)	Hypertension without mention of heart (444-447)	-	8	-	-	2
(30)	Influenza (480-483)	1	1	-	-	1
(31)	Pneumonia (490-493)	3	70	1	1	-
(32)	Bronchitis (500-502)	-	1	-	1	-
(33)	Ulcer of stomach and duodenum (540, 541)	-	18	-	-	1
(34)	Appendicitis (550-553)	-	3	-	-	-
(35)	Intestinal obstruction and hernia (560, 561, 570)	-	16	-	-	1
(36)	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of the newborn (543, 571, 572)	1	8	-	-	-
(37)	Cirrhosis of the liver (581)	2	32	-	-	2
(38)	Nephritis and nephrosis (590-594)	5	19	-	-	-
(39)	Hyperplasia of prostate (610)	2	3	-	1	-
(40)	Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	1	-	-	-
(41)	Congenital malformations (750-759)	4	21	-	1	-
(42)	Birth injuries, postnatal asphyxia and atelectasis (760-762)	3	21	-	-	1
(43)	Infections of the newborn (763-768)	1	2	-	-	-
(44)	Other diseases, peculiar to early infancy, and immaturity unqualified (769-776)	6	41	-	-	-
(45)	Senility without mention of psychosis, ill- defined and unknown causes (780-795)	2	5	-	-	1
(46)	Arteriosclerosis (450)	6	55	-	2	1
(46)	All other diseases (residual)	7	101	1	-	2
(47)	Motor-vehicle accidents (810-835)	1	22	-	-	-
(48)	Railroad accidents and injuries (800-802)	-	1	-	-	-
(48)	Air-transport accidents (860-866)	-	-	-	-	-
(48)	Burns (fire, explosion, scalds, conflagration, etc.) (transport accidents excepted) (915-917)	-	6	-	-	1
(48)	Accidental drowning (850, 851, 929)	1	7	-	-	-
(48)	Accidental falls (transport accidents ex- cepted (900-904)	5	71	-	2	-
(48)	All other accidents	2	12	1	-	-
(49)	Suicide and self-inflicted injury (963, 970- 979)	2	19	-	2	2
(50)	Homicide and operations of war (964, 965, 980-999)	-	3	-	1	-

¹ The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

² Exclusive of stillbirths.

TABLES 16, 17 AND 18 WHICH FOLLOW HAVE BEEN PREPARED IN PART FROM A LIST SUPPLIED BY THE NATIONAL SAFETY COUNCIL AND SHOW DEATHS FROM VIOLENCE BY PLACE OF OCCURRENCE, TYPE OF ACCIDENT, AGE, MONTH AND SEX.

[illegible]

⁴Cities are printed in small capitals.

REGISTERED DEATHS FROM IMPORTANT VIOLENT CAUSES BY PLACE OF OCCURRENCE: 1951.

	Total.	Suicide and self-inflicted injury, 963, 970-979.	Homicide, 964, 980-985.	Railway accidents (except collisions with motor vehicles), 800-802.	Collisions between motor vehicles and railway trains, 810.	Collisions between motor vehicles and streetcars, 811.	Motor-vehicle traffic accidents, 812-825.	Motor-vehicle nontraffic accidents, 830-835.	Streetcar and other road-vehicle accidents, 840-845.	Aircraft accidents, 860-866.	Accidents caused by machinery, 912.	Accidental poisonings by utility (illuminating) gas, 890.	Accidental poisonings by other gases and vapors, 891-895.	Accidental poisonings by solid and liquid substances, 870-888.	Accidents caused by fire, explosion of combustible material, etc., 916, 917.	Accidents caused by mechanical suffocation, 924, 925.	Water-transport accidents, drowning, 850-851.	Accidents caused by drowning, 929.	Accidents caused by firearms, 919.	Accidental falls on stairs and from ladders, 900, 901.	Accidental falls from one level to another, 902.	Other and unspecified accidental falls, 903, 904.	All Others.
Dudley	1																						1
Dunstable	1																						1
Duxbury	1																						1
East Bridgewater	1																						1
East Brookfield	1																						1
East Longmeadow	1																						1
Eastham	1																						1
Easthampton	1																						1
Easton	2																						1
Edgartown	7																						1
Egremont	1																						1
Erving	1																						1
Essex	14																						1
Ev. rett	10																						1
Fairhaven	45																						1
FALL RIVER	9																						1
Falmouth	13																						1
Fitchburg	27																						1
Florida	7																						1
Foxborough	13																						1
Framingham	7																						1
Franklin	13																						1
Freestown	13																						1
GARDNER	13																						1
Gay Head	2																						1
Georgetown	5																						1
Gill	19																						1
Gloucester	2																						1
Goshen	4																						1
Gosnold	2																						1
Grafton	4																						1
Granby	13																						1

Table 16

MUNICIPALITIES.¹

[illegible]

¹Cities are printed in small capitals.

[illegible]

¹Cities are printed in small capitals.

[illegible]

1Cities are printed in small capitals.

Table 17 TYPE OF ACCIDENT.		ACCIDENTAL DEATHS ¹ ACCORDING TO									
		MONTHS									
		Total			January		February		March		
M.	F.		M.	F.	M.	F.	M.	F.			
1	GRAND TOTAL	2,553	1,477	1,076	134	91	109	79	129	114	
2	OCCUPATIONAL TOTAL	112	107	5	9	-	6	-	11	-	
3	Agriculture	9	9	-	-	-	-	-	2	-	
4	Mining, quarrying, oil and gas wells	-	-	-	-	-	-	-	-	-	
5	Manufacturing	26	26	-	3	-	2	-	3	-	
6	Construction	31	31	-	4	-	-	-	1	-	
7	Transportation	7	7	-	-	-	-	-	1	-	
8	Public Utilities	8	8	-	-	-	1	-	-	-	
9	Trade	6	4	2	1	-	1	-	1	-	
10	Service	17	14	3	1	-	1	-	3	-	
11	Other specified industry	8	8	-	-	-	1	-	-	-	
12	Unspecified industry	-	-	-	-	-	-	-	-	-	
13	HOME TOTAL	1,022	400	622	46	56	32	46	39	66	
14	Poisonings (gas excepted)	32	14	18	3	-	-	1	1	2	
15	Poisonings by gases and vapors	49	32	17	5	2	7	2	2	2	
16	Fire, explosion of combustible material	92	54	38	7	5	3	5	10	2	
17	Hot substance, corrosive liquid and steam	3	2	1	-	-	-	-	-	-	
18	Mechanical suffocation	26	17	9	1	-	1	-	3	1	
19	Firearms	6	6	-	1	-	-	-	-	-	
20	Falls on same level	15	3	12	1	-	-	-	1	-	
21	Falls to different level or unspecified	736	234	502	25	48	18	37	20	57	
22	Other specified home accidents	53	32	21	3	1	2	-	2	2	
23	Unspecified home accidents	10	6	4	-	-	1	1	-	-	
24	MOTOR-VEHICLE TOTAL ²	561	427	134	41	6	25	5	30	17	
25	Injury to pedestrian	269	206	63	22	5	11	3	14	5	
26	Collision with other motor vehicle	81	55	26	9	-	2	1	3	1	
27	Collision with railroad train	16	11	5	-	-	1	-	1	2	
28	Collision with street car	2	2	-	-	-	1	-	-	-	
29	Injury to rider of bicycle	1	1	-	-	-	-	-	-	-	
30	Collision with animal-drawn vehicle or animal	3	3	-	-	-	-	-	-	-	
31	Collision with fixed object	87	71	16	5	-	7	1	9	5	
32	Non-collision	96	73	23	5	1	2	-	2	4	
33	Other and unspecified accident	6	5	1	-	-	1	-	1	-	
34	PUBLIC NONMOTOR-VEHICLE TOTAL ³	650	434	216	26	26	35	19	44	20	
35	Railroad—not with motor vehicle	29	26	3	1	-	3	-	1	-	
36	Street car—not with motor vehicle	2	1	1	-	-	-	-	-	-	
37	Other vehicle—not with motor vehicle	4	1	3	-	1	-	-	-	1	
38	Water transportation	62	59	3	-	-	1	-	5	1	
39	Air transportation	19	19	-	1	-	2	-	2	-	
40	Fire, explosion of combustible material	11	9	2	-	2	1	-	3	-	
41	Hot substance, corrosive liquid and steam	1	1	-	-	-	-	-	-	-	
42	Drowning	121	106	15	6	1	5	-	9	-	
43	Firearms	7	7	-	-	-	1	-	-	-	
44	Falls on same level	25	15	10	-	1	2	1	1	-	
45	Falls to different level or unspecified	309	149	160	17	21	15	15	18	17	
46	Other specified public accidents	53	35	18	1	-	5	3	4	1	
47	Unspecified public accidents	7	6	1	-	-	-	-	1	-	
48	TYPE OF ACCIDENT UNKNOWN	208	109	99	12	3	11	9	5	11	

¹ Allocated.² Includes 11 non traffic accidents and 18 persons gainfully employed.³ Transportation accidents include 39 persons gainfully employed.

TYPE OF ACCIDENT, BY MONTHS AND SEX: 1951.

Line No.	MONTHS																	
	April		May		June		July		August		September		October		November		December	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
1	115	80	123	79	117	86	141	75	109	83	109	82	108	106	137	93	146	108
2	7	-	10	-	10	2	14	-	8	1	6	1	9	1	10	-	7	-
3	1	-	1	-	1	-	2	-	2	-	-	-	-	-	-	-	-	-
4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	1	-	3	-	2	-	2	-	-	-	1	-	3	-	3	-	3	-
6	1	-	4	-	3	-	7	-	2	-	2	-	4	-	2	-	1	-
7	1	-	1	-	-	-	-	-	1	-	-	-	2	-	-	-	1	-
8	1	-	-	-	-	-	1	-	-	-	1	-	-	-	4	-	-	-
9	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-
10	1	-	-	-	3	1	-	-	2	1	1	1	-	-	1	-	1	-
11	1	-	-	-	1	-	2	-	1	-	1	-	-	-	-	-	1	-
12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	35	59	35	51	23	51	35	34	25	51	23	42	32	59	28	49	47	58
14	-	2	2	1	-	-	3	1	-	2	-	2	2	4	1	1	2	2
15	2	1	1	1	1	-	-	-	2	1	2	1	3	1	1	2	6	4
16	6	5	5	4	1	1	6	1	5	1	2	3	3	3	2	-	4	8
17	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
18	2	2	-	1	2	-	1	-	-	-	1	2	2	1	2	2	2	-
19	-	-	1	-	-	-	1	-	-	-	-	-	1	-	1	-	1	-
20	-	1	-	5	-	-	-	2	-	-	-	-	1	3	-	-	-	1
21	22	46	23	38	15	47	18	29	16	45	16	32	18	44	14	42	29	37
22	3	2	2	1	3	3	6	1	2	1	2	1	2	3	5	2	3	4
23	-	-	-	-	1	-	-	-	-	1	-	1	-	-	2	-	2	1
24	33	7	37	12	26	10	35	6	39	13	38	17	38	14	37	9	48	18
25	17	5	20	3	9	7	16	1	18	3	19	8	25	7	13	6	22	10
26	6	1	6	3	1	2	6	1	8	5	2	2	3	6	3	1	6	3
27	-	-	1	-	1	-	-	-	-	-	2	3	-	-	4	-	1	-
28	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
29	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
30	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
31	3	-	6	4	3	-	4	1	2	1	8	1	3	-	9	-	12	3
32	5	1	4	2	10	1	8	3	9	3	6	3	7	1	8	2	7	2
33	-	-	-	-	2	-	-	-	-	1	1	-	-	-	-	-	-	-
34	33	11	32	10	46	16	52	23	32	15	31	15	23	30	47	14	33	17
35	2	-	2	-	3	-	1	-	3	2	1	-	1	-	5	1	3	-
36	-	-	-	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-
37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
38	1	1	7	-	4	-	9	1	7	-	4	-	1	-	20	-	-	-
39	-	-	1	-	1	-	5	-	1	-	3	-	-	-	2	-	1	-
40	-	-	-	-	1	-	1	-	1	-	1	-	1	-	-	-	-	-
41	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
42	10	1	11	1	15	3	22	5	7	1	8	1	3	2	5	-	5	-
43	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	4	-
44	4	1	3	-	-	-	1	-	-	-	1	2	3	3	-	1	-	1
45	11	6	8	6	18	13	10	15	12	10	6	10	10	22	10	11	14	14
46	4	2	-	2	2	-	3	1	1	2	5	2	3	3	2	1	5	1
47	1	-	-	-	-	-	-	1	-	-	2	-	1	-	1	-	-	-
48	7	3	9	6	12	7	5	12	5	3	11	7	6	2	15	21	11	15

Table 18		ACCIDENTAL DEATHS ¹ , ACCORDING TO											
		AGE OF DECEDENTS (YEARS)											
		Total			Under 1		1 to 4		5 to 14		15 to 19		
M.	F.		M.	F.	M.	F.	M.	F.	M.	F.			
1	GRAND TOTAL	2,553	1,477	1,076	29	17	68	32	93	17	72	21	
2	OCCUPATIONAL TOTAL	112	107	5	—	—	—	—	1	—	3	—	
3	Agriculture	9	9	—	—	—	—	—	—	—	—	—	
4	Mining, quarrying, oil and gas wells	—	—	—	—	—	—	—	—	—	—	—	
5	Manufacturing	26	26	—	—	—	—	—	1	—	1	—	
6	Construction	31	31	—	—	—	—	—	—	—	—	—	
7	Transportation	7	7	—	—	—	—	—	—	—	—	—	
8	Public Utilities	8	8	—	—	—	—	—	—	—	—	—	
9	Trade	6	4	2	—	—	—	—	—	—	—	—	
10	Service	17	14	3	—	—	—	—	—	—	2	—	
11	Other specified industry	8	8	—	—	—	—	—	—	—	—	—	
12	Unspecified industry	—	—	—	—	—	—	—	—	—	—	—	
13	HOME TOTAL	1,022	400	622	28	16	27	16	6	3	5	—	
14	Poisonings (gas excepted)	32	14	18	—	—	4	5	—	—	—	—	
15	Poisonings by gases and vapors	49	32	17	—	1	1	—	—	—	1	—	
16	Fire, explosion of combustible material	92	54	38	2	—	6	3	—	1	—	—	
17	Hot substance, corrosive liquid and steam	3	2	1	—	—	—	1	—	—	—	—	
18	Mechanical suffocation	26	17	9	13	7	4	1	—	—	—	—	
19	Firearms	6	6	—	—	—	—	—	—	—	1	—	
20	Falls on same level	15	3	12	—	—	—	—	—	—	—	—	
21	Falls to different level or unspecified	736	234	502	—	—	3	3	3	1	1	—	
22	Other specified home accidents	53	32	21	13	7	6	3	1	1	1	—	
23	Unspecified home accidents	10	6	4	—	1	3	—	2	—	1	—	
24	MOTOR-VEHICLE TOTAL ²	561	427	134	—	—	25	7	26	6	38	12	
25	Injury to pedestrian	269	206	63	—	—	22	5	18	4	3	1	
26	Collision with other motor vehicle	81	55	26	—	—	1	—	2	—	3	3	
27	Collision with railroad train	16	11	5	—	—	—	1	1	—	—	2	
28	Collision with street car	2	2	—	—	—	—	—	—	—	—	—	
29	Injury to rider of bicycle	1	1	—	—	—	—	—	1	—	—	—	
30	Collision with animal-drawn vehicle or animal	3	3	—	—	—	—	—	—	—	1	—	
31	Collision with fixed object	87	71	16	—	—	1	—	2	—	16	4	
32	Non-collision	96	73	23	—	—	1	1	1	2	13	2	
33	Other and unspecified accident	6	5	1	—	—	—	—	1	—	2	—	
34	PUBLIC NONMOTOR-VEHICLE TOTAL ³	650	434	216	1	1	14	7	55	6	18	8	
35	Railroad—not with motor vehicle	29	26	3	—	—	—	—	4	—	1	—	
36	Street car—not with motor vehicle	2	1	1	—	—	—	—	—	—	—	—	
37	Other vehicle—not with motor vehicle	4	1	3	—	—	1	—	—	2	—	—	
38	Water transportation	62	59	3	—	—	—	—	5	—	6	2	
39	Air transportation	19	19	—	—	—	—	—	—	—	—	—	
40	Fire, explosion of combustible material	11	9	2	—	—	—	—	1	—	—	—	
41	Hot substance, corrosive liquid and steam	1	1	—	—	—	—	—	—	—	—	—	
42	Drowning	121	106	15	—	—	12	7	35	2	5	2	
43	Firearms	7	7	—	—	—	—	—	2	—	2	—	
44	Falls on same level	25	15	10	—	—	—	—	—	—	—	—	
45	Falls to different level or unspecified	309	149	160	—	—	—	—	3	—	—	—	
46	Other specified public accidents	53	35	18	1	1	1	—	4	2	3	4	
47	Unspecified public accidents	7	6	1	—	—	—	—	1	—	1	—	
48	TYPE OF ACCIDENT UNKNOWN	208	109	99	—	—	2	2	5	2	8	1	

¹ Allocated.² Includes 11 nontraffic accidents and 18 persons gainfully employed.³ Transportation accidents include 39 persons gainfully employed.

TYPE OF ACCIDENT, BY AGE AND SEX: 1951.

Line No.	AGE OF DECEDENTS (YEARS)																			
	20 to 24		25 to 29		30 to 34		35 to 39		40 to 44		45 to 49		50 to 54		55 to 59		60 to 64		65 and over	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
1	84	15	77	10	52	12	56	19	64	13	72	25	76	29	101	33	105	46	528	787
2	6	—	6	—	8	—	8	—	9	—	7	2	11	1	14	1	14	—	20	1
3	—	—	2	—	1	—	—	—	1	—	—	—	—	—	1	—	1	—	3	—
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	1	—	1	—	5	—	—	—	4	—	1	—	—	—	6	—	3	—	3	—
6	2	—	—	—	—	—	2	—	1	—	2	—	7	—	4	—	5	—	8	—
7	—	—	—	—	—	—	2	—	1	—	—	—	1	—	—	—	—	—	3	—
8	1	—	3	—	—	—	2	—	—	—	1	—	—	—	—	—	1	—	—	—
9	—	—	—	—	—	—	1	—	—	—	—	2	1	—	—	—	1	—	1	—
10	1	—	—	—	1	—	1	—	2	—	2	—	2	1	1	1	2	—	—	1
11	1	—	—	—	1	—	—	—	—	—	1	—	—	—	2	—	1	—	2	—
12	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
13	4	2	4	2	4	5	9	8	18	6	17	9	14	11	15	10	25	25	224	509
14	—	—	—	—	—	3	—	5	1	1	1	2	2	1	2	—	1	—	3	1
15	1	—	—	—	1	—	1	—	1	—	4	—	1	—	2	1	1	2	18	12
16	1	1	1	2	2	—	3	2	6	2	2	2	3	1	1	—	6	5	21	19
17	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
18	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
19	1	—	1	—	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—
20	—	—	—	—	—	—	—	—	1	—	—	—	—	—	2	—	—	—	1	11
21	1	—	1	—	—	1	3	1	8	—	8	2	7	7	7	9	16	17	176	461
22	—	—	1	—	—	1	2	—	2	2	1	2	—	1	—	—	—	1	5	3
23	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—
24	49	8	42	4	26	4	17	4	16	1	11	9	20	11	25	15	26	12	106	41
25	6	1	5	1	—	1	2	2	9	1	3	3	15	4	18	9	16	6	89	25
26	11	3	13	2	5	—	4	2	—	—	2	3	2	3	1	—	3	2	8	8
27	—	—	2	—	1	—	1	—	1	—	1	—	1	1	2	—	—	—	1	—
28	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
29	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
31	16	1	6	—	9	1	7	—	4	—	3	1	—	1	—	3	5	2	2	3
32	13	3	14	1	11	1	3	—	2	—	2	2	2	2	4	3	2	2	5	4
33	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1
34	15	3	23	3	10	3	18	1	16	4	30	3	24	5	35	4	26	6	149	162
35	1	1	—	—	1	—	2	—	2	1	1	1	—	—	6	—	1	—	4	—
36	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1
37	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
38	3	—	4	—	2	—	5	—	3	—	9	1	6	—	7	—	2	—	7	—
39	3	—	7	—	3	—	1	—	1	—	—	—	2	—	1	—	—	—	1	—
40	—	—	—	—	—	—	—	—	1	—	1	—	—	—	2	1	1	—	3	1
41	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
42	2	1	8	—	2	1	7	—	5	—	3	—	4	—	5	1	7	—	11	1
43	—	—	—	—	—	—	—	—	—	—	1	—	1	—	1	—	—	—	—	—
44	—	—	—	1	—	—	—	—	3	—	2	—	1	—	1	—	2	1	6	8
45	2	—	1	1	—	—	2	1	—	1	11	1	2	4	10	1	11	5	107	146
46	2	—	2	1	2	2	1	—	1	2	—	—	4	1	2	1	2	—	9	—
47	2	1	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
48	10	2	2	1	4	—	4	6	5	2	7	2	7	1	12	3	14	3	29	74

Abbreviated List No.	Table 19 CAUSE OF DEATH. ¹	ALLOCATED DEATHS									
		THE STATE.		Accountants and auditors.		Actors and actresses.		Agents (n.e.s.). ²		Agents, advertising and salesmen.	Agents, insurance and brokers.
		M	F	M	F	M	F	M	M	M	M
	Sex										
	All Causes.	14,726	2,604	98	18	3	3	53	5	67	
(1)	Tuberculosis of the respiratory system (1-8)	507	69	4	1	-	-	1	-	2	
(2)	All other forms of tuberculosis (10-19)	14	7	-	-	-	-	-	-	1	
(3)	Syphilis (20-29)	55	2	-	-	-	-	-	-	2	
(4)	Typhoid fever (40)	1	1	-	-	-	-	-	-	-	
(6)	Dysentery, all forms (45-48)	1	-	-	-	-	-	-	-	-	
(7)	Scarlet fever and streptococcal sore throat (50, 51)	1	-	-	-	-	-	1	-	-	
(8)	Diphtheria (55)	2	-	-	-	-	-	-	-	-	
(9)	Whooping cough (56)	-	-	-	-	-	-	-	-	-	
(10)	Meningococcal infections (57)	2	4	-	-	-	-	-	-	-	
(12)	Acute poliomyelitis (80)	1	-	-	-	-	-	-	-	-	
(14)	Measles (85)	-	-	-	-	-	-	-	-	-	
(16)	Malaria (110-117)	-	-	-	-	-	-	-	-	-	
(17)	Infectious hepatitis (92)	9	4	-	-	-	-	-	-	-	
(17)	All other diseases classified as infective and parasitic (residual)	6	3	-	-	-	-	-	-	-	
(18)	Malignant neoplasms (140-205)	2,545	813	19	1	1	1	10	-	14	
(19)	Benign and unspecified neoplasms (210-239)	47	23	1	-	-	-	-	-	1	
(20)	Diabetes mellitus (260)	234	54	3	-	-	-	-	-	-	
(21)	Anemias (290-293)	17	3	-	-	-	-	-	-	-	
(22)	Vascular lesions affecting central nervous system (330-334)	1,125	289	4	6	-	-	2	-	5	
(23)	Nonmeningococcal meningitis (340)	18	2	-	-	-	-	-	-	-	
(24)	Rheumatic fever (400-402)	1	3	1	-	-	-	-	-	-	
(25)	Chronic rheumatic heart disease (410-416)	276	95	-	2	-	-	-	-	-	
(26)	Arteriosclerotic heart disease, including coronary disease (420)	5,202	440	44	2	1	-	23	4	21	
(26)	Degenerative heart disease (421, 422)	397	65	4	-	-	-	-	-	4	
(27)	Other diseases of heart (430-434)	202	39	2	1	-	-	-	-	-	
(28)	Hypertension with heart disease (440-443)	604	147	2	-	-	-	2	-	-	
(29)	Hypertension without mention of heart (444-447)	71	15	-	-	-	-	1	-	-	
(30)	Influenza (480-483)	4	2	-	-	-	-	-	-	-	
(31)	Pneumonia (490-493)	283	32	-	-	-	-	1	-	-	
(32)	Bronchitis (500-502)	11	1	-	-	-	-	-	-	-	
(33)	Ulcer of stomach and duodenum (540, 541)	216	8	-	-	-	-	1	-	1	
(34)	Appendicitis (550-553)	44	7	-	-	-	-	1	-	-	
(35)	Intestinal obstruction and hernia (560, 561, 570)	70	20	-	-	-	-	-	-	-	
(36)	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of the newborn (543, 571, 572)	38	12	1	-	-	-	-	-	-	
(37)	Cirrhosis of the liver (581)	397	52	1	-	-	-	2	-	2	
(38)	Nephritis and nephrosis (590-594)	185	40	1	2	-	-	-	1	-	
(39)	Hyperplasia of prostate (610)	36	-	-	-	-	-	-	-	-	
(40)	Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	6	-	-	-	-	-	-	-	
(41)	Congenital malformations (750-759)	19	8	-	-	-	-	-	-	-	
(45)	Senility without mention of psychosis, ill-defined and unknown causes (780-795)	87	15	-	-	-	-	1	-	-	
(46)	Arteriosclerosis (450)	95	18	1	-	-	-	-	-	-	
(46)	All other diseases (residual)	740	157	4	1	-	1	3	-	8	
(47)	Motor vehicle accidents (810-835)	293	38	2	1	-	-	2	-	-	
(48)	Railroad accidents and injuries (800-802)	19	1	-	-	-	-	-	-	-	
(48)	Air-transport accidents (860-866)	17	-	-	-	-	-	-	-	-	
(48)	Burns (fire, explosion, scalds, conflagration, etc.) (transport accidents excepted) (915-917)	52	7	-	-	-	-	-	-	1	
(48)	Accidental drowning (850, 851, 929)	93	6	-	-	-	-	-	-	-	
(48)	Accidental falls (transport accidents excepted) (900-904)	201	29	1	1	1	1	1	-	-	
(48)	All other accidents	176	24	1	-	-	-	1	-	-	
(49)	Suicide and self-inflicted injury (963, 970-979)	292	34	2	-	-	-	-	-	4	
(50)	Homicide and operations of war (964, 965, 980-999)	20	9	-	-	-	-	-	-	1	

¹ The numbers of the titles of the detailed International List included in each title of the abbreviated list appear in parentheses.

² Not elsewhere specified.

FROM IMPORTANT CAUSES BY OCCUPATIONS: 1951.

[illegible]

Abbreviated List No.	Table 19 CAUSE OF DEATH. ¹	ALLOCATED DEATHS															
		Baggage men, transportation.	Bakers.	Bank tellers.	Barbers, beauticians and manicurists.	Bartenders.	Blacksmiths.	Boarding and lodging house keepers.	Boatmen, canalmen and lock keepers.								
Sex	M	M	F	M	F	M	F	M	M	M	F	M	F	M	F		
(1)	All Causes.	4	68	2	6	1	102	15	90	28	4	3	1				
(2)	Tuberculosis of the respiratory system (1-8)	-	-	-	-	-	1	-	7	1	-	-	-	-	-		
(3)	All other forms of tuberculosis (10-19)	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(4)	Syphilis (20-29)	-	1	-	-	-	1	-	1	-	-	-	-	-	-		
(6)	Typhoid fever (40)	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(7)	Dysentery, all forms (45-48)	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(8)	Scarlet fever and streptococcal sore throat (50, 51)	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(9)	Diphtheria (55)	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(10)	Whooping cough (56)	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(12)	Meningococcal infections (57)	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(14)	Acute poliomyelitis (80)	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(16)	Measles (85)	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(17)	Malaria (110-117)	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(17)	Infectious hepatitis (92)	-	-	-	-	-	1	-	-	-	-	-	-	-	-		
(18)	All other diseases classified as infective and parasitic (residual)	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(19)	Malignant neoplasms (140-205)	1	7	1	1	1	26	5	18	4	1	-	-	-	-		
(20)	Benign and unspecified neoplasms (210-239)	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(21)	Diabetes mellitus (260)	-	2	-	-	-	2	-	-	2	-	-	-	-	-		
(22)	Anemias (290-293)	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(23)	Vascular lesions affecting central nervous system (330-334)	-	6	-	-	-	6	2	4	-	-	2	-	-	-		
(24)	Nonmeningococcal meningitis (340)	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(25)	Rheumatic fever (400-402)	-	-	-	-	-	-	1	-	-	-	-	-	-	-		
(26)	Chronic rheumatic heart disease (410-416)	-	1	-	-	-	1	1	2	2	-	-	-	1	-		
(26)	Arteriosclerotic heart disease, including coronary disease (420)	1	31	-	4	-	39	1	21	9	1	-	-	-	-		
(27)	Degenerative heart disease (421, 422)	1	3	-	-	-	3	-	2	-	-	-	-	-	-		
(28)	Other diseases of heart (430-434)	-	1	-	-	-	1	1	2	-	-	-	-	-	-		
(29)	Hypertension with heart disease (440-443)	-	3	-	-	-	6	-	4	-	1	-	-	-	-		
(30)	Hypertension without mention of heart (444-447)	-	1	-	-	-	-	-	1	-	-	-	-	-	-		
(31)	Influenza (480-483)	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(32)	Pneumonia (490-493)	-	-	-	-	-	1	-	4	2	-	-	-	-	-		
(33)	Bronchitis (500-502)	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(34)	Ulcer of stomach and duodenum (540, 541)	-	-	-	1	-	1	-	2	-	-	-	-	-	-		
(35)	Appendicitis (550-553)	-	-	-	-	-	-	-	-	1	-	-	-	-	-		
(36)	Intestinal obstruction and hernia (560, 561, 570)	-	-	-	-	-	1	1	-	-	-	-	-	-	-		
(37)	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of the newborn (543, 571, 572)	-	-	-	-	-	-	-	2	-	-	-	-	-	-		
(38)	Cirrhosis of the liver (581)	-	2	-	-	-	2	-	10	2	-	-	-	-	-		
(39)	Nephritis and nephrosis (590-594)	-	-	-	-	-	2	1	-	-	-	-	-	-	-		
(40)	Hyperplasia of prostate (610)	-	1	-	-	-	1	-	-	-	-	-	-	-	-		
(41)	Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(45)	Congenital malformations (750-759)	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
(46)	Senility without mention of psychosis, ill-defined and unknown causes (780-795)	-	-	-	-	-	-	1	2	1	-	-	-	-	-		
(46)	Arteriosclerosis (450)	-	-	-	-	-	-	-	-	1	-	-	-	-	-		
(47)	All other diseases (residual)	1	4	1	-	-	1	-	3	2	1	-	-	1	-		
(48)	Motor vehicle accidents (810-835)	-	2	-	-	-	2	1	1	-	-	-	-	-	-		
(48)	Railroad accidents and injuries (800-802)	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(48)	Air-transport accidents (860-866)	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(48)	Burns (fire, explosion, scalds, conflagration, etc.) (transport accidents excepted) (915-917)	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
(48)	Accidental drowning (850, 851, 929)	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(48)	Accidental falls (transport accidents excepted) (900-904)	-	-	-	-	-	-	-	1	-	-	-	-	-	-		
(48)	All other accidents	-	-	-	-	-	1	-	1	-	-	-	-	-	-		
(49)	Suicide and self-inflicted injury (963, 970-979)	-	1	-	-	-	3	-	2	1	-	-	-	-	-		
(50)	Homicide and operations of war (964, 965, 980-999)	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

¹ The numbers of the titles of the detailed International List included in each title of the abbreviated list appear in parentheses.

² Not elsewhere specified.

Abbreviated List No.	Boilermakers		Bookbinders.		Bookkeepers.		Bootblacks.		Brakemen, railroad.		Brickmasons, stonemasons and tile setters.		Buyers, manufacturing.		Buyers and department heads, store.		Buyers and shippers, farm products.		Cabinetmakers.		Carpenters.		Cashiers.		Cement and concrete finishers.		Charwomen and cleaners.	
	M 19	M 8	F 3	M 21	F 83	M 4	M 32	M 83	M 2	F 1	M 3	F 3	M 2	M 31	M 333	M 13	F 27	M 1	M 11	F 17								
(1)	-	-	-	3	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-							
(2)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
(3)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
(4)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
(6)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
(7)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
(8)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
(9)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
(10)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-							
(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
(18)	5	-	-	-	33	-	2	16	1	1	-	-	1	-	5	79	8	-	1	5	-							
(19)	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	3	-	-	-	-	-							
(20)	-	-	-	1	2	-	-	1	-	-	-	-	-	-	-	2	-	-	1	-	-							
(21)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
(22)	-	2	3	3	7	-	2	10	-	-	-	-	-	-	3	28	1	3	2	3	-							
(23)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-							
(24)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
(25)	-	-	-	1	2	-	2	-	-	-	-	-	-	-	-	4	3	2	-	-	-							
(26)	9	3	-	9	15	2	10	24	1	-	3	-	-	12	93	7	4	1	2	3	-							
(26)	1	-	-	-	3	-	-	2	-	-	-	-	-	1	1	6	-	-	-	-	-							
(27)	-	-	-	-	2	-	-	2	-	-	-	-	1	-	-	1	1	-	-	-	-							
(28)	1	1	-	-	3	-	-	7	-	-	-	-	1	-	2	17	-	-	2	1	-							
(29)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
(30)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
(31)	-	-	-	1	-	-	-	3	-	-	-	-	-	-	-	5	-	-	-	-	-							
(32)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
(33)	-	1	-	-	1	-	1	-	-	-	-	-	-	-	1	9	-	-	-	-	-							
(34																												

Abbreviated List No.	Table 19	CAUSE OF DEATH. ¹	ALLOCATED DEATHS															
			Chemists.	Chiropractors.	Clergymen.	Clerks (n.e.s.). ²		Clerks, railway mail and express messengers.	Clerks, shipping and receiving.	Collectors, bill and account.	College presidents, professors and instructors.							
Sex	M	M	M	F	M	F	M	M	F	M	M	F	M	F				
(1)	All Causes.	23	1	55	1	494	221	8	141	2	3	11	3					
(1)	Tuberculosis of the respiratory system (1-8)	1	-	-	-	17	4	1	8	-	-	-	-	1				
(2)	All other forms of tuberculosis (10-19)	-	-	-	-	1	1	-	-	-	-	-	-	-				
(3)	Syphilis (20-29)	-	-	-	-	-	-	-	-	-	-	-	-	-				
(4)	Typhoid fever (40)	-	-	-	-	-	-	-	-	-	-	-	-	-				
(6)	Dysentery, all forms (45-48)	-	-	-	-	-	-	-	-	-	-	-	-	-				
(7)	Scarlet fever and streptococcal sore throat (50, 51)	-	-	-	-	-	-	-	-	-	-	-	-	-				
(8)	Diphtheria (55)	-	-	-	-	-	-	-	-	-	-	-	-	-				
(9)	Whooping cough (56)	-	-	-	-	-	-	-	-	-	-	-	-	-				
(10)	Meningococcal infections (57)	-	-	-	-	-	-	-	-	-	-	-	-	-				
(12)	Acute poliomyelitis (80)	-	-	-	-	-	-	-	-	-	-	-	-	-				
(14)	Measles (85)	-	-	-	-	-	-	-	-	-	-	-	-	-				
(16)	Malaria (110-117)	-	-	-	-	-	-	-	-	-	-	-	-	-				
(17)	Infectious hepatitis (92)	-	-	-	-	1	-	-	-	-	-	-	-	-				
(17)	All other diseases classified as infective and parasitic (residual)	-	-	-	-	-	-	-	-	-	-	-	-	-				
(18)	Malignant neoplasms (140-205)	4	-	9	1	74	78	2	20	1	-	2	2	-				
(19)	Benign and unspecified neoplasms (210-239)	-	-	-	-	1	1	-	-	-	-	-	-	-				
(20)	Diabetes mellitus (260)	-	-	2	-	4	1	-	2	1	-	-	-	-				
(21)	Anemias (290-293)	-	-	-	-	2	-	-	-	-	-	-	-	-				
(22)	Vascular lesions affecting central nervous system (330-334)	1	-	8	-	39	19	-	13	-	-	-	-	-				
(23)	Nonmeningococcal meningitis (340)	-	-	-	-	1	-	1	-	-	-	-	-	-				
(24)	Rheumatic fever (400-402)	-	-	-	-	-	-	-	-	-	-	-	-	-				
(25)	Chronic rheumatic heart disease (410-416)	-	-	-	-	6	9	-	4	-	1	-	-	-				
(26)	Arteriosclerotic heart disease including coronary disease (420)	11	1	21	-	185	34	-	47	-	1	7	-	-				
(26)	Degenerative heart disease (421, 422)	1	-	2	-	20	3	-	6	-	-	-	-	-				
(27)	Other diseases of heart (430-434)	-	-	1	-	3	2	-	-	-	-	-	-	-				
(28)	Hypertension with heart disease (440-443)	2	-	3	-	19	11	1	5	-	-	-	-	-				
(29)	Hypertension without mention of heart (441-447)	-	-	-	-	4	3	-	-	-	-	-	-	-				
(30)	Influenza (480-483)	-	-	-	-	1	1	-	-	-	-	-	-	-				
(31)	Pneumonia (490-493)	1	-	-	-	10	5	-	3	-	-	-	-	-				
(32)	Bronchitis (500-502)	-	-	-	-	-	-	-	-	-	-	-	-	-				
(33)	Ulcer of stomach and duodenum (540, 541)	1	-	-	-	10	1	-	1	-	-	-	-	-				
(34)	Appendicitis (550-553)	-	-	1	-	2	2	-	1	-	-	-	-	-				
(35)	Intestinal obstruction and hernia (560, 561, 570)	-	-	-	-	-	1	-	1	-	-	-	-	-				
(36)	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of the newborn (543, 571, 572)	-	-	-	-	1	3	-	1	-	-	-	-	-				
(37)	Cirrhosis of the liver (581)	-	-	1	-	16	2	-	6	-	-	-	-	-				
(38)	Nephritis and nephrosis (590-594)	-	-	-	-	10	4	-	5	-	-	-	-	-				
(39)	Hyperplasia of prostate (610)	-	-	1	-	-	-	-	-	-	-	-	-	-				
(40)	Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	-	-	-	-	-	-	-	-	-	-				
(41)	Congenital malformations (750-759)	-	-	-	-	1	1	-	1	-	-	-	-	-				
(45)	Senility without mention of psychosis, ill-defined and unknown causes (780-795)	-	-	1	-	5	1	-	-	-	1	-	-	-				
(46)	Arteriosclerosis (450)	-	-	-	-	4	2	-	-	-	-	-	-	-				
(46)	All other diseases (residual)	-	-	4	-	28	15	4	4	-	-	2	-	-				
(47)	Motor vehicle accidents (810-835)	-	-	-	-	6	3	-	2	-	-	-	-	-				
(48)	Railroad accidents and injuries (800-802)	-	-	-	-	-	1	1	1	-	-	-	-	-				
(48)	Air-transport accidents (860-866)	-	-	-	-	-	-	-	-	-	-	-	-	-				
(48)	Burns, fire, explosion, scalds, conflagration, etc.) (transport accidents excepted) (915-917)	-	-	-	-	-	1	-	1	-	-	-	-	-				
(48)	Accidental drowning (850, 851, 929)	-	-	-	-	5	2	-	1	-	-	-	-	-				
(48)	Accidental falls (transport accidents excepted) (900-904)	-	-	-	-	4	1	-	2	-	-	-	-	-				
(48)	All other accidents	1	-	-	-	2	4	-	2	-	-	-	-	-				
(49)	Suicide and self-inflicted injury (963, 970-979)	-	-	1	-	12	3	1	4	-	-	-	-	-				
(50)	Homicide and operations of war (964, 965, 980-999)	-	-	-	-	-	2	-	-	-	-	-	-	-				

¹ The numbers of the titles of the detailed International List included in each title of the abbreviated list appear in parentheses.

² Not elsewhere specified.

FROM IMPORTANT CAUSES BY OCCUPATIONS: 1951.

Abbreviated List No.	Compositors and typesetters.		Conductors, bus and street railway.	Conductors, railroad.	Cooks, except private household.		Counter and fountain workers.	Craftsmen and kindred workers (n.e.s.). ²	Cranemen, derrickmen and hoistmen.	Credit men.	Dancers and dancing teachers.	Dealers (n.e.s.). ²	Dealers, apparel and accessories stores, except shoe stores.	Dealers, dairy products and milk retailing.	Dealers, drug stores.	Dealers, eating and drinking places.	
	M	F	M	M	F	M	F	M	M	M	F	M	F	M	M	M	F
(1)	91	1	4	24	168	40	22	42	25	1	1	18	3	49	5	9	20
(2)	2	-	-	-	13	1	-	-	-	-	-	-	-	-	-	2	-
(3)	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
(4)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(6)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(7)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(8)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(9)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(10)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(18)	17	-	1	4	24	13	3	6	6	-	-	5	1	15	1	2	3
(19)	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
(20)	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	2	-
(21)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(22)	4	-	2	3	16	5	-	1	1	-	-	1	1	1	2	10	3
(23)	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
(24)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(25)	4	-	-	1	2	1	-	-	1	-	-	1	-	-	1	3	-
(26)	36	-	-	9	53	6	9	13	5	-	-	6	1	18	1	10	58
(26)	3	-	-	-	4	-	1	1	1	-	-	1	-	-	-	1	1
(27)	1	-	1	1	1	1	1	3	3	1	-	-	-	2	-	1	-
(28)	1	-	-	1	5	2	1	1	-	-	-	-	-	4	2	4	1
(29)	1	-	-	-	3	-	-	-	-	-	-	-	-	-	-	1	-
(30)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(31)	2	-	-	1	6	2	-	-	-	-	-	1	-	-	-	1	-
(32)	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
(33)	3	-	-	-	5	-	-	1	1	-	-	-	-	1	-	3	-
(34)	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-
(35)	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
(36)	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
(37)	2	-	-	-	9	-	4	2	1	-	-	-	1	1	2	6	-
(38)	1	-	-	2	-	-	-	2	1	1	-	-	-	-	1	2	-
(39)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
(40)	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
(41)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(45)	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-
(46)	7	1	-	1	2	-	-	-	2	-	-	1	-	1	1	1	-
(46)	-	-	-	1	9	-	1	3	2	-	-	1	-	4	-	-	-
(47)	2	-	-	1	1	1	-	-	2	-	-	1	-	-	-	-	-
(48)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(48)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(48)	1	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-
(48)	1	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-
(48)	-	-	-	-	1	2	-	1	-	-	-	-	-	-	-	1	3
(48)	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	2	-
(49)	2	-	-	-	4	-	-	1	1	-	-	-	1	-	-	1	-
(50)	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-

Abbreviated List No.	Table 19	CAUSE OF DEATH. ¹	ALLOCATED DEATHS																	
			Sex		Dealers, five and ten cent stores.		Dealers, food stores, except dairy products.		Dealers, fuel and ice retailing.		Dealers, furniture and house-furnishings stores.		Dealers, gasoline service stations.		Dealers, general merchandise stores.		Dealers, hardware and farm implement stores.		Dealers, household appliances and radio stores.	
			M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
		All Causes.	20	2	211	5	32	1	17	30	30	2	16	1	3	1				
(1)		Tuberculosis of the respiratory system (1-8)	-	-	5	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
(2)		All other forms of tuberculosis (10-19)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(3)		Syphilis (20-29)	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(4)		Typhoid fever (40)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(6)		Dysentery, all forms (45-48)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(7)		Scarlet fever and streptococcal sore throat (50, 51)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(8)		Diphtheria (55)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(9)		Whooping cough (56)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(10)		Meningococcal infections (57)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(12)		Acute poliomyelitis (80)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(14)		Measles (85)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(16)		Malaria (110-117)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(17)		Infectious hepatitis (92)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(17)		A other diseases classified as infective and parasitic (residual)	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
(18)		Malignant neoplasms (140-205)	6	1	40	1	8	1	2	4	2	1	2	1	1	1				
(19)		Benign and unspecified neoplasms (210-239)	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(20)		Diabetes mellitus (260)	1	-	6	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-
(21)		Anemias (290-293)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(22)		Vascular lesions affecting central nervous system (330-334)	2	-	19	3	1	-	3	3	3	-	1	-	-	-	-	-	-	-
(23)		Nonmeningococcal meningitis (340)	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
(24)		Rheumatic fever (400-402)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(25)		Chronic rheumatic heart disease (410-416)	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
(26)		Arteriosclerotic heart disease, including coronary disease (420)	8	-	91	1	13	-	6	15	10	-	8	-	-	-	-	-	-	-
(26)		Degenerative heart disease (421, 422)	-	-	4	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
(27)		Other diseases of heart (430-434)	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
(28)		Hypertension with heart disease (440-443)	-	1	6	-	1	-	-	3	2	-	2	-	-	-	-	-	-	-
(29)		Hypertension without mention of heart (444-447)	-	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
(30)		Influenza (480-483)	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
(31)		Pneumonia (490-493)	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(32)		Bronchitis (500-502)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(33)		Ulcer of stomach and duodenum (540, 541)	-	-	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
(34)		Appendicitis (550-553)	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(35)		Intestinal obstruction and hernia (560, 561, 570)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(36)		Gastritis, duodenitis, enteritis, and colitis, except diarrhea of the newborn (543, 571, 572)	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
(37)		Cirrhosis of the liver (581)	-	-	5	-	1	-	-	-	3	-	-	-	-	-	-	-	-	-
(38)		Nephritis and nephrosis (590-594)	-	-	2	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-
(39)		Hyperplasia of prostate (610)	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(40)		Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(41)		Congenital malformations (750-759)	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(45)		Senility without mention of psychosis, ill-defined and unknown causes (780-795)	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
(46)		Arteriosclerosis (450)	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
(46)		All other diseases (residual)	1	-	9	-	-	-	2	1	2	-	-	-	-	-	-	-	-	-
(47)		Motor vehicle accidents (810-835)	-	-	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
(48)		Railroad accidents and injuries (800-802)	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(48)		Air-transport accidents (860-866)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(48)		Burns (fire, explosion, scalds, conflagration, etc.) (transport accidents excepted) (915-917)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(48)		Accidental drowning (850, 851, 929)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(48)		Accidental falls (transport accidents excepted) (900-904)	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-
(48)		All other accidents	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
(49)		Suicide and self-inflicted injury (963, 970-979)	-	-	5	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
(50)		Homicide and operations of war (964, 965, 980-999)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

¹ The numbers of the titles of the detailed International List included in each title of the abbreviated list appear in parentheses.

² Not elsewhere specified.

Abbreviated List No.	Table 19 CAUSE OF DEATH. ¹	ALLOCATED DEATHS											
		Sex	M	F	M	M	M	M	M	F	M	M	M
			Draftsmen.	Dressmakers and seamstresses, except factory.	Drivers, bus.	Drivers, truck and tractor.	Dyers.	Economists.	Editors and reporters.	Electricians.	Electrotypers and stereotypers.	Engineers (n.e.s.). ²	
(1)	Tuberculosis of the respiratory system (1-8)	All Causes.	39	36	64	186	22	1	21	3	117	5	6
(2)	All other forms of tuberculosis (10-19)		2	2	4	15	-	-	-	-	4	-	1
(3)	Syphilis (20-29)		-	-	-	1	-	-	-	-	1	-	-
(4)	Typhoid fever (40)		-	-	-	-	-	-	-	-	-	-	-
(6)	Dysentery, all forms (45-48)		-	-	-	-	-	-	-	-	-	-	-
(7)	Scarlet fever and streptococcal sore throat (50, 51)		-	-	-	-	-	-	-	-	-	-	-
(8)	Diphtheria (55)		-	-	-	-	-	-	-	-	-	-	-
(9)	Whooping cough (56)		-	-	-	-	-	-	-	-	-	-	-
(10)	Meningococcal infections (57)		-	-	-	-	-	-	-	-	-	-	-
(12)	Acute poliomyelitis (80)		-	-	-	-	-	-	-	-	-	-	-
(14)	Measles (85)		-	-	-	-	-	-	-	-	-	-	-
(16)	Malaria (110-117)		-	-	-	-	-	-	-	-	-	-	-
(17)	Infectious hepatitis (92)		-	-	-	-	-	-	-	-	-	-	-
(17)	All other diseases classified as infective and parasitic (residual)		1	-	-	-	-	-	-	-	-	-	-
(18)	Malignant neoplasms (140-205)		5	14	9	28	3	-	2	1	22	-	-
(19)	Benign and unspecified neoplasms (210-239)		-	-	1	1	-	-	-	-	-	-	-
(20)	Diabetes mellitus (260)		-	1	1	5	2	-	-	-	1	-	1
(21)	Anemias (290-293)		-	1	-	1	-	-	-	-	-	-	-
(22)	Vascular lesions affecting central nervous system (330-334)		-	-	2	8	4	-	3	1	10	-	-
(23)	Nonmeningococcal meningitis (340)		-	-	-	-	-	-	-	-	-	-	-
(24)	Rheumatic fever (400-402)		-	-	-	-	-	-	-	-	-	-	-
(25)	Chronic rheumatic heart disease (410-416)		2	-	3	4	-	-	-	-	3	-	-
(26)	Arteriosclerotic heart disease, including coronary disease (420)		16	10	27	46	6	1	8	-	33	4	2
(26)	Degenerative heart disease (421, 422)		1	-	2	1	1	-	1	-	4	-	-
(27)	Other diseases of heart (430-434)		1	1	-	5	-	-	-	-	4	-	-
(28)	Hypertension with heart disease (440-443)		-	2	1	5	1	-	1	-	2	-	-
(29)	Hypertension without mention of heart (444-447)		3	-	-	1	-	-	-	-	2	-	-
(30)	Influenza (480-483)		-	-	-	1	-	-	-	-	-	-	-
(31)	Pneumonia (490-493)		-	-	2	4	-	-	-	-	1	-	-
(32)	Bronchitis (500-502)		-	-	-	-	-	-	-	-	-	-	-
(33)	Ulcer of stomach and duodenum (540, 541)		-	-	2	6	-	-	-	-	-	-	-
(34)	Appendicitis (550-553)		-	1	-	2	-	-	-	-	-	-	-
(35)	Intestinal obstruction and hernia (560, 561, 570)		-	-	1	-	-	-	-	-	-	-	1
(36)	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of the newborn (543, 571, 572)		1	-	-	2	-	-	-	-	-	-	-
(37)	Cirrhosis of the liver (581)		1	1	2	9	-	-	-	-	8	-	-
(38)	Nephritis and nephrosis (590-594)		3	-	-	4	-	-	-	-	2	-	-
(39)	Hyperplasia of prostate (610)		-	-	-	1	-	-	-	-	-	-	-
(40)	Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)		-	-	-	-	-	-	-	-	-	-	-
(41)	Congenital malformations (750-759)		-	-	-	-	-	-	-	-	-	-	-
(45)	Senility without mention of psychosis, ill-defined and unknown causes (780-795)		-	-	-	3	-	-	-	-	-	-	-
(46)	Arteriosclerosis (450)		-	-	1	-	-	-	-	-	-	-	-
(46)	All other diseases (residual)		-	-	2	4	1	-	2	1	13	1	1
(47)	Motor vehicle accidents (810-835)		-	-	1	13	-	-	-	-	-	-	-
(48)	Railroad accidents and injuries (800-802)		-	-	-	-	-	-	-	-	-	-	-
(48)	Air-transport accidents (860-866)		-	-	-	-	-	-	-	-	-	-	-
(48)	Burns (fire, explosion, scalds, conflagration, etc.) (transport accidents excepted) (915-917)		-	-	-	1	1	-	-	-	-	-	-
(48)	Accidental drowning (850, 851, 929)		-	-	-	2	-	-	-	-	-	-	-
(48)	Accidental falls (transport accidents excepted) (900-904)		-	-	1	2	1	-	2	-	2	-	-
(48)	All other accidents		-	1	-	7	-	-	-	-	3	-	-
(49)	Suicide and self-inflicted injury (963, 970-979)		3	1	2	3	2	-	1	-	1	-	-
(50)	Homicide and operations of war (964, 965, 980-999)		-	-	-	3	-	-	-	-	1	-	-

¹ The numbers of the titles of the detailed International List included in each title of the abbreviated list appear in parentheses.

² Not elsewhere specified.

Abbreviated List No.	Engineers, civil.	Engineers, electrical.	Engineers, industrial.	Engineers, locomotive.	Engineers, mechanical.	Engineers, metallurgical, and metallurgists.	Engineers, stationary.	Engravers, except photoengravers.	Entertainers (n.e.s.). ²	Farm laborers, wage workers.	Farmers (owners and tenants).	Filers, grinders and polishers.	Firemen, fire protection.	Firemen, locomotive.	Firemen, stationary.	Fishermen and oystermen.	Foremen (n.e.s.). ²	Foremen, agriculture, forestry and fisheries.	Foremen, business and repair services.		
	M 10	M 6	M 6	M 27	M 5	M 1	M 227	M 8	M 8	M 30	M 136	F 3	M 15	M 96	M 5	M 101	M 63	M 48	F 3	M 3	M 5
(1)	1			1			2	1	1		4	1	1	1	1	2	3			1	
(2)																		1			
(3)							1			1						1					
(4)																					
(6)																					
(7)																					
(8)													1								
(9)																					
(10)																					
(12)																					
(14)																					
(16)																					
(17)																					
(17)																					
(18)				7			45		1	3	22		2	17		24	8	7	1	1	1
(19)											1					1		1			
(20)							1				1			2		1					
(21)																					
(22)	1		2	2			22	1		2	13		2	7		8	4	5			
(23)							1						1								
(24)																					
(25)							5				6			1		2	1	1			
(26)	2	3	1	8	1	1	87	2	4	10	36	1	4	37	2	28	16	19		1	1
(26)				2			6			1	6			6	1	2	2				
(27)			1		1		5			1	5			2		3	1		1		1
(28)	1	1		1	1		12			3	6			6	1	5		1			
(29)											1			1		1		2			
(30)																					
(31)	1			1			1			2	5	1		1		1		1			
(32)																1					
(33)							5	1		2	3			1							
(34)							1														1
(35)											2		1			3					
(36)											1			1							
(37)		1	1	1			5				4		1	1		3	2				1
(38)																					

Abbreviated List No.	Table 19	CAUSE OF DEATH. ¹	ALLOCATED DEATHS											
			Sex											
			M	F	M	F	M	F	M	F	M	F	M	F
		All Causes.	14	3	111	12	1	1	28	32	37	3	3	
(1)		Tuberculosis of the respiratory system (1-8)	-	-	1	-	-	1	-	-	-	-	-	-
(2)		All other forms of tuberculosis (10-19)	-	-	1	-	-	-	-	-	-	-	-	-
(3)		Syphilis (20-29)	-	-	1	-	-	-	-	-	-	-	-	-
(4)		Typhoid fever (40)	-	-	-	-	-	-	-	-	-	-	-	-
(6)		Dysentery, all forms (45-48)	-	-	-	-	-	-	-	-	-	-	-	-
(7)		Scarlet fever and streptococcal sore throat (50, 51)	-	-	-	-	-	-	-	-	-	-	-	-
(8)		Diphtheria (55)	-	-	-	-	-	-	-	-	-	-	-	-
(9)		Whooping cough (56)	-	-	-	-	-	-	-	-	-	-	-	-
(10)		Meningococcal infections (57)	-	-	-	-	-	-	-	-	-	-	-	-
(12)		Acute poliomyelitis (80)	-	-	-	-	-	-	-	-	-	-	-	-
(14)		Measles (85)	-	-	-	-	-	-	-	-	-	-	-	-
(16)		Malaria (110-117)	-	-	-	-	-	-	-	-	-	-	-	-
(17)		Infectious hepatitis (92)	-	-	-	1	-	-	-	-	-	-	-	-
(17)		All other diseases classified as infective and parasitic (residual)	-	-	-	-	-	-	-	-	-	-	-	-
(18)		Malignant neoplasms (140-205)	3	1	24	2	-	9	6	10	-	-	-	-
(19)		Benign and unspecified neoplasms (210-239)	2	-	-	-	-	1	-	-	-	-	-	-
(20)		Diabetes mellitus (260)	-	-	-	1	-	-	-	-	-	-	-	-
(21)		Anemias (290-293)	-	-	-	-	-	-	-	-	-	-	-	-
(22)		Vascular lesions affecting central nervous system (330-334)	-	-	8	-	-	3	1	3	1	-	-	-
(23)		Nonmeningococcal meningitis (340)	-	-	-	-	-	-	-	-	-	-	-	-
(24)		Rheumatic fever (400-402)	-	-	-	-	-	-	-	-	-	-	-	-
(25)		Chronic rheumatic heart disease (410-416)	-	-	1	2	-	-	-	3	-	-	-	-
(26)		Arteriosclerotic heart disease, including coronary disease (420)	3	2	48	3	-	8	12	12	2	2	-	-
(26)		Degenerative heart disease (421, 422)	-	-	1	-	-	1	1	-	-	-	-	-
(27)		Other diseases of heart (430-434)	-	-	1	-	-	-	1	-	-	-	-	-
(28)		Hypertension with heart disease (440-443)	-	-	4	-	1	1	5	3	-	-	-	-
(29)		Hypertension without mention of heart (444-447)	-	-	-	-	-	-	-	-	-	-	-	-
(30)		Influenza (480-483)	-	-	-	-	-	-	-	-	-	-	-	-
(31)		Pneumonia (490-493)	1	-	-	-	-	1	-	-	-	-	-	-
(32)		Bronchitis (500-502)	-	-	-	-	-	-	-	-	-	-	-	-
(33)		Ulcer of stomach and duodenum (540-541)	-	-	2	-	-	-	-	1	-	-	-	-
(34)		Appendicitis (550-553)	-	-	1	-	-	-	-	-	-	-	-	-
(35)		Intestinal obstruction and hernia (560, 561, 570)	1	-	-	-	-	1	-	1	-	-	-	-
(36)		Gastritis, duodenitis, enteritis, and colitis except diarrhea of the newborn (543, 571, 572)	-	-	1	-	-	-	-	-	-	-	-	-
(37)		Cirrhosis of the liver (581)	2	-	2	-	-	-	2	1	-	-	1	-
(38)		Nephritis and nephrosis (590-594)	-	-	4	-	-	-	-	-	-	-	-	-
(39)		Hyperplasia of prostate (610)	-	-	-	-	-	-	-	-	-	-	-	-
(40)		Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	-	-	-	-	-	-	-	-	-
(41)		Congenital malformations (750-759)	-	-	-	-	-	-	-	-	-	-	-	-
(45)		Senility without mention of psychosis, ill-defined and unknown causes (780-795)	-	-	-	-	-	-	-	-	-	-	-	-
(46)		Arteriosclerosis (450)	-	-	-	-	-	-	-	-	-	-	-	-
(46)		All other diseases (residual)	1	-	5	3	-	-	3	-	-	-	-	-
(47)		Motor vehicle accidents (810-835)	1	-	4	-	-	2	1	1	-	-	-	-
(48)		Railroad accidents and injuries (800-802)	-	-	-	-	-	-	-	-	-	-	-	-
(48)		Air-transport accidents (860-866)	-	-	-	-	-	-	-	-	-	-	-	-
(48)		Burns (fire, explosion, scalds, conflagration, etc.) (transport accidents excepted) (915-917)	-	-	1	-	-	-	-	-	-	-	-	-
(48)		Accidental drowning (860, 851, 929)	-	-	-	-	-	-	-	-	-	-	-	-
(48)		Accidental falls (transport accidents excepted) (900-904)	-	-	-	-	-	1	-	1	-	-	-	-
(48)		All other accidents	-	-	1	-	-	-	1	-	-	-	-	-
(49)		Suicide and self-inflicted injury (963, 970-979)	-	-	-	-	-	-	-	-	-	-	-	-
(50)		Homicide and operations of war (964, 965, 980-999)	-	-	-	-	-	-	-	-	-	-	-	-

¹ The numbers of the titles of the detailed International List included in each title of the abbreviated list appear in parentheses.

² Not elsewhere specified.

[illegible]

[illegible]

¹ The numbers of the titles of the detailed International List included in each title of the abbreviated list appear in parentheses.

² Not elsewhere specified.

Abbreviated List No.	Table 19	CAUSE OF DEATH. ¹	ALLOCATED DEATHS											
			Sex	M	M	M	M	M	M	M	F	M	M	
			Laborers, miscellaneous manufacturing industries.	Laborers, paper and allied products.	Laborers, personal services.	Laborers, petroleum and coal products.	Laborers, printing, publishing and allied industries.	Laborers, professional photographic equipment, and watches.	Laborers, professional and related services.	Laborers, public administration.	Laborers, rubber products.			
		All Causes.		5	18	16	2	1	1	13	1	164	11	
(1)		Tuberculosis of the respiratory system (1-8)		1	-	1	-	-	-	1	-	11	1	
(2)		All other forms of tuberculosis (10-19)		-	-	-	-	-	-	-	-	-	-	
(3)		Syphilis (20-29)		-	-	-	-	-	-	-	-	-	-	
(4)		Typhoid fever (40)		-	-	-	-	-	-	-	-	-	-	
(6)		Dysentery, all forms (45-48)		-	-	-	-	-	-	-	-	-	-	
(7)		Scarlet fever and streptococcal sore throat (50, 51)		-	-	-	-	-	-	-	-	-	-	
(8)		Diphtheria (55)		-	-	-	-	-	-	-	-	-	-	
(9)		Whooping cough (56)		-	-	-	-	-	-	-	-	-	-	
(10)		Meningococcal infections (57)		-	-	-	-	-	-	-	-	-	-	
(12)		Acute poliomyelitis (80)		-	-	-	-	-	-	-	-	-	-	
(14)		Measles (85)		-	-	-	-	-	-	-	-	-	-	
(16)		Malaria (110-117)		-	-	-	-	-	-	-	-	-	-	
(17)		Infectious hepatitis (92)		-	-	-	-	-	-	-	-	-	-	
(17)		All other diseases classified as infective and parasitic (residual)		-	-	-	-	-	-	-	-	-	-	
(18)		Malignant neoplasms (140-205)		-	4	-	1	-	1	-	26	2	-	
(19)		Benign and unspecified neoplasms (210-239)		-	-	-	-	-	-	-	-	-	-	
(20)		Diabetes mellitus (260)		-	-	1	-	-	-	-	3	-	-	
(21)		Anemias (290-293)		-	-	-	-	-	-	-	-	-	-	
(22)		Vascular lesions affecting central nervous system (330-334)		1	2	2	-	1	-	-	13	2	-	
(23)		Nonmeningococcal meningitis (340)		-	-	-	-	-	-	-	-	-	-	
(24)		Rheumatic fever (400-402)		-	-	-	-	-	-	-	-	-	-	
(25)		Chronic rheumatic heart disease (410-416)		-	-	-	-	-	1	-	3	-	-	
(26)		Arteriosclerotic heart disease, including coronary disease (420)		-	6	6	-	-	1	6	53	5	-	
(26)		Degenerative heart disease (421, 422)		-	1	-	-	-	-	-	4	-	-	
(27)		Other diseases of heart (430-434)		-	-	-	-	-	-	-	1	-	-	
(28)		Hypertension with heart disease (440-443)		-	-	-	-	-	1	-	8	-	-	
(29)		Hypertension without mention of heart (444-447)		-	-	-	-	-	-	-	1	-	-	
(30)		Influenza (480-483)		-	-	-	-	-	-	-	-	4	-	
(31)		Pneumonia (490-493)		-	-	1	1	-	-	-	-	-	-	
(32)		Bronchitis (500-502)		-	-	-	-	-	-	-	-	-	-	
(33)		Ulcer of stomach and duodenum (540-541)		-	-	-	-	-	-	-	2	-	-	
(34)		Appendicitis (550-553)		-	-	-	-	-	-	-	1	-	-	
(35)		Intestinal obstruction and hernia (560, 561, 570)		-	-	-	-	-	-	-	2	-	-	
(36)		Gastritis, duodenitis, enteritis, and colitis, except diarrhea of the newborn (543, 571, 572)		-	-	-	-	-	-	-	1	-	-	
(37)		Cirrhosis of the liver (581)		-	-	-	-	-	-	-	7	-	-	
(38)		Nephritis and nephrosis (590-594)		-	-	1	-	-	1	-	2	-	-	
(39)		Hyperplasia of prostate (610)		-	-	1	-	-	-	-	-	-	-	
(40)		Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)		-	-	-	-	-	-	-	-	-	-	
(41)		Congenital malformations (750-759)		-	-	-	-	-	-	-	-	-	-	
(45)		Senility without mention of psychosis, ill-defined and unknown causes (780-795)		-	-	-	-	-	-	-	1	-	-	
(46)		Arteriosclerosis (450)		-	-	-	-	-	-	-	1	-	-	
(46)		All other diseases (residual)		3	-	-	-	-	1	1	8	1	-	
(47)		Motor vehicle accidents (810-835)		-	2	1	-	-	1	-	5	-	-	
(48)		Railroad accidents and injuries (800-802)		-	1	-	-	-	-	-	-	-	-	
(48)		Air-transport accidents (860-866)		-	-	-	-	-	-	-	-	-	-	
(48)		Burns (fire, explosion, scalds, conflagration, etc.) (transport accidents excepted) (915-917)		-	-	-	-	-	-	-	1	-	-	
(48)		Accidental drowning (850, 851, 929)		-	1	1	-	-	-	-	1	-	-	
(48)		Accidental falls (transport accidents excepted) (900-904)		-	-	-	-	-	-	-	4	-	-	
(48)		All other accidents		-	1	1	-	-	-	-	-	-	-	
(49)		Suicide and self-inflicted injury (963, 970-979)		-	-	-	-	-	-	-	1	-	-	
(50)		Homicide and operations of war (964, 965, 980-999)		-	-	-	-	-	-	-	-	-	-	

¹ The numbers of the titles of the detailed International List included in each title of the abbreviated list appear in parentheses.

² Not elsewhere specified.

[illegible]

Abbreviated List No.	Table 19 CAUSE OF DEATH. ¹	ALLOCATED DEATHS													
		Operatives, apparel, and other fabricated textile products.		Operatives, business and repair services.		Operatives, chemicals and allied products.		Operatives, construction.		Operatives, electrical machinery, equipment and supplies.		Operatives, entertainment, and recreation services.		Operatives, finance, insurance and real estate.	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F
	All Causes.	14	40	32	4	35	7	51	1	70	20	6	25	2	
(1)	Tuberculosis of the respiratory system (1-8)	-	3	1	1	1	-	4	-	1	-	-	-	-	-
(2)	All other forms of tuberculosis (10-19)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(3)	Syphilis (20-29)	-	-	-	-	1	-	-	-	-	-	-	-	-	-
(4)	Typhoid fever (40)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(6)	Dysentery, all forms (45-48)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(7)	Scarlet fever and streptococcal sore throat (50, 51)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(8)	Diphtheria (55)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(9)	Whooping cough (56)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(10)	Meningococcal infections (57)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(12)	Acute poliomyelitis (80)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(14)	Measles (85)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(16)	Malaria (110-117)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(17)	Infectious hepatitis (92)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(17)	All other diseases classified as infective and parasitic (residual)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(18)	Malignant neoplasms (140-205)	1	9	5	-	5	2	7	1	10	7	2	4	2	-
(19)	Benign and unspecified neoplasms (210-239)	-	-	-	-	-	-	-	-	-	1	-	-	-	-
(20)	Diabetes mellitus (260)	2	-	3	-	1	-	1	-	1	-	-	1	-	-
(21)	Anemias (290-293)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(22)	Vascular lesions affecting central nervous system (330-334)	1	7	1	1	5	-	4	-	7	1	2	2	-	-
(23)	Nonmeningococcal meningitis (340)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(24)	Rheumatic fever (400-402)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(25)	Chronic rheumatic heart disease (410-416)	-	1	-	-	3	-	2	-	1	-	-	-	-	-
(26)	Arteriosclerotic heart disease, including coronary disease (420)	6	3	15	-	10	1	15	-	26	3	1	13	-	-
(26)	Degenerative heart disease (421-422)	-	2	1	-	1	1	4	-	4	2	-	1	-	-
(27)	Other diseases of heart (430-434)	-	-	-	-	-	-	-	-	3	-	-	-	-	-
(28)	Hypertension with heart disease (440-443)	-	3	-	-	1	1	-	-	4	1	-	-	-	-
(29)	Hypertension without mention of heart (444-447)	-	-	-	-	-	-	-	-	-	-	-	1	-	-
(30)	Influenza (480-483)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(31)	Pneumonia (490-493)	-	1	1	1	3	-	2	-	-	-	-	-	-	-
(32)	Bronchitis (500-502)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(33)	Ulcer of stomach and duodenum (540, 541)	-	-	-	-	-	-	-	-	-	-	-	1	-	-
(34)	Appendicitis (550-553)	-	1	-	-	1	-	-	-	-	-	-	-	-	-
(35)	Intestinal obstruction and hernia (560, 561, 570)	-	1	-	-	-	-	-	-	-	-	1	-	-	-
(36)	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of the newborn (543, 571, 572)	-	1	-	-	-	-	-	-	-	-	-	-	-	-
(37)	Cirrhosis of the liver (581)	-	1	-	-	-	-	-	-	-	-	-	-	-	-
(38)	Nephritis and nephrosis (590-594)	-	1	-	-	-	-	-	-	4	1	-	-	-	-
(39)	Hyperplasia of prostate (610)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(40)	Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	-	-	-	-	-	-	1	-	-	-	-
(41)	Congenital malformations (750-759)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(45)	Senility without mention of psychosis, ill-defined and unknown causes (780-795)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(46)	Arteriosclerosis (450)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(46)	All other diseases (residual)	2	2	2	-	2	-	3	-	3	2	-	1	-	-
(47)	Motor vehicle accidents (810-835)	1	2	-	-	-	-	3	-	2	-	-	-	-	-
(48)	Railroad accidents and injuries (800-802)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(48)	Air-transport accidents (860-866)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(48)	Burns (fire, explosion, scalds, conflagration, etc.) (transport accidents excepted) (915-917)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(48)	Accidental drowning (850, 851, 929)	-	-	-	-	-	-	-	-	1	-	-	-	-	-
(48)	Accidental falls (transport accidents excepted) (900-904)	-	-	-	-	-	1	4	-	2	-	-	1	-	-
(48)	All other accidents	1	1	1	-	-	-	1	-	-	-	-	-	-	-
(49)	Suicide and self-inflicted injury (963, 970-979)	-	1	2	1	1	1	-	-	1	-	-	-	-	-
(50)	Homicide and operations of war (964, 965, 980-999)	-	-	-	-	-	-	1	-	-	1	-	-	-	-

¹ The numbers of the titles of the detailed International List included in each title of the abbreviated list appear in parentheses.

² Not elsewhere specified.

Abbreviated List No.	Operatives, food and kindred products.		Operatives, furniture and fixtures.		Operatives, laundry and dry cleaning.		Operatives, leather and leather products.		Operatives, lumber and wood products, except furniture.		Operatives, machinery, except electrical.		Operatives, metal industries.		Operatives, mine, and laborers.		Operatives, miscellaneous manufacturing industries.		Operatives, not specified manufacturing industries.		Operatives, paper and allied products.		Operatives, personal services.		Operatives, petroleum and coal products.	
	M 112	F 19	M 17	F 1	M 49	F 33	M 458	F 100	M 16	M 48	F 2	M 115	F 8	M 11	M 44	F 23	M 6	F 1	M 88	F 35	M 31	F 28	M 1			
(1)	6	-	-	-	5	-	16	1	-	-	-	1	-	-	4	1	1	-	2	1	2	-	-	-	-	
(2)	1	-	-	-	-	-	7	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
(3)	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
(4)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(6)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(7)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(8)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(9)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(10)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(16)	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(18)	22	8	3	-	13	12	86	29	3	10	-	19	4	-	6	10	-	-	17	8	3	8	-	-	-	
(19)	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	
(20)	1	-	1	-	-	-	14	4	-	1	-	3	-	-	2	-	-	-	2	2	2	-	-	-	-	
(21)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(22)	8	2	-	-	1	3	34	15	2	2	-	9	-	1	3	2	1	1	8	3	-	5	-	-	-	
(23)	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(24)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(25)	1	1	2	1	1	2	9	4	-	2	1	1	-	1	1	2	-	-	3	-	-	1	1	-	-	
(26)	35	1	5	-	13	3	159	18	5	19	-	40	1	6	13	2	-	-	31	7	8	10	-	-	-	
(26)	4	1	1	-	-	-	16	4	1	2	-	3	-	-	1	1	1	-	3	1	1	-	-	-	-	
(27)	2	-	1	-	-	3	9	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	
(28)	6	1	1	-	2	1	17	5	-	-	-	7	-	-	1	-	1	-	3	4	4	1	-	-	-	
(29)	-	-	-	-	-	-	2	-	-	-	1	-	-	-	1											

Table 19

ALLOCATED DEATHS

CAUSE OF DEATH.¹

Abbreviated List No.

Operatives, printing, publishing and allied industries.

Operatives, professional and photographic equipment, and watches.

Operatives, professional and related services.

Operatives, public administration.

Operatives, rubber products.

Operatives, stone, clay and glass products.

Operatives, textile mill products.

	Sex	M		F		M		F		M		F		M		F		M		F		M		F	
		31	5	12	5	11	8	73	3	49	11	20	1	542	190										
(1)	All Causes.																								
(1)	Tuberculosis of the respiratory system (1-8)	3	-	1	-	2	1	1	-	3	1	2	-	19	3										
(2)	All other forms of tuberculosis (10-19)	-	-	-	-	-	-	-	-	-	-	-	-	1	-										
(3)	Syphilis (20-29)	-	-	-	-	-	-	-	-	-	-	-	-	2	1										
(4)	Typhoid fever (40)	-	-	-	-	-	-	1	-	-	-	-	-	-	-										
(6)	Dysentery, all forms (45-48)	-	-	-	-	-	-	-	-	-	-	-	-	-	-										
(7)	Scarlet fever and streptococcal sore throat (50, 51)	-	-	-	-	-	-	-	-	-	-	-	-	-	-										
(8)	Diphtheria (55)	-	-	-	-	-	-	-	-	-	-	-	-	-	-										
(9)	Whooping cough (56)	-	-	-	-	-	-	-	-	-	-	-	-	-	-										
(10)	Meningococcal infections (57)	-	-	-	-	-	-	-	-	-	-	-	-	-	-										
(12)	Acute poliomyelitis (80)	-	-	-	-	-	-	-	-	-	-	-	-	-	-										
(14)	Measles (85)	-	-	-	-	-	-	-	-	-	-	-	-	-	-										
(16)	Malaria (110-117)	-	-	-	-	-	-	-	-	-	-	-	-	-	-										
(17)	Infectious hepatitis (92)	-	-	-	-	-	-	-	-	-	-	-	-	-	-										
(17)	All other diseases classified as infective and parasitic (residual)	-	-	-	-	-	-	-	-	-	-	-	-	1	1										
(18)	Malignant neoplasms (140-205)	4	1	1	3	2	1	11	1	8	6	3	-	98	56										
(19)	Benign and unspecified neoplasms (210-239)	-	-	-	-	-	-	-	-	-	-	-	-	3	3										
(20)	Diabetes mellitus (260)	-	-	-	-	-	-	3	1	-	-	-	-	6	8										
(21)	Anemias (290-293)	-	-	-	-	-	-	-	-	-	-	-	-	1	-										
(22)	Vascular lesions affecting central nervous system (330-334)	2	1	3	-	1	-	3	-	3	1	3	-	55	28										
(23)	Nonmeningococcal meningitis (340)	-	-	-	-	-	-	-	-	-	-	-	-	-	-										
(24)	Rheumatic fever (400-402)	-	-	-	-	-	-	-	-	-	-	-	-	-	-										
(25)	Chronic rheumatic heart disease (410-416)	-	1	-	1	-	1	1	-	-	-	1	-	14	10										
(26)	Arteriosclerotic heart disease, including coronary disease (420)	11	-	3	-	4	3	29	-	19	-	6	1	165	30										
(26)	Degenerative heart disease (421, 422)	1	-	1	-	-	-	2	-	3	-	-	-	26	6										
(27)	Other diseases of heart (430-434)	-	-	-	-	1	-	-	-	-	-	-	-	13	2										
(28)	Hypertension with heart disease (440-443)	1	-	1	-	-	1	3	-	3	-	1	-	25	12										
(29)	Hypertension without mention of heart (444-447)	-	-	-	-	-	-	-	-	-	-	1	-	1	4										
(30)	Influenza (480-483)	-	-	-	-	-	-	-	-	-	-	-	-	-	-										
(31)	Pneumonia (490-493)	1	1	-	-	-	-	1	-	-	-	-	-	12	1										
(32)	Bronchitis (500-502)	-	-	-	-	-	-	1	-	-	-	-	-	-	-										
(33)	Ulcer of stomach and duodenum (540, 541)	-	-	-	-	-	-	1	-	3	-	-	-	13	-										
(34)	Appendicitis (550-553)	-	-	-	-	-	-	-	-	-	-	-	-	3	-										
(35)	Intestinal obstruction and hernia (560, 561, 570)	-	-	-	-	-	-	-	-	-	1	-	-	-	1										
(36)	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of the newborn (543, 571, 572)	-	-	-	-	-	-	-	-	-	-	-	-	2	1										
(37)	Cirrhosis of the liver (581)	1	-	-	-	-	-	-	-	-	-	-	-	8	3										
(38)	Nephritis and nephrosis (590-594)	-	-	-	-	-	-	1	-	-	-	-	-	8	2										
(39)	Hyperplasia of prostate (610)	-	-	-	-	-	-	-	-	-	-	-	-	1	-										
(40)	Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	-	-	-	-	-	-	-	-	-	-	-										
(41)	Congenital malformations (750-759)	1	-	-	-	-	-	-	-	-	-	-	-	1	-										
(45)	Senility without mention of psychosis, ill-defined and unknown causes (780-795)	-	-	-	-	-	1	1	-	-	-	-	-	1	1										
(46)	Arteriosclerosis (450)	-	-	-	-	-	-	1	-	1	-	-	-	5	1										
(46)	All other diseases (residual)	3	1	1	-	1	-	5	-	5	1	2	-	23	13										
(47)	Motor vehicle accidents (810-835)	1	-	-	-	-	-	2	-	-	-	-	-	5	2										
(48)	Railroad accidents and injuries (800-802)	-	-	-	-	-	-	-	-	-	-	-	-	-	-										
(48)	Air-transport accidents (860-866)	-	-	-	-	-	-	3	-	-	-	-	-	-	-										
(48)	Burns (fire, explosion, scalds, conflagration, etc.) (transport accidents excepted) (916-917)	-	-	-	1	-	-	2	-	-	-	-	-	-	-										
(48)	Accidental drowning (850, 851, 929)	-	-	-	-	-	-	-	-	-	-	-	-	2	-										
(48)	Accidental falls (transport accidents excepted) (900-904)	-	-	-	-	-	-	-	-	1	-	1	-	6	-										
(48)	All other accidents	1	-	1	-	-	-	-	-	-	1	-	-	8	-										
(49)	Suicide and self-inflicted injury (963, 970-979)	1	-	-	-	-	-	2	1	-	-	-	-	14	1										
(50)	Homicide and operations of war (964, 965, 980-999)	-	-	-	-	-	-	-	-	-	-	-	-	-	-										

¹ The numbers of the titles of the detailed International List included in each title of the abbreviated list appear in parentheses.² Not elsewhere specified.

Abbreviated List No.	Table 19	CAUSE OF DEATH. ¹	ALLOCATED DEATHS											
			Painters, except construction and maintenance.	Paper hangers.	Pattern and model makers, except paper.	Personnel and labor relations workers.	Pharmacists.	Photoengravers and lithographers.	Photographers.	Photographic process workers.				
		Sex	M	M	M	M	F	M	M	F	M	F	M	F
		All Causes.	11	3	16	11	5	31	8	1	13	2	2	2
(1)		Tuberculosis of the respiratory system (1-8)	-	-	1	-	-	-	-	-	-	-	-	-
(2)		All other forms of tuberculosis (10-19)	-	-	-	-	-	-	-	-	-	-	-	-
(3)		Syphilis (20-29)	-	-	-	-	-	-	-	-	-	-	-	-
(4)		Typhoid fever (40)	-	-	-	-	-	-	-	-	-	-	-	-
(6)		Dysentery, all forms (45-48)	-	-	-	-	-	-	-	-	-	-	-	-
(7)		Scarlet fever and streptococcal sore throat (50, 51)	-	-	-	-	-	-	-	-	-	-	-	-
(8)		Diphtheria (55)	-	-	-	-	-	-	-	-	-	-	-	-
(9)		Whooping cough (56)	-	-	-	-	-	-	-	-	-	-	-	-
(10)		Meningococcal infections (57)	-	-	-	-	-	-	-	-	-	-	-	-
(12)		Acute poliomyelitis (80)	-	-	-	-	-	-	-	-	-	-	-	-
(14)		Measles (85)	-	-	-	-	-	-	-	-	-	-	-	-
(16)		Malaria (110-117)	-	-	-	-	-	-	-	-	-	-	-	-
(17)		Infectious hepatitis (92)	-	-	-	-	-	-	-	-	-	-	-	-
(17)		All other diseases classified as infective and parasitic (residual)	-	-	-	-	-	-	-	-	-	-	-	-
(18)		Malignant neoplasms (140-205)	4	-	3	2	1	6	1	-	1	1	1	1
(19)		Benign and unspecified neoplasms (210-239)	-	-	-	-	-	-	-	-	-	-	-	-
(20)		Diabetes mellitus (260)	1	-	-	1	-	1	-	-	-	-	-	-
(21)		Anemias (290-293)	-	-	-	-	-	-	-	-	-	-	-	-
(22)		Vascular lesions affecting central nervous system (330-334)	-	-	-	-	2	2	-	-	1	-	-	-
(23)		Nonmeningococcal meningitis (340)	-	-	-	-	-	-	-	-	-	-	-	-
(24)		Rheumatic fever (400-402)	-	-	-	-	-	-	-	-	-	-	-	-
(25)		Chronic rheumatic heart disease (410-416)	-	-	-	-	-	-	-	1	-	-	-	-
(26)		Arteriosclerotic heart disease, including coronary disease (420)	5	2	5	4	1	11	7	-	6	-	-	-
(26)		Degenerative heart disease (421-422)	-	-	-	1	-	-	-	1	-	-	-	-
(27)		Other diseases of heart (430-434)	-	-	-	-	-	-	1	-	-	1	1	-
(28)		Hypertension with heart disease (440-443)	-	1	1	2	1	2	-	1	-	-	-	-
(29)		Hypertension without mention of heart (444-447)	-	-	-	-	-	-	-	-	-	-	-	-
(30)		Influenza (480-483)	-	-	-	-	-	-	-	-	-	-	-	-
(31)		Pneumonia (490-493)	-	-	-	-	-	-	-	-	-	-	-	-
(32)		Bronchitis (500-502)	-	-	-	-	-	-	-	-	-	-	-	-
(33)		Ulcer of stomach and duodenum (540, 541)	-	-	-	-	-	-	-	-	-	-	-	-
(34)		Appendicitis (550-553)	-	-	1	-	-	-	-	-	-	-	-	-
(35)		Intestinal obstruction and hernia (560, 561, 570)	-	-	-	-	-	-	-	-	-	-	-	-
(36)		Gastritis, duodenitis, enteritis, and colitis, except diarrhea of the newborn (543, 571, 572)	-	-	1	-	-	1	-	-	-	-	-	-
(37)		Cirrhosis of the liver (581)	-	-	-	-	-	-	-	-	-	-	-	-
(38)		Nephritis and nephrosis (590-594)	-	-	1	-	-	-	-	1	-	-	-	-
(39)		Hyperplasia of prostate (610)	-	-	-	1	-	-	-	-	-	-	-	-
(40)		Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	-	-	-	-	-	-	-	-	-
(41)		Congenital malformations (750-759)	-	-	-	-	-	-	-	-	-	-	-	-
(45)		Senility without mention of psychosis, ill-defined and unknown causes (780-795)	-	-	-	-	-	-	-	-	-	-	-	-
(46)		Arteriosclerosis (450)	-	-	-	-	-	2	-	-	-	-	-	-
(46)		All other diseases (residual)	-	-	-	-	-	4	-	-	-	-	-	-
(47)		Motor vehicle accidents (810-835)	-	-	-	-	-	1	-	-	-	-	-	-
(48)		Railroad accidents and injuries (800-802)	-	-	-	-	-	-	1	-	-	-	-	-
(48)		Air-transport accidents (860-866)	-	-	-	-	-	-	-	-	-	-	-	-
(48)		Burns (fire, explosion, scalds, conflagration, etc.) (transport accidents excepted) (915-917)	-	-	-	-	-	-	-	-	-	-	-	-
(48)		Accidental drowning (850, 851, 929)	-	-	-	-	-	-	-	-	-	-	-	-
(48)		Accidental falls (transport accidents excepted) (900-904)	-	-	-	-	-	-	-	1	-	-	-	-
(48)		All other accidents	-	-	2	-	-	-	-	-	-	-	-	-
(49)		Suicide and self-inflicted injury (963, 970-979)	1	-	-	-	-	-	-	1	-	-	-	-
(50)		Homicide and operations of war (964, 965, 980-999)	-	-	1	-	-	-	-	-	-	-	-	-

¹ The numbers of the titles of the detailed International List included in each title of the abbreviated list appear in parentheses.

² Not elsewhere specified.

FROM IMPORTANT CAUSES BY OCCUPATIONS: 1951.

Abbreviated List No.	Physicians and surgeons.		Physicists.	Plasterers.	Plumbers and pipe fitters.		Policemen and detectives.		Porters.		Postmasters.	Pressmen and plate printers, printing.		Private household workers (n.e.s.). ²		Professional, technical and kindred workers (n.e.s.). ²		Proprietors, managers and officials (n.e.s.). ²		Proprietors, managers and officials, agriculture, forestry and fisheries.		Proprietors, managers and officials, business and repair services.		Proprietors, managers and officials, construction.	
	M 133	F 15	M 1	M 18	M 138	M 131	F 1	M 39	F 1	M 8	F 3	M 4	M 28	F 129	M 21	F 5	M 151	F 12	M 91	F 1	M 46	F 3	M 126	F	
(1)	-	-	-	-	1	7	-	-	1	-	-	-	-	2	7	-	-	1	-	4	-	1	-	-	
(2)	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
(3)	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(4)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(6)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(7)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(8)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(9)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(10)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(18)	22	1	-	5	24	18	1	5	-	-	2	1	5	36	5	2	29	5	16	-	5	2	19	-	
(19)	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	
(20)	3	-	-	-	1	1	-	-	-	1	-	-	-	3	-	-	4	-	3	-	1	-	2	-	
(21)	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	2	-	
(22)	14	4	-	-	7	13	-	6	-	-	-	-	4	16	1	-	15	2	11	-	4	-	12	-	
(23)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(24)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(25)	1	-	-	1	3	4	-	-	-	-	-	-	-	7	-	-	5	-	1	-	2	-	1	-	
(26)	47	3	1	7	51	47	-	8	1	3	1	1	5	22	11	-	52	1	27	1	17	-	48	-	
(26)	7	-	-	1	6	2	-	2	-	-	-	-	-	4	-	1	2	1	3	-	1	-	2	-	
(27)	1	1	-	-	1	5	-	-	-	-	-	-	-	2	-	-	-	-	1	-	1	-	3	-	
(28)	7	2	-	-	7	7	-	2	-	-	-	-	1	5	-	1	14	1	3	-	3	-	6	-	
(29)	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	
(30)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(31)	3	-	-	-	3	2	-	1	-	-	-	1	1	1	-	-	-	1	-	1	-	-	4	-	
(32)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(33)	1	1	-	-	2	2	-	2	-	-	-	-	2	-	1	-	5	-	1	-	-	-	-	-	
(34)	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	
(35)	1	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	2	-	1	-	-	-	1	-	
(36)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(37)	2	-	-	1	4	7	-	1	-	-	-	-	1	7	1	-	3	1	1	-	1	1	3	-	
(38)	1	1	-	-	2	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	5	-	
(39)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
(40)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(41)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	
(45)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	
(46)	1	1	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	2	-	-	-	-	-	
(46)	4	-	-	1	8	4	-	3	-	-	-	1	2	9	1	-	9	1	5	-	5	-	8	-	
(47)	-	-	-	1	1	2	-	1	-	-	-	-	1	1	-	1	1	3	-	1	-	-	2	-	
(48)	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(48)	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(48)	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
(48)	2	1	-	-	4	2	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	
(48)	1	-	-	-	1	3	-	2	-	-	-	-	-	1	-	-	1	-	4	-	-	-	2	-	
(49)	9	-	-	-	2	4	-	-	-	-	-	-	-	-	1	-	2	-	3	-	1	-	1	-	
(50)	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Abbreviated List No.	Table 19 CAUSE OF DEATH. ¹	ALLOCATED DEATHS															
		Sex		Proprietors, managers and officials, entertainment and recreation services.		Proprietors, managers and officials, finance, insurance, etc.		Proprietors, managers and officials, manufacturing.		Proprietors, managers and officials, mining.		Proprietors, managers and officials, personal services.		Proprietors, managers and officials, professional and related services.		Proprietors, managers and officials, transportation, communications, etc.	
	All Causes.	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
(1)	Tuberculosis of the respiratory system (1-8)	26	1	130	6	290	10	3	72	14	24	6	97	5			
(2)	All other forms of tuberculosis (10-19)	1	-	2	-	2	-	-	-	-	-	-	3	-	-	-	-
(3)	Syphilis (20-29)	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
(4)	Typhoid fever (40)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(6)	Dysentery, all forms (45-48)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(7)	Scarlet fever and streptococcal sore throat (50, 51)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(8)	Diphtheria (55)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(9)	Whooping cough (56)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(10)	Meningococcal infections (57)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(12)	Acute poliomyelitis (80)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(14)	Measles (85)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(16)	Malaria (110-117)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(17)	Infectious hepatitis (92)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(17)	All other diseases classified as infective and parasitic (residual)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(18)	Malignant neoplasms (140-205)	6	-	23	1	63	4	-	15	4	1	1	13	2	-	-	-
(19)	Benign and unspecified neoplasms (210-239)	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-
(20)	Diabetes mellitus (260)	1	-	2	-	4	-	-	2	-	-	-	1	-	-	-	-
(21)	Anemias (290-293)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(22)	Vascular lesions affecting central nervous system (330-334)	-	-	15	1	23	1	-	5	-	1	-	7	1	-	-	-
(23)	Nonmeningococcal meningitis (340)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(24)	Rheumatic fever (400-402)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(25)	Chronic rheumatic heart disease (410-416)	-	-	2	2	4	1	-	1	-	1	-	3	1	-	-	-
(26)	Arteriosclerotic heart disease, including coronary disease (420)	10	1	57	-	117	2	2	31	6	15	1	44	1	-	-	-
(26)	Degenerative heart disease (421, 422)	1	-	1	-	4	-	-	-	-	-	1	-	-	-	-	-
(27)	Other diseases of heart (430-434)	-	-	2	-	6	-	-	-	-	1	-	-	-	-	-	-
(28)	Hypertension with heart disease (440-443)	-	-	2	-	16	1	-	4	2	2	2	7	-	-	-	-
(29)	Hypertension without mention of heart (444-447)	1	-	3	-	1	-	-	1	-	-	-	1	-	-	-	-
(30)	Influenza (480-483)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(31)	Pneumonia (490-493)	1	-	1	-	5	-	-	2	-	-	-	-	-	-	-	-
(32)	Bronchitis (500-502)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(33)	Ulcer of stomach and duodenum (540, 541)	1	-	-	-	3	-	-	-	-	-	-	2	-	-	-	-
(34)	Appendicitis (550-553)	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
(35)	Intestinal obstruction and hernia (560, 561, 570)	-	-	1	-	3	-	-	-	-	-	-	-	-	-	-	-
(36)	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of the newborn (543, 571, 572)	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
(37)	Cirrhosis of the liver (581)	-	-	2	1	7	-	-	1	-	1	-	3	-	-	-	-
(38)	Nephritis and nephrosis (590-594)	1	-	-	-	6	-	-	1	-	-	-	2	-	-	-	-
(39)	Hyperplasia of prostate (610)	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
(40)	Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(41)	Congenital malformations (750-759)	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
(45)	Senility without mention of psychosis, ill-defined and unknown causes (780-795)	1	-	1	-	1	-	-	-	-	-	-	2	-	-	-	-
(46)	Arteriosclerosis (450)	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
(46)	All other diseases (residual)	1	-	6	-	10	-	-	4	1	1	-	4	-	-	-	-
(47)	Motor vehicle accidents (810-835)	-	-	1	-	4	1	1	-	-	-	-	2	-	-	-	-
(48)	Railroad accidents and injuries (800-802)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(48)	Air-transport accidents (860-866)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(48)	Burns (fire, explosion, scalds, conflagration, etc.) (transport accidents excepted) (915-917)	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
(48)	Accidental drowning (850, 851, 929)	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-
(48)	Accidental falls (transport accidents excepted) (900-904)	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	-
(48)	All other accidents	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-
(49)	Suicide and self-inflicted injury (963, 970-979)	1	-	3	-	3	-	-	1	-	-	1	1	-	-	-	-
(50)	Homicide and operations of war (964, 965, 980-999)	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-

¹ The numbers of the titles of the detailed International List included in each title of the abbreviated list appear in parentheses.

² Not elsewhere specified.

Abbreviated List No.	Table 19 CAUSE OF DEATH. ¹	ALLOCATED DEATHS																			
		Spinners, textile.		Sports instructors and officials.		Statisticians and actuaries.		Stenographers, typists and secretaries.		Stone cutters and stone carvers.		Structural metal workers.		Surveyors.		Switchmen, railroad.		Tailors and tailoresses.		Taxicab drivers and chauffeurs.	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	All Causes.	16	7	3	2	6	3	25	123	15	21	9	6	38	5	179					
(1)	Tuberculosis of the respiratory system (1-8)	-	-	-	-	-	-	1	6	6	-	-	-	-	-	-	-	-	-	12	-
(2)	All other forms of tuberculosis (10-19)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(3)	Syphilis (20-29)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(4)	Typhoid fever (40)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(6)	Dysentery, all forms (45-48)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(7)	Scarlet fever and streptococcal sore throat (50, 51)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(8)	Diphtheria (55)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(9)	Whooping cough (56)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(10)	Meningococcal infections (57)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(12)	Acute poliomyelitis (80)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(14)	Measles (85)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(16)	Malaria (110-117)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(17)	Infectious hepatitis (92)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(17)	All other diseases classified as infective and parasitic (residual)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(18)	Malignant neoplasms (140-205)	3	4	-	-	1	2	4	48	-	5	1	-	6	1	32	-	-	-	-	-
(19)	Benign and unspecified neoplasms (210-239)	-	-	-	-	-	-	-	3	-	-	-	-	1	1	-	-	-	-	-	-
(20)	Diabetes mellitus (260)	1	-	-	-	-	-	-	1	-	-	-	-	2	-	3	-	-	-	-	-
(21)	Anemias (290-293)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(22)	Vascular lesions affecting central nervous system (330-334)	3	-	-	-	-	-	2	11	1	-	2	-	2	2	11	-	-	-	-	-
(23)	Nonmeningococcal meningitis (340)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
(24)	Rheumatic fever (400-402)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(25)	Chronic rheumatic heart disease (410-416)	-	-	-	-	-	-	1	7	-	-	-	-	-	-	4	-	-	-	-	-
(26)	Arteriosclerotic heart disease, including coronary disease (420)	9	1	2	-	3	-	10	17	3	5	3	4	17	1	53	-	-	-	-	-
(26)	Degenerative heart disease (421, 422)	-	1	-	-	1	-	1	2	1	1	-	-	1	1	1	-	-	-	-	-
(27)	Other diseases of heart (430-434)	-	-	-	-	-	-	-	1	-	-	-	-	-	-	4	-	-	-	-	-
(28)	Hypertension with heart disease (440-443)	-	-	-	1	-	1	2	1	-	2	-	1	2	-	7	-	-	-	-	-
(29)	Hypertension without mention of heart (444-447)	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
(30)	Influenza (480-483)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(31)	Pneumonia (490-493)	-	1	-	-	-	-	-	3	1	-	1	-	-	-	7	-	-	-	-	-
(32)	Bronchitis (500-502)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(33)	Ulcer of stomach and duodenum (540, 541)	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
(34)	Appendicitis (550-553)	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
(35)	Intestinal obstruction and hernia (560, 561, 570)	-	-	-	-	-	-	-	1	-	1	-	-	-	-	2	-	-	-	-	-
(36)	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of the newborn (543, 571, 572)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(37)	Cirrhosis of the liver (581)	-	-	-	-	-	-	-	5	1	-	-	-	1	-	7	-	-	-	-	-
(38)	Nephritis and nephrosis (590-594)	-	-	-	-	-	-	-	2	-	-	-	-	-	-	2	-	-	-	-	-
(39)	Hyperplasia of prostate (610)	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
(40)	Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(41)	Congenital malformations (750-759)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(45)	Senility without mention of psychosis, ill-defined and unknown causes (780-795)	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
(46)	Arteriosclerosis (450)	-	-	-	-	-	-	1	-	-	-	-	-	-	-	3	-	-	-	-	-
(46)	All other diseases (residual)	-	-	1	-	-	-	1	10	-	4	1	-	1	-	18	-	-	-	-	-
(47)	Motor vehicle accidents (810-835)	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-
(48)	Railroad accidents and injuries (800-802)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(48)	Air-transport accidents (860-866)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(48)	Burns (fire, explosion, scalds, conflagration, etc.) (transport accidents excepted) (915-917)	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
(48)	Accidental drowning (850, 851, 929)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(48)	Accidental falls (transport accidents excepted) (900-904)	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
48	All other accidents	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(49)	Suicide and self-inflicted injury (963, 970-979)	-	-	-	-	-	-	-	2	-	1	-	-	2	-	3	-	-	-	-	-
(50)	Homicide and operations of war (964, 965, 980-999)	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-

¹ The numbers of the titles of the detailed International List included in each title of the abbreviated list appear in parentheses.

² Not elsewhere specified.

Abbreviated List No.	Table 20 CAUSE OF DEATH. ¹	NUMBER OF DEATHS. ²						
		1951. ³	1950. ³	1949. ³	1948. ³	1947. ³	1946. ³	1945. ³
	All Causes.	52,940	50,359	50,442	52,315	51,583	51,289	50,763
I	Infective and parasitic diseases	1,120	1,202	1,443	1,834	2,067	2,263	2,137
II	Neoplasms	8,812	8,748	8,599	8,916	8,534	8,237	8,203
III	Allergic, endocrine system, metabolic, and nutritional diseases	1,254	1,215	1,271	1,837	1,769	1,728	1,688
IV	Diseases of the blood and blood-forming organs	151	137	144	100	121	118	135
V	Mental, psychoneurotic, and personality disorders	112	127	115	153	132	126	166
VI	Diseases of the nervous system and sense organs	6,108	5,836	5,667	5,257	4,980	5,144	5,555
VII	Diseases of the circulatory system	24,911	23,341	22,900	21,876	21,179	20,334	20,107
VIII	Diseases of the respiratory system	1,729	1,333	1,663	2,239	2,278	2,652	2,538
IX	Diseases of the digestive system	2,165	1,916	1,943	2,123	2,086	2,160	2,148
X	Diseases of the genito-urinary system	1,105	1,071	1,076	2,279	2,396	2,493	2,735
XI	Deliveries and complications of pregnancy, childbirth, and the puerperium	35	53	60	74	102	125	144
XII	Diseases of the skin and cellular tissue	49	31	40	49	48	41	42
XIII	Diseases of the bones and organs of movement	97	93	76	30	25	25	22
XIV	Congenital malformations	505	510	569	561	587	545	452
XV	Certain diseases of early infancy	1,426	1,487	1,497	1,587	1,760	1,772	1,352
XVI	Symptoms, senility and ill-defined conditions	294	228	301	195	142	157	178
XVII	Accidents, poisonings and violence	3,067	3,031	3,078	3,205	3,377	3,369	3,361
(1)	Tuberculosis of the respiratory system (1-8)	840	948	1,064	1,279	1,495	1,592	1,557
(2)	All other forms of tuberculosis (10-19)	55	57	59	82	89	82	79
(3)	Syphilis (20-29)	86	83	105	161	178	183	189
(4)	Typhoid fever (40)	2	-	3	2	2	2	2
(5)	Dysentery (45-48)	12	4	5	20	28	9	9
(6)	Scarlet fever and streptococcal sore throat (50, 51)	1	1	7	2	11	11	30
(7)	Diphtheria (55)	8	8	44	27	12	36	10
(8)	Whooping cough (56)	3	11	7	11	15	16	22
(9)	Meningococcal meningitis (57.0)	17	20	9	16	12	21	20
(10)	Acute poliomyelitis (80)	11	9	51	5	12	19	22
(11)	Measles (85)	5	2	12	18	12	14	10
(12)	Malaria (110-117)	1	-	1	2	4	1	2
(13)	Infectious hepatitis (92)	34	13	13	-	-	-	-
(14)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-205)	8,666	8,597	8,430	8,749	8,342	8,012	7,986
(15)	Benign and unspecified neoplasms (210-239)	146	151	169	167	192	225	217
(16)	Diabetes mellitus (260)	1,060	1,042	1,110	1,718	1,643	1,594	1,491
(17)	Anemias (290-293)	114	108	112	70	92	85	104
(18)	Cerebral hemorrhage, cerebral embolism and thrombosis (330-332, 334)	5,660	5,427	5,286	4,892	4,655	4,750	4,917
(19)	Influenza meningitis (340.0)	7	12	12	-	-	-	-
(20)	Pneumococcus meningitis (340.1)	12	20	8	17	24	26	24
(21)	Other meningitis, except meningococcal and tuberculous (340.2, 340.3)	26	27	24	25	34	30	43
(22)	Rheumatic fever (400-402)	16	35	28	14	17	29	37
(23)	Chronic rheumatic heart disease (410-416)	879	912	950	599	569	624	640
(24)	Arteriosclerotic and degenerative heart disease (420-422)	18,421	16,945	16,379	19,002	18,265	17,209	17,051
(25)	Other diseases of heart (430-434)	752	672	591	769	782	965	757
(26)	Hypertension with heart disease (440-443)	2,863	2,793	3,301	-	-	-	-
(27)	Nephrosclerosis without mention of heart disease (446)	191	261	175	-	-	-	-
(28)	Arteriosclerosis (450)	1,325	1,322	1,164	787	840	881	1,030
(29)	Influenza (480-483)	85	27	29	56	55	126	60
(30)	Pneumonia (490-493)	1,271	1,009	1,345	1,875	1,889	2,279	2,181
(31)	Bronchitis (500-502)	69	56	67	88	90	109	87
(32)	Ulcer of stomach and duodenum (540, 541)	394	341	336	304	294	309	357
(33)	Appendicitis (550-553)	98	74	92	107	138	130	171
(34)	Hernia, intestinal obstruction (560, 561, 570)	316	274	278	308	304	356	370
(35)	Diarrhea and enteritis (from 4 weeks to 2 years of age) (571.0)	28	38	30	81	123	113	86
(36)	Diarrhea and enteritis (over 2 years of age) (571.1)	38	40	60	96	105	98	67
(37)	Cirrhosis of liver (581)	735	672	621	752	651	610	584
(38)	Nephritis and nephrosis (590-594)	728	732	684	1,867	2,003	2,036	2,255
(39)	Hyperplasia of prostate (610)	146	121	142	180	154	211	193
(40)	Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	35	51	58	69	91	115	133
(41)	Congenital malformations (750-759)	505	510	569	561	587	545	452
(42)	Birth injuries, post-natal asphyxia and atelectasis (760-762)	652	632	620	410	522	425	350
(43)	Diarrhea of newborn (764)	2	8	3	17	34	50	32
(44)	Infections of newborn (763, 765-768)	55	62	70	57	84	87	63
(45)	Immaturity (774, 776)	632	661	706	1,071	1,222	1,243	879
(46)	Senility without mention of psychosis, ill-defined and unknown causes (780-795)	294	228	301	195	142	157	178
(47, 48, 49, 50)	Accidental deaths (800-962)	2,553	2,467	2,509	2,674	2,803	2,836	2,820
(49)	Suicide and self-inflicted injury (963, 970-979)	464	502	521	478	508	465	485
(50)	Homicide and operations of war (964, 965, 980-999)	50	62	48	53	66	68	58
	All other defined causes	2,577	2,312	2,234	2,582	2,393	2,505	2,655

¹ Abbreviated International List of Causes of Death. The title or titles of the detailed International List that are included under each heading are shown by numbers in parentheses.

Abbreviated List No.	DEATH RATES ² PER 100,000 POPULATION.							PER CENT DISTRIBUTION.						
	1951. ³	1950. ³	1949. ³	1948. ³	1947. ³	1946. ³	1945. ³	1951. ³	1950. ³	1949. ³	1948. ³	1947. ³	1946. ³	1945. ³
I	1,117.5	1,071.5	1,082.3	1,131.5	1,124.7	1,127.5	1,125.1	100.0	100.0	100.0	100.0	100.0	100.0	100.0
II	23.6	25.6	31.0	39.7	45.1	49.7	47.3	2.1	2.4	2.9	3.5	4.0	4.4	4.2
III	186.0	186.1	184.5	192.8	186.1	181.1	181.8	16.6	17.4	17.0	17.0	16.6	16.1	16.2
IV	26.5	25.9	27.3	39.7	38.6	38.0	37.4	2.4	2.4	2.5	3.5	3.4	3.4	3.3
V	3.2	2.9	3.1	2.2	2.6	2.6	3.0	.3	.3	.3	.2	.2	.2	.3
VI	2.4	2.7	2.5	3.3	2.9	2.7	3.7	.2	.3	.2	.3	.2	.3	.3
VII	128.9	124.2	121.6	113.7	108.6	113.1	118.7	11.5	11.6	11.2	10.0	9.7	10.0	10.5
VIII	525.9	496.6	491.4	473.2	461.8	447.0	445.6	47.0	46.3	45.4	41.8	41.1	39.6	39.6
IX	36.5	28.4	35.7	48.4	49.7	58.3	56.3	3.3	2.6	3.3	4.3	4.4	5.2	5.0
X	45.7	40.8	41.7	45.9	45.5	47.5	47.6	4.1	3.8	3.9	4.1	4.0	4.2	4.2
XI	23.3	22.8	23.1	49.3	52.2	54.8	60.6	2.1	2.1	2.1	4.4	4.6	4.9	5.4
XII	.7	1.1	1.3	1.6	2.2	2.7	3.2	.1	.1	.1	.1	.2	.2	.3
XIII	1.0	.7	.8	1.1	1.0	.9	.9	.1	.5	.1	.1	.1	.1	.1
XIV	2.1	2.0	1.6	.7	.5	.5	.5	.2	.2	.2	.1	.1	.1	.5
XV	10.7	10.8	12.2	12.1	12.8	12.0	10.0	.9	1.0	1.1	1.1	1.1	1.1	.9
XVI	30.1	31.7	32.1	34.3	38.4	39.0	30.0	2.7	3.0	3.0	3.0	3.4	3.4	2.7
XVII	6.2	4.9	6.4	4.2	3.1	3.5	4.0	.6	.5	.6	.4	.3	.3	.4
(1)	64.7	64.5	66.0	69.3	73.6	74.1	74.5	5.8	6.0	6.1	6.1	6.6	6.6	6.6
(2)	17.7	20.2	22.8	27.7	32.6	35.0	34.5	1.6	1.9	2.1	2.4	2.9	3.1	3.1
(3)	1.2	1.2	1.3	1.7	2.0	1.8	1.7	.1	.1	.1	.2	.1	.2	.1
(4)	1.8	1.8	2.3	3.5	3.9	4.0	4.2	.2	.2	.2	.3	.4	.4	.4
(5)	.4	—	.1	.4	.4	.4	.4	.5	.5	.5	.5	.5	.5	.5
(6)	.3	.1	.1	.4	.6	.2	.2	.5	.5	.5	.5	.1	.5	.5
(7)	.4	.4	.2	.4	.2	.2	.7	.5	.5	.5	.5	.5	.5	.1
(8)	.2	.2	.9	.6	.3	.8	.2	.5	.5	.1	.1	.5	.1	.5
(9)	.1	.2	.2	.3	.3	.4	.5	.5	.5	.5	.5	.5	.5	.5
(10)	.4	.4	.2	.3	.3	.5	.4	.5	.5	.5	.5	.5	.5	.5
(12)	.2	.2	1.1	.1	.3	.4	.5	.5	.5	.1	.5	.5	.5	.5
(14)	.1	.4	.4	.4	.3	.3	.2	.5	.5	.5	.5	.5	.5	.5
(16)	.4	—	.4	.4	.1	.1	.1	.5	.5	.5	.5	.5	.5	.5
(17)	.7	.3	.3	—	—	—	—	.1	.5	.5	—	—	—	—
(18)	182.9	182.9	180.9	189.2	181.9	176.1	177.0	16.4	17.1	16.7	16.7	16.2	15.6	15.8
(19)	3.1	3.2	3.6	3.6	4.2	5.0	4.8	.3	.3	.4	.3	.4	.5	.4
(20)	22.4	22.2	23.8	37.2	35.8	35.0	33.1	2.0	2.1	2.2	3.3	3.2	3.1	3.0
(21)	2.4	2.3	2.4	1.5	2.0	1.9	2.3	.2	.2	.2	.1	.2	.2	.2
(22)	119.4	115.5	113.4	105.8	101.5	104.4	109.0	10.7	10.8	10.5	9.4	9.0	9.3	9.7
(23)	.1	.3	.3	—	—	—	—	.5	.5	.5	—	—	—	—
(23)	.3	.4	.2	.4	.5	.6	.5	.5	.5	.5	.5	.5	.1	.5
(23)	.5	.6	.4	.5	.7	.7	1.0	.5	.1	.5	.1	.1	.1	.1
(24)	.3	.7	.6	.3	.4	.6	.8	.5	.1	.5	.5	.5	.1	.1
(25)	18.6	19.4	20.4	13.0	12.4	13.7	14.2	1.7	1.8	1.9	1.2	1.1	1.2	1.3
(26)	388.9	360.5	351.4	411.0	398.2	378.3	377.9	34.8	33.7	32.5	36.3	35.4	33.5	33.6
(27)	15.9	14.3	12.7	16.6	17.1	21.2	16.8	1.4	1.3	1.2	1.5	1.5	1.9	1.5
(28)	60.4	59.4	70.8	—	—	—	—	5.4	5.6	6.6	—	—	—	—
(29)	4.0	5.6	3.8	—	—	—	—	.4	.5	.4	—	—	—	—
(29)	27.9	28.1	25.0	17.0	18.3	19.4	22.8	2.5	2.6	2.3	1.5	1.6	1.7	2.0
(30)	1.8	.6	.6	1.2	1.2	2.8	1.3	.2	.1	.1	.1	.1	.2	.1
(31)	26.8	21.5	28.9	40.6	41.2	50.1	48.4	2.4	2.0	2.7	3.6	3.8	4.5	4.3
(32)	1.5	1.2	1.4	1.9	2.0	2.4	1.9	.1	.1	.2	.2	.2	.2	.2
(33)	8.3	7.3	7.2	6.6	6.4	6.8	7.9	.7	.7	.7	.6	.5	.6	.7
(34)	2.1	1.6	2.0	2.3	3.0	2.9	3.8	.2	.1	.2	.2	.3	.2	.3
(35)	6.7	5.8	6.0	6.7	6.6	7.8	8.2	.6	.5	.4	.6	.6	.7	.8
(36)	.6	.8	.6	1.8	2.7	2.5	1.9	.5	.1	.1	.2	.2	.2	.2
(36)	.8	.9	1.3	2.1	2.3	2.2	1.5	.1	.1	.1	.2	.2	.2	.1
(37)	15.5	14.3	13.3	16.3	14.2	13.4	12.9	1.4	1.3	1.2	1.4	1.3	1.2	1.2
(38)	15.4	15.6	14.7	40.4	43.7	44.8	50.0	1.4	1.5	1.4	3.6	3.9	4.0	4.4
(39)	3.1	2.6	3.0	3.9	3.3	4.6	4.3	.3	.2	.3	.4	.3	.4	.4
(40)	.7	1.1	1.2	1.5	2.0	2.5	2.9	.1	.1	.1	.1	.2	.2	.3
(41)	10.7	10.9	12.2	12.1	12.8	12.0	10.0	.9	1.0	1.1	1.0	1.1	1.1	.9
(42)	13.8	13.4	13.3	8.9	11.4	9.3	7.8	1.2	1.3	1.2	.8	1.0	.8	.7
(43)	.4	.2	.1	.4	.7	1.1	.7	.5	.1	.5	.1	.1	.1	.1
(43)	1.2	1.3	1.5	1.2	1.8	1.9	1.4	.1	.1	.2	.1	.2	.2	.1
(44)	13.3	14.1	15.1	23.2	26.6	27.3	19.5	1.2	1.3	1.4	2.1	2.4	2.4	1.7
(45)	6.2	4.9	6.5	4.2	3.1	3.5	4.0	.6	.5	.6	.4	.3	.5	.3
(47, 48, 50)	53.9	52.5	53.8	57.8	61.1	62.3	62.5	4.8	4.9	5.0	5.1	5.4	5.3	5.6
(49)	9.8	10.7	11.2	10.4	11.1	10.2	10.7	.9	1.0	1.0	.9	1.0	.9	1.0
(50)	1.1	1.3	1.0	1.1	1.4	1.5	1.3	.1	.1	.1	.1	.1	.1	.1
	54.4	49.2	47.9	55.8	52.2	55.1	58.8	4.9	4.6	4.4	4.9	4.6	4.9	5.2

² Exclusive of stillbirths.³ Allocated.⁴ Less than one-tenth of 1 per 100,000.⁵ Less than one-tenth of 1 per cent.

Table 21

DEATHS AND DEATH RATES FROM

NUMBER OF DEATHS¹ AND DEATH

YEARS.	Diseases of the Heart.		Cancer.		Cerebral Hemorrhage.		Lobar Pneumonia.		Nephritis.		Tuberculosis (All forms).		Pulmonary Tuberculosis.	
	Rate.		Rate.		Rate.		Rate.		Rate.		Rate.		Rate.	
1900	3,834	136.7	1,998	71.2	2,161	77.0	-	-	2,259	80.5	7,114	253.6	5,119	185.3
1901	4,471	159.4	2,080	74.1	2,277	81.2	-	-	2,239	79.8	6,627	236.2	5,033	179.4
1902	3,845	137.1	2,141	76.3	2,402	85.6	-	-	2,330	83.1	6,323	225.4	4,685	167.0
1903	4,123	146.9	2,243	80.0	2,434	86.8	-	-	2,609	93.0	6,006	214.1	4,531	161.5
1904	4,418	157.5	2,421	86.3	2,663	94.9	-	-	2,561	91.3	6,395	228.0	4,874	173.7
1905	5,430	180.8	2,501	83.3	2,843	94.7	-	-	2,556	85.1	6,394	212.9	4,702	156.5
1906	5,525	183.9	2,603	86.7	2,855	95.1	-	-	2,565	85.4	6,307	210.0	4,608	153.4
1907	6,155	204.9	2,744	91.4	3,068	102.1	-	-	2,816	93.8	5,141	171.1	4,771	158.8
1908	5,690	189.4	2,814	93.7	2,979	99.2	-	-	2,610	86.9	4,951	164.8	4,445	148.0
1909	5,504	183.2	2,871	95.5	3,128	104.1	-	-	2,882	95.9	5,929	193.3	4,393	146.2
1910	4,026	119.1	3,028	89.6	3,318	98.2	-	-	3,052	90.3	6,054	179.0	4,503	133.2
1911	3,854	111.8	3,199	92.8	3,379	98.1	-	-	3,560	103.3	5,655	164.2	4,418	128.2
1912	4,610	131.3	3,282	93.5	3,552	101.1	1,626	46.3	2,922	83.2	5,067	144.3	4,309	122.7
1913	5,402	151.0	3,526	98.5	3,498	97.8	2,523	70.5	3,330	93.1	5,049	141.1	4,253	118.9
1914	5,428	149.0	3,586	98.4	2,656	72.9	2,804	77.0	3,377	92.7	5,061	138.9	4,261	116.9
1915	6,753	182.8	3,708	100.4	3,483	94.3	3,194	86.1	3,486	94.4	5,047	136.7	4,233	116.0
1916	8,174	216.4	3,990	105.7	3,510	93.0	3,694	97.8	3,490	92.4	5,422	143.6	4,575	121.2
1917	8,314	216.4	4,057	105.6	3,991	103.9	3,786	98.6	3,508	91.3	5,409	140.9	4,651	121.1
1918	7,271	186.1	4,098	104.9	4,173	106.8	9,921	253.9	3,945	101.0	5,969	152.8	5,177	132.5
1919	6,445	168.0	4,112	107.2	4,272	111.4	2,530	66.0	3,672	95.7	4,920	128.2	4,221	110.0
1920	6,858	178.0	4,494	116.7	4,187	108.7	2,750	71.4	3,561	92.4	4,400	114.1	3,750	97.3
1921	7,197	185.2	4,645	119.5	4,263	109.8	1,749	45.0	3,157	81.2	3,867	99.5	3,272	84.2
1922	8,233	209.2	4,650	118.1	4,618	117.3	2,238	56.9	3,186	80.9	3,736	94.9	3,167	80.5
1923	8,438	212.6	4,775	120.3	4,710	118.7	2,166	54.6	3,348	84.3	3,590	90.4	3,062	77.1
1924	8,032	200.6	5,074	126.8	4,733	118.2	1,817	45.4	3,227	80.6	3,530	88.2	2,953	73.8
1925	8,894	214.6	5,196	125.4	4,911	118.5	2,274	54.9	3,032	73.2	3,459	83.6	2,833	69.6
1926	10,031	238.1	5,341	128.1	4,141	99.3	2,315	55.5	3,867	92.7	3,516	84.3	2,961	71.0
1927	9,409	223.9	5,454	130.1	3,999	95.4	1,909	45.5	3,647	87.0	3,203	76.4	2,774	66.2
1928	10,215	236.2	5,611	133.2	4,257	101.1	2,106	50.0	3,650	86.6	3,123	74.1	2,690	63.9
1929	11,523	263.2	5,672	133.9	4,172	98.5	2,154	50.9	3,460	81.7	2,922	68.8	2,561	60.4
1930	11,353	267.2	5,813	136.7	4,131	97.2	1,816	42.7	3,617	85.1	2,734	64.7	2,423	57.0
1931	11,959	279.7	5,859	137.0	4,363	102.0	1,717	40.2	3,375	78.9	2,555	59.5	2,306	53.9
1932	13,255	308.5	6,153	143.2	4,170	97.0	1,688	39.3	3,575	83.2	2,301	53.2	2,041	47.5
1933	14,119	327.0	6,382	147.8	4,359	100.9	1,825	42.3	3,394	78.6	2,281	52.8	2,059	47.7
1934	14,543	335.2	6,675	153.8	4,269	98.4	1,601	36.9	3,247	74.8	2,116	48.7	1,902	43.8
1935	14,980	344.3	6,351	146.0	4,167	95.8	1,731	39.8	3,251	74.7	1,961	45.1	1,813	41.7
1936	16,197	369.6	6,599	150.6	4,273	97.5	1,944	44.3	3,149	71.8	1,898	43.2	1,733	39.5
1937	16,233	368.6	6,669	151.4	4,350	98.8	1,846	41.9	3,128	71.0	1,887	42.8	1,761	40.0
1938	16,296	368.2	6,875	155.3	4,292	97.0	1,312	29.6	3,010	68.0	1,675	37.9	1,536	34.7
1939	17,604	395.8	6,914	155.5	4,504	101.3	1,211	27.2	2,916	65.6	1,602	36.0	1,505	33.8
1940	18,148	420.4	7,219	167.2	4,642	107.5	925	21.4	3,016	69.9	1,598	37.1	1,484	34.4
1941	18,130	419.2	7,311	169.0	4,562	105.5	860	19.9	2,680	62.0	1,633	37.8	1,521	35.2
1942	17,864	412.4	7,350	169.7	4,670	107.8	749	17.3	2,608	60.2	1,619	37.4	1,501	34.7
1943	19,807	456.5	7,401	170.6	4,920	113.4	967	22.3	2,744	63.2	1,806	41.6	1,697	39.1
1944	18,922	435.4	7,557	173.9	4,708	108.3	764	17.6	2,403	55.3	1,696	39.0	1,612	37.1
1945	18,856	417.9	7,742	171.6	4,917	108.9	622	13.8	2,255	50.0	1,636	36.2	1,557	34.5
1946	19,214	422.4	7,759	170.6	4,750	104.4	592	13.0	2,036	44.8	1,674	36.8	1,592	35.0
1947	20,030	436.7	8,091	176.4	4,655	101.5	500	10.9	2,003	43.7	1,584	34.5	1,495	32.6
1948	20,830	450.5	8,465	183.1	4,892	105.8	494	10.7	1,867	40.4	1,361	29.4	1,279	27.7
1949	21,241	455.8	8,430	180.9	5,236	113.4	318	6.8	859	18.4	1,123	24.1	1,064	22.8
1950	21,352	454.3	8,597	182.9	5,427	115.5	200	4.3	993	21.1	1,005	21.4	948	20.2
1951	22,930	484.0	8,666	182.9	5,660	119.5	248	5.2	919	19.4	895	18.9	840	17.7

¹ Allocated since 1935.

IMPORTANT CAUSES: 1900 TO 1951.

RATES PER 100,000 POPULATION.

Diabetes.		(Meningococci) Cerebrospinal Meningitis.		Polio-myelitis.		Cirrhosis of the Liver.		Scarlet Fever.		Whooping Cough.		Diphtheria.	
Rate.		Rate.		Rate.		Rate.		Rate.		Rate.		Rate.	
-	-	-	-	-	-	-	-	330	11.8	337	12.0	1,475	52.6
-	-	-	-	-	-	-	-	385	13.5	210	7.4	1,166	40.9
-	-	-	-	-	-	-	-	313	10.8	337	11.7	873	30.2
-	-	-	-	-	-	-	-	510	17.4	519	17.7	869	29.7
-	-	-	-	-	-	-	-	138	4.6	117	3.9	699	23.5
-	-	-	-	-	-	-	-	117	3.9	218	7.2	652	21.6
-	-	-	-	-	-	-	-	135	4.4	509	16.5	743	24.1
-	-	-	-	-	-	-	-	285	9.0	243	7.7	752	23.8
-	-	-	-	-	-	-	-	369	11.4	288	8.9	747	23.1
-	-	-	-	-	-	-	-	259	7.8	250	7.6	594	18.0
-	-	-	-	-	-	261	7.7	254	7.5	183	5.4	679	12.3
-	-	-	-	-	-	250	7.3	184	5.3	292	8.5	563	16.4
-	-	2	- ¹	76	2.2	283	8.1	118	3.4	225	6.4	473	13.5
-	-	3	- ²	69	1.9	335	9.4	293	8.2	239	6.7	628	17.6
-	-	5	1	45	1.2	244	6.7	246	6.8	225	6.2	652	17.9
-	-	9	2	32	.9	302	8.2	182	4.9	283	7.7	720	19.5
-	-	10	3	452	12.0	360	9.5	127	3.4	346	9.2	629	16.7
-	-	13	3	51	1.3	325	8.5	120	3.1	243	6.3	838	21.8
-	-	115	2.9	37	.9	256	6.6	78	2.0	729	18.7	608	15.6
-	-	71	1.9	15	.4	181	4.7	122	3.2	323	8.4	593	15.5
-	-	39	1.0	144	3.7	196	5.1	214	5.6	546	14.2	591	15.3
-	-	49	1.3	48	1.2	147	3.8	191	4.9	201	5.2	607	15.6
-	-	47	1.2	33	.8	184	4.7	149	3.8	294	7.5	606	15.4
-	-	41	1.0	35	.9	167	4.2	155	3.9	493	12.4	579	14.6
-	-	39	1.0	27	.7	177	4.4	158	4.0	147	3.7	534	13.3
-	-	35	.8	52	1.3	207	5.0	117	2.8	269	6.5	333	8.0
835	20.0	39	.9	44	1.0	220	5.3	117	2.8	391	9.3	249	5.9
844	20.1	43	1.0	169	4.0	218	5.2	144	3.4	149	3.5	268	6.3
930	22.1	38	.9	65	1.6	272	6.5	90	2.1	208	4.8	249	5.8
997	23.5	79	1.8	21	.5	251	5.9	71	1.6	137	3.2	256	6.0
1,021	24.0	59	1.3	35	.8	282	6.6	98	2.3	182	4.2	182	4.2
1,060	24.8	30	.7	114	2.7	292	6.8	101	2.4	88	2.1	130	3.0
1,197	27.8	34	.8	13	.3	257	6.0	145	3.4	107	2.5	107	2.5
1,234	28.6	25	.6	32	.7	349	8.1	108	2.5	97	2.2	86	2.0
1,327	30.6	28	.6	9	.2	368	8.5	76	1.7	125	2.9	50	1.2
1,303	29.9	55	1.3	61	1.4	355	8.1	57	1.3	67	1.5	26	.6
1,388	31.7	100	2.3	8	.2	392	8.9	44	1.0	52	1.2	27	.6
1,495	33.9	72	1.6	22	.5	436	9.9	38	.9	95	2.2	18	.4
1,436	32.4	18	.4	7	.2	436	9.9	24	.5	35	.8	19	.4
1,508	33.9	17	.4	4	.1	483	10.9	15	.3	45	1.0	15	.3
1,570	36.4	15	.3	2	-. ¹	401	9.3	19	.4	22	.5	8	.2
1,544	35.7	25	.6	6	.1	511	11.8	13	.3	40	.9	12	.3
1,558	36.0	34	.8	3	.1	580	13.4	10	.2	27	.6	7	.1
1,647	37.9	119	2.7	18	.3	613	14.1	19	.4	38	.9	11	.2
1,562	35.9	81	1.9	17	.4	521	12.0	14	.3	15	.3	10	.2
1,591	33.0	20	.4	22	.5	584	13.0	7	.2	22	.5	10	.2
1,594	35.0	21	.5	19	.4	610	13.4	2	-. ¹	16	.4	36	.8
1,643	35.8	12	.3	12	.3	651	14.2	4	.1	15	.3	12	.3
1,718	37.2	16	.4	5	.1	752	16.3	1	-. ²	11	.3	27	.6
1,110	23.8	9	.2	51	1.1	621	13.3	1	-. ³	7	.2	44	.9
1,042	22.2	20	.4	9	.2	672	14.3	-	-	11	.2	8	.2
1,060	22.4	17	.4	11	.2	735	15.5	-	-	3	.1	8	.2

¹ Less than one-tenth of 1 per 100,000.

Table 22

DEATHS¹ PRODUCED BY EXTERNAL CAUSES: 1912 TO 1951.

YEARS.	Total Accidents.	Traumatism by fall.	Auto-mobile (including rail-road and street-car collisions).	Drown-ing.	Burns. ²	Absorp-tion of poison-ous gas.	Exces-sive heat.	Exces-sive cold.	Suicide.	Homi-cide.
1912	3,097	591	135	303	331	134	53	21	478	92
1913	3,222	588	165	364	311	168	25	7	486	111
1914	3,070	587	193	304	312	186	17	32	495	106
1915	3,206	621	265	362	274	197	17	11	515	113
1916	3,402	682	314	318	282	260	26	27	455	115
1917	3,584	630	415	315	309	272	91	27	493	106
1918	3,442	563	495	276	302	295	14	17	492	93
1919	3,242	535	532	292	296	207	26	13	445	102
1920	2,938	529	457	224	282	207	15	9	391	78
1921	2,996	523	526	301	202	140	31	9	472	116
1922	3,140	611	500	269	243	183	12	3	458	102
1923	3,392	646	638	260	265	192	32	4	452	106
1924	3,474	674	705	354	257	135	30	14	486	109
1925	3,573	643	743	273	215	151	135	9	459	109
1926	3,343	700	682	225	219	157	63	1	473	87
1927	3,371	692	697	296	198	136	14	7	466	86
1928	3,567	746	734	318	204	127	34	8	550	82
1929	3,584	760	785	257	191	160	37	14	540	70
1930	3,499	817	799	238	189	123	25	7	547	79
1931	3,582	851	849	242	152	133	38	3	601	89
1932	3,485	859	804	261	179	94	12	6	639	91
1933	3,505	933	816	248	126	109	23	13	597	110
1934	3,142	982	1,016	238	137	71	24	28	598	93
1935	3,006	1,109	824	232	143	72	21	28	570	74
1936	3,035	1,130	866	188	135	83	13	15	555	72
1937	3,014	1,037	864	265	113	67	72	19	642	85
1938	2,943	1,207	658	295	116	79	11	13	586	61
1939	2,750	1,206	630	211	123	72	14	12	570	61
1940	2,677	1,137	646	201	129	67	3	8	570	69
1941	2,806	1,178	727	155	133	64	12	6	545	65
1942	3,129	1,173	542	186	120	61	5	20	505	57
1943	3,111	1,323	485	199	144	108	35	19	444	33
1944	2,804	1,107	503	196	134	107	40	16	440	55
1945	2,820	1,221	513	170	129	109	2	17	483	58
1946	2,836	1,234	575	148	92	111	8	19	465	68
1947	2,803	1,257	531	166	103	84	10	16	508	66
1948	2,674	1,289	459	144	89	79	55	11	478	53
1949	2,509	1,204	497	166	153	101	29	10	521	48
1950	2,465	1,163	573	141	132	98	—	8	504	62
1951	3,067	1,242	561	193	142	67	—	8	464	48

¹ Allocated since 1935.² Conflagration excepted up to and including 1948.

Table 23

DEATH RATES PER 100,000 POPULATION BASED ON ANNUAL AVERAGE.
NUMBER OF DEATHS FOR THE FIVE-YEAR PERIOD OF WHICH THE CENSUS YEAR
IS THE MEDIAN YEAR¹ CENSUS YEARS 1910 TO 1945.

YEARS.	All causes.	Scarlet fever.	Diph-theria and croup.	Tuber-culosis of the respira-tory system.	Mea-sles.	Cancer.	Dia-betes.	Heart Disease.	Ne-phritis.
1910	1,556.2	7.0	18.1	130.0	6.9	89.9	16.3	183.6	89.6
1915	1,470.4	5.2	18.8	116.8	7.5	102.2	18.8	214.3	94.7
1920	1,461.1	3.9	15.6	100.2	7.6	114.2	19.8	199.4	93.0
1925	1,249.8	4.1	11.1	70.6	6.2	124.3	20.0	238.4	85.6
1930	1,181.9	2.4	4.3	56.5	3.0	136.9	24.5	279.0	85.6
1935	1,167.2	1.5	1.0	42.5	1.0	149.9	30.9	347.8	75.6
1940	1,150.1	.4	.3	34.5	.3	163.3	34.9	403.0	65.1
1945	1,150.3	.2	.4	35.3	.3	170.9	35.2	429.2	50.7

¹ This method eliminates any peculiarities in the census year and makes the rates more typical of the period as a whole.² Exclusive of stillbirths.

Table 24 MUNICIPALITIES.	Total deaths under 4 weeks of age.	ALLOCATED DEATHS ¹ UNDER 1 YEAR OF AGE, BY SEX, IN THE STATE AND IN EACH MUNICIPALITY: 1951.				MUNICIPALITIES.	Total deaths under 4 weeks of age.	ALLOCATED DEATHS ¹ UNDER 1 YEAR OF AGE, BY SEX, IN THE STATE AND IN EACH MUNICIPALITY: 1951.			
		Fe- Total. Males. males.						Fe- Total. Males. males.			
Infant Mortality Rate. The State.	21.9 1,710	2,184	1,257	927		Deerfield	—	—	—	—	
Abington	2	2	1	1		Dennis	—	1	1	—	
Acton	1	1	1	—		Dighton	—	—	—	—	
Acushnet	—	1	1	—		Douglas	1	1	—	1	
Adams	7	10	6	4		Dover	—	—	—	—	
Agawam	4	5	3	2		Dracut	6	7	5	2	
Alford	—	—	—	—		Dudley	1	3	2	1	
Amesbury	4	5	2	3		Dunstable	—	—	—	—	
Amherst	6	7	4	3		Duxbury	—	—	—	—	
Andover	2	3	1	2		East Bridgewater	1	2	1	1	
Arlington	16	17	10	7		East Brookfield	1	1	—	1	
Ashburnham	1	1	1	—		East Longmeadow	2	2	2	—	
Ashby	—	1	1	—		Eastham	3	3	3	—	
Ashfield	—	1	1	—		Easthampton	2	3	2	1	
Ashland	2	2	1	1		Easton	—	—	—	—	
Athol	1	1	1	—		Edgartown	1	1	—	1	
ATTLEBORO.	12	19	10	9		Egremont	—	—	—	—	
Auburn	4	4	2	2		Erving	—	—	—	—	
Avon	1	3	3	—		Essex	1	1	1	—	
Ayer	3	3	—	3		EVERETT	15	18	12	6	
Barnstable	5	6	4	2		Fairhaven	7	7	5	2	
Barre	—	—	—	—		FALL RIVER	37	51	31	20	
Becket	—	—	—	—		Falmouth	5	5	4	1	
Bedford	2	2	2	—		FITCHBURG	5	9	5	4	
Belchertown	1	1	1	—		Florida	—	—	—	—	
Bellingham	—	—	—	—		Foxborough	3	4	2	2	
Belmont	8	8	6	2		Frammingham	9	10	6	4	
Berkley	1	1	1	—		Franklin	4	4	3	1	
Berlin	—	1	1	—		Freetown	1	2	1	1	
Bernardston	1	1	1	—		GARDNER	5	6	3	3	
BEVERLY	8	14	5	9		Gay Head	—	—	—	—	
Billerica	5	9	5	4		Georgetown	—	—	—	—	
Blackstone	—	3	2	1		Gill	—	—	—	—	
Blandford	—	—	—	—		GLOUCESTER	11	13	11	2	
Bolton	—	—	—	—		Goshen	—	—	—	—	
BOSTON	319	408	223	185		Gosnold	—	—	—	—	
Bourne	2	3	2	1		Grafton	2	3	3	—	
Boxborough	—	—	—	—		Granby	1	2	1	1	
Boxford	—	—	—	—		Granville	1	1	1	—	
Boylston	—	1	1	—		Great Barrington	2	3	1	2	
Braintree	11	16	9	7		Greenfield	6	7	5	2	
Brewster	—	—	—	—		Groton	1	1	—	1	
Bridgewater	3	4	3	1		Groveland	—	—	—	—	
Brimfield	—	2	—	2		Hadley	2	2	1	1	
BROCKTON	15	21	15	6		Halifax	—	—	—	—	
Brookfield	3	3	1	2		Hamilton	1	2	1	1	
Brookline	15	21	9	12		Hampden	—	—	—	—	
Buckland	1	1	—	1		Hancock	1	1	1	—	
Burlington	1	2	1	1		Hanover	3	4	1	3	
CAMBRIDGE	38	50	28	22		Hanson	1	1	1	—	
Canton	2	2	2	—		Hardwick	1	1	—	1	
Carlisle	—	—	—	—		Harvard	—	—	—	—	
Carver	—	—	—	—		Harwich	3	3	2	1	
Charlemont	1	1	1	—		Hatfield	—	—	—	—	
Charlton	1	2	1	1		HAVERHILL	14	15	10	5	
Chatham	1	2	2	—		Hawley	—	—	—	—	
Chelmsford	3	3	2	1		Heath	2	2	2	—	
CHELSEA	11	12	7	5		Hingham	5	7	3	4	
Cheshire	1	1	—	1		Hinsdale	—	—	—	—	
Chester	1	1	1	—		Holbrook	4	5	5	—	
Chesterfield	—	1	1	—		Holden	2	2	—	2	
CHICOPEE	20	21	9	12		Holland	1	1	—	1	
Chilmark	—	—	—	—		Holliston	1	2	—	2	
Clarksburg	1	1	—	1		HOLYOKE	27	33	17	16	
Clinton	6	7	1	6		Hopedale	3	4	2	2	
Cohasset	—	—	—	—		Hopkinton	1	2	2	—	
Colrain	—	—	—	—		Hubbardston	1	1	1	—	
Concord	—	1	—	1		Hudson	4	5	5	—	
Conway	—	—	—	—		Hull	3	4	3	1	
Cummington	—	—	—	—		Huntington	—	1	1	—	
Dalton	2	3	—	3		Ipswich	4	6	3	3	
Danvers	4	4	2	2		Kingston	—	—	—	—	
Dartmouth	4	4	3	1		Lakeville	—	1	—	1	
Dedham	3	8	5	3		Lancaster	2	2	1	1	
						Lanesborough	2	3	1	2	

¹ Exclusive of stillbirths.

Table 24

Table 24 MUNICIPALITIES.	Total deaths under 4 weeks of age.	ALLOCATED DEATHS ¹ UNDER 1 YEAR OF AGE, BY SEX, IN THE STATE AND IN EACH MUNICIPALITY: 1951.				MUNICIPALITIES.	Total deaths under 4 weeks of age.	ALLOCATED DEATHS ¹ UNDER 1 YEAR OF AGE, BY SEX, IN THE STATE AND IN EACH MUNICIPALITY: 1951.			
		Fe-						Fe-			
		Total.	Males.	males.				Total.	Males.	males.	
LAWRENCE	18	22	12	10	Otis	—	—	—	—		
Lee	3	4	3	1	Oxford	3	3	1	2		
Leicester	2	3	2	1	Palmer	3	6	2	4		
Lenox	2	2	—	2	Paxton	—	—	—	—		
LEOMINSTER	8	12	9	3	Peabody	9	9	5	4		
Leverett	1	1	—	1	Pelham	—	—	—	—		
Lexington	4	4	2	2	Pembroke	1	1	—	1		
Leyden	—	—	—	—	Pepperell	1	1	1	—		
Lincoln	—	—	—	—	Peru	1	2	2	—		
Littleton	—	—	—	—	Petersham	—	—	—	—		
Longmeadow	—	—	—	—	Phillipston	—	—	—	—		
LOWELL	50	60	35	25	PITTSFIELD	16	25	18	7		
Ludlow	2	2	2	—	Plainfield	—	—	—	—		
Lunenburg	2	2	1	1	Plainville	—	—	—	—		
LYNN	26	33	10	23	Plymouth	2	4	2	2		
Lynnfield	1	2	1	1	Plympton	1	2	2	—		
MALDEN	21	24	10	14	Princeton	1	1	—	1		
Manchester	—	1	—	1	Provincetown	—	—	—	—		
Mansfield	4	5	3	2	QUINCY	36	40	25	15		
Marblehead	5	5	4	1	Randolph	6	8	7	1		
Marion	1	3	2	1	Raynham	1	1	—	1		
MARLBOROUGH	4	7	3	4	Reading	4	4	3	1		
Marshfield	1	2	2	—	Rehoboth	1	1	1	—		
Mashpee	—	—	—	—	REVERE	10	11	6	5		
Mattapoisett	1	1	1	—	Richmond	—	—	—	—		
Maynard	1	3	2	1	Rochester	—	—	—	—		
Medfield	1	1	1	—	Rockland	3	4	1	3		
MEDFORD	13	15	9	6	Rockport	3	3	1	2		
Medway	—	—	—	—	Rowe	1	1	—	1		
MELROSE	9	12	7	5	Rowley	—	—	—	—		
Mendon	1	1	—	1	Royalston	—	—	—	—		
Merrimac	3	3	3	—	Russell	1	2	1	1		
Methuen	10	14	9	5	Rutland	—	—	—	—		
Middleborough	3	5	2	3	SALEM	9	14	6	8		
Middlefield	—	—	—	—	Salisbury	—	—	—	—		
Middleton	2	2	—	2	Sandisfield	—	—	—	—		
Milford	7	7	4	3	Sandwich	—	—	—	—		
Millbury	6	6	4	2	Saugus	5	6	5	1		
Millis	—	—	—	—	Savoy	—	—	—	—		
Millville	—	—	—	—	Scituate	2	3	—	3		
Milton	3	6	3	3	Seekonk	2	3	2	1		
Monroe	—	—	—	—	Sharon	3	4	4	—		
Monson	1	2	1	1	Sheffield	—	—	—	—		
Montague	4	6	1	5	Shelburne	1	1	—	1		
Monterey	—	—	—	—	Sherborn	3	3	3	—		
Montgomery	—	—	—	—	Shirley	8	9	3	6		
Mount Washington	—	—	—	—	Shrewsbury	4	6	2	4		
Nahant	—	—	—	—	Shutesbury	—	—	—	—		
Nantucket	—	—	—	—	Somerset	4	5	2	3		
Natick	17	19	12	7	SOMERVILLE	41	54	40	14		
Needham	6	6	4	2	South Hadley	10	12	7	5		
New Ashford	—	—	—	—	Southampton	—	—	—	—		
NEW BEDFORD	42	54	30	24	Southborough	1	1	—	1		
New Braintree	—	—	—	—	Southbridge	8	10	9	1		
New Marlborough	—	—	—	—	Southwick	2	2	—	2		
New Salem	—	—	—	—	Spencer	1	1	1	—		
Newbury	2	3	3	—	SPRINGFIELD	59	74	41	33		
NEWBURYPORT	8	8	4	4	Sterling	3	3	2	1		
NEWTON	24	39	21	18	Stockbridge	1	1	1	—		
Norfolk	—	—	—	—	Stoneham	5	6	3	3		
NORTH ADAMS	7	9	2	7	Stoughton	6	6	3	3		
North Andover	4	4	2	2	Stow	—	—	—	—		
North Attleborough	6	9	7	2	Sturbridge	1	1	1	—		
North Brookfield	2	3	2	1	Sudbury	1	2	—	2		
North Reading	3	3	2	1	Sunderland	1	1	—	1		
NORTHAMPTON	7	8	3	5	Sutton	2	2	1	1		
Northborough	3	3	2	1	Swampscott	4	5	3	2		
Northbridge	6	8	5	3	Swansea	2	2	1	1		
Northfield	1	2	2	—	TAUNTON	15	20	11	9		
Norton	—	—	—	—	Templeton	1	1	—	1		
Norwell	1	1	1	—	Tewksbury	1	2	2	—		
Norwood	6	6	2	4	State Infirmary	—	—	—	—		
Oak Bluffs	1	1	1	—	Tisbury	—	—	—	—		
Oakham	—	—	—	—	Tolland	—	—	—	—		
Orange	6	6	2	4	Topsfield	—	—	—	—		
Orleans	1	1	—	1	Townsend	—	—	—	—		

¹ Exclusive of stillbirths.

Table 24 MUNICIPALITIES.	Total deaths under 4 weeks of age.	ALLOCATED DEATHS ¹ UNDER 1 YEAR OF AGE, BY SEX, IN THE STATE AND IN EACH MUNICIPALITY: 1951.				MUNICIPALITIES.	Total deaths under 4 weeks of age.	ALLOCATED DEATHS ¹ UNDER 1 YEAR OF AGE, BY SEX, IN THE STATE AND IN EACH MUNICIPALITY: 1951.			
		Fe-						Fe-			
		Total.	Males.	males.				Total.	Males.	males.	
Truro	—	—	—	—	—	West Stockbridge	1	1	1	—	
Tyngsborough	—	—	—	—	—	West Tisbury	—	—	—	—	
Tyringham	—	—	—	—	—	Westborough	4	4	4	—	
Upton	—	—	—	—	—	WESTFIELD	5	10	4	6	
Uxbridge	1	1	1	—	—	Westford	1	1	—	1	
Wakefield	5	8	5	3	—	Westhampton	2	2	1	1	
Wales	2	2	—	2	—	Westminster	—	1	1	—	
Walpole	6	6	4	2	—	Weston	2	2	—	2	
WALTHAM	15	18	10	8	—	Westport	2	2	1	1	
Ware	3	5	4	1	—	Westwood	2	4	3	1	
Wareham	—	3	1	2	—	Weymouth	14	21	14	7	
Warren	2	2	1	1	—	Whately	1	1	1	—	
Warwick	1	2	1	1	—	Whitman	2	3	2	1	
Washington	1	1	1	—	—	Willbraham	2	2	2	—	
Watertown	17	19	12	7	—	Williamsburg	—	1	1	—	
Wayland	5	5	4	1	—	Williamstown	3	3	—	3	
Webster	4	7	4	3	—	Wilmington	5	5	2	3	
Wellesley	7	7	5	2	—	Winchendon	2	4	3	1	
Wellfleet	—	—	—	—	—	Winchester	8	10	7	3	
Wendell	—	—	—	—	—	Windsor	—	—	—	—	
Wenham	—	—	—	—	—	Winthrop	7	7	4	3	
West Boylston	1	1	1	—	—	WOBURN	15	17	11	6	
West Bridgewater	1	1	1	—	—	WORCESTER	78	102	68	34	
West Brookfield	—	—	—	—	—	Worthington	—	—	—	—	
West Newbury	—	—	—	—	—	Wrentham	—	1	1	—	
West Springfield	11	12	4	8	—	Yarmouth	1	1	1	—	

¹ Exclusive of stillbirths.

Table 25 COUNTIES.	INFANT AND MATERNAL DEATHS ¹ AND DEATH RATES, ¹ FOR THE STATE AND COUNTIES. 1951.			
	Total deaths ² under 1 year of age.	Per 1,000 live births.	All puerperal causes.	Per 10,000 live births.
	The State			
Barnstable	2,184	21.9	35	3.5
Berkshire	25	20.2	—	—
Bristol	70	23.6	—	—
Dukes	187	24.9	6	8.0
Essex	2	16.4	—	—
Franklin	197	18.5	2	1.9
Hampden	34	26.3	1	7.7
Hampshire	180	21.4	—	—
Middlesex	45	24.0	—	—
Nantucket	496	21.3	9	3.9
Norfolk	—	—	—	—
Plymouth	179	20.8	5	5.8
Suffolk	79	19.3	2	4.9
Worcester	438	24.4	7	3.9
	252	21.5	3	2.6

¹ Allocated.² Exclusive of stillbirths.

Table 26
MUNICIPALITIES.
(Grouped in order of population,
1950.)

INFANT DEATHS¹ PER 1,000 LIVE BIRTHS IN MUNICIPALITIES
HAVING OVER 15,000 INHABITANTS IN 1950: 1944 TO 1951.

	1951. ²	1950. ²	1949. ²	1948. ²	1947. ²	1946. ²	1945. ²	1944. ²
The State.	22	24	24	26	28	31	32	33
OVER 100,000								
Boston	26	25	25	34	36	35	34	37
Worcester	25	19	22	28	28	42	38	37
Springfield	20	20	26	24	30	26	28	33
Cambridge	19	25	26	33	35	33	32	33
Fall River	26	26	26	29	31	34	41	42
New Bedford	26	24	22	25	26	29	35	42
Somerville	25	26	26	22	29	28	32	29
50,000 TO 100,000								
Lynn	16	29	15	20	25	28	28	30
Lowell	29	29	27	32	22	34	26	47
Quincy	21	22	20	28	26	24	29	26
Newton	26	23	23	23	16	29	16	23
Lawrence	14	26	30	23	33	35	36	34
Medford	11	22	25	31	24	30	25	21
Brockton	17	20	22	22	31	25	29	26
Malden	19	13	23	19	22	19	32	32
Brookline (town)	19	28	14	21	21	23	16	39
Holyoke	27	20	26	23	22	31	38	24
Pittsfield	20	20	31	17	42	33	35	28
25,000 TO 50,000								
Chicopee	17	20	20	28	28	23	27	33
Haverhill	17	26	25	24	32	24	27	32
Waltham	16	20	22	15	26	24	24	30
Everett	17	20	26	20	26	25	31	22
Arlington (town)	19	23	21	21	27	23	33	34
Fitchburg	9	35	24	23	22	25	25	32
Salem	17	28	15	19	20	46	29	41
Taunton	25	24	39	25	20	34	38	49
Chelsea	16	33	28	35	22	33	44	29
Watertown (town)	23	19	16	18	33	27	21	33
Revere	14	18	34	14	24	27	29	26
Weymouth (town)	24	18	19	25	31	23	44	23
Northampton	15	12	28	25	20	21	18	23
Beverly	20	23	20	21	27	27	32	27
Framingham (town)	15	26	15	19	23	33	31	11
Belmont (town)	19	11	25	10	27	26	37	29
Melrose	25	27	22	15	24	20	34	24
Gloucester	25	24	12	10	19	41	36	35
15,000 TO 25,000								
Methuen (town)	28	19	26	24	21	25	52	52
Leominster	21	33	31	32	35	38	33	38
Attleboro	36	19	24	30	26	31	37	56
Braintree (town)	30	17	24	14	37	23	18	16
Peabody	16	18	26	23	34	39	28	22
Milton (town)	18	15	7	19	21	27	24	20
North Adams	19	25	17	22	15	35	25	65
Westfield	23	28	30	23	29	22	29	27
Wellesley (town)	19	26	30	17	40	33	63	22
Woburn	29	12	24	24	34	27	44	40
West Springfield (town)	25	21	16	28	22	31	34	28
Natick (town)	30	31	30	21	19	45	27	—
Wakefield (town)	17	23	20	17	19	34	22	32
Gardner	16	28	40	37	32	44	31	42
Winthrop (town)	17	15	17	18	36	34	41	24
Dedham (town)	22	21	11	18	16	26	35	14
Southbridge (town)	29	26	29	27	17	51	40	31
Greenfield (town)	17	27	20	25	37	35	17	33
Lexington (town)	12	22	—	—	—	—	—	—
Saugus (town)	17	32	20	14	23	34	32	—
Norwood (town)	14	17	15	29	29	32	36	14
Needham (town)	16	17	—	—	—	—	—	—
Marlborough	21	38	33	19	21	23	26	34
Danvers (town)	16	30	—	—	—	—	—	—
Winchester (town)	34	16	27	14	17	7	7	53
Milford (town)	19	21	38	29	18	26	34	25

¹ Exclusive of stillbirths.

² Allocated.

Table 27

BIRTH RATES,¹ DEATH RATES,¹ NATURAL INCREASE,
INFANT MORTALITY RATES,¹ AND SURVIVORSHIP, IN MUNICIPALITIES
HAVING OVER 15,000 INHABITANTS IN 1950: 1951.

MUNICIPALITIES. (Grouped in order of population, 1950.)	Births ² per 1,000 popula- tion.	Deaths ² per 1,000 popula- tion.	Natural Increase per 1,000 popula- tion.	Deaths ² under 1 year per 1,000 births. ²	SURVIVORS AT END OF FIRST YEAR OF LIFE.	
					Number.	Per 1,000 births. ²
The State. OVER 100,000	21.1	11.2	9.9	21.9	97,667	978
Boston	19.9	12.3	7.6	25.5	15,611	975
Worcester	19.9	11.5	8.4	25.0	3,978	975
Springfield	22.8	11.3	11.5	19.8	3,658	980
Cambridge	21.8	10.8	11.0	18.8	2,609	981
Fall River	17.8	11.6	6.2	25.5	1,947	974
New Bedford	19.1	12.4	6.7	25.9	2,028	974
Somerville	21.0	11.3	9.7	25.1	2,100	975
50,000 to 100,000						
Lynn	20.9	12.3	8.6	15.8	2,058	984
Lowell	21.3	13.6	7.4	29.0	2,008	971
Quincy	22.2	9.7	12.5	21.3	1,841	979
Newton	18.1	9.8	8.3	25.8	1,470	974
Lawrence	19.5	12.3	7.2	14.0	1,546	986
Medford	20.2	9.8	10.4	11.2	1,327	989
Brockton	19.5	13.0	6.5	17.1	1,204	983
Malden	20.6	11.8	8.8	19.4	1,211	981
Brookline (town)	18.8	12.5	6.3	19.1	1,078	981
Holyoke	22.4	13.2	9.2	26.9	1,193	973
Pittsfield	23.5	11.1	12.4	19.8	1,239	980
25,000 to 50,000						
Chicopee	24.6	7.9	16.7	17.0	1,214	983
Haverhill	18.6	12.7	5.9	17.1	864	983
Waltham	23.9	9.7	14.2	15.7	1,132	984
Everett	23.4	9.9	13.5	16.7	1,060	983
Arlington (town)	20.2	11.1	9.1	18.7	891	981
Fitchburg	23.3	10.7	12.6	9.0	989	991
Salem	19.2	12.3	6.9	17.4	790	983
Taunton	19.8	11.7	8.1	25.1	778	975
Chelsea	18.8	11.0	7.8	16.4	720	984
Watertown (town)	22.0	10.1	11.9	23.0	808	977
Revere	21.6	9.9	11.7	13.8	789	986
Weymouth (town)	26.2	10.2	16.1	23.7	866	976
Northampton	17.5	11.0	6.5	15.4	511	985
Beverly	23.7	12.1	11.6	20.2	680	980
Frammingham (town)	23.0	9.0	14.0	15.2	650	985
Belmont (town)	15.2	10.8	4.4	19.2	409	981
Melrose	18.0	11.9	6.1	24.5	477	975
Gloucester	20.5	12.7	7.8	25.1	505	975
15,000 to 25,000						
Methuen (town)	20.0	10.9	9.1	28.2	482	972
Leominster	23.7	9.6	14.1	20.8	565	979
Attleboro	22.1	11.1	11.0	35.8	511	964
Braintree (town)	22.6	8.7	13.9	29.5	526	970
Peabody	24.4	12.2	12.2	16.2	547	984
Milton (town)	14.8	11.1	3.7	17.7	333	982
North Adams	21.5	12.8	8.7	19.4	454	981
Westfield	20.8	9.5	11.3	22.6	432	977
Wellesley (town)	17.3	8.2	9.1	19.0	361	981
Woburn	28.9	10.5	18.4	28.6	578	971
West Springfield (town)	23.0	9.1	13.9	25.0	468	975
Natick (town)	30.5	10.2	20.3	30.3	608	970
Wakefield (town)	23.4	10.0	13.4	17.1	460	983
Gardner	19.8	10.5	9.3	15.5	381	984
Winthrop (town)	20.8	12.4	8.4	16.9	406	983
Dedham (town)	19.7	10.1	9.6	21.5	364	978
Southbridge (town)	19.7	11.0	8.7	28.8	337	971
Greenfield (town)	23.7	10.7	13.0	16.8	409	983
Lexington (town)	18.9	6.8	12.1	11.9	333	988
Saugus (town)	19.8	7.9	11.9	17.4	339	983
Norwood (town)	26.4	10.0	16.4	13.5	437	986
Needham (town)	22.5	8.9	13.6	15.9	371	984
Marlborough	21.5	11.5	10.0	20.5	334	979
Danvers (town)	15.9	9.5	6.4	15.9	248	984
Winchester (town)	18.8	8.5	10.3	34.2	282	966
Milford (town)	24.0	10.6	13.4	18.9	364	981

¹ Allocated.² Exclusive of stillbirths.

Table 28

**INFANT MORTALITY IN MASSACHUSETTS, BOSTON, AND THE REMAINDER
OF THE STATE OUTSIDE OF BOSTON: 1935 TO 1951.**

YEARS.	MASSACHUSETTS.			BOSTON.			REMAINDER OF STATE OUTSIDE BOSTON.		
	Live births. ¹	DEATHS UNDER 1 YEAR. Per 1,000 live births.		Live births. ¹	DEATHS UNDER 1 YEAR. Per 1,000 live births.		Live births. ¹	DEATHS ¹ UNDER 1 YEAR. Per 1,000 live births.	
		Num- ber.			Num- ber.			Num- ber.	
1935 . . .	62,416	3,014	48.3	12,371	607	49.1	50,045	2,407	48.1
1936 . . .	61,184	2,854	46.6	12,117	615	50.8	49,067	2,239	45.6
1937 . . .	61,272	2,684	43.8	12,101	587	48.5	49,171	2,097	42.6
1938 . . .	62,382	2,439	39.1	11,943	522	43.7	50,439	1,917	38.0
1939 . . .	62,575	2,338	37.4	11,965	449	37.5	50,610	1,889	37.3
1940 . . .	65,369	2,450	37.5	12,429	527	42.4	52,940	1,923	36.3
1941 . . .	70,228	2,480	35.3	12,701	483	38.0	57,527	1,997	34.7
1942 . . .	83,371	2,651	31.8	15,063	510	33.9	68,308	2,141	31.3
1943 . . .	85,743	2,939	34.3	15,352	543	35.4	70,391	2,396	34.0
1944 . . .	78,140	2,582	33.0	14,264	525	36.8	63,876	2,057	32.2
1945 . . .	76,455	2,433	31.8	13,670	469	34.3	62,785	1,964	31.2
1946 . . .	96,903	2,996	30.9	16,902	588	34.8	80,001	2,408	30.1
1947 . . .	106,690	3,021	28.3	18,565	671	36.1	88,125	2,350	26.7
1948 . . .	98,933	2,614	26.4	17,076	586	34.3	81,857	2,028	24.8
1949 . . .	96,041	2,341	24.4	16,498	420	25.5	79,543	1,921	24.2
1950 . . .	95,619	2,277	23.8	16,479	419	25.4	79,140	1,858	23.5
1951 . . .	99,851	2,184	21.9	16,019	408	25.5	83,832	1,776	21.2

¹Allocated since 1935.

Table 29

YEARS.	SURVIVORS ¹ AT END OF FIRST YEAR OF LIFE: 1926 TO 1951.		YEARS.	SURVIVORS ¹ AT END OF FIRST YEAR OF LIFE: 1926 TO 1951.	
	Per 1,000 popu- lation.	Per 1,000 live births. ¹		Per 1,000 popu- lation.	Per 1,000 live births. ¹
1926 . . .	18.4	927	1939 . . .	13.5	963
1927 . . .	18.0	935	1940 . . .	14.6	963
1928 . . .	17.1	935	1941 . . .	15.7	965
1929 . . .	15.9	938	1942 . . .	18.6	968
1930 . . .	16.3	940	1943 . . .	19.1	966
1931 . . .	15.5	945	1944 . . .	17.4	967
1932 . . .	11.9	946	1945 . . .	16.4	968
1933 . . .	13.9	948	1946 . . .	20.6	969
1934 . . .	14.0	951	1947 . . .	22.6	972
1935 . . .	13.7	952	1948 . . .	20.8	974
1936 . . .	13.3	953	1949 . . .	20.1	976
1937 . . .	13.3	956	1950 . . .	19.9	976
1938 . . .	13.5	961	1951 . . .	20.6	978

¹Allocated since 1935.

Table 30

Detailed Int. List No.	CAUSES.	INFANT DEATHS ¹ PER 1,000 LIVE BIRTHS, ¹ BY CAUSES: 1944 TO 1951.							
		1951.	1950.	1949.	1948.	1947.	1946.	1945.	1944.
	All Causes	21.9	23.8	24.4	26.4	28.3	30.9	31.8	33.0
	Developmental and wasting diseases	11.6	11.5	12.2	16.0	16.6	18.1	17.1	17.9
774,776	Immaturity	6.3	6.9	7.3	10.8	11.5	12.8	11.5	12.0
750-759	Congenital malformations	5.1	4.3	4.7	5.0	5.0	5.2	5.4	5.6
772,773	Congenital debility, etc.2	.3	.2	.2	.1	.1	.2	.3
571,0,764	Diarrhea and enteritis3	.4	.3	.9	1.4	1.6	1.5	1.2
491	Bronchopneumonia7	.9	1.1	1.6	2.1	2.6	3.1	3.6
490	Lobar pneumonia1	.1	.2	.4	.4	.4	.5	.5
780.2	Convulsions	—	—	—	—	—	—	.1	.1
500-502	Bronchitis1	.1	.1	.1	.1	.1	.2	.1
056	Whooping cough	—	.1	—	.1	.1	.1	.2	.2
057,0,340	Meningitis1	.2	.1	.1	.2	.1	.3	.4
010	Tuberculous meningitis	—	—	—	—	—	—	—	—
020-029	Syphilis	—	—	—	—	—	—	—	—
492,493,763	Pneumonia, other and undefined9	1.0	1.0	.3	.3	.4	.3	.3
080	Acute poliomyelitis	—	—	—	—	—	—	—	—
	All other causes	8.1	9.5	9.4	6.9	7.1	7.5	8.5	8.7

¹Allocated.²Less than one-tenth of one per 1,000.

Table 31		DEATHS ¹ UNDER 2 YEARS OF AGE FROM DIARRHEA AND ENTERITIS (571.0, 764), BY MONTHS: 1944 TO 1951.							
MONTHS.		1951.	1950.	1949.	1948.	1947.	1946.	1945.	1944.
The Year		30	46	93	98	157	163	118	107
January		2	7	11	14	15	9	8	9
February		—	8	7	10	20	6	9	8
March		4	7	6	7	34	7	7	8
April		5	3	12	11	23	25	9	12
May		2	5	4	12	9	17	7	6
June		2	1	6	3	7	15	11	7
July		4	4	2	4	14	9	10	6
August		2	2	7	4	5	11	17	14
September		1	2	17	7	5	9	10	10
October		3	3	7	5	6	18	8	10
November		2	2	6	9	6	19	11	10
December		3	2	8	12	13	18	11	7
		PER CENT DISTRIBUTION.							
The Year		100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
January		6.7	15.2	11.8	14.3	9.6	5.5	6.8	8.4
February		—	17.4	7.5	10.2	12.7	3.7	7.6	7.5
March		13.3	15.2	6.5	7.1	21.7	4.3	5.9	7.5
April		16.6	6.6	12.9	11.3	14.6	15.3	7.6	11.2
May		6.7	10.9	4.3	12.2	5.7	10.4	5.9	5.6
June		6.7	2.2	6.5	3.1	4.5	9.2	9.3	6.5
July		13.3	8.7	2.1	4.1	8.9	5.5	8.5	5.6
August		6.7	4.3	7.5	4.1	3.2	6.7	14.5	13.0
September		3.3	4.3	18.3	7.1	3.2	5.5	8.5	9.4
October		10.0	6.6	7.5	5.1	3.8	11.1	6.8	9.4
November		6.7	4.3	6.5	9.2	3.8	11.7	9.3	9.4
December		10.0	4.3	8.6	12.2	8.3	11.1	9.3	6.5

¹ Allocated.

Detailed Int. List No.	Table 32 CAUSE OF DEATH.	DEATHS ¹ FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE: 1951.																	
		Sex.	Total deaths under 1 year of age.				Total less than 1 week.				Total less than 4 weeks.				Total less than 12.				
			Less than 1 day.	1 day.	2 days.	3 days but less than 7.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 4 weeks.	4 weeks but less than 2 months.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.					
	The State ²	T	2,184	883	276	209	195	1,563	81	43	23	1,710	95	81	145	100	53		
		M	1,257	499	156	126	113	894	37	23	13	972	62	54	83	61	25		
		F	927	384	120	83	82	669	44	20	10	738	33	27	62	39	28		
001-008	Tuberculosis of the res- piratory system	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1		
010	Tuberculosis of the men- inges, and central nerv- ous system	M	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-		
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
011-019	Other forms of tubercu- losis	M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-		
020-029	Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
045-048	Dysentery	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
050	Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
055	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
056	Whooping cough	M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-		
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-		
057.0	Meningococcal meningitis	M	1	-	1	-	-	1	-	-	-	1	-	-	-	-	-		
		F	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-		
085	Measles	M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-		
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
273	Diseases of thymus gland	M	4	-	-	2	-	2	-	-	-	2	-	-	1	1	-		
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
340	Meningitis (not due to meningococcus)	M	3	-	-	-	-	-	-	-	-	-	1	-	1	1	-		
		F	3	-	-	-	-	-	-	-	-	-	1	-	1	1	-		
480-483	Influenza	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-		
491	Bronchopneumonia	M	44	-	-	-	-	-	-	-	-	-	4	3	22	10	5		
		F	28	-	-	-	-	-	-	-	-	-	6	3	9	7	3		
490, 492, 493, 763	Pneumonia	M	54	2	1	3	10	16	5	7	1	29	10	9	2	3	1		
		F	42	3	2	5	4	14	6	1	3	24	2	2	6	5	3		
540-545	Diseases of the stomach and duodenum	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-		
570	Intestinal obstruction	M	5	-	1	-	-	1	1	-	-	2	-	-	-	2	1		
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1		
571.0, 764	Diarrhea and enteritis	M	16	-	-	-	-	-	-	-	-	-	3	2	6	3	2		
		F	9	-	-	-	-	-	-	-	-	-	-	2	3	2	1		
750-759	Congenital malformations	M	204	36	15	14	24	89	13	10	5	117	25	17	23	15	7		
		F	204	66	12	12	21	111	14	6	4	135	14	11	22	13	9		
760.0,	Injury at birth without	M	99	43	15	21	13	92	1	2	2	97	-	1	1	-	-		
761.0	mention of immaturity	F	29	12	2	7	5	26	1	2	-	29	-	-	-	-	-		
760.5,	Injury at birth with im- maturity	M	41	25	7	4	3	39	1	-	-	40	-	-	1	-	-		
761.5		F	23	10	8	-	3	21	2	-	-	23	-	-	-	-	-		
762.0	Postnatal asphyxia and atelectasis without mention of immaturity	M	89	39	20	18	8	85	1	-	-	86	-	1	1	1	-		
		F	68	38	16	10	4	68	-	-	-	68	-	-	-	-	-		
762.5	Postnatal asphyxia and atelectasis with imma- turity	M	164	73	37	30	17	157	4	1	1	163	1	-	-	-	-		
		F	139	60	37	23	12	132	7	-	-	139	-	-	-	-	-		
770.0- 770.2	Haemolytic disease of newborn without men- tion of immaturity	M	18	10	1	2	4	17	1	-	-	18	-	-	-	-	-		
		F	17	10	3	1	2	16	1	-	-	17	-	-	-	-	-		
770.5- 770.7	Haemolytic disease of newborn with imma- turity	M	7	4	1	1	1	7	-	-	-	7	-	-	-	-	-		
		F	3	3	-	-	-	3	-	-	-	3	-	-	-	-	-		
765-769, 771, 772	Other diseases of early infancy	M	15	2	3	1	6	12	1	-	1	14	-	1	-	-	-		
		F	10	2	2	2	3	9	-	1	-	10	-	-	-	-	-		
774, 776	Immaturity	M	367	251	51	27	26	355	6	4	-	365	1	1	-	-	-		
		F	265	174	35	21	21	251	10	1	2	264	-	-	1	-	-		
773, 780- 795	Unknown or ill-defined diseases	M	15	8	1	2	-	11	2	-	-	13	-	-	-	-	-		
		F	13	4	1	2	4	11	-	1	-	12	-	1	-	-	-		
800-959, 980-999	External causes	M	30	1	-	-	-	1	-	-	1	2	6	6	10	4	2		
		F	18	1	1	-	-	2	-	1	-	3	4	3	4	3	1		
	All other causes	M	76	5	2	1	1	9	1	4	2	16	10	11	14	19	6		
		F	49	1	1	-	3	5	3	1	-	9	4	5	16	5	10		

¹ Exclusive of stillbirths.² Allocated.

Table 33		DEATHS ¹ FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR BOSTON: 1951.															
		Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 4 weeks.	Total less than 4 weeks.	4 weeks but less than 2 months.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
Detailed Int. List No.	CAUSE OF DEATH.	Boston. ²															
		T	408	164	53	46	30	287	14	10	8	319	15	17	26	22	9
		M	223	87	30	23	19	159	5	7	3	174	11	9	14	12	3
		F	185	77	23	17	11	128	9	3	5	145	4	8	12	10	6
001-008	Tuberculosis of the respiratory system	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010	Tuberculosis of the meninges, and central nervous system	M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
011-019	Other forms of tuberculosis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050	Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
057.0	Meningococcal meningitis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
273	Diseases of thymus gland	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Meningitis (not due to meningococcus)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-483	Influenza	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
491	Bronchopneumonia	M	7	-	-	-	-	-	-	-	-	-	-	-	6	1	-
		F	7	-	-	-	-	-	-	-	-	-	1	3	3	-	-
490, 492, 493, 763	Pneumonia	M	15	-	-	1	-	1	1	3	1	6	3	4	1	1	-
		F	6	-	1	-	-	2	-	-	-	2	1	1	1	2	-
540-545	Diseases of the stomach and duodenum	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
570	Intestinal obstruction	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
571.0, 764	Diarrhea and enteritis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-
750-759	Congenital malformations	M	24	4	2	1	1	8	1	1	1	11	6	1	2	2	2
		F	39	6	2	1	4	13	5	2	2	22	1	4	6	3	3
760.0, 761.0	Injury at birth without mention of immaturity	M	15	9	2	2	1	14	-	-	-	15	-	-	-	-	-
		F	3	1	-	2	-	3	-	-	-	3	-	-	-	-	-
760.5, 761.5	Injury at birth with immaturity	M	6	3	3	-	-	6	-	-	-	6	-	-	-	-	-
		F	2	2	-	-	-	2	-	-	-	2	-	-	-	-	-
762.0	Postnatal asphyxia and atelectasis without mention of immaturity	M	23	7	5	6	3	21	-	-	-	21	-	1	1	-	-
		F	13	9	2	2	-	13	-	-	-	13	-	-	-	-	-
762.5	Postnatal asphyxia and atelectasis with immaturity	M	39	14	9	7	7	37	1	1	-	39	-	-	-	-	-
		F	41	17	15	5	2	39	2	-	-	41	-	-	-	-	-
770.0-770.2	Hemolytic disease of newborn without mention of immaturity	M	5	4	-	-	1	5	-	-	-	5	-	-	-	-	-
		F	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-
770.5-770.7	Hemolytic disease of newborn with immaturity	M	2	-	-	1	1	2	-	-	-	2	-	-	-	-	-
		F	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-
765-769, 771, 772	Other diseases of early infancy	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-
774, 776	Immaturity	M	64	43	9	4	5	61	2	-	-	63	1	-	-	-	-
		F	56	38	3	6	4	51	2	1	2	56	-	-	-	-	-
773, 780-795	Unknown or ill-defined diseases	M	2	2	-	-	-	2	-	-	-	2	-	-	-	-	-
		F	2	1	-	1	-	2	-	-	-	2	-	-	-	-	-
800-959, 980-999	External causes	M	3	-	-	-	-	-	-	-	-	-	-	-	1	2	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes	M	16	1	-	1	-	2	-	2	-	4	1	3	3	5	3
		F	10	-	-	-	-	-	-	-	-	-	1	3	2	1	-

¹ Exclusive of stillbirths.² Allocated.

Table 34

DEATHS¹ FROM LOBAR PNEUMONIA, BY MONTHS, IN MUNICIPALITIES
HAVING OVER 10,000 INHABITANTS AT THE U. S. CENSUS OF 1950: 1951.

MUNICIPALITIES.	The Year.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
The State.	214	19	38	31	11	16	11	9	9	11	23	14	22
Adams	1	-	-	1	-	-	-	-	-	-	-	-	-
Agawam	1	-	-	1	-	-	-	-	-	-	-	-	-
Amesbury	1	-	-	-	1	-	-	-	-	-	-	-	-
Amherst	1	-	-	-	-	1	-	-	-	-	-	-	-
Andover	-	-	-	-	-	-	-	-	-	-	-	-	-
Arlington	-	-	-	-	-	-	-	-	-	-	-	-	-
Athol	-	-	-	-	-	-	-	-	-	-	-	-	-
ATTLEBORO	-	-	-	-	-	-	-	-	-	-	-	-	-
Barnstable	-	-	-	-	-	-	-	-	-	-	-	-	-
Belmont	-	-	-	-	-	-	-	-	-	-	-	-	-
BEVERLY	1	-	-	-	-	-	-	1	-	-	-	-	-
Billerica	-	-	-	-	-	-	-	-	-	-	-	-	-
Boston	69	5	13	8	1	6	2	2	4	6	8	4	10
Braintree	1	1	-	-	-	-	-	-	-	-	-	-	-
Brockton	5	1	1	-	1	-	-	-	1	-	-	1	-
Brookline	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBRIDGE	7	-	4	1	-	-	-	-	-	1	-	1	-
CHELSEA	3	-	-	1	1	-	-	-	-	-	1	-	-
CHICOPEE	1	-	-	-	-	-	1	-	-	-	-	-	-
Clinton	1	-	-	-	-	-	-	-	-	-	-	-	1
Danvers	1	-	-	-	-	-	-	-	-	-	-	-	1
Dartmouth	-	-	-	-	-	-	-	-	-	-	-	-	-
Dedham	4	1	1	-	-	-	-	-	-	-	1	-	1
Easthampton	2	-	-	-	-	-	-	-	-	1	-	-	1
EVERETT	2	-	-	-	-	1	-	-	-	-	-	1	-
Fairhaven	-	-	-	-	-	-	-	-	-	-	-	-	-
FALL RIVER	1	-	1	-	-	-	-	-	-	-	-	-	-
FITCHBURG	3	-	1	-	1	-	-	-	-	-	1	-	-
Framingham	1	-	-	1	-	-	-	-	-	-	-	-	-
GARDNER	1	-	-	-	-	-	-	-	-	-	1	-	-
GLOUCESTER	3	-	-	-	-	-	1	-	-	-	-	2	-
Greenfield	1	1	-	-	-	-	-	-	-	-	-	-	-
HAVERHILL	-	-	-	-	-	-	-	-	-	-	-	-	-
Hingham	-	-	-	-	-	-	-	-	-	-	-	-	-
HOLYOKE	5	-	2	-	-	-	-	1	-	-	-	-	2
LAWRENCE	2	-	-	-	-	-	-	1	-	-	1	-	-
LEOMINSTER	-	-	-	-	-	-	-	-	-	-	-	-	-
Lexington	-	-	-	-	-	-	-	-	-	-	-	-	-
LOWELL	13	1	-	5	-	2	1	-	1	1	-	1	1
LYNN	2	1	-	-	-	-	-	-	-	-	-	1	-
MALDEN	-	-	-	-	-	-	-	-	-	-	-	-	-
Marblehead	-	-	-	-	-	-	-	-	-	-	-	-	-
MARLBOROUGH	-	-	-	-	-	-	-	-	-	-	-	-	-
MEDFORD	3	-	1	1	-	-	-	-	1	-	-	-	-
MELROSE	2	-	-	1	-	-	-	1	-	-	-	-	-
Methuen	1	-	-	-	-	-	-	-	-	-	1	-	-
Middleborough	-	-	-	-	-	-	-	-	-	-	-	-	-
Milford	2	-	-	-	1	-	1	-	-	-	-	-	-
Milton	2	-	-	-	1	-	1	-	-	-	-	-	-
Natick	2	-	1	-	-	1	-	-	-	-	-	-	-
Needham	-	-	-	-	-	-	-	-	-	-	-	-	-
NEW BEDFORD	2	-	-	-	-	-	1	-	-	-	-	1	-
NEWBURYPORT	1	-	-	-	-	-	1	-	-	-	-	-	-
NEWTON	5	-	1	1	-	2	1	-	-	-	-	-	-
NORTH ADAMS	-	-	-	-	-	-	-	-	-	-	-	-	-
North Attleborough	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTHAMPTON	1	-	-	-	-	-	-	-	-	-	1	-	-
Northbridge	1	-	-	1	-	-	-	-	-	-	-	-	-
Norwood	-	-	-	-	-	-	-	-	-	-	-	-	-
PEABODY	-	-	-	-	-	-	-	-	-	-	-	-	-
PITTSFIELD	2	1	-	1	-	-	-	-	-	-	-	-	-
Plymouth	1	1	-	-	-	-	-	-	-	-	-	-	-
QUINCY	4	-	3	-	-	-	-	-	-	-	1	-	-
Reading	-	-	-	-	-	-	-	-	-	-	-	-	-
REVERE	-	-	-	-	-	-	-	-	-	-	-	-	-
SALEM	3	-	-	2	-	-	-	-	-	-	-	-	1
Saugus	1	-	1	-	-	-	-	-	-	-	-	-	-
Shrewsbury	-	-	-	-	-	-	-	-	-	-	-	-	-
SOMERVILLE	2	-	-	-	-	2	-	-	-	-	-	-	-
South Hadley	-	-	-	-	-	-	-	-	-	-	-	-	1
Southbridge	1	-	-	-	-	-	-	-	-	-	-	1	-
SPRINGFIELD	11	2	3	1	1	-	-	-	1	-	2	-	-
Stonham	-	-	-	-	-	-	-	-	-	-	-	-	-
Stoughton	-	-	-	-	-	-	-	-	-	-	-	-	-
Swampscott	1	-	-	-	-	-	-	1	-	-	-	-	-
TAUNTON	-	-	-	-	-	-	-	-	-	-	-	-	-
Wakefield	2	1	-	-	-	-	-	1	-	-	-	-	-
WALTHAM	-	-	-	-	-	-	-	-	1	-	-	-	-
Watertown	1	-	-	-	-	-	-	-	-	-	-	-	-
Webster	-	-	-	-	-	-	-	-	-	-	-	-	-
Wellesley	1	-	-	-	-	-	-	-	-	-	-	-	1
West Springfield	2	-	1	-	-	-	-	-	-	-	-	-	1
WESTFIELD	-	-	-	-	-	-	-	-	-	-	-	-	-
Weymouth	2	1	-	-	-	-	-	-	-	-	1	-	-
Winchester	1	-	-	-	-	-	-	-	-	-	1	-	-
Winthrop	-	-	-	-	-	-	-	-	-	-	-	-	-
WOBURN	-	-	-	-	-	-	-	-	-	-	-	-	-
WORCESTER	24	2	4	5	3	1	1	1	-	2	3	1	1

¹Allocated.

Table 35

DEATHS¹ FROM BRONCHOPNEUMONIA, BY MONTHS, IN MUNICIPALITIES
HAVING OVER 10,000 INHABITANTS AT THE U. S. CENSUS OF 1950: 1951.

MUNICIPALITIES.	The Year.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
The State	658	62	89	132	41	41	35	48	24	26	41	49	70
Adams	1	-	-	-	-	1	-	-	-	-	-	-	-
Agawam	1	-	1	-	-	-	-	-	-	-	-	-	-
Amesbury	1	-	1	-	-	-	-	-	-	-	-	-	-
Amherst	3	1	-	-	1	-	-	1	-	-	-	-	-
Andover	6	-	1	4	-	-	-	-	-	1	-	-	-
Arlington	1	-	1	-	-	-	-	-	-	-	-	-	-
Athol	2	-	-	-	-	1	-	-	-	-	1	-	-
ATTLEBORO	3	-	-	-	-	-	-	1	-	-	1	-	1
Barnstable	5	2	-	-	3	-	-	-	-	-	-	-	-
Belmont	5	-	-	1	2	-	-	-	-	-	1	-	1
BEVERLY	1	-	-	1	-	-	-	-	-	-	-	-	-
Billerica	167	21	28	32	7	10	8	12	4	7	10	9	19
BOSTON	2	-	-	-	-	1	1	-	-	1	-	-	-
Braintree	22	1	4	3	3	1	-	-	2	1	2	2	3
BROCKTON	7	2	-	2	2	-	-	-	-	-	-	-	-
Brookline	40	5	6	7	2	1	1	4	2	1	4	3	4
CAMBRIDGE	4	-	-	1	-	-	1	-	-	-	1	-	1
CHELSEA	5	1	-	-	-	1	1	1	1	-	-	-	-
CHICOPEE	3	-	1	-	-	2	-	-	-	-	-	-	-
Clinton	4	1	-	1	-	-	-	-	-	-	-	-	2
Danvers	-	-	-	-	-	-	-	-	-	-	-	-	-
Dartmouth	3	-	1	-	-	-	-	1	1	-	-	-	-
Dedham	1	-	1	-	-	-	-	-	-	-	-	-	-
Easthampton	10	-	-	4	-	-	1	2	-	-	1	1	1
EVERETT	4	1	-	-	-	-	-	-	-	-	2	1	1
Fairhaven	12	1	2	1	1	-	1	2	1	1	1	1	3
FALL RIVER	6	-	1	1	-	-	-	-	-	-	-	-	-
FITCHBURG	2	-	1	-	-	-	-	-	-	-	-	-	-
Frammingham	1	-	1	-	-	-	-	-	-	-	-	-	-
GARDNER	2	-	-	-	1	-	-	-	-	-	-	-	1
GLOUCESTER	1	-	-	1	-	-	-	-	-	-	-	-	-
Greenfield	7	1	-	2	-	-	2	-	-	-	-	1	1
HAVERHILL	2	1	-	-	-	-	-	-	-	-	1	-	-
Hingham	8	1	1	-	2	-	-	2	-	-	1	-	1
HOLYOKE	17	1	3	2	-	2	1	1	-	-	-	3	4
LAWRENCE	-	-	-	-	-	-	-	-	-	-	-	-	-
LEOMINSTER	5	2	-	-	-	1	1	-	-	1	-	-	-
Lexington	20	1	1	9	4	1	-	-	-	1	1	1	1
LOWELL	18	-	2	4	-	1	1	2	-	-	1	2	5
LYNN	14	2	1	4	-	1	1	2	1	-	-	-	2
MALDEN	2	-	1	-	-	-	-	-	-	-	-	1	-
Marblehead	2	-	-	1	-	1	-	-	-	-	-	-	-
MARLBOROUGH	9	1	1	1	-	1	-	1	-	-	1	2	1
MEDFORD	4	1	-	-	-	-	1	-	-	1	1	-	-
MELROSE	2	1	-	1	-	-	-	-	-	-	-	-	-
Methuen	1	-	-	-	-	-	-	1	-	-	-	-	-
Middleborough	2	-	-	2	-	-	-	-	-	-	-	-	-
Milford	3	-	-	-	-	-	1	-	-	-	-	-	1
Milton	3	1	-	-	-	-	-	1	1	-	-	-	-
Natick	-	-	-	-	-	-	-	-	-	-	-	-	-
Needham	26	1	3	8	-	1	3	1	1	2	1	3	2
NEW BEDFORD	8	2	-	1	1	1	1	-	-	-	-	2	-
NEWBURYPORT	4	-	3	-	-	-	-	-	-	-	-	-	1
NORTH ADAMS	1	-	-	-	-	1	-	-	-	-	-	-	-
North Attleborough	5	-	1	-	1	1	-	-	-	1	-	-	1
NORTHAMPTON	1	-	-	-	-	-	1	-	-	-	-	-	-
Northbridge	3	-	1	1	1	-	-	-	-	-	-	-	-
Norwood	4	-	-	2	1	1	1	-	-	-	1	-	-
PEABODY	10	1	2	-	-	-	-	-	-	-	1	2	1
PITTSFIELD	4	1	-	2	-	-	-	-	1	-	-	-	-
Plymouth	9	-	-	3	-	1	1	2	-	1	-	1	-
QUINCY	-	-	-	-	-	-	-	-	-	-	-	-	-
Reading	2	-	-	-	-	-	-	-	-	-	1	1	-
REVERE	7	1	-	3	-	-	-	-	-	-	2	1	-
SALEM	1	-	1	-	-	-	-	-	-	-	-	-	-
Saugus	14	3	1	1	2	2	-	2	-	2	-	-	1
Shrewsbury	1	-	-	-	-	-	-	-	-	1	-	-	-
SOMERVILLE	6	-	1	3	-	-	1	-	-	-	-	-	1
South Hadley	22	1	4	5	2	1	-	2	1	2	-	2	2
Southbridge	2	-	-	2	-	-	-	-	1	-	-	-	-
SPRINGFIELD	2	-	-	-	-	-	-	-	-	-	1	-	-
Stoneham	2	-	-	-	-	-	-	-	-	-	-	-	-
Stoughton	2	-	1	-	-	-	-	-	-	-	-	-	-
Swampscott	7	-	1	1	-	-	-	-	-	1	-	3	1
TAUNTON	-	-	-	-	-	-	-	-	-	-	-	-	-

¹Allocated.

Table 35

DEATHS¹ FROM BRONCHOPNEUMONIA, BY MONTHS, IN MUNICIPALITIES
HAVING OVER 10,000 INHABITANTS AT THE U. S. CENSUS OF 1950: 1951.

MUNICIPALITIES.	The Year.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
The State (Con.)	658	62	89	132	41	41	35	48	24	26	41	49	70
Wakefield	1	—	1	—	—	—	—	—	—	—	—	—	1
WALTHAM	4	—	—	1	—	—	1	—	1	—	—	—	—
Watertown	4	—	1	—	—	—	2	1	—	—	—	—	—
Webster	1	—	—	—	—	—	—	—	—	—	—	1	—
Wellesley	4	—	—	1	—	1	1	—	—	—	1	—	—
West Springfield	—	—	—	—	—	—	—	—	—	—	—	—	—
W STFIELD	1	—	—	—	—	—	—	—	—	—	—	—	1
Weymouth	5	1	—	—	—	2	—	—	—	—	1	—	1
Winchester	1	—	—	—	1	—	—	—	—	—	—	—	—
Winthrop	5	—	—	—	—	—	—	—	2	—	—	—	—
WOBURN	1	—	—	1	—	—	—	—	—	—	1	—	1
WORCESTER	46	2	8	11	5	3	1	5	4	1	1	3	2

¹Allocated.

Table 36

DEATHS¹ AND DEATH RATES FOR 100,000 POPULATION FROM DISEASES
CAUSED BY PREGNANCY AND CONFINEMENT: 1927 TO 1951.

YEARS.	DEATHS.			DEATH RATES—					
				PER 100,000 POPULATION.			PER 100,000 FEMALE POPULATION.		
	Total. 640-689.	Puerperal septicemia. 680-682, 684.	All others. 640-678, 683, 685-689.	Total.	Puerperal septicemia.	All others.	Total.	Puerperal septicemia.	All others.
1927	486	141	345	11.4	3.3	8.1	22.9	6.6	16.3
1928	456	123	333	10.5	2.8	7.7	21.3	5.7	15.6
1929	453	147	306	10.4	3.4	7.0	21.0	6.8	14.2
1930	438	141	297	10.3	3.3	7.0	20.1	6.5	13.6
1931	408	119	289	9.5	2.8	6.7	18.5	5.4	13.1
1932	369	96	273	8.6	2.2	6.4	16.6	4.3	12.3
1933	389	103	286	9.0	2.4	6.6	17.3	4.6	12.7
1934	317	93	224	7.3	2.1	5.2	14.0	4.1	9.9
1935	325	104	221	7.5	2.4	5.1	14.3	4.6	9.7
1936	270	80	190	6.1	1.8	4.3	11.7	3.5	8.2
1937	252	67	185	5.7	1.5	4.2	10.8	2.9	7.9
1938	232	61	171	5.2	1.4	3.8	9.9	2.6	7.3
1939	210	65	145	4.7	1.4	3.3	8.8	2.7	6.1
1940	181	72	109	4.2	1.7	2.5	8.2	3.3	4.9
1941	202	97	105	4.7	2.3	2.4	9.1	4.4	4.7
1942	178	67	111	4.1	1.5	2.6	8.0	3.0	5.0
1943	170	61	109	3.9	1.4	2.5	7.6	2.7	4.9
1944	140	48	92	3.2	1.1	2.1	6.3	2.2	4.1
1945	144	41	103	3.2	.9	2.3	6.4	1.8	4.6
1946	125	38	87	2.7	.8	1.9	5.3	1.6	3.7
1947	102	30	72	2.3	.7	1.6	4.6	1.4	3.2
1948	74	21	53	1.6	.5	1.1	3.1	.9	2.2
1949	60	17	43	1.3	.4	.9	2.5	.7	1.8
1950	53	6	47	1.1	.1	1.0	2.2	.3	1.9
1951	35	5	30	.7	.1	.6	1.4	.2	1.2

¹Allocated since 1935.

Table 37

DEATH RATES PER 10,000 CONFINEMENTS AND PER 10,000 BIRTHS¹ FROM DISEASES CAUSED BY PREGNANCY AND CONFINEMENT: 1927 TO 1951.

YEARS.	PER 10,000 CONFINEMENTS. ¹			PER 10,000 BIRTHS. ²			PER 10,000 LIVE BIRTHS.		
	Total. ³ 640-689.	Puerperal septicemia. 680-682, 684.	All others. 640-678, 683, 685-689.	Total. ³ 640-689.	Puerperal septicemia. 680-682, 684.	All others. 640-678, 683, 685-689.	Total. ³ 640-689.	Puerperal septicemia. 680-682, 684.	All others. 640-678, 683, 685-689.
1927	58	17	41	57	17	40	59	17	42
1928	56	15	41	56	15	41	58	16	42
1929	62	20	42	59	19	40	61	20	41
1930	58	19	39	57	18	39	59	19	40
1931	57	17	40	57	17	40	59	17	42
1932	53	14	39	52	14	38	54	14	40
1933	60	16	44	59	16	43	61	16	45
1934	49	14	35	48	14	34	50	15	35
1935	51	16	35	50	16	34	52	17	35
1936	45	13	32	43	13	30	44	13	31
1937	40	11	29	40	11	29	41	11	30
1938	37	10	27	36	9	27	37	10	27
1939	34	11	23	33	10	23	33	10	23
1940	27	11	16	27	11	16	28	11	17
1941	28	13	15	28	13	15	29	14	15
1942	21	8	13	21	8	13	21	8	13
1943	20	7	13	19	7	12	20	7	13
1944	18	6	12	18	6	12	18	6	12
1945	18	5	13	18	5	13	18	5	13
1946	13	4	9	13	4	9	13	4	9
1947	10	3	7	9	3	6	10	3	7
1948	7	2	5	7	2	5	7	2	5
1949	6	2	4	6	2	4	6	2	4
1950	5	1	4	5	1	4	6	1	5
1951	4	1	3	4	1	3	4	1	3

¹ Inclusive of stillbirths and making proper deductions for plural births.

² Inclusive of stillbirths.

³ Allocated since 1935.

Detailed Int. List No.	Table 38 CAUSE OF DEATH	Sex.	All deaths in- vestigated.	DEATHS DUE TO VIOLENCE AND OTHER AND MONTHS, AND BY											
				MONTHS											
				January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	All Causes.	T	10,943 ¹	-	-	-	-	-	-	-	-	-	-	-	-
		M	7,072	596	602	650	576	554	551	573	570	546	591	599	664
		F	3,871	323	327	405	318	328	281	282	306	311	320	314	356
	All Causes (exclusive of stillbirths).	T	10,876	-	-	-	-	-	-	-	-	-	-	-	-
		M	7,036	594	598	645	573	545	548	572	568	543	588	599	663
		F	3,840	321	322	402	314	324	279	279	304	308	319	313	355
	VIOLENCE.	T	2,802	-	-	-	-	-	-	-	-	-	-	-	-
		M	1,745	142	122	156	146	138	135	157	146	137	143	153	170
		F	1,057	90	87	100	93	83	83	68	80	83	107	77	106
	Suicide.	T	462	-	-	-	-	-	-	-	-	-	-	-	-
		M	352	20	23	33	38	27	27	32	31	28	34	32	27
		F	110	9	12	8	8	12	10	8	10	4	11	6	12
970	Suicide and self-inflicted poisoning by analgesic and soporific sub- stances	T	31	-	-	-	-	-	-	-	-	-	-	-	-
		M	18	1	-	2	2	2	2	3	2	-	2	1	1
		F	13	-	2	2	2	1	1	2	-	-	2	1	-
970.2	Barbituric acid and derivatives	T	24	-	-	-	-	-	-	-	-	-	-	-	-
		M	15	1	-	1	2	2	2	3	1	-	1	1	1
		F	9	-	2	-	2	-	1	2	-	-	1	1	-
970.3	Acetylsalicylic acid	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	1	-	-	-	-	-	-	-	-	-
970.4	Methyl salicylate	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-
970.5	Other salicylates	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	1	-	-	-	-	-	-	-
970.8	Others	T	3	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	1	-	-	-	-	-	-	-	-	-
970.9	Unspecified drugs	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-
971	Suicide and self-inflicted poisoning by other solid and liquid sub- stances	T	20	-	-	-	-	-	-	-	-	-	-	-	-
		M	11	1	-	1	3	-	2	-	-	-	-	4	-
		F	9	1	1	-	-	1	-	1	2	-	2	-	1
971.3	Lye and potash	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-
971.5	Mercury and its compounds	T	3	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	1	1	-	-	-	1
971.6	Arsenic and its compounds	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	1	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-
971.7	Fluorides	T	3	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	2	-	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
971.8	Others	T	11	-	-	-	-	-	-	-	-	-	-	-	-
		M	6	1	-	1	1	-	1	-	-	-	-	2	-
		F	5	-	1	-	-	1	-	-	1	-	2	-	-
972	Suicide and self-inflicted poisoning by gases in domestic use	T	78	-	-	-	-	-	-	-	-	-	-	-	-
		M	50	5	5	5	4	2	2	5	3	4	4	6	5
		F	28	2	5	-	2	3	2	-	2	-	5	3	4
973	Suicide and self-inflicted poisoning by other gases	T	34	-	-	-	-	-	-	-	-	-	-	-	-
		M	31	1	4	1	2	3	2	6	1	2	2	6	1
		F	3	1	-	1	-	-	1	-	-	-	-	-	-
973.1	Motor-vehicle exhaust gas	T	33	-	-	-	-	-	-	-	-	-	-	-	-
		M	30	1	4	1	2	3	2	5	1	2	2	6	1
		F	3	1	-	1	-	-	1	-	-	-	-	-	-
973.3	Other carbon monoxide gas	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
974	Suicide and self-inflicted injury by hanging and strangulation	T	119	-	-	-	-	-	-	-	-	-	-	-	-
		M	96	5	8	6	11	4	7	11	10	8	10	6	10
		F	23	1	2	3	2	4	4	2	2	-	1	-	2
975	Suicide and self-inflicted injury by submersion (drowning)	T	39	-	-	-	-	-	-	-	-	-	-	-	-
		M	26	-	1	2	4	4	2	1	4	3	4	1	-
		F	13	-	-	1	1	2	1	1	3	2	1	1	-
976	Suicide and self-inflicted injury by firearms and explosives	T	100	-	-	-	-	-	-	-	-	-	-	-	-
		M	87	3	3	11	8	9	9	5	9	7	9	5	9
		F	13	2	2	1	1	-	1	-	1	2	-	1	2
977	Suicide and self-inflicted injury by cutting and piercing instruments	T	18	-	-	-	-	-	-	-	-	-	-	-	-
		M	16	3	2	2	1	3	1	-	-	1	2	1	-
		F	2	-	-	-	-	-	-	1	-	-	-	-	-

¹Not including 1,213 views for cremation.

CAUSES, INVESTIGATED BY MEDICAL EXAMINERS BY CAUSES, SEX,
CAUSES, SEX AND AGE: 1951.

Detailed Int. List No.	AGE PERIODS												
	Under 1 week.	1 week but under 1 year.	1 to 4 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 years and over.
	62	119	90	68	42	86	208	321	808	1,442	1,755	1,407	664
	45	75	66	24	13	33	75	146	251	475	819	1,020	829
	26	119	90	68	42	86	208	321	808	1,442	1,755	1,407	664
	14	75	66	24	13	33	75	146	251	475	819	1,020	829
	1	22	64	54	37	73	175	167	202	245	279	239	187
		16	39	11	8	25	41	56	60	71	138	259	333
970					2	4	34	54	54	81	72	40	11
						4	13	22	15	16	22	12	6
970.2							3	4	4	5	2		
							1	3	1	2	6		
970.3							2	3	4	4	2		
							1	3		2	3		
970.4									1				
970.5											1		
970.8							1			1	1		
970.9											1		
971								1					
						1	2	3	1	1	3	2	1
971.3												1	
													1
971.5													
971.6						1			1		1		
							1						
971.7								1			1		
971.8													
								2	1		2	1	
972							2	1		1	1		
							6	7	7	12	10	8	
973						1	3	5	5	2	7	3	2
							2	5	8	10	5	1	
973.1						1	1			1			
							2	5	8	10	4	1	
973.3						1	1			1			
											1		
974					1	2	12	10	13	17	25	8	8
							1	6	3	6	2	4	1
975							2	3	3	8	5	4	1
							1	3	1		3	4	1
976													
					1	2	6	18	16	22	12	8	2
						1	4	3	2	1	2		
977							1	1	1	3	4	6	1

CAUSES, INVESTIGATED BY MEDICAL EXAMINERS BY CAUSES, SEX,
CAUSES, SEX AND AGE: 1951.

[illegible]

CAUSES, INVESTIGATED BY MEDICAL EXAMINERS BY CAUSES, SEX,
CAUSES, SEX AND AGE: 1951.

Detailed Int. List No.	AGE PERIODS.													
	Under 1 week.	1 week but under 1 year.	1 to 4 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 years and over.	Unknown.
832														
834							1							
835			1			1	1			1	1		1	
840														
842												1		
845				1								1		
850					2	5	4	2	11	6	5	3		
851						1	2	1	2	1	1			
852										1		1		
857										1				
860							2							
865							2							
866							2	2	1					
871									1	1	1	1		
872			1				1	5	1	1	1			
874			2			1			1					
878			1											
880			1					3	6	8	5	1		
881			1					2		2				
882												1		
885			1					2	2	1				
887			1											
888			1											
890					1	1	4	3	6	6	7	10	4	
891						2	2	2	3	1	2	7	3	

CAUSES, INVESTIGATED BY MEDICAL EXAMINERS BY CAUSES, SEX,
CAUSES, SEX AND AGE: 1951.

[illegible]

Detailed Int. List No.	Table 38 CAUSE OF DEATH.	Sex.	DEATHS DUE TO VIOLENCE AND OTHER AND MONTHS, AND BY												
			All deaths in- vestigated.	MONTHS.											
				January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
953	Therapeutic misadventure in ad- ministration of drugs or biologi- cals	T M F	2 1 2	- - -	- - -	- - 1	- - -	- - -	- - -	- - -	- - -	- - -	- - 1	- - -	- - -
954	Therapeutic misadventure in anes- thesia	T M F	17 7 10	- - -	- - 1	- - -	- 2 -	- - 1	- - 1	- 1 -	- 1 -	- 2 3	- - 2	- 1 1	- - -
955	Other and unspecified therapeutic misadventure	T M F	1 1 1	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - 1	- - -	- - -	- - -
962	Late effect of other accidental injury	T M F	1 1 1	- - -	- - -	- - -	- - -	- - 1	- - -	- - -	- - -	- - -	- - -	- - -	- - -
	Causes not due to violence	T M F	8,074 5,291 2,783	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
	Stillbirths	T M F	67 36 31	- 2 3	- 4 5	- 3 4	- 9 4	- 3 2	- 1 3	- 2 2	- 3 3	- 3 1	- 3 1	- 3 1	- 1 1

CAUSES, INVESTIGATED BY MEDICAL EXAMINERS BY CAUSES, SEX,
CAUSES, SEX AND AGE: 1951.

Detailed Int. List No.	AGE PERIODS.													
	Under 1 week.	1 week but under 1 year.	1 to 4 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 years and over.	Unknown.
953														
954					1		1							
955			2	1		1	1	2		1	2	1	1	
962	25 14 36 31	97 59	26 27	14 13	5 5	13 8	33 34	154 90	606 191	1,197 404	1,476 681	1,168 761	477 496	

Line No.	Table 39 CAUSE OF DEATH.	DEATHS (INCLUSIVE OF STILLBIRTHS)				
		THE STATE.		COUNTY.		
		Number.	Per Cent. Distribution.	Barnstable.	Berkshire.	Bristol.
1	All Causes.	12,156	100.0	88	244	1,075
2	VIOLENCE.	2,802	23.0	28	75	211
3	Suicide and Self-inflicted Injury.	462	3.8	6	15	24
4	Analgesic and soporific substances (970)	31	.2	-	2	2
5	Other solid and liquid substances (971)	20	.2	-	-	2
6	Gases in domestic use (972)	78	.6	-	3	5
7	Other gases (973)	34	.3	2	1	1
8	Hanging and strangulation (974)	119	1.0	1	5	8
9	Submersion (drowning) (975)	39	.3	-	1	1
10	Firearms and explosives (976)	100	.8	2	3	5
11	Cutting and piercing instruments (977)	18	.2	1	-	-
12	Jumping from high places (978)	18	.2	-	-	-
13	Other and unspecified means (979)	5	-.1	-	-	-
14	Homicide and Injury Purposely Inflicted by Other Persons.	45	.3	-	-	1
15	Poisonings (980)	1	-.1	-	-	-
16	Firearms and explosives (981)	15	.1	-	-	-
17	Cutting and piercing instruments (982)	9	-.1	-	-	-
18	Other means (983)	19	.2	-	-	1
19	Intervention of police (984)	1	-.1	-	-	-
20	Legal execution (985)	-	-	-	-	-
21	Accident and Poisoning.	2,295	18.9	22	60	186
22	Railway accidents (800-802)	33	.3	-	-	1
23	Motor-vehicle traffic accidents (810-825)	497	4.1	4	16	35
24	Motor-vehicle nontraffic accidents (830-835)	10	.1	-	-	-
25	Other road-vehicle accidents (840-845)	3	-.1	-	-	-
26	Water transport accidents (850-858)	49	.4	6	2	4
27	Aircraft accidents (860-866)	9	-.1	3	-	2
28	Solid and liquid substances (870-888)	65	.6	-	-	4
29	Gases and vapors (890-895)	69	.6	-	3	6
30	Falls (900-904)	1,056	8.7	1	21	94
31	Burns and scalds (916, 917)	123	1.0	1	4	10
32	Drowning (929)	143	1.2	4	6	12
33	Heat and cold (931, 932)	8	-.1	-	1	1
34	Others	230	1.9	3	7	17
35	CAUSES NOT DUE TO VIOLENCE	8,074	66.4	55	168	846
36	Natural causes	7,898	65.0	54	164	838
37	Alcoholism (322)	83	.7	-	1	1
38	Senility and ill-defined conditions (780-795)	93	.7	1	3	7
39	Cremations	1,213	10.0	5	-	15
40	STILLBIRTHS	67	.6	-	1	3
41	Autopsies					
42	Number	935	-	10	12	19

¹Less than one-tenth of one per cent.

Line No.	Table 40 COUNTIES.	DEATHS (INCLUSIVE OF STILLBIRTHS) INVESTIGATED AND AUTOPSIES MADE BY											
		10 YEARS, 1942 TO 1951.			1951.		1950.		1949.		1948.		
		AUTOPSIES.			Views.	Au- top- sies.	Views.	Au- top- sies.	Views.	Au- top- sies.	Views.	Au- top- sies.	
		Views.	Num- ber.	Per cent.									
1	The State.	113,464	10,358	9.1	12,156	935	11,615	1,009	11,596	1,021	11,766	981	
2	Barnstable	1,046	56	5.4	88	10	119	7	123	11	112	7	
3	Berkshire	2,436	66	2.7	244	12	271	16	276	7	230	8	
4	Bristol	9,840	479	4.9	1,075	19	988	45	1,021	37	1,007	29	
5	Dukes	107	7	6.5	13	-	2	-	14	2	13	-	
6	Essex	13,642	628	4.6	1,634	86	1,527	55	1,517	57	1,451	69	
7	Franklin	956	28	2.9	126	5	105	4	117	5	109	1	
8	Hamden	11,446	310	2.7	1,208	14	1,191	16	1,148	45	1,254	51	
9	Hampshire	2,197	128	5.8	285	22	270	17	244	27	221	16	
10	Middlesex	21,529	783	3.6	2,449	83	2,264	100	2,236	74	2,393	100	
11	Nantucket	181	16	8.8	9	1	22	1	36	-	21	-	
12	Norfolk	7,724	609	7.9	886	69	772	80	762	76	806	75	
13	Plymouth	4,207	184	4.4	375	29	407	22	399	10	386	12	
14	Suffolk	25,513	6,186	24.2	2,330	449	2,371	518	2,397	566	2,509	547	
15	Worcester	12,640	878	6.9	1,434	136	1,306	128	1,306	104	1,254	66	

INVESTIGATED BY MEDICAL EXAMINERS, BY CAUSE OF DEATH, IN EACH COUNTY: 1951.

TIES.

Line No.	Dukes.	Essex.	Franklin.	Hampden.	Hampshire.	Middlesex.	Nantucket.	Norfolk.	Plymouth.	Suffolk.	Worcester.
1	13	1,634	126	1,208	285	2,449	9	886	375	2,330	1,434
2	4	291	30	192	72	574	3	209	115	655	343
3	4	42	10	39	12	73	1	49	19	125	47
4	-	4	-	-	1	3	-	3	1	11	4
5	-	2	-	-	-	3	-	1	1	11	-
6	-	9	-	5	3	11	1	8	5	24	4
7	-	2	-	8	1	2	-	10	3	-	4
8	-	11	4	8	2	21	-	10	5	29	15
9	-	5	4	3	5	5	-	2	1	14	3
10	-	4	1	11	5	22	-	12	3	17	15
11	-	3	-	2	-	4	-	1	-	6	1
12	-	1	1	1	-	1	-	2	-	12	-
13	-	1	-	1	-	1	-	-	-	1	1
14	-	2	-	6	-	5	-	3	2	22	4
15	-	1	-	-	-	-	-	-	-	-	-
16	-	1	-	1	-	2	-	-	-	7	4
17	-	-	-	2	-	2	-	-	-	5	-
18	-	-	-	3	-	1	-	3	2	9	-
19	-	-	-	-	-	-	-	-	-	1	-
20	-	-	-	-	-	-	-	-	-	-	-
21	4	247	20	147	60	496	2	157	94	508	292
22	-	1	-	4	-	10	-	1	5	9	2
23	2	31	6	34	12	123	-	37	25	105	67
24	-	-	-	-	-	2	-	2	1	3	2
25	-	1	-	-	-	1	-	-	-	1	-
26	1	4	-	2	-	5	-	-	3	20	2
27	-	1	-	-	-	-	-	1	-	-	2
28	-	4	2	2	-	12	-	2	4	32	3
29	-	18	-	6	3	11	-	8	1	4	9
30	-	128	2	60	29	245	1	67	24	229	155
31	-	7	4	10	6	13	-	5	5	44	14
32	-	24	2	8	3	31	-	14	6	21	12
33	-	1	-	-	1	1	-	2	-	1	-
34	1	27	4	21	6	42	1	18	20	39	24
35	9	1,238	96	678	172	1,622	6	656	258	1,181	1,089
36	9	1,207	91	663	171	1,597	6	642	256	1,122	1,078
37	-	7	1	1	1	11	-	2	1	54	3
38	-	24	4	14	-	14	-	12	1	5	8
39	-	100	-	332	13	245	-	15	-	487	1
40	-	5	-	6	28	8	-	6	2	7	1
41	-	86	5	14	22	83	1	69	29	449	136
42	-	-	-	-	-	-	-	-	-	-	-

MEDICAL EXAMINERS IN EACH COUNTY: 1942 TO 1951.

Line No.	1947.		1946.		1945.		1944.		1943.		1942.	
	Views.	Autop-sies.	Views.	Autop-sies.	Views.	Autop-sies.	Views.	Autop-sies.	Views.	Autop-sies.	Views.	Autop-sies.
1	11,621	1,136	10,926	1,252	10,971	1,005	10,378	986	11,465	972	10,970	1,061
2	100	3	96	4	121	5	100	5	107	1	80	3
3	226	6	235	5	212	5	238	4	230	2	274	1
4	1,046	32	986	50	950	35	946	56	970	67	851	109
5	10	1	13	2	10	1	12	-	11	1	9	-
6	1,474	78	1,358	93	1,320	62	1,091	68	1,236	35	1,034	25
7	84	3	80	3	90	5	74	-	90	1	81	1
8	1,124	19	1,112	53	1,162	33	1,116	21	1,150	23	981	35
9	202	8	180	10	207	10	234	5	188	4	166	9
10	2,303	112	1,926	108	1,891	49	1,748	49	2,201	37	2,118	71
11	19	5	20	2	17	1	11	3	17	2	9	1
12	736	54	737	66	731	81	741	62	795	30	758	16
13	444	25	416	25	433	17	437	16	485	13	425	15
14	2,577	691	2,527	737	2,627	645	2,456	646	2,764	696	2,955	691
15	1,276	99	1,240	94	1,200	56	1,174	51	1,221	60	1,229	84

BIRTH STATISTICS

Introduction	266-269
Birth registration	266
Importance of birth records	266, 267
Adoptions	267
Records impounded	268
Treatment of Infants' Eyes	268
Allocation	268
Live births	268
Birth rate	268
Changes in birth rate	268
Stillbirths	268
Birth rates, highest	268, 269
Sex proportion at birth	269
Plural births	269
Natural increase	269
Statistical tables	270-283

INTRODUCTION.

Birth Registration. — Birth registration has been compulsory in Massachusetts since Colonial times. It was one of the first States to be included in the registration area of the United States Census Bureau.

The physician* in attendance at the birth of a child is required, within forty-eight hours, to give notice and make a complete return within fifteen days of the facts required for record to the clerk of the town of birth. Parents, within forty days are required to give notice to the registration official of children born to them.

In addition to the above, persons in charge of a hospital, almshouse, or other institution, public or private, are required to give, on or before the fifth day of each month, notice to the town clerk of every birth occurring among the persons in such institution during the preceding month. The law also provides that the clerk of each town may annually in January ascertain the facts required for record of all children born in his town during the preceding year and resident therein.

Returns are made in the first instance to the local clerks of the city or town in which the birth occurred with the exception of Boston where the City Registrar is the official in charge.

The records on file in the Division of Vital Statistics are attested copies of the originals filed with local officials. The law has required the filing at this central record office since 1842. During this time 6,658,450 births have been filed and indexed. Since the establishment of the office of State Registrar of Vital Statistics in 1918, a systematic campaign has been carried on to obtain prompt and complete compliance with the birth registration laws. People are beginning more and more to realize the importance of birth records, so complete registration should soon be an accomplished fact.

Importance of Birth Records. — Records of birth are becoming more important every day. Government and other agencies are demanding proof of citizenship through birth certificates. This has caused a tremendous increase in the issuance of certified copies of birth records. The applications for certified copies are being made in person and by mail from all parts of the country. As Massachusetts is one of the few states that have records previous to 1912 there is a great demand at all times. This great demand for birth records will continue as they are also required for Old Age Assistance, Social Security and for allotment purposes.

There is hardly a relation of life, social, legal, or economic, in which the evidence furnished by an accurate registration of births may not prove to be of the greatest value, not only to the individual, but also to the public at large. It is not only an

*Midwives are not recognized in Massachusetts. The courts have held that the practice of midwifery is the practice of medicine, and as there is no provision under the law for licensing midwives, any one who practices midwifery is violating the medical registration laws.

act of civilization to register Birth Certificates, but also good business, for they are frequently used in many practical ways:

1. As evidence to prove the age and legitimacy of heirs;
2. As proof of age to determine the validity of a contract entered into by an alleged minor;
3. As evidence to establish age and proof of citizenship and descent; in order to vote;
4. As evidence to establish the right of admission to the professions and to many public offices;
5. As evidence of legal age to marry;
6. As evidence to prove the pension claims of widows and orphans;
7. As evidence to determine the liability of parents for the debts of a minor;
8. As evidence in the administration of estates, the settlement of insurance and pensions;
9. As evidence to prove the irresponsibility of children under age for crime and misdemeanor, and various other matters in the criminal statute;
10. As evidence in the enforcement of laws relating to education and to child labor;
11. As evidence to determine the relations of guardians and wards;
12. As proof of citizenship in order to obtain a passport;
13. As evidence in the claim for exemption from or the right to jury and military service.

Copies of records of births occurring during the preceding year are required by statute to be forwarded annually to the Division of Vital Statistics but many of the clerks co-operate with the Division by making periodic returns during the year.

After the statutory period has elapsed for filing copies of the records with the Department of the Secretary of the Commonwealth, no delayed returns are accepted unless by affidavit made by the parents, supported by written evidence at the time of birth, or by affidavit of the attending physician at the time of birth, or based upon a writing made at the time by a person since deceased charged with making the return in the first instance, except that in cases of delayed returns when no deponent is available the clerk may under the provisions of Chapter 542, Acts of 1945, accept a return without affidavit on written evidence satisfactory to him and if he rejects an affidavit for filing a delayed return, the person concerned can appeal to a Probate Judge in the county in which the birth occurred, and if the Probate Judge orders the birth to be recorded, the clerk is then required to make a record of the birth. As the evidential value of a record depends for its authenticity upon the fact that it is made contemporaneously with the happening of the event recorded, the registrars are required to exercise considerable care by requesting written evidence made soon after the time of birth before accepting delayed returns, particularly if it is some years after the birth occurred. This holds true of corrections which can only be made in accordance with the facts as they actually existed at the time the birth occurred, with the exception of an illegitimate child who is legitimized through the subsequent marriage of its parents; in these cases the record may be amended, so that the child will appear on the record as the legitimate offspring of its parents.

As a means of eliminating errors from physicians' returns of births, Chapter 434, Acts of 1941 requires that registrars send a supplemental report of the physician's return to the parents for their verification; and when the certificate is returned properly signed by a parent it is filed with the physician's certificate. This is a splendid system as it eliminates any claim later that an error has been made in the return of birth.

Adoptions. — Chapter 97, Acts of 1938 amended the statute relating to adoptions and provides that legally adopted children may have their birth records amended so as to appear as the natural children of the adoptive parents. Illegitimate children who have had their names legally changed may have their birth records amended to agree with the name decreed by court.

Certain Records Impounded. — Returns and records of illegitimate and abnormal sex births are impounded by statute from inspection. The law prohibits the issuance of copies of such records to the general public. These records can be inspected by or copies issued only to the child, the mother, attorney for the child, its legal guardian or to others by order of the court. Chapter 65, Acts of 1945 provided that in cases of illegitimate records which have been amended to appear as legitimate records through intermarriage of the parents or by adoption, no notation shall appear on certified copies that are issued that amendment has been made. This is a further protection to the illegitimate child.

Treatment of Infants' Eyes after Birth. — Chapter 46, Acts of 1943 requires attending physician to record on the birth certificate the use of a prophylactic remedy with which he has treated the eyes of a child whose birth he has personally attended.

Allocation. — Births are charged to the place of the event and also are allocated to the place of residence of the parents. This insures as near a true rate as possible and has a marked effect on municipalities which are large hospital centers. These cities and towns in the past have been charged with a high rate and small communities without hospital facilities have shown a low rate. The usual place of residence has been used as a basis for all births occurring outside the State as well as for those in the State. In the case of institutions, births have been allocated to the place of residence before entrance.

Live Births. — In the Commonwealth in 1951 there were 101,002 live births registered, an increase of 4,309 or 4.5 per cent as compared with the number registered in 1950. The allocated births numbered 99,851 for 1951.

Birth Rate. — In proportion to the total population, the total births registered were equivalent to a rate of 21.3 per 1,000 population, and is an increase of .7 per 1,000 over that of 1950. This rate is .4 per 1,000 below the average for the five years 1946 to 1950. The allocated births for 1951 had a birth rate of 21.1.

Changes in Birth Rate. — The birth rate for the Commonwealth attained the highest point on record, 30.2 in the year 1857. Since then the rate, although fluctuating considerably, has shown a marked decline, and a gradual decline since 1924. Starting with 1940 the trend has been upward with the exception of 1944 and 1945, culminating in the highest number of recorded births, in the history of the State, in 1947. Though the registered births in 1948, 1949 and 1950 are below this all-time high, they are still larger than the previous recorded high of 95,731 in 1919. During this period the infant death rate has also declined, the infant mortality rate for 1951 being the lowest ever recorded, so that the number of babies who survive the dangers of infancy is becoming steadily greater. This fact is shown in the infant mortality tables.

Stillbirths. — Chapter 113, Acts of 1945, defines stillborn children for the purposes of Vital Statistics: "A stillborn child shall be deemed to be a foetus born after a period of gestation of not less than 20 weeks, in which foetus there is no attempt at respiration, no action of heart and no movement of voluntary muscle —." Previous to 1936 there was no statute defining a stillbirth, consequently many returns had been made which, under this definition, would not have been returned. The statute now clearly defines a stillbirth and precludes any misunderstanding as to what returns should be made.

Stillbirths allocated in 1951 numbered 1,775. The rate per 1,000 live births allocated was 19.0 in 1950, 18.5 in 1949, 19.3 in 1948 and 19.9 in 1947. The rate for 1951 is 17.8.

Birth Rates, Highest. — The six municipalities having 15,000 inhabitants or more showing the highest registered birth rates in 1951 are: Winchester, 65.2; Norwood, 59.1; Chelsea, 59.0; Attleboro, 46.8; Milford, 46.4 and Weymouth, 44.5.

Variations in the birth rates of different communities may be partially accounted for by differences in the proportions of married women of child-bearing age residing therein, and by the presence of hospitals to which expectant mothers go from neighboring cities and towns in order to take advantage of the best medical advice and obstetrical care during pregnancy and childbirth. The allocated birth rates help to substantiate this statement. The communities showing the highest rates are: Natick, 30.5; Woburn, 28.9; Norwood, 26.4; Weymouth, 26.2; Chicopee, 24.6 and Peabody, 24.4. Springfield which showed the highest registered rate (32.7) of any place in the State of over 100,000 population also has the highest rate (22.8) through the allocation of births.

Sex Proportion at Birth. — It has never been determined whether the higher proportion of masculine than of feminine births is the result of definite causes or not. Registered births of males in 1951 numbered 51,838 and those of females 49,164, corresponding to a ratio of 1,054 male births to 1,000 female births. Allocated births numbered 51,217 males and 48,634 females in 1951, with 1,053 as a ratio of male to female births.

Plural Births. — In 1951 there were 1,056 cases of plural births (allocated), 1,052 cases of twins, 3 cases of triplets and 1 case of quadruplets, or 10.5 pairs of twins per 1,000 live births (allocated), and less than one-tenth of one case of triplets.

Natural Increase. — The excess of the birth rate over the death rate shows the ratio at which the community is reproducing itself by natural increases. In every year since the compilation of birth statistics was started the birth rate has been higher than the death rate.

The rate of natural increase for 1951 was 10.0 per 1,000 population for registered births and also averaged 10.5 for the five years 1946 to 1950. The rate of increase was 9.9 for allocated births in 1951.

The number of births is greatly in excess of the number of deaths, and this fact coupled with the steady decrease in infant mortality, has resulted in a net gain in the natural increase in population. The excess of births over deaths amounted to 89.3 per cent in 1950; 90.9 per cent in 1949; 89.1 per cent in 1948; 106.8 per cent in 1947 and 89.9 per cent in 1946. The excess of registered births over registered deaths in 1951 was 47,430 or 88.5 per cent, while the increase of allocated births over allocated deaths was 46,911 or 88.6 per cent.

For comparisons previous to 1900 relative to the natural increase from 1851, and for figures from that date up to and including 1919, reference may be made to the Annual Report of Vital Statistics of Massachusetts for the year ending December 31, 1919, Public Document No. 1.

Table 41

REGISTERED AND ALLOCATED LIVE BIRTHS IN CITIES AND TOWNS BY SEX, AND BIRTH RATES PER 1,000 POPULATION, IN EACH COUNTY, CITY AND TOWN: 1951.

COUNTIES AND MUNICIPALITIES. ¹	REGISTERED.				ALLOCATED.				Popula- tion (Esti- mated, July 1, 1951.)
	Total.	SEX.		Rate.	Total.	SEX.		Rate.	
		Male.	Female.			Male.	Female.		
The State.	101,002	51,838	49,164	21.3	99,851	51,217	48,634	21.1	4,737,238
COUNTIES.									
Barnstable	998	502	496	20.8	1,239	619	620	25.8	47,992
Berkshire	3,175	1,638	1,537	23.6	2,963	1,530	1,433	22.1	134,302
Bristol	7,636	3,941	3,695	19.9	7,523	3,890	3,633	19.6	383,686
Dukes	121	58	63	21.5	122	59	63	21.7	5,633
Essex	10,236	5,218	5,017	19.5	10,659	5,442	5,217	20.3	525,641
Franklin	1,124	585	539	21.1	1,294	655	639	24.3	53,158
Hampden	9,180	4,680	4,500	24.6	8,422	4,288	4,134	22.6	372,452
Hampshire	1,724	865	859	19.3	1,877	937	940	21.0	89,486
Middlesex	20,858	10,684	10,174	19.4	23,259	11,974	11,285	21.6	1,076,217
Nantucket	78	43	35	22.3	75	41	34	21.5	3,493
Norfolk	5,951	3,113	2,838	14.9	8,610	4,406	4,204	21.5	400,700
Plymouth	3,800	1,800	1,920	19.8	4,098	2,050	2,048	21.3	192,047
Suffolk	24,726	12,755	11,971	27.4	17,964	9,283	8,681	19.9	900,788
Worcester	11,395	5,875	5,520	20.7	11,746	6,043	5,703	21.3	551,643
MUNICIPALITIES.									
Abington	—	—	—	—	228	111	117	31.1	7,334
Acton	—	—	—	—	79	37	42	21.9	3,609
Acushnet	640	325	315	144.7	94	53	41	21.2	4,424
Adams	284	139	145	23.6	257	127	130	21.4	12,034
Agawam	—	—	—	—	229	120	109	21.9	10,452
Alford	—	—	—	—	6	5	1	28.3	212
Amesbury	284	147	137	26.2	222	116	106	20.5	10,851
Amherst	—	—	—	—	213	122	91	18.7	11,403
Andover	1	—	1	.1	236	113	123	18.8	12,580
Arlington	533	268	265	11.9	908	481	427	20.2	44,865
Ashburnham	—	—	—	—	45	25	20	17.0	2,648
Ashby	—	—	—	—	30	13	17	19.7	1,521
Ashfield	—	—	—	—	18	12	6	18.2	991
Ashland	—	—	—	—	99	58	41	27.3	3,628
Athol	334	164	170	28.8	249	124	125	21.5	11,599
ATTLEBORO	1,121	567	554	46.8	530	270	260	22.1	23,975
Auburn	1	1	—	.1	216	105	111	23.7	9,107
Avon	—	—	—	—	46	26	20	17.0	2,710
Ayer	209	106	103	34.9	175	85	90	29.2	5,995
Barnstable	668	326	342	62.2	334	162	172	31.1	10,747
Barre	1	1	—	.3	77	32	45	22.6	3,406
Becket	—	—	—	—	12	5	7	15.6	769
Bedford	2	—	2	.4	125	58	67	23.1	5,404
Belchertown	3	—	3	.7	72	35	37	15.6	4,605
Bellingham	1	—	1	.2	118	66	52	27.9	4,235
Belmont	1	—	1	.3	417	211	206	15.2	27,438
Berkley	—	—	—	—	26	17	9	20.1	1,296
Berlin	1	1	—	.7	34	22	12	24.7	1,378
Bernardston	1	1	—	.9	23	11	12	20.3	1,131
BEVERLY	1,016	526	490	34.7	694	359	335	23.7	29,249
Billerica	1	—	1	.1	281	148	133	24.5	11,470
Blackstone	1	1	—	.2	105	50	55	20.9	5,013
Blandford	1	1	—	1.6	17	7	10	27.8	612
Bolton	—	—	—	—	23	10	13	23.4	985
Boston	21,283	10,942	10,341	26.4	16,019	8,290	7,729	19.9	805,015
Bourne	285	150	135	58.2	172	84	88	35.1	4,898
Boxborough	—	—	—	—	13	5	8	28.7	453
Boxford	2	2	—	2.1	21	15	6	22.4	939
Boylston	—	—	—	—	27	11	16	15.5	1,745
Braintree	4	4	—	.2	542	280	262	22.6	24,014
Brewster	—	—	—	—	17	7	10	17.0	1,002
Bridgewater	6	2	4	.6	149	79	70	15.5	9,588
Brimfield	—	—	—	—	29	17	12	24.2	1,197
BROCKTON	2,501	1,237	1,264	39.7	1,225	620	605	19.5	62,921
Brookfield	—	—	—	—	38	20	18	24.0	1,582
Brookline	1,087	575	512	18.6	1,099	537	562	18.8	58,562
Buckland	2	1	1	1.2	17	7	10	10.5	1,619
Burlington	—	—	—	—	84	41	43	25.0	3,364
CAMBRIDGE	3,750	1,931	1,819	30.8	2,659	1,345	1,314	21.8	121,905
Canton	3	2	1	.4	173	84	89	22.8	7,599
Carlisle	—	—	—	—	22	12	10	24.7	890
Carver	1	—	1	.6	30	14	16	19.4	1,545
Charlemont	1	—	1	1.2	17	8	9	19.6	869
Charlton	2	—	2	.6	77	32	45	24.0	3,210
Chatham	—	—	—	—	54	25	29	21.6	2,502
Chelmsford	1	—	1	.1	168	81	87	17.6	9,563
CHELSEA	2,297	1,215	1,082	59.0	732	355	377	18.8	38,912
Cheshire	1	1	—	.5	49	21	28	23.8	2,062
Chester	3	—	3	2.3	30	14	16	23.2	1,292
Chesterfield	—	—	—	—	9	6	3	17.6	511

¹ Cities are printed in small capitals.² Less than one-tenth of one per 1,000 population.

Table 41

REGISTERED AND ALLOCATED LIVE BIRTHS IN CITIES AND TOWNS BY SEX, AND BIRTH RATES PER 1,000 POPULATION, IN EACH COUNTY, CITY AND TOWN: 1951.

MUNICIPALITIES. ¹	Total.	REGISTERED.			Total.	ALLOCATED.			Popula- tion (Esti- mated, July 1, 1951.)
		SEX.		Rate.		SEX.		Rate.	
		Male.	Female.			Male.	Female.		
CHICOPEE	514	261	253	10.2	1,235	646	589	24.6	50,159
Chilmark	—	—	—	—	7	4	3	38.3	183
Clarksburg	1	1	—	.6	33	21	12	19.8	1,670
Clinton	416	232	184	33.9	292	158	134	23.8	12,287
Cohasset	27	12	15	7.1	92	45	47	24.2	3,806
Colrain	7	3	4	4.5	32	14	18	20.7	1,546
Concord	522	243	279	60.0	188	90	98	21.6	8,694
Conway	—	—	—	—	18	11	7	20.6	873
Cummington	—	—	—	—	21	13	8	33.9	620
Dalton	1	1	—	.2	113	57	56	23.4	4,839
Danvers	61	29	32	3.8	252	136	116	15.9	15,890
Dartmouth	—	—	—	—	228	124	104	20.1	11,329
Dedham	3	3	—	.2	372	199	173	19.7	18,861
Deerfield	—	—	—	—	48	21	27	15.4	3,127
Dennis	—	—	—	—	49	29	20	19.2	2,558
Dighton	—	—	—	—	51	33	18	17.3	2,950
Douglas	—	—	—	—	36	18	18	13.7	2,624
Dover	—	—	—	—	29	14	15	16.4	1,766
Dracut	1	1	—	.1	209	107	102	23.7	8,822
Dudley	1	1	—	.2	111	60	51	20.8	5,335
Dunstable	—	—	—	—	21	13	8	39.2	536
Duxbury	—	—	—	—	62	30	32	18.9	3,273
East Bridgewater	1	1	—	.2	108	50	58	24.1	4,488
East Brookfield	—	—	—	—	29	14	15	22.8	1,272
East Longmeadow	—	—	—	—	127	60	67	25.1	5,061
Eastham	—	—	—	—	19	8	11	21.3	890
Easthampton	7	4	3	.7	252	119	133	23.5	10,738
Easton	1	—	1	.2	148	77	71	23.3	6,351
Edgartown	—	—	—	—	33	19	14	21.9	1,508
Egremont	—	—	—	—	15	10	5	19.8	758
Erving	—	—	—	—	24	12	12	18.2	1,322
Essex	—	—	—	—	35	16	19	19.1	1,833
EVERETT	1,007	512	495	21.9	1,078	539	539	23.4	45,982
Fairhaven	5	3	2	.4	239	126	113	18.5	12,942
FALL RIVER	2,870	1,481	1,389	25.6	1,998	1,053	945	17.8	111,963
Falmouth	10	6	4	1.1	267	137	130	30.1	8,884
FITCHBURG	1,192	595	597	27.9	998	493	505	23.3	42,795
Florida	1	—	1	2.1	12	7	5	25.1	479
Foxborough	—	—	—	—	112	56	56	15.7	7,120
Framingham	1,174	606	568	41.0	660	329	331	23.0	28,669
Franklin	4	1	3	.5	146	68	78	18.0	8,127
Freetown	6	4	2	2.8	52	27	25	24.1	2,158
GARDNER	586	297	289	29.9	387	199	188	19.8	19,581
Gay Head	—	—	—	—	3	—	3	34.1	88
Georgetown	1	1	—	.4	55	34	21	22.2	2,476
Gill	2	1	1	1.8	35	14	21	32.3	1,084
GLOUCESTER	540	287	253	21.4	518	272	246	20.5	25,284
Goshen	—	—	—	—	4	—	3	11.9	336
Gosnold	1	—	1	17.9	1	—	1	17.9	56
Grafton	1	—	1	.1	147	84	63	17.5	8,385
Granby	—	—	—	—	78	37	41	40.0	1,950
Granville	—	—	—	—	27	13	14	35.8	755
Great Barrington	301	151	150	44.2	123	65	58	18.1	6,807
Greenfield	770	409	361	43.9	416	224	192	23.7	17,541
Groton	76	47	29	25.9	71	41	30	24.2	2,932
Groveland	—	—	—	—	47	26	21	19.9	2,366
Hadley	2	1	1	.8	91	43	48	34.3	2,654
Halifax	1	1	—	1.0	26	13	13	27.1	959
Hamilton	—	—	—	—	59	36	23	20.8	2,842
Hampden	1	—	1	.7	17	11	6	12.6	1,352
Hancock	—	—	—	—	10	4	6	21.8	459
Hanover	4	2	2	1.2	90	53	37	26.1	3,450
Hanson	6	3	3	1.8	66	38	28	19.7	3,355
Hardwick	—	—	—	—	42	27	15	17.7	2,377
Harvard	1	—	1	.2	35	18	17	8.2	4,250
Harwich	3	1	2	1.1	65	34	31	24.4	2,664
Hatfield	—	—	—	—	57	26	31	26.2	2,179
HAVERHILL	943	485	458	19.9	879	445	434	18.6	47,332
Hawley	1	1	—	4.1	11	7	4	45.1	244
Heath	10	7	3	32.8	14	10	4	45.9	305
Hingham	—	—	—	—	271	130	141	24.6	10,999
Hinsdale	—	—	—	—	41	23	18	25.6	1,600
Holbrook	3	—	3	.7	98	55	43	23.9	4,094
Holden	227	115	112	36.5	147	74	73	23.6	6,227
Holland	—	—	—	—	5	3	2	12.8	392
Holliston	—	—	—	—	85	41	44	22.1	3,838
HOLYOKE	2,024	1,023	1,001	36.9	1,226	609	617	22.4	54,781

¹Cities are printed in small capitals.

Table 41

REGISTERED AND ALLOCATED LIVE BIRTHS IN CITIES AND TOWNS BY SEX, AND BIRTH RATES PER 1,000 POPULATION, IN EACH COUNTY, CITY AND TOWN: 1951.

MUNICIPALITIES. ¹	REGISTERED.				ALLOCATED.				Popula- (Esti- mated, July 1, 1951.)
	Total.	SEX.		Rate.	Total.	SEX.		Rate.	
		Male.	Female.			Male.	Female.		
Hopedale	—	—	—	—	61	31	30	17.3	3,524
Hopkinton	—	—	—	—	109	54	55	30.4	3,585
Hubbardston	—	—	—	—	26	15	11	22.6	1,149
Hudson	104	57	47	12.6	174	87	87	21.2	8,225
Hull	2	1	1	.6	112	59	53	31.7	3,531
Huntington	—	—	—	—	32	17	15	25.5	1,257
Ipswich	216	109	107	31.0	166	76	90	23.9	6,960
Kingston	1	1	—	.3	73	32	41	20.6	3,552
Lakeville	—	—	—	—	46	23	23	21.9	2,096
Lancaster	—	—	—	—	97	57	40	26.4	3,675
Lanesborough	—	—	—	—	45	26	19	20.9	2,150
LAWRENCE	1,795	899	896	22.3	1,568	783	785	19.5	80,536
Lee	4	4	—	.8	117	69	48	23.9	4,887
Leicester	1	—	1	.2	141	72	69	22.8	6,177
Lenox	—	—	—	—	75	33	42	20.2	3,708
LEOMINSTER	602	296	306	24.8	577	293	284	23.7	24,297
Leverett	—	—	—	—	29	18	11	36.0	805
Lexington	6	4	2	.3	337	179	158	18.9	17,833
Leyden	—	—	—	—	7	3	4	22.9	306
Lincoln	—	—	—	—	52	26	26	20.8	2,498
Littleton	2	2	—	.8	75	39	36	30.8	2,434
Longmeadow	—	—	—	—	83	39	44	12.6	6,598
LOWELL	2,932	1,505	1,427	30.1	2,068	1,062	1,006	21.3	97,249
Ludlow	403	204	199	46.2	195	100	95	22.4	8,720
Lunenburg	—	—	—	—	115	50	65	28.0	4,113
LYNN	2,354	1,197	1,157	23.6	2,091	1,041	1,050	20.9	99,908
Lynnfield	1	1	—	.2	91	41	50	22.1	4,110
MALDEN	1,247	627	620	20.8	1,235	644	591	20.6	60,017
Manchester	—	—	—	—	60	29	31	20.6	2,907
Mansfield	1	1	—	.1	150	75	75	20.7	7,243
Marblehead	90	50	40	6.4	319	168	151	22.7	14,078
Marion	2	1	1	.9	62	30	32	27.2	2,280
MARLBOROUGH	507	255	252	32.0	341	174	167	21.5	15,827
Marshfield	1	1	—	.3	63	33	30	18.7	3,373
Mashpee	—	—	—	—	11	6	5	25.1	438
Mattapoisett	—	—	—	—	49	25	24	20.9	2,341
Maynard	3	1	2	.4	138	67	71	19.7	6,992
Medfield	—	—	—	—	91	46	45	19.9	4,564
MEDFORD	869	449	420	13.1	1,342	700	642	20.2	66,469
Medway	—	—	—	—	91	40	51	23.9	3,804
MELROSE	882	453	429	32.4	489	243	246	18.0	27,187
Mendon	1	—	1	.6	40	18	22	24.0	1,664
Merrimac	1	—	1	.4	44	21	23	15.4	2,856
Methuen	821	417	404	33.2	496	242	254	20.0	24,764
Middleborough	320	163	157	31.1	227	116	111	22.0	10,300
Middlefield	—	—	—	—	7	3	4	22.6	310
Middleton	3	1	2	1.0	63	32	31	21.1	2,981
Milford	716	373	343	46.4	371	180	191	24.0	15,442
Millbury	1	—	1	.1	205	102	103	24.1	8,510
Millis	—	—	—	—	65	35	30	25.2	2,581
Millville	1	—	1	.6	38	19	19	22.5	1,692
Milton	270	150	120	11.8	339	178	161	14.8	22,859
Monroe	—	—	—	—	8	2	6	46.0	174
Monson	1	—	1	.2	98	46	52	15.8	6,185
Montague	317	155	162	40.4	198	99	99	25.3	7,839
Monterey	1	—	1	2.7	5	—	5	13.6	367
Montgomery	—	—	—	—	5	3	2	31.8	157
Mount Washington	—	—	—	—	1	—	1	29.4	34
Nahant	—	—	—	—	66	41	25	23.8	2,770
Nantucket	78	43	35	22.3	75	41	34	21.5	3,493
Natick	598	306	292	29.1	627	322	305	30.5	20,549
Needham	341	167	174	20.3	377	181	196	22.5	16,792
New Ashford	—	—	—	—	5	4	1	42.4	118
NEW BEDFORD	2,074	1,058	1,016	19.0	2,082	1,047	1,035	19.1	109,189
New Braintree	2	1	1	4.2	14	7	7	29.3	478
New Marlborough	—	—	—	—	16	10	6	16.2	989
New Salem	—	—	—	—	7	3	4	17.9	392
Newbury	—	—	—	—	68	37	31	33.4	2,033
NEWBURYPORT	408	209	199	28.9	280	143	137	19.8	14,137
NEWTON	1,273	659	614	15.3	1,509	818	691	18.1	83,429
Norfolk	1	1	—	.4	40	19	21	14.6	2,748
NORTH ADAMS	596	311	285	27.6	463	233	230	21.5	21,567
North Andover	1	—	1	.1	147	76	71	17.1	8,589
North Attleborough	16	9	7	1.3	276	141	135	22.4	12,324
North Brookfield	3	1	2	.9	90	42	48	26.0	3,459
North Reading	—	—	—	—	117	52	65	25.5	4,587
NORTHAMPTON	1,272	633	639	43.0	519	255	264	17.5	29,595

¹ Cities are printed in small capitals.

Table 41	REGISTERED AND ALLOCATED LIVE BIRTHS IN CITIES AND TOWNS BY SEX, AND BIRTH RATES PER 1,000 POPULATION, IN EACH COUNTY, CITY AND TOWN: 1951.									
	Municipalities. ¹	Total.	REGISTERED.			Total.	ALLOCATED.			Popula- tion (Esti- mated, July 1, 1951.)
			SEX.		Rate.		SEX.		Rate.	
			Male.	Female.			Male.	Female.		
Northborough	—	—	—	—	89	45	44	27.7	3,211	
Northbridge	371	187	184	35.3	225	108	117	21.4	10,505	
Northfield	5	4	1	2.2	56	28	28	24.6	2,273	
Norton	—	—	—	—	93	47	46	20.5	4,531	
Norwell	—	—	—	—	51	26	25	19.7	2,591	
Norwood	992	495	497	59.1	443	224	219	26.4	16,785	
Oak Bluffs	119	58	61	78.2	22	9	13	14.5	1,521	
Oakham	—	—	—	—	10	6	4	22.0	455	
Orange	6	3	3	1.0	151	72	79	25.5	5,921	
Orleans	—	—	—	—	30	12	18	16.6	1,804	
Otis	—	—	—	—	10	7	3	27.9	359	
Oxford	1	—	1	.2	160	90	70	26.7	5,999	
Palmer	265	144	121	27.7	212	115	97	22.1	9,578	
Paxton	—	—	—	—	30	12	18	27.4	1,095	
PEABODY	258	133	125	11.3	556	288	268	24.4	22,749	
Pelham	—	—	—	—	11	8	3	19.0	579	
Pembroke	1	1	—	.4	54	28	26	20.1	2,685	
Pepperell	1	—	1	.3	92	48	44	26.3	3,503	
Peru	—	—	—	—	6	3	3	42.0	143	
Petersham	—	—	—	—	22	11	11	27.0	814	
Phillipston	1	—	1	1.5	17	9	8	26.0	653	
PITTSFIELD	1,979	1,028	951	36.8	1,264	646	618	23.5	53,766	
Plainfield	—	—	—	—	7	3	4	30.7	228	
Plainville	—	—	—	—	49	28	21	22.3	2,193	
Plymouth	411	200	211	30.1	258	136	122	18.9	13,669	
Plympton	—	—	—	—	10	5	5	14.0	712	
Princeton	1	—	1	.9	27	12	15	25.1	1,077	
Provincetown	29	17	12	7.6	77	46	31	20.2	3,810	
QUINCY	1,691	909	782	19.9	1,881	994	887	22.2	84,837	
Randolph	3	1	2	.3	279	152	127	27.1	10,282	
Raynham	—	—	—	—	53	26	27	21.6	2,449	
Reading	1	—	1	.1	319	157	162	22.2	14,375	
Rehoboth	3	3	—	.8	91	53	38	24.0	3,795	
REVERE	423	226	197	11.4	800	417	383	21.6	37,043	
Richmond	—	—	—	—	16	11	5	21.3	751	
Rochester	1	1	—	.8	22	11	11	16.6	1,328	
Rockland	2	2	—	.2	208	108	100	22.9	9,066	
Rockport	—	—	—	—	85	50	35	19.7	4,309	
Rowe	1	—	1	5.0	4	2	2	20.1	199	
Rowley	—	—	—	—	34	18	16	19.0	1,794	
Royalston	2	—	2	2.4	19	8	11	22.7	838	
Russell	—	—	—	—	39	17	22	30.0	1,298	
Rutland	—	—	—	—	53	30	23	16.8	3,160	
SALEM	1,420	712	708	33.8	804	391	413	19.2	41,958	
Salisbury	1	1	—	.4	47	24	23	17.2	2,734	
Sandisfield	—	—	—	—	5	2	3	11.4	437	
Sandwich	1	1	—	.4	37	16	21	14.5	2,551	
Saugus	15	11	4	.9	345	195	150	19.8	17,410	
Savoy	—	—	—	—	9	3	6	30.9	291	
Scituate	2	—	2	.3	133	66	67	21.3	6,236	
Seekonk	2	1	1	.3	118	57	61	19.0	6,223	
Sharon	3	—	3	.6	136	64	72	27.3	4,981	
Sheffield	—	—	—	—	34	15	19	15.4	2,204	
Shelburne	1	—	1	.6	69	30	39	39.0	1,769	
Sherborn	—	—	—	—	25	17	8	19.6	1,273	
Shirley	426	216	210	95.3	175	93	82	39.1	4,470	
Shrewsbury	—	—	—	—	256	131	125	23.3	10,964	
Shutesbury	—	—	—	—	4	4	—	18.8	213	
Somerset	6	3	3	.7	203	93	110	23.0	8,827	
SOMERVILLE	1,145	587	558	11.2	2,154	1,115	1,039	21.0	102,365	
South Hadley	1	1	—	.1	264	124	140	25.0	10,544	
Southampton	—	—	—	—	31	13	18	21.4	1,446	
Southborough	1	—	1	.4	53	28	25	18.8	2,819	
Southbridge	515	278	237	29.2	347	186	161	19.7	17,608	
Southwick	—	—	—	—	94	41	53	31.1	3,021	
Spencer	8	4	4	1.1	159	72	87	22.5	7,071	
SPRINGFIELD	5,366	2,749	2,617	32.7	3,732	1,893	1,839	22.8	164,008	
Sterling	1	—	1	.4	52	27	25	23.4	2,225	
Stockbridge	—	—	—	—	48	31	17	20.3	2,365	
Stoneham	643	325	318	47.5	294	156	138	21.7	13,527	
Stoughton	10	3	7	.9	285	135	150	24.9	11,460	
Stow	—	—	—	—	39	16	23	22.2	1,757	
Sturbridge	—	—	—	—	72	41	31	25.0	2,879	
Sudbury	—	—	—	—	57	27	30	21.2	2,695	
Sunderland	—	—	—	—	41	21	20	45.3	905	
Sutton	1	1	—	.3	86	47	39	27.3	3,146	
Swampscott	1	1	—	.1	220	131	89	18.9	11,671	
Swansea	4	1	3	.6	170	82	88	27.1	6,263	
TAUNTON	883	482	401	21.9	798	423	375	19.8	40,382	

¹ Cities are printed in small capitals.

Table 41

REGISTERED AND ALLOCATED LIVE BIRTHS IN CITIES AND TOWNS BY SEX, AND BIRTH RATES PER 1,000 POPULATION, IN EACH COUNTY, CITY AND TOWN: 1951.

Municipalities. ¹	REGISTERED.				ALLOCATED.				Popula- tion (Esti- mated, July 1, 1951.)
	Total.	SEX.		Rate.	Total.	SEX.		Rate	
		Male.	Female.			Male.	Female.		
Templeton	3	2	1	.6	124	64	60	26.0	4,772
Tewksbury	—	—	—	—	135	68	67	17.7	7,647
State Infirmary	86	40	46	—	—	—	—	—	—
Tisbury	—	—	—	—	48	24	24	24.9	1,930
Tolland	—	—	—	—	1	1	—	9.3	107
Topsfield	1	1	—	.7	46	22	24	32.0	1,438
Townsend	2	1	1	.7	66	39	27	22.7	2,902
Truro	2	1	1	3.0	14	5	9	20.7	676
Tyngsborough	—	—	—	—	48	19	29	22.7	2,116
Tyringham	—	—	—	—	4	3	1	17.0	235
Upton	1	1	—	.4	65	33	32	24.1	2,700
Uxbridge	—	—	—	—	157	88	69	22.2	7,081
Wakefield	4	1	3	.2	468	253	215	23.4	20,030
Wales	—	—	—	—	14	8	6	27.3	512
Walpole	—	—	—	—	205	109	96	22.0	9,319
WALTHAM	1,275	668	607	26.5	1,150	593	557	23.9	48,040
Ware	436	226	210	58.0	135	69	66	18.0	7,517
Wareham	530	259	271	68.6	213	103	110	27.6	7,721
Warren	3	1	2	.9	57	30	27	16.7	3,406
Warwick	—	—	—	—	7	2	5	16.3	429
Washington	2	1	1	7.1	7	5	2	24.9	281
Watertown	—	—	—	—	827	425	402	22.0	37,556
Wayland	—	—	—	—	157	86	71	34.7	4,521
Webster	334	181	153	25.3	293	149	144	22.2	13,194
Wellesley	1	1	—	—	368	174	194	17.3	21,222
Wellfleet	—	—	—	—	15	6	9	13.0	1,153
Wendell	—	—	—	—	11	5	6	32.2	342
Wenham	—	—	—	—	33	18	15	19.5	1,696
West Boylston	—	—	—	—	56	30	26	21.1	2,659
West Bridgewater	1	1	—	.2	88	38	50	21.1	4,165
West Brookfield	1	—	1	.6	33	19	14	19.4	1,703
West Newbury	2	—	2	1.2	12	7	5	7.4	1,611
West Springfield	5	1	4	.2	480	256	224	23.0	20,859
West Stockbridge	2	1	1	1.7	34	19	15	28.8	1,179
West Tisbury	1	—	1	2.9	8	3	5	23.1	347
Westborough	—	—	—	—	119	73	46	15.9	7,496
WESTFIELD	596	297	299	28.1	442	229	213	20.8	21,233
Westford	—	—	—	—	85	43	42	19.7	4,319
Westhampton	3	—	3	6.6	16	10	6	35.4	452
Westminster	1	1	—	.4	58	26	32	20.4	2,842
Weston	1	—	1	.2	102	55	47	19.6	5,196
Westport	4	3	1	.8	123	66	57	24.3	5,072
Westwood	1	—	1	.2	162	70	92	26.3	6,151
Weymouth	1,505	788	717	44.5	887	476	411	26.2	33,797
Whately	—	—	—	—	29	15	14	30.9	939
Whitman	6	3	3	.7	174	73	101	20.5	8,419
Wilbraham	1	—	1	.2	85	40	45	20.6	4,123
Williamsburg	—	—	—	—	46	27	19	21.9	2,100
Williamstown	2	—	2	.3	119	58	61	18.6	6,410
Wilmington	—	—	—	—	194	99	95	26.5	7,323
Winchendon	153	70	83	23.2	137	64	73	20.8	6,585
Winchester	1,015	530	485	65.2	292	155	137	18.8	15,566
Windsor	—	—	—	—	9	7	2	24.2	372
Winthrop	723	372	351	36.5	413	221	192	20.8	19,818
WOBURN	559	284	275	27.2	595	308	287	28.9	20,577
WORCESTER	5,906	3,070	2,836	28.9	4,080	2,142	1,938	19.9	204,700
Worthington	—	—	—	—	12	6	6	26.0	462
Wrentham	1	1	—	.2	85	51	34	15.7	5,431
Yarmouth	—	—	—	—	78	42	36	22.8	3,415

¹Cities are printed in small capitals.²Less than one-tenth of one per 1,000 population.

Table 42

ALLOCATED LIVE BIRTHS, BY MONTH OF BIRTH, IN COUNTIES AND IN CITIES
HAVING OVER 50,000 INHABITANTS: 1951.

COUNTIES AND
CITIES HAVING OVER
50,000 INHABITANTS
IN 1950.
(Grouped in order of
population.)

	The Year.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
The State.	99,851	7,749	7,537	8,503	8,493	8,769	8,241	8,563	8,587	8,758	8,649	7,763	8,239
Average daily number of births	274	250	269	274	283	283	275	276	277	292	279	259	266
COUNTIES													
Middlesex	23,259	1,782	1,745	1,995	1,988	2,024	1,973	1,932	1,987	1,992	2,008	1,832	2,001
Suffolk	17,964	1,427	1,453	1,562	1,535	1,566	1,471	1,618	1,504	1,594	1,453	1,360	1,421
Worcester	11,746	898	878	1,010	951	1,044	933	1,071	1,011	986	1,057	928	979
Essex	10,659	809	762	921	920	1,003	909	905	910	920	905	800	895
Norfolk	8,610	674	628	722	749	847	710	692	762	768	785	605	668
Bristol	7,523	590	550	621	666	604	575	637	690	706	679	588	617
Hampden	8,422	638	649	710	685	713	730	705	715	723	763	681	710
Plymouth	4,098	332	318	323	345	312	327	363	350	403	358	314	353
Berkshire	2,963	209	217	251	265	261	244	277	262	250	250	255	222
Hampshire	1,877	149	146	148	166	161	141	155	172	161	152	172	154
Franklin	1,294	106	104	101	105	118	103	87	105	122	119	116	108
Barnstable	1,239	124	73	118	105	101	112	102	98	113	101	93	99
Dukes	122	8	10	13	9	10	9	10	9	9	14	15	6
Nantucket	75	3	4	8	4	5	4	9	12	11	5	4	6
CITIES OVER 100,000													
Boston	16,019	1,278	1,308	1,405	1,362	1,408	1,302	1,442	1,331	1,442	1,279	1,187	1,275
Worcester	4,080	309	315	357	353	385	305	368	326	320	355	318	369
Springfield	3,732	289	307	341	292	320	330	319	306	297	336	286	309
Cambridge	2,659	204	187	228	250	236	256	195	226	265	223	195	194
Fall River	1,998	174	164	154	166	159	152	164	177	189	180	153	166
New Bedford	2,082	152	137	164	184	172	164	193	201	198	190	162	165
Somerville	2,154	158	160	206	178	187	190	188	182	190	182	167	166
CITIES													
50,000 to 100,000													
Lynn	2,091	168	159	183	197	206	169	180	158	164	171	158	178
Lowell	2,068	173	154	163	191	176	176	159	178	169	200	148	181
Quincy	1,881	139	168	144	170	151	160	166	170	183	154	140	136
Newton	1,509	127	114	144	139	141	125	120	96	118	117	130	138
Lawrence	1,568	108	129	141	125	135	141	124	152	138	145	112	118
Medford	1,342	80	123	111	119	92	120	122	123	118	132	107	95
Brockton	1,225	101	111	89	119	83	94	115	86	123	91	101	112
Malden	1,235	109	79	101	91	113	99	120	110	112	104	94	103
Holyoke	1,226	87	96	91	101	106	95	118	100	110	96	125	101
Pittsfield	1,264	87	91	114	118	114	97	120	127	99	102	98	97

Table 43

PLURAL BIRTHS² AND STILLBIRTHS,² BY SEX, IN EACH COUNTY AND MUNICIPALITY: 1951.

COUNTIES AND MUNICIPALITIES. ¹	PLURAL BIRTHS.									STILLBIRTHS.		
	PLURAL BIRTHS.											
	TWINS.			TRIPLTS.								
	Total.	Males.	Fe- males.	Total.	Males.	Fe- males.	Total.	Males.	Fe- males.	Total.	Males.	Fe- males.
The State.	2,104	1,085	1,019	9	8	1	1,775	985	790			
COUNTIES.												
Barnstable	20	13	7	—	—	—	15	6	9			
Berkshire	44	27	17	—	—	—	54	30	24			
Bristol	178	94	84	—	—	—	153	87	66			
Dukes	—	—	—	—	—	—	—	—	—			
Essex	244	133	111	—	—	—	197	127	70			
Franklin	28	19	9	—	—	—	14	9	5			
Hampden	176	92	84	—	—	—	155	87	68			
Hampshire	36	19	17	—	—	—	51	27	24			
Middlesex	442	252	190	3	3	—	379	197	182			
Nantucket	2	2	—	—	—	—	1	—	1			
Norfolk	148	74	74	—	—	—	142	79	63			
Plymouth	88	34	54	—	—	—	74	42	32			
Suffolk ³	432	198	234	3	2	1	331	171	160			
Worcester	266	130	136	3	3	—	209	123	86			
MUNICIPALITIES.												
Abington	8	1	7	—	—	—	6	2	4			
Acton	—	—	—	—	—	—	—	—	—			
Acushnet	4	4	—	—	—	—	2	1	1			
Adams	4	3	1	—	—	—	6	4	2			
Agawam	4	2	2	—	—	—	4	2	2			
Alford	—	—	—	—	—	—	—	—	—			
Amesbury	6	4	2	—	—	—	4	2	2			
Amherst	8	6	2	—	—	—	3	1	2			
Andover	4	3	1	—	—	—	6	2	4			
Arlington	20	10	10	—	—	—	5	4	1			
Ashburnham	—	—	—	—	—	—	—	—	—			
Ashby	—	—	—	—	—	—	1	1	—			
Ashfield	—	—	—	—	—	—	—	—	—			
Ashland	2	2	—	—	—	—	1	—	1			
Athol	6	3	3	—	—	—	2	—	2			
ATTLEBORO	8	8	—	—	—	—	11	9	2			
Auburn	2	1	1	—	—	—	4	2	2			
Avon	—	—	—	—	—	—	1	—	1			
Ayer	12	5	7	—	—	—	4	1	3			
Barnstable	6	3	3	—	—	—	4	2	2			
Barre	2	—	2	—	—	—	—	—	—			
Becket	—	—	—	—	—	—	1	1	—			
Bedford	—	—	—	—	—	—	1	1	—			
Belchertown	—	—	—	—	—	—	—	—	—			
Bellingham	2	2	—	—	—	—	—	—	—			
Belmont	14	9	5	—	—	—	6	5	1			
Berkley	2	2	—	—	—	—	—	—	—			
Berlin	—	—	—	—	—	—	1	1	—			
Bernardston	—	—	—	—	—	—	—	—	—			
BEVERLY	14	6	8	—	—	—	12	8	4			
Billerica	4	2	2	—	—	—	4	3	1			
Blackstone	2	1	1	—	—	—	1	1	—			
Blandford	—	—	—	—	—	—	—	—	—			
Bolton	—	—	—	—	—	—	2	2	—			
BOSTON ³	380	180	200	3	2	1	294	151	143			
Bourne	2	—	2	—	—	—	3	1	2			
Boxborough	—	—	—	—	—	—	—	—	—			
Boxford	—	—	—	—	—	—	—	—	—			
Boylston	—	—	—	—	—	—	1	1	—			
Braintree	8	4	4	—	—	—	9	5	4			
Brewster	—	—	—	—	—	—	—	—	—			
Bridgewater	2	1	1	—	—	—	3	2	1			
Brimfield	—	—	—	—	—	—	—	—	—			
BROCKTON	24	13	11	—	—	—	28	17	11			
Brookfield	2	1	1	—	—	—	1	1	—			
Brookline	18	8	10	—	—	—	14	6	8			
Buckland	—	—	—	—	—	—	3	2	1			
Burlington	2	1	1	—	—	—	2	—	2			
CAMBRIDGE	32	22	10	—	—	—	34	18	16			
Canton	—	—	—	—	—	—	2	2	—			
Carlisle	2	2	—	—	—	—	1	—	1			
Carver	2	—	2	—	—	—	1	1	—			
Charlemont	—	—	—	—	—	—	—	—	—			
Charlton	—	—	—	—	—	—	1	—	1			
Chatham	2	2	—	—	—	—	1	—	3			
Chelmsford	2	2	—	—	—	—	6	3	—			
CHELSEA	18	8	10	—	—	—	16	8	8			
Cheshire	—	—	—	—	—	—	1	—	1			
Chester	2	1	1	—	—	—	1	1	—			
Chesterfield	2	1	1	—	—	—	—	—	—			

¹ Cities are printed in small capitals. ²Allocated. ³One case of quadruplets in Boston, 2 males, 2 females.

Table 43

PLURAL BIRTHS² AND STILLBIRTHS,² BY SEX, IN EACH COUNTY
AND MUNICIPALITY: 1951.

MUNICIPALITIES. ¹	PLURAL BIRTHS.						STILLBIRTHS.		
	TWINS.			TRIPLTS.			Total.	Males.	Fe- males.
	Total.	Males.	Fe- males.	Total.	Males.	Fe- males.			
CHICOPEE	28	13	15	-	-	-	24	11	13
Chilmark	-	-	-	-	-	-	-	-	-
Clarksburg	4	-	4	-	-	-	-	-	-
Clinton	8	3	5	-	-	-	6	1	5
Cohasset	-	-	-	-	-	-	-	-	-
Colrain	-	-	-	-	-	-	1	-	1
Concord	4	-	4	-	-	-	1	-	1
Conway	-	-	-	-	-	-	1	-	1
Cummington	2	1	1	-	-	-	1	1	-
Dalton	2	1	1	-	-	-	2	2	-
Danvers	6	5	1	-	-	-	4	2	2
Dartmouth	6	3	3	-	-	-	1	-	1
Dedham	4	4	-	-	-	-	7	4	3
Deerfield	-	-	-	-	-	-	-	-	-
Dennis	4	4	-	-	-	-	1	1	-
Dighton	-	-	-	-	-	-	-	-	-
Douglas	-	-	-	-	-	-	-	-	-
Dover	-	-	-	-	-	-	2	2	-
Dracut	6	5	1	3	3	-	6	4	2
Dudley	6	3	3	-	-	-	1	1	-
Dunstable	-	-	-	-	-	-	-	-	-
Duxbury	2	2	-	-	-	-	1	1	-
East Bridgewater	2	-	2	-	-	-	3	2	1
East Brookfield	-	-	-	-	-	-	-	-	-
East Longmeadow	4	4	-	-	-	-	-	-	-
Eastham	-	-	-	-	-	-	-	-	-
Easthampton	2	1	1	-	-	-	7	4	3
Easton	-	-	-	-	-	-	2	2	-
Edgartown	-	-	-	-	-	-	-	-	-
Egremont	-	-	-	-	-	-	-	-	-
Erving	-	-	-	-	-	-	-	-	-
Essex	2	2	-	-	-	-	-	-	-
EVERETT	22	10	12	-	-	-	24	13	11
Fairhaven	8	5	3	-	-	-	6	2	4
FALL RIVER	44	21	23	-	-	-	36	17	19
Falmouth	-	-	-	-	-	-	2	2	-
FITCHBURG	26	9	17	-	-	-	20	9	11
Florida	-	-	-	-	-	-	-	-	-
Foxborough	2	-	2	-	-	-	2	1	1
Framingham	8	5	3	-	-	-	6	2	4
Franklin	-	-	-	-	-	-	3	3	-
Freetown	-	-	-	-	-	-	2	2	-
GARDNER	14	10	4	-	-	-	6	4	2
Gay Head	-	-	-	-	-	-	-	-	-
Georgetown	2	1	1	-	-	-	2	1	1
Gill	-	-	-	-	-	-	-	-	-
GLOUCESTER	18	15	3	-	-	-	16	8	8
Goshen	-	-	-	-	-	-	-	-	-
Gosnold	-	-	-	-	-	-	-	-	-
Grafton	6	3	3	-	-	-	2	2	-
Granby	2	1	1	-	-	-	4	3	1
Granville	-	-	-	-	-	-	-	-	-
Great Barrington	4	2	2	-	-	-	2	1	1
Greenfield	8	5	3	-	-	-	1	-	1
Groton	2	2	-	-	-	-	4	1	3
Groveland	-	-	-	-	-	-	-	-	-
Hadley	-	-	-	-	-	-	3	2	1
Halifax	2	2	-	-	-	-	-	-	-
Hamilton	-	-	-	-	-	-	-	-	-
Hampden	-	-	-	-	-	-	-	-	-
Hancock	-	-	-	-	-	-	-	-	-
Hanover	2	-	2	-	-	-	-	-	-
Hanson	-	-	-	-	-	-	-	-	-
Hardwick	-	-	-	-	-	-	1	1	-
Harvard	-	-	-	-	-	-	-	-	-
Harwich	-	-	-	-	-	-	2	-	2
Hatfield	-	-	-	-	-	-	-	-	-
HAVERHILL	28	13	15	-	-	-	12	6	6
Hawley	-	-	-	-	-	-	-	-	-
Heath	2	2	-	-	-	-	-	-	-
Hingham	10	4	6	-	-	-	4	1	3
Hinsdale	-	-	-	-	-	-	1	-	1
Holbrook	2	-	2	-	-	-	2	-	2
Holden	4	-	4	-	-	-	3	2	1
Holland	-	-	-	-	-	-	-	-	-
Holliston	-	-	-	-	-	-	3	1	2
HOLYOKE	32	12	20	-	-	-	32	20	12

¹ Cities are printed in small capitals.² Allocated.

Table 43

PLURAL BIRTHS² AND STILLBIRTHS,² BY SEX, IN EACH COUNTY
AND MUNICIPALITY: 1951.

MUNICIPALITIES. ¹	PLURAL BIRTHS.									STILLBIRTHS.		
	PLURAL BIRTHS.											
	TWINS.			TRIPLTS.								
	Total.	Males.	Fe- males.	Total.	Males.	Fe- males.	Total.	Males.	Fe- males.	Total.	Males.	Fe- males.
Hopedale	—	—	—	—	—	—	—	—	—	3	3	—
Hopkinton	2	1	1	—	—	—	—	—	—	1	1	—
Hubbardston	—	—	—	—	—	—	—	—	—	—	—	—
Hudson	6	4	2	—	—	—	—	—	—	5	3	2
Hull	—	—	—	—	—	—	—	—	—	—	—	—
Huntington	2	—	2	—	—	—	—	—	—	1	1	—
Ipswich	4	1	3	—	—	—	—	—	—	4	3	1
Kingston	—	—	—	—	—	—	—	—	—	2	1	1
Lakeville	—	—	—	—	—	—	—	—	—	1	1	—
Lancaster	4	3	1	—	—	—	—	—	—	4	2	2
Lanesborough	2	2	—	—	—	—	—	—	—	4	2	2
LAWRENCE	38	22	16	—	—	—	—	—	—	21	13	8
Lee	4	3	1	—	—	—	—	—	—	1	1	—
Leicester	4	—	4	—	—	—	—	—	—	2	—	2
Lenox	2	—	2	—	—	—	—	—	—	—	—	—
LEOMINSTER	6	4	2	—	—	—	—	—	—	14	8	6
Leverett	2	2	—	—	—	—	—	—	—	—	—	—
Lexington	8	4	4	—	—	—	—	—	—	11	8	3
Leyden	—	—	—	—	—	—	—	—	—	—	—	—
Lincoln	—	—	—	—	—	—	—	—	—	—	—	—
Littleton	2	2	—	—	—	—	—	—	—	3	3	—
Longmeadow	—	—	—	—	—	—	—	—	—	1	1	—
LOWELL	32	13	19	—	—	—	—	—	—	46	22	24
Ludlow	8	5	3	—	—	—	—	—	—	4	2	2
Lunenburg	—	—	—	—	—	—	—	—	—	4	3	1
LYNN	48	26	22	—	—	—	—	—	—	49	33	16
Lynnfield	—	—	—	—	—	—	—	—	—	1	1	—
MALDEN	24	14	10	—	—	—	—	—	—	14	4	10
Manchester	2	—	2	—	—	—	—	—	—	1	1	—
Mansfield	4	4	—	—	—	—	—	—	—	3	2	1
Marblehead	4	2	2	—	—	—	—	—	—	2	1	1
Marion	2	—	2	—	—	—	—	—	—	1	1	—
Marlborough	6	5	1	—	—	—	—	—	—	6	4	2
Marshfield	2	—	2	—	—	—	—	—	—	2	2	—
Mashpee	—	—	—	—	—	—	—	—	—	—	—	—
Mattapoisett	2	—	2	—	—	—	—	—	—	—	—	—
Maynard	2	—	2	—	—	—	—	—	—	4	3	1
Medfield	4	1	3	—	—	—	—	—	—	1	1	—
MEDFORD	24	9	15	—	—	—	—	—	—	17	9	8
Medway	—	—	—	—	—	—	—	—	—	1	1	—
MELROSE	12	6	6	—	—	—	—	—	—	12	7	5
Mendon	—	—	—	—	—	—	—	—	—	—	—	—
Merrimac	2	1	1	—	—	—	—	—	—	3	1	2
Methuen	10	4	6	—	—	—	—	—	—	7	5	2
Middleborough	4	1	3	—	—	—	—	—	—	4	1	3
Middlefield	—	—	—	—	—	—	—	—	—	—	—	—
Middleton	—	—	—	—	—	—	—	—	—	5	3	2
Milford	4	2	2	—	—	—	—	—	—	5	4	1
Millbury	10	2	8	—	—	—	—	—	—	5	4	1
Millis	—	—	—	—	—	—	—	—	—	—	—	—
Millville	—	—	—	—	—	—	—	—	—	1	—	1
Milton	6	3	3	—	—	—	—	—	—	6	2	4
Monroe	—	—	—	—	—	—	—	—	—	—	—	—
Monson	—	—	—	—	—	—	—	—	—	1	—	1
Montague	4	2	2	—	—	—	—	—	—	5	4	1
Monterey	—	—	—	—	—	—	—	—	—	1	—	1
Montgomery	—	—	—	—	—	—	—	—	—	—	—	—
Mount Washington	—	—	—	—	—	—	—	—	—	—	—	—
Nahant	2	2	—	—	—	—	—	—	—	3	2	1
Natick	8	4	4	—	—	—	—	—	—	14	6	8
Needham	4	—	4	—	—	—	—	—	—	5	3	2
New Ashford	—	—	—	—	—	—	—	—	—	—	—	—
NEW BEDFORD	50	18	32	—	—	—	—	—	—	51	36	15
New Braintree	—	—	—	—	—	—	—	—	—	—	—	—
New Marlborough	—	—	—	—	—	—	—	—	—	—	—	—
New Salem	—	—	—	—	—	—	—	—	—	—	—	—
Newbury	—	—	—	—	—	—	—	—	—	1	1	—
NEWBURYPORT	4	2	2	—	—	—	—	—	—	5	2	3
NEWTON	26	14	12	—	—	—	—	—	—	20	7	13
Norfolk	—	—	—	—	—	—	—	—	—	—	—	—
NORTH ADAMS	2	2	—	—	—	—	—	—	—	7	5	2
North Andover	2	—	2	—	—	—	—	—	—	2	1	1
North Attleborough	12	7	5	—	—	—	—	—	—	3	2	1
North Brookfield	2	—	2	—	—	—	—	—	—	2	2	—
North Reading	—	—	—	—	—	—	—	—	—	1	1	—
NORTHAMPTON	6	3	3	—	—	—	—	—	—	18	11	7
Northborough	4	1	3	—	—	—	—	—	—	3	3	—

¹ Cities are printed in small capitals.² Allocated.

Table 43

PLURAL BIRTHS² AND STILLBIRTHS,² BY SEX, IN EACH COUNTY
AND MUNICIPALITY: 1951.

MUNICIPALITIES. ¹	PLURAL BIRTHS.								
	PLURAL BIRTHS.						STILLBIRTHS.		
	TWINS.			TRIPLETS.					
	Total.	Males.	Fe- males.	Total.	Males.	Fe- males.	Total.	Males.	Fe- males.
Northbridge	4	3	1	-	-	-	6	3	3
Northfield	6	5	1	-	-	-	-	-	-
Norton	-	-	-	-	-	-	2	-	2
Norwell	4	4	-	-	-	-	-	-	-
Norwood	14	9	5	-	-	-	11	4	7
Oak Bluffs	-	-	-	-	-	-	-	-	-
Oakham	-	-	-	-	-	-	-	-	-
Orange	4	1	3	-	-	-	3	3	-
Orleans	2	-	2	-	-	-	2	-	2
Otis	-	-	-	-	-	-	-	-	-
Oxford	6	4	2	-	-	-	-	-	-
Palmer	-	-	-	-	-	-	6	2	4
Paxton	-	-	-	-	-	-	-	-	-
PEABODY	12	6	6	-	-	-	5	4	1
Pelham	-	-	-	-	-	-	-	-	-
Pembroke	-	-	-	-	-	-	1	-	1
Pepperell	2	2	-	-	-	-	1	1	-
Peru	-	-	-	-	-	-	-	-	-
Petersham	-	-	-	-	-	-	-	-	-
Phillipston	-	-	-	-	-	-	-	-	-
PITTSFIELD	16	10	6	-	-	-	23	11	12
Plainfield	-	-	-	-	-	-	-	-	-
Plainville	6	2	4	-	-	-	1	1	-
Plymouth	4	-	4	-	-	-	3	2	1
Plympton	2	-	2	-	-	-	-	-	-
Princeton	2	-	2	-	-	-	1	-	1
Provincetown	2	2	-	-	-	-	-	-	-
QUINCY	28	14	14	-	-	-	40	21	19
Randolph	4	3	1	-	-	-	4	2	2
Raynham	2	2	-	-	-	-	3	-	3
Reading	10	2	8	-	-	-	1	1	-
Rehoboth	6	4	2	-	-	-	1	1	-
REVERE	22	8	14	-	-	-	13	8	5
Richmond	-	-	-	-	-	-	1	1	-
Rochester	-	-	-	-	-	-	2	1	1
Rockland	4	1	3	-	-	-	4	3	1
Rockport	-	-	-	-	-	-	-	-	-
Rowe	-	-	-	-	-	-	-	-	-
Rowley	-	-	-	-	-	-	-	-	-
Royalston	-	-	-	-	-	-	-	-	-
Russell	-	-	-	-	-	-	1	1	-
Rutland	-	-	-	-	-	-	-	-	-
SALEM	16	7	9	-	-	-	19	17	2
Salisbury	2	1	1	-	-	-	2	1	1
Sandisfield	2	2	-	-	-	-	-	-	-
Sandwich	2	2	-	-	-	-	-	-	-
Saugus	2	2	-	-	-	-	6	5	1
Savoy	-	-	-	-	-	-	-	-	-
Scituate	4	2	2	-	-	-	1	-	1
Seekonk	4	3	1	-	-	-	5	3	2
Sharon	4	4	-	-	-	-	1	1	-
Sheffield	-	-	-	-	-	-	-	-	-
Shelburne	-	-	-	-	-	-	-	-	-
Sherborn	2	2	-	-	-	-	2	1	1
Shirley	4	3	1	-	-	-	8	3	5
Shrewsbury	8	4	4	-	-	-	-	-	-
Shutesbury	-	-	-	-	-	-	-	-	-
Somerset	4	-	4	-	-	-	4	-	4
SOMERVILLE	40	20	20	-	-	-	41	26	15
South Hadley	8	2	6	-	-	-	11	4	7
Southampton	-	-	-	-	-	-	1	-	1
Southborough	-	-	-	-	-	-	-	-	-
Southbridge	4	2	2	-	-	-	6	4	2
Southwick	2	-	2	-	-	-	2	1	1
Spencer	4	2	2	-	-	-	1	-	1
SPRINGFIELD	80	44	36	-	-	-	63	39	24
Sterling	-	-	-	-	-	-	-	-	-
Stockbridge	2	2	-	-	-	-	-	-	-
Stoneham	4	2	2	-	-	-	5	2	3
Stoughton	6	1	5	-	-	-	5	3	2
Stow	-	-	-	-	-	-	-	-	-
Sturbridge	4	3	1	-	-	-	1	1	-
Sudbury	-	-	-	-	-	-	-	-	-
Sunderland	-	-	-	-	-	-	-	-	-
Sutton	-	-	-	-	-	-	2	2	-
Swampscott	12	7	5	-	-	-	4	3	1
Swansea	2	1	1	-	-	-	2	-	2

¹ Cities are printed in small capitals.² Allocated.

Table 43

PLURAL BIRTHS¹ AND STILLBIRTHS,² BY SEX, IN EACH COUNTY AND MUNICIPALITY: 1951.

MUNICIPALITIES. ¹	PLURAL BIRTHS.								
	PLURAL BIRTHS.						STILLBIRTHS.		
	TWINS.			TRIPLETS.					
	Total.	Males.	Fe- males.	Total.	Males.	Fe- males.	Total.	Males.	Fe- males.
TAUNTON	20	12	8	-	-	-	18	10	8
Templeton	4	1	3	-	-	-	2	1	1
Tewksbury	2	2	-	-	-	-	6	3	3
State Infirmary	-	-	-	-	-	-	-	-	-
Tisbury	-	-	-	-	-	-	-	-	-
Tolland	-	-	-	-	-	-	-	-	-
Topsfield	4	1	3	-	-	-	1	1	-
Townsend	2	-	2	-	-	-	3	1	2
Truro	-	-	-	-	-	-	-	-	-
Tyngsborough	4	-	4	-	-	-	1	1	-
Tyringham	-	-	-	-	-	-	-	-	-
Upton	2	1	1	-	-	-	2	-	2
Uxbridge	4	4	-	-	-	-	6	3	3
Wakefield	6	6	-	-	-	-	6	3	3
Wales	4	2	2	-	-	-	-	-	-
Walpole	4	-	4	-	-	-	1	-	1
WALTHAM	34	29	5	-	-	-	12	6	6
Ware	2	2	-	-	-	-	2	-	2
Wareham	-	-	-	-	-	-	4	3	1
Warren	-	-	-	-	-	-	2	-	2
Warwick	-	-	-	-	-	-	-	-	-
Washington	-	-	-	-	-	-	-	-	-
Watertown	18	13	5	-	-	-	10	4	6
Wayland	2	1	1	-	-	-	-	-	-
Webster	6	3	3	-	-	-	4	4	-
Wellesley	6	5	1	-	-	-	4	3	1
Wellfleet	-	-	-	-	-	-	-	-	-
Wendell	-	-	-	-	-	-	-	-	-
Wenham	-	-	-	-	-	-	-	-	-
West Boylston	-	-	-	-	-	-	2	1	1
West Bridgewater	6	3	3	-	-	-	2	1	1
West Brookfield	2	2	-	-	-	-	2	1	1
West Newbury	-	-	-	-	-	-	-	-	-
West Springfield	8	5	3	-	-	-	9	5	4
West Stockbridge	-	-	-	-	-	-	1	-	1
West Tisbury	-	-	-	-	-	-	-	-	-
Westborough	4	4	-	3	3	-	1	1	-
WESTFIELD	4	4	-	-	-	-	5	1	4
Westford	-	-	-	-	-	-	-	-	-
Westhampton	-	-	-	-	-	-	-	-	-
Westminster	-	-	-	-	-	-	-	-	-
Weston	-	-	-	-	-	-	1	-	1
Westport	4	2	2	-	-	-	1	-	1
Westwood	2	2	-	-	-	-	1	-	1
Weymouth	22	11	11	-	-	-	19	14	5
Whately	2	2	-	-	-	-	-	-	-
Whitman	-	-	-	-	-	-	1	-	1
Wilbraham	-	-	-	-	-	-	2	1	1
Williamsburg	2	2	-	-	-	-	-	-	-
Williamstown	-	-	-	-	-	-	3	2	1
Wilmington	8	5	3	-	-	-	2	1	1
Winchendon	4	3	1	-	-	-	4	1	3
Winchester	6	2	4	-	-	-	6	3	3
Windsor	-	-	-	-	-	-	-	-	-
Winthrop	12	2	10	-	-	-	8	4	4
WOBURN	14	10	4	-	-	-	11	6	5
WORCESTER	94	46	48	-	-	-	72	44	28
Worthington	-	-	-	-	-	-	-	-	-
Wrentham	2	1	1	-	-	-	-	-	-
Yarmouth	-	-	-	-	-	-	-	-	-

¹ Cities are printed in small capitals² Allocated.

Table 44	YEARS.	LIVE BIRTHS ¹ AND BIRTH RATES ¹ FOR THE STATE AND CITIES HAVING OVER 100,000 INHABITANTS IN 1950: 1900 TO 1951.							
		The State.	Boston.	Worcester.	Spring- field.	Cam- bridge.	Fall River.	New Bedford.	Somer- ville.
LIVE BIRTHS.									
1900		73,386	16,328	3,131	1,560	2,648	4,327	2,230	-
1901		71,976	15,561	3,291	1,449	2,525	4,054	2,440	-
1902		72,219	15,516	3,349	1,592	2,476	4,341	2,437	-
1903		73,584	15,664	3,501	1,647	2,528	4,448	2,469	-
1904		75,014	15,730	3,540	1,624	2,528	4,514	2,620	-
1905		75,022	15,661	3,510	1,810	2,453	4,092	2,765	-
1906		80,237	17,062	3,743	1,816	2,768	4,333	2,949	-
1907		85,001	18,229	3,998	2,019	2,826	4,622	3,272	-
1908		86,911	18,359	3,978	2,184	2,887	4,838	3,580	-
1909		84,039	17,584	3,645	2,258	2,643	4,692	3,836	-
1910		86,539	17,672	3,923	2,445	2,436	4,591	3,863	-
1911		88,327	17,844	4,122	2,512	2,621	4,617	4,160	-
1912		89,882	18,745	4,167	2,779	2,605	4,714	3,594	-
1913		91,644	19,109	4,520	2,866	2,713	4,664	3,647	-
1914		93,399	19,467	4,667	2,986	2,745	4,703	3,574	-
1915		93,155	19,713	4,504	3,099	2,610	3,910	3,533	-
1916		93,487	19,604	4,941	3,281	2,691	3,690	3,497	-
1917		95,731	19,950	5,276	3,614	2,764	3,807	3,664	-
1918		95,607	20,092	5,239	3,770	2,672	3,645	3,920	-
1919		97,827	18,799	4,596	3,268	2,757	3,421	3,386	-
1920		91,859	19,573	4,812	3,419	2,862	3,537	3,507	-
1921		92,207	19,397	4,838	3,392	3,048	3,710	3,649	-
1922		87,636	18,536	4,357	3,089	3,007	3,537	3,344	-
1923		89,210	19,056	4,517	3,358	3,033	3,645	3,295	-
1924		91,463	19,776	4,551	3,520	3,144	3,594	3,170	-
1925		86,014	18,636	4,340	3,385	2,932	3,324	3,009	-
1926		83,502	18,731	4,312	3,298	2,933	3,050	2,762	-
1927		82,273	19,079	4,310	3,158	2,902	2,872	2,432	-
1928		79,054	18,781	3,997	2,991	2,724	2,707	2,394	-
1929		74,122	17,942	3,759	3,040	2,597	2,255	2,033	-
1930		73,690	18,057	3,638	3,106	2,524	2,201	1,988	1,677
1931		69,385	17,137	3,611	2,939	2,477	2,083	1,861	1,428
1932		68,518	17,271	3,435	2,643	2,462	2,099	1,728	1,342
1933		63,457	16,249	3,101	2,414	2,169	1,977	1,666	1,220
1934		63,767	15,825	3,237	2,431	2,190	2,072	1,775	1,233
1935		62,416	12,371	2,811	2,086	1,857	1,790	1,501	1,630
1936		61,184	12,117	2,688	2,044	1,742	1,669	1,545	1,658
1937		61,272	12,101	2,862	1,971	1,784	1,690	1,472	1,636
1938		62,382	11,943	2,822	1,989	1,822	1,709	1,467	1,719
1939		62,575	11,965	2,784	1,930	1,832	1,699	1,400	1,656
1940		65,369	12,429	2,920	2,040	1,906	1,806	1,490	1,755
1941		70,228	12,701	3,105	2,497	2,070	1,889	1,620	1,833
1942		83,371	15,063	3,824	2,950	2,362	2,354	2,047	2,092
1943		85,743	15,352	3,831	3,079	2,521	2,487	1,983	2,124
1944		78,140	14,264	3,354	2,763	2,251	2,234	1,773	1,867
1945		76,455	14,670	3,209	2,870	2,218	2,100	1,808	1,865
1946		96,903	16,902	4,200	3,535	2,859	2,539	2,311	2,461
1947		106,690	18,565	4,582	3,979	3,155	2,774	2,435	2,548
1948		98,933	17,076	4,036	3,640	2,858	2,398	2,210	2,452
1949		96,041	16,498	4,040	3,585	2,743	2,261	2,055	2,121
1950		95,619	16,479	3,995	3,421	2,496	2,071	2,035	2,118
1951		99,851	16,019	4,080	3,732	2,659	1,998	2,082	2,154
BIRTH RATES PER 1,000 POPULATION: CENSUS YEARS 1925 TO 1950.									
1925		20.8	23.9	22.8	23.8	24.5	25.8	25.2	-
1930		17.3	23.1	18.6	20.7	22.2	19.1	17.7	16.1
1935		14.3	15.1	14.8	13.9	15.7	15.2	13.6	16.2
1940		15.1	16.1	15.1	13.6	17.2	15.6	13.5	17.2
1945		16.9	17.8	16.1	17.8	12.0	18.3	16.4	17.6
1950		20.3	20.5	19.6	21.0	20.6	18.5	18.6	20.7

¹ Allocated for the years 1935 to 1951, inclusive.

Table 45	NATURAL INCREASE.				SEX.				
	Population.	Birth rate per 1,000 popu-lation.	Excess of births over deaths. ¹	Excess of births over deaths per 1,000 popu-lation.	Total number. ²	Males.	Fe-males.	Un-known.	Males to 1,000 females.
YEARS.									
1900 .	2,805,346	26.2	22,230	8.0	73,386	37,772	35,614	—	1,060
1901 .	2,849,047	25.3	23,701	8.4	71,976	37,004	34,972	—	1,058
1902 .	2,889,386	25.0	24,728	8.6	72,219	37,057	35,162	—	1,054
1903 .	2,929,725	25.1	24,530	8.4	73,584	38,210	35,374	—	1,080
1904 .	2,970,064	25.3	26,532	9.0	75,014	38,689	36,325	—	1,065
1905 .	3,015,872	24.9	24,536	8.2	75,022	38,484	36,538	—	1,080
1906 .	3,089,029	26.0	29,613	9.6	80,237	41,217	39,020	—	1,056
1907 .	3,162,186	26.9	30,767	9.7	85,001	43,486	41,515	—	1,047
1908 .	3,235,343	26.9	35,123	10.9	86,911	44,796	42,090	25	1,064
1909 .	3,308,500	25.4	32,803	9.9	84,039	43,339	40,679	21	1,061
1910 .	3,380,151	25.6	32,132	9.5	86,539	44,243	42,276	20	1,047
1911 .	3,446,079	25.6	35,265	10.2	88,327	45,352	42,961	14	1,056
1912 .	3,512,007	25.6	37,482	10.7	89,882	46,436	43,440	6	1,069
1913 .	3,577,935	25.6	38,242	10.7	91,644	47,099	44,541	4	1,057
1914 .	3,643,863	25.6	40,426	11.1	93,399	47,671	45,725	3	1,043
1915 .	3,709,792	25.2	40,045	10.8	93,155	47,786	45,363	6	1,053
1916 .	3,775,720	24.8	37,121	9.9	93,487	48,256	45,227	4	1,067
1917 .	3,841,648	24.9	39,103	10.2	95,731	49,017	46,714	—	1,049
1918 .	3,907,576	24.5	16,765	4.3	95,607	49,138	46,465	4	1,058
1919 .	3,835,614	22.9	35,482	9.3	87,827	44,713	43,113	1	1,037
1920 .	3,852,356	23.8	38,227	9.9	91,859	47,288	44,569	2	1,061
1921 .	3,885,836	23.7	44,427	11.4	92,207	47,414	44,791	2	1,059
1922 .	3,936,056	22.3	36,521	9.3	87,636	45,035	42,595	6	1,057
1923 .	3,969,536	22.5	36,830	9.3	89,210	45,631	43,572	7	1,047
1924 .	4,003,016	22.8	41,997	10.4	91,463	46,957	44,500	6	1,055
1925 .	4,144,205	20.8	34,124	8.3	86,014	44,082	41,930	2	1,051
1926 .	4,170,560 ³	20.0 ²	30,614	7.3 ²	83,502	42,681	40,821	—	1,046
1927 .	4,191,644 ¹	19.6 ²	32,949	7.8 ²	82,273	42,270	40,003	—	1,057
1928 .	4,212,728 ²	18.8 ²	27,612	6.6 ²	79,054	40,518	38,536	—	1,051
1929 .	4,233,812 ²	17.5 ²	21,951	5.2 ²	74,122	38,125	35,994	—	1,059
1930 .	4,249,614	17.3	24,187	5.7	73,690	37,687	36,002	1	1,047
1931 .	4,275,909	16.2	20,642	4.8	69,385	35,534	33,850	1	1,050
1932 .	4,297,053	15.9	18,987	4.4	68,518	35,080	33,437	—	1,049
1933 .	4,318,137	14.7	12,625	2.9	63,457	32,462	30,995	—	1,047
1934 .	4,339,221	14.7	13,007	3.0	63,767	32,815	30,952	—	1,060
1935 .	4,350,910	14.3	12,782	2.9	62,416	32,117	30,299	—	1,060
1936 .	4,382,896	14.0	9,749	2.3	61,184	31,290	29,894	—	1,047
1937 .	4,404,220	13.9	9,533	2.2	61,272	31,623	29,649	—	1,067
1938 .	4,425,544	14.1	13,097	3.0	62,382	31,852	30,530	—	1,043
1939 .	4,446,868	14.1	12,283	2.8	62,575	32,048	30,527	—	1,050
1940 .	4,316,721	15.1	14,671	3.4	65,369	33,634	31,735	—	1,060
1941 .	4,325,106	16.2	19,772	4.5	70,228	35,861	34,367	—	1,043
1942 .	4,331,814	19.2	32,848	7.5	83,371	42,931	40,440	—	1,062
1943 .	4,331,530	19.8	31,332	7.2	85,743	44,291	41,452	—	1,068
1944 .	4,345,238	18.0	26,686	6.1	78,140	40,197	37,943	—	1,059
1945 .	4,511,866	16.9	25,692	5.7	76,455	39,484	36,970	1	1,068
1946 .	4,549,036	21.3	45,614	10.0	96,903	49,878	47,023	2	1,061
1947 .	4,586,206	23.3	55,107	12.1	106,690	55,074	51,615	1	1,067
1948 .	4,623,376	21.4	46,618	10.1	98,933	50,812	48,121	—	1,056
1949 .	4,660,546	20.6	45,599	9.8	96,041	49,296	46,745	—	1,053
1950 .	4,699,859	20.3	45,260	9.6	95,619	49,416	46,203	—	1,070
1951 .	4,737,238	21.1	46,911	9.9	99,851	51,217	48,634	—	1,053

¹ Exclusive of stillbirths.² Revised figure.³ Allocated since 1935.

Table 46	PLURAL BIRTHS: ¹ 1900 TO 1951.		STILLBIRTHS: ² 1900 TO 1951.					Rate per 1,000 total births.	
			Total number.	Per 1,000 live births.	SEX.				
	YEARS.	Twins. ³ Triplets.			Males.	Females.	Unknown.		
1900	.	814	4	2,873	39	1,694	1,128	51	38
1901	.	726	9	2,682	37	1,415	1,208	59	36
1902	.	728	7	2,836	39	1,696	1,098	42	38
1903	.	850	11	2,635	36	1,533	1,014	88	35
1904	.	834	4	2,846	38	1,614	1,162	70	37
1905	.	803	14	2,618	35	1,515	1,043	60	34
1906	.	878	10	2,760	34	1,586	1,134	40	33
1907	.	928	10	3,079	36	1,757	1,274	48	35
1908	.	965	6	3,179	37	1,863	1,278	38	35
1909	.	881	4	3,102	37	1,834	1,219	49	36
1910	.	940	17	3,158	36	1,829	1,263	66	35
1911	.	915	14	3,280	37	1,825	1,408	47	36
1912	.	996	8	3,188	35	1,871	1,263	29	34
1913	.	996	13	3,175	35	1,872	1,275	28	33
1914	.	1,008	15	3,349	36	1,936	1,369	44	35
1915	.	952	9	3,161	34	1,815	1,312	34	33
1916	.	942	13	3,300	35	1,916	1,334	50	34
1917	.	1,065	7	3,324	35	1,937	1,330	57	34
1918	.	1,054	10	3,779	40	2,173	1,570	36	38
1919	.	986	7	3,092	35	1,750	1,332	10	34
1920	.	1,006	6	3,336	36	1,948	1,374	14	35
1921	.	1,059	13	3,428	37	1,983	1,429	16	36
1922	.	916	11	3,268	37	1,886	1,373	9	36
1923	.	976	8	3,332	37	1,891	1,413	28	36
1924	.	1,003	13	3,548	39	1,965	1,490	93	37
1925	.	869	17	3,141	37	1,807	1,317	17	35
1926	.	898	10	2,997	36	1,675	1,313	9	35
1927	.	894	10	2,969	36	1,606	1,356	7	35
1928	.	857	9	2,821	36	1,605	1,207	9	34
1929	.	804	4	2,540	34	1,414	1,123	3	33
1930	.	783	15	2,597	35	1,442	1,148	7	34
1931	.	731	13	2,440	35	1,350	1,079	11	34
1932	.	735	6	2,350	34	1,317	1,025	8	33
1933	.	645	4	2,173	34	1,206	959	8	33
1934	.	635	7	1,997	31	1,108	889	—	30
1935	.	612	5	1,886	30	1,000	885	1	29
1936	.	634	8	1,816	30	980	835	1	29
1937	.	622	2	1,744	28	987	757	—	28
1938	.	621	6	1,730	28	922	808	—	27
1939	.	651	6	1,765	28	949	816	—	27
1940	.	625	11	1,774	27	958	816	—	26
1941	.	721	9	1,768	25	933	835	—	25
1942	.	856	9	2,066	25	1,094	972	—	24
1943	.	800	9	2,016	24	1,080	936	—	23
1944	.	774	11	1,821	23	996	825	—	23
1945	.	758	8	1,748	23	917	831	—	22
1946	.	1,060	6	2,135	22	1,151	984	—	22
1947	.	1,030	8	2,123	20	1,137	986	—	20
1948	.	1,048	10	1,922	19	1,045	877	—	19
1949	.	974	6	1,780	19	976	804	—	18
1950	.	1,050	12	1,815	19	990	825	—	19
1951	.	1,052	3	1,775	18	985	790	—	18

¹ There was one case of quadruplets in 1901, 1903, 1906, 1910, 1912, 1926 and 1951.² Allocated since 1935.

MARRIAGE STATISTICS

	PAGE
Introduction	284, 285
Marriage registration	284
Source of data	284
Decrease of marriages	284
Solemnization	284, 285
Accuracy	285
Purpose, marriage requirements	285
Statistical tables	286-296

INTRODUCTION.

Marriage Registration. — The public registration of marriages has been required for many years in Massachusetts. Records of marriage are made in the first instance in the cities and towns of the State where the contracting parties dwell and if the ceremony is solemnized in a town other than where the parties reside, in the town where the ceremony is performed.

Since 1841 it has been required that copies of these records be forwarded annually to the Secretary of the Commonwealth, but many City and Town Clerks co-operate by making periodic returns throughout the year. From 1841 to 1951, inclusive, there have been 5,592,551 marriages reported, recorded and tabulated in this department.

Source of Data. — The marriage statistics in this report are compiled from attested copies of the records of marriages recorded in every city and town. Persons intending to be joined in marriage in Massachusetts must file a notice of intention in the town in which they respectively dwell, and this notice of intention must contain the facts required for record and be sworn to by each of the parties to the marriage. Chapter 561, Acts of 1943 provides that in cases of persons, one or both of whom is in the armed forces, such notice may be given by either party, provided one is a resident. If a marriage is performed in a town other than the town issuing the license, a copy of the license is required to be made and forwarded by the clergyman or magistrate to the clerk of the municipality in which the ceremony was performed. Five days after the notice of intention has been filed, unless a court waives the requirement, the marriage license may be issued with all the facts set forth in the notice of intention which are required for record. This certificate is presented to the clergyman or magistrate before whom the marriage is performed, and the facts as to the ceremony are certified by that person. Between the first and tenth days of the month following the ceremony the license or licenses are required to be returned by the clergyman or magistrate to the office or offices issuing the same.

Decrease of Marriages. — There has been a decrease in the number of marriages solemnized in 1951, 40,415, which was 1,296 less than 1950. For the five-year period 1949 with 39,639 marriages had the lowest number. The three previous years showed a greater number however, in 1948 there were 45,940, in 1947, 49,803, and in 1946, 56,948.

Solemnization. — A marriage may be solemnized in any place within the Commonwealth by a minister of the gospel who resides in the Commonwealth, or, who if a non-resident is the pastor of a church or denomination duly established in the Commonwealth and who is recognized by his church or denomination as duly ordained and in good and regular standing as a minister of such church or denomination including ordained deacons in the Methodist Church; by a rabbi of the Israelitish faith, duly licensed by a congregation of said faith established in the Commonwealth, who has filed with the clerk or registrar of the city or town where such congregation is established a certificate of the establishment of the synagogue therein, the date of his appointment thereto, and of the term of his engagement; by a justice of the peace if he is also clerk or assistant clerk of a city or town, or a registrar or assistant registrar, in the city or town where he holds such office, or, if he is also clerk or assistant clerk of a court, in the city or town where the court is authorized to be held, or, if he has been designated as a justice of the peace to

solemnize marriages in the city or town where he resides; and it may be solemnized among Friends or Quakers according to the usages of their societies; and it may be solemnized among the Baha'is, by the Chairman of an incorporated local spiritual assembly of the Baha'is according to the usage of their society; and a specified marriage may be performed by a non-resident clergyman commissioned by the Governor in accordance with the provisions of General Laws, Chap. 207, Sec. 39; but no person shall solemnize a marriage in the Commonwealth unless he can read and write the English language.

Chapter 273 of the Acts of 1946 provides for filing evidence of marriage of residents of Massachusetts who have been married in another State or without the United States, with the city or town clerk of their place of domicile at the time of the marriage.

Chapter 113 of the Acts of 1950 provides for premarital blood examination. Certificates of medical examinations must be presented by both parties to the intended marriage before the marriage certificate is issued.

Accuracy. — The registration of marriages presents fewer difficulties than the registration of birth and death records and the statistics should be nearly 100 per cent perfect.

Every precaution has been taken to see that the statutes pertaining to the solemnization of marriage are strictly enforced, but as there is no public registration of ministers of the gospel in Massachusetts, it is not always possible to get in touch with the persons responsible for making returns of marriages solemnized by them. To guard against the possibility of marriages being performed on one license where two are required, on an out-of-state license, or on a license that has become invalid because of lapse of time, copies have been prepared of the marriage laws and are forwarded, upon request, to all persons interested, and are sent to the city and town clerks, together with posters setting forth the legal impediments to marriage, which are required to be posted in their offices.

The errors in solemnizing and returning a record of marriage, if any, are due to the lack of information as to the requirements of the statute rather than to any wilful attempt to evade the requirements of the law.

Marriage licenses issued to residents are valid throughout the Commonwealth, regardless of the residence of either party and many marriages are performed in cities and towns other than the place where either party lived. Persons who do not reside in the Commonwealth must file their intention with the clerk of the city or town where they propose to have the marriage solemnized and the marriage must be solemnized in that particular municipality.

The principal source of error in the records of marriage comes about through the carelessness or ignorance of one of the parties in filing the notice of intention as to the facts concerning the other party. Therefore, it sometimes happens that records for the same marriage coming from different towns do not contain the same information. Names and other facts will be at variance. These certificates are compared in the Division of Vital Statistics and every effort is made to have the certificates agree, but considerable confusion and delay follow from this situation.

Purpose. — The practical purposes of marriage records are:

1. As evidence to establish dower and curtesy rights of husband and wife.
2. To prove legality as to claims of inheritance.
3. As evidence upon which to base subsequent records concerning the parties.
4. For Governmental pension purposes.
5. For pensions under Employees Pension Laws.
6. For insurance, pension and retirement purposes.
7. To establish legal settlement for public aid and the settlement of dependent children of parents.
8. For naturalization and passport purposes.
9. To prove legitimacy of children.

The following tables contain the number of marriages solemnized:

Table 47	MARRIAGES, CLASSIFIED BY NATIVITY OF BRIDE AND GROOM, IN EACH COUNTY AND MUNICIPALITY: 1951.					MARRIAGES CLASSIFIED BY RESIDENCE OF BRIDE AND GROOM, IN EACH COUNTY AND MUNICIPALITY: 1951.				
	MUNICIPALITIES. ¹	NATIVITY.				Groom and bride resi- dents.	Groom a resi- dent.	Bride a resi- dent.	Groom and bride non- resi- dents.	
		TOTAL COUPLES.	BRIDE AND GROOM.		Native groom and foreign bride.					Foreign groom and native bride.
			BOTH— Native.	For- eign.						
CHICOPEE	575	535	3	13	24	192	28	176	179	
Chilmark	—	—	—	—	—	—	—	—	—	
Clarksburg	4	4	—	—	—	—	2	—	2	
Clinton	132	121	1	3	7	63	13	47	9	
Cohasset	35	33	—	1	1	3	2	16	14	
Colrain	6	6	—	—	—	2	—	4	—	
Concord	71	66	2	1	2	22	4	31	14	
Conway	8	8	—	—	—	—	1	4	3	
Cummington	2	2	—	—	—	1	—	1	—	
Dalton	35	34	—	1	—	7	2	17	9	
Danvers	86	82	1	2	1	31	6	36	13	
Dartmouth	64	61	2	—	1	15	3	15	31	
Dedham	119	114	2	1	2	44	9	49	17	
Deerfield	28	25	1	1	1	5	5	6	12	
Dennis	13	13	—	—	—	2	1	6	4	
Dighton	39	38	—	1	—	7	6	13	13	
Douglas	20	19	—	—	1	7	2	9	2	
Dover	4	4	—	—	—	—	—	2	2	
Dracut	34	29	1	2	2	8	1	14	11	
Dudley	13	13	—	—	—	2	1	2	8	
Dunstable	7	6	—	1	—	2	1	3	1	
Duxbury	33	32	—	—	1	8	1	17	7	
East Bridgewater	21	20	—	—	1	6	1	8	6	
East Brookfield	15	14	—	1	—	4	1	2	8	
East Longmeadow	36	33	1	1	1	4	7	15	10	
Eastham	4	4	—	—	—	1	1	—	2	
Easthampton	139	135	1	—	3	29	8	46	56	
Easton	42	40	1	1	—	19	5	13	5	
Edgartown	19	17	—	2	—	3	1	4	11	
Egremont	5	5	—	—	—	1	2	1	1	
Erving	18	18	—	—	—	3	2	2	11	
Essex	15	15	—	—	—	4	3	6	2	
EVERETT	518	453	13	22	30	168	27	191	132	
Fairhaven	98	89	2	2	5	27	8	48	15	
FALL RIVER	988	920	12	25	31	636	32	252	68	
Falmouth	149	136	2	7	4	26	5	18	100	
FITCHBURG	346	308	11	12	15	189	17	107	33	
Florida	4	4	—	—	—	—	—	2	2	
Foxborough	30	30	—	—	—	13	3	12	2	
Framingham	211	191	3	10	7	101	15	73	22	
Franklin	46	44	1	—	1	19	2	23	2	
Freetown	19	19	—	—	—	5	2	4	8	
GARDNER	154	134	9	8	3	83	5	55	11	
Gay Head	1	—	—	1	—	—	—	—	1	
Georgetown	15	15	—	—	—	4	2	5	4	
Gill	1	1	—	—	—	—	—	1	—	
GLOUCESTER	219	202	2	3	12	162	10	41	6	
Goshen	2	2	—	—	—	1	—	—	1	
Gosnold	—	—	—	—	—	—	—	—	—	
Grafton	62	61	—	—	1	11	5	19	27	
Granby	17	15	—	1	1	6	1	6	4	
Granville	7	7	—	—	—	3	1	3	—	
Great Barrington	74	68	5	1	—	25	6	24	19	
Greenfield	170	167	1	—	2	62	17	58	33	
Groton	20	17	2	1	—	3	—	11	6	
Groveland	9	9	—	—	—	3	—	3	3	
Hadley	18	18	—	—	—	6	2	9	1	
Halifax	9	6	1	2	—	2	—	2	5	
Hamilton	26	25	1	—	—	4	4	7	11	
Hampden	7	7	—	—	—	1	1	4	1	
Hancock	1	1	—	—	—	1	—	—	—	
Hanover	28	25	1	—	2	2	3	10	13	
Hanson	12	11	—	—	1	7	2	2	1	
Hardwick	21	20	—	1	—	7	1	7	6	
Harvard	2	2	—	—	—	1	—	1	—	
Harwich	44	37	—	4	3	10	2	12	20	
Hatfield	12	12	—	—	—	5	1	6	—	
HAVERHILL	355	336	4	9	6	222	22	88	23	
Hawley	—	—	—	—	—	—	—	—	—	
Heath	1	1	—	—	—	—	—	1	—	
Hingham	56	56	—	—	—	19	5	27	5	
Hinsdale	3	3	—	—	—	3	—	—	—	
Holbrook	15	14	—	1	—	3	3	9	—	
Holden	49	46	—	1	2	10	2	22	15	
Holland	1	1	—	—	—	—	—	—	1	
Holliston	25	24	—	1	—	10	2	10	3	
HOLYOKE	423	382	6	10	25	198	18	160	47	

¹ Cities are printed in small capitals.

Table 47

Table 47	MARRIAGES, CLASSIFIED BY NATIVITY OF BRIDE AND GROOM, IN EACH COUNTY AND MUNICIPALITY: 1951.					MARRIAGES, CLASSIFIED BY RESIDENCE OF BRIDE AND GROOM, IN EACH COUNTY AND MUNICIPALITY: 1951.				
	MUNICIPALITIES. ¹	NATIVITY.			Groom and bride resi- dents.	Groom a resi- dent.	Bride a resi- dent.	Groom and bride non- resi- dents.		
		TOTAL COUPLES.	BRIDE AND GROOM BOTH—	Native groom and foreign bride.					Foreign groom and native bride.	
		Native.	Foreign.							
Hopedale	30	29	—	1	—	4	4	19	3	
Hopkinton	17	16	—	—	1	4	2	9	2	
Hubbardston	6	6	—	—	—	3	—	2	1	
Hudson	58	55	1	1	1	24	2	20	12	
Hull	42	39	—	1	2	15	2	16	0	
Huntington	10	10	—	—	—	3	—	3	4	
Ipswich	47	42	1	—	4	23	3	16	5	
Kingston	21	20	—	1	—	4	6	4	7	
Lakeville	12	10	1	1	—	1	2	1	8	
Lancaster	32	31	—	—	1	11	4	14	3	
Lanesborough	4	4	—	—	—	—	—	1	3	
LAWRENCE	733	674	16	23	20	356	69	236	72	
Lee	28	25	1	1	1	13	2	9	4	
Leicester	38	37	—	—	1	10	6	19	3	
Lenox	38	35	—	1	2	5	1	17	15	
LEOMINSTER	180	165	2	6	7	76	10	84	10	
Leverett	4	4	—	—	—	—	—	1	3	
Lexington	99	91	—	6	2	21	9	55	14	
Leyden	—	—	—	—	—	—	—	—	—	
Lincoln	11	8	—	1	2	—	—	10	1	
Littleton	24	18	1	2	3	8	4	1	11	
Longmeadow	41	37	—	3	1	5	6	22	8	
LOWELL	870	812	13	16	29	518	50	234	68	
Ludlow	78	72	3	—	3	21	5	41	11	
Lunenburg	25	24	—	—	1	4	4	6	11	
LYNN	866	778	21	29	38	473	55	258	80	
Lynnfield	37	34	1	1	1	2	6	13	16	
MALDEN	480	442	11	13	14	181	28	178	93	
Manchester	14	12	—	1	1	4	1	8	1	
Mansfield	35	34	—	1	—	11	1	19	4	
Marblehead	92	92	—	—	—	39	4	36	13	
Marion	19	19	—	—	—	3	1	11	4	
MARLBOROUGH	123	121	—	—	2	57	6	55	5	
Marshfield	28	26	—	1	1	7	2	12	7	
Mashpee	—	—	—	—	—	—	—	—	—	
Mattapoisett	10	10	—	—	—	3	1	4	2	
Maynard	65	63	—	—	2	28	6	24	7	
Medfield	16	16	—	—	—	3	1	10	2	
MEDFORD	558	519	10	14	15	174	39	244	101	
Medway	34	33	—	1	—	12	2	17	3	
MELROSE	198	189	—	4	5	56	17	99	26	
Mendon	3	3	—	—	—	1	1	—	1	
Merrimac	37	36	1	—	—	4	4	8	21	
Methuen	119	112	2	2	3	40	8	47	24	
Middleborough	100	93	—	3	4	48	9	27	16	
Middlefield	2	1	—	1	—	—	—	—	2	
Middleton	17	15	1	—	1	4	1	11	1	
Milford	132	127	—	1	4	65	13	42	12	
Millbury	79	75	—	3	1	18	6	32	23	
Millis	19	18	—	—	1	2	2	13	2	
Millville	14	14	—	—	—	2	1	10	1	
Milton	176	163	—	6	7	40	14	87	35	
Monroe	—	—	—	—	—	—	—	—	—	
Monson	30	30	—	—	—	14	2	3	11	
Montague	77	74	1	—	2	28	9	32	8	
Monterey	3	3	—	—	—	—	—	—	3	
Montgomery	—	—	—	—	—	—	—	—	—	
Mount Washington	—	—	—	—	—	—	—	—	—	
Nahant	22	22	—	—	—	4	2	12	4	
Nantucket	33	33	—	—	—	18	—	13	2	
Natick	98	88	3	3	4	31	6	49	12	
Needham	138	128	1	3	6	29	8	48	53	
New Ashford	—	—	—	—	—	—	—	—	—	
NEW BEDFORD	1,115	991	22	33	69	710	49	277	79	
New Braintree	1	1	—	—	—	—	—	1	—	
New Marlborough	7	7	—	—	—	—	3	2	2	
New Salem	2	1	1	—	—	—	—	—	2	
Newbury	10	10	—	—	—	1	—	5	4	
NEWBURYPORT	102	99	—	1	2	49	11	33	9	
NEWTON	667	606	15	21	25	205	39	283	140	
Norfolk	13	13	—	—	—	2	2	2	7	
NORTH ADAMS	186	175	4	5	2	102	17	52	15	
North Andover	56	51	1	—	4	20	5	24	7	
North Attleborough	107	103	1	1	2	34	4	43	26	
North Brookfield	17	17	—	—	—	2	4	8	3	
North Reading	28	28	—	—	—	10	2	13	3	
NORTHAMPTON	186	180	3	2	1	76	12	76	22	

¹ Cities are printed in small capitals.

Table 47

Table 47	MARRIAGES, CLASSIFIED BY NATIVITY OF BRIDE AND GROOM, IN EACH COUNTY AND MUNICIPALITY: 1951.				MARRIAGES, CLASSIFIED BY RESIDENCE OF BRIDE AND GROOM IN EACH COUNTY AND MUNICIPALITY: 1951.				
	NATIVITY.								
	TOTAL COUPLES.	BRIDE AND GROOM BOTH—		Native groom and foreign bride.	Foreign groom and native bride.	Groom and bride resi- dents.	Groom a resi- dent.	Bride a resi- dent.	Groom and bride non- resi- dents.
		Native.	For- eign.						
MUNICIPALITIES. ¹									
Northborough	20	19	—	—	1	4	3	11	2
Northbridge	82	70	4	2	6	23	10	28	16
Northfield	21	21	—	—	—	4	2	5	10
Norton	61	58	—	1	2	6	—	11	44
Norwell	11	10	—	1	—	2	1	4	4
Norwood	159	144	5	1	9	55	10	77	17
Oak Bluffs	22	21	—	—	1	7	1	6	8
Oakham	1	1	—	—	—	—	—	1	—
Orange	55	51	—	2	2	26	2	16	11
Orleans	30	30	—	—	—	4	2	5	19
Otis	5	5	—	—	—	1	—	1	3
Oxford	36	36	—	—	—	12	2	17	5
Palmer	90	87	—	—	3	32	7	28	23
Paxton	3	3	—	—	—	1	—	1	1
PEABODY	199	181	3	5	10	75	13	69	42
Pelham	2	2	—	—	—	1	—	1	—
Pembroke	8	7	—	1	—	—	2	1	5
Pepperell	32	30	—	—	2	11	3	4	14
Peru	2	2	—	—	—	—	—	—	2
Petersham	4	4	—	—	—	1	—	—	3
Phillipston	2	2	—	—	—	1	—	1	—
PIRTSFIELD	444	415	8	7	14	288	16	95	45
Plainfield	2	2	—	—	—	—	—	—	2
Plainville	9	9	—	—	—	1	2	4	2
Plymouth	120	115	1	1	3	54	9	40	17
Plympton	1	1	—	—	—	—	—	1	—
Princeton	2	2	—	—	—	1	—	1	—
Provincetown	31	28	—	2	1	13	1	12	5
QUINCY	624	567	9	20	28	302	47	223	52
Randolph	76	76	—	—	—	22	10	35	9
Raynham	5	4	1	—	—	1	1	2	1
Reading	109	104	1	3	1	43	5	52	9
Rehoboth	33	29	—	2	2	—	3	4	26
REVERE	391	356	10	11	14	141	20	111	119
Richmond	12	10	1	1	—	3	—	1	8
Rochester	3	3	—	—	—	1	1	—	1
Rockland	90	83	2	2	3	19	7	36	28
Rockport	40	35	2	—	3	12	3	10	15
Rowe	1	1	—	—	—	—	—	1	—
Rowley	17	17	—	—	—	5	1	7	4
Royalston	7	7	—	—	—	—	3	2	2
Russell	8	7	—	1	—	1	1	4	2
Rutland	17	17	—	—	—	4	2	5	6
SALEM	371	347	3	9	12	180	32	120	39
Salisbury	12	11	—	—	1	3	—	3	6
Sandisfield	14	12	2	—	—	1	2	—	11
Sandwich	18	16	—	1	1	6	—	4	8
Saugus	136	127	1	6	2	51	12	56	17
Savoy	—	—	—	—	—	—	—	—	—
Scituate	44	42	2	—	—	13	5	14	12
Seekonk	420	392	2	5	21	9	4	8	399
Sharon	41	39	2	—	—	10	1	11	19
Sheffield	14	11	1	2	—	—	3	8	3
Shelburne	20	19	—	—	1	1	4	8	7
Sherborn	7	6	1	—	—	—	1	5	1
Shirley	20	20	—	—	—	3	1	13	3
Shrewsbury	73	64	1	7	1	17	7	40	9
Shutesbury	—	—	—	—	—	—	—	—	—
Somerset	42	37	1	1	3	10	2	20	10
SOMERVILLE	783	686	21	33	43	340	45	324	74
South Hadley	91	86	—	2	3	10	6	39	36
Southampton	3	3	—	—	—	2	—	1	—
Southborough	16	16	—	—	—	5	1	4	6
Southbridge	139	126	1	7	5	69	2	57	11
Southwick	10	8	—	1	1	3	1	2	4
Spencer	47	46	1	—	—	20	2	19	6
SPRINGFIELD	1,437	1,314	23	51	49	835	64	423	115
Sterling	9	7	—	1	1	3	1	2	3
Stockbridge	21	20	1	—	—	10	2	7	2
Stoneham	103	94	2	6	6	32	11	54	11
Stoughton	66	64	—	—	2	22	6	35	3
Stow	8	7	—	—	1	2	1	3	2
Sturbridge	16	15	—	1	—	6	—	2	8
Sudbury	50	47	—	—	3	3	1	—	46
Sunderland	3	3	—	—	—	—	—	2	1
Sutton	7	7	—	—	—	3	1	2	1
Swampscott	95	86	1	3	5	20	8	40	27

¹ Cities are printed in small capitals.

Table 47

Table 47	MARRIAGES, CLASSIFIED BY NATIVITY OF BRIDE AND GROOM, IN EACH COUNTY AND MUNICIPALITY: 1951.					MARRIAGES, CLASSIFIED BY RESIDENCE OF BRIDE AND GROOM, IN EACH COUNTY AND MUNICIPALITY: 1951.				
	MUNICIPALITIES. ¹	NATIVITY.			Native groom and foreign bride.	Foreign groom and native bride.	Groom and bride resi- dents.	Groom a resi- dent.	Bride a resi- dent.	Groom and bride non- resi- dents.
		TOTAL COUPLES.	BRIDE AND GROOM BOTH—							
		Native.	For- eign.							
Swansea	59	56	2	1	—	10	3	26	20	—
TAUNTON	371	340	5	8	18	196	25	102	48	—
Templeton	28	25	2	1	—	8	2	17	1	—
Tewksbury	36	32	1	2	1	6	4	20	6	—
Tisbury	12	12	—	—	—	1	—	9	2	—
Tolland	—	—	—	—	—	—	—	—	—	—
Topsfield	6	6	—	—	—	1	—	3	2	—
Townsend	25	23	—	1	1	5	2	9	9	—
Truro	4	4	—	—	—	5	1	2	1	—
Tyngsborough	21	20	—	1	—	—	1	3	12	—
Tyringham	1	1	—	—	—	—	—	1	—	—
Upton	23	21	—	—	2	8	2	12	1	—
Uxbridge	67	64	—	1	2	21	10	27	9	—
Wakefield	170	157	1	6	6	57	17	68	28	—
Wales	1	1	—	—	—	1	—	—	—	—
Walpole	71	69	—	—	2	21	2	32	16	—
WALTHAM	374	335	11	10	18	183	22	133	36	—
Ware	54	50	2	2	—	27	8	14	5	—
Wareham	79	70	1	3	5	22	11	26	20	—
Warren	25	23	—	1	1	8	2	15	—	—
Warwick	1	1	—	—	—	—	—	1	—	—
Washington	—	—	—	—	—	—	—	—	—	—
Watertown	330	295	10	10	15	82	29	127	92	—
Wayland	38	38	—	—	—	10	3	10	15	—
Webster	139	135	1	2	1	46	15	52	26	—
Wellesley	149	135	2	3	9	18	11	77	43	—
Welfleet	19	18	—	—	1	6	—	2	11	—
Wendell	1	1	—	—	—	—	—	1	—	—
Wenham	7	7	—	—	—	1	1	4	1	—
West Boylston	30	29	—	—	1	4	6	14	6	—
West Bridgewater	29	26	—	—	3	6	3	15	5	—
West Brookfield	6	6	—	—	—	1	—	3	2	—
West Newbury	10	10	—	—	—	3	2	3	2	—
West Springfield	161	147	3	3	8	42	13	58	48	—
West Stockbridge	8	7	1	—	—	1	—	3	4	—
West Tisbury	2	1	—	—	1	1	—	1	—	—
Westborough	35	30	—	3	2	13	—	14	8	—
WESTFIELD	210	192	6	5	7	93	10	48	59	—
Westford	32	32	—	—	—	7	2	18	5	—
Westhampton	1	1	—	—	—	—	—	1	—	—
Westminster	7	7	—	—	—	—	1	3	3	—
Weston	28	26	—	1	1	2	2	14	10	—
Westport	37	37	—	—	—	8	4	10	15	—
Westwood	27	24	1	2	—	6	5	11	5	—
Weymouth	230	223	2	2	3	84	17	97	32	—
Whately	2	2	—	—	—	1	1	—	—	—
Whitman	68	61	1	2	4	22	7	23	16	—
Wilbraham	18	17	—	—	1	5	—	11	2	—
Williamsburg	11	10	—	—	1	2	—	9	—	—
Williamstown	50	46	2	2	—	10	6	17	17	—
Wilmington	57	53	—	—	4	20	5	23	9	—
Winchendon	73	69	—	3	1	37	6	16	14	—
Winchester	133	123	2	2	6	31	8	74	20	—
Windsor	1	1	—	—	—	—	—	—	1	—
Winthrop	130	124	1	2	3	57	7	52	14	—
WOBURN	159	149	1	3	6	74	10	67	8	—
WORCESTER	1,793	1,614	53	45	81	1,204	113	353	123	—
Worthington	4	4	—	—	—	2	—	1	1	—
Wrentham	55	53	—	1	1	10	7	11	27	—
Yarmouth	11	10	—	—	1	4	—	6	—	—

¹ Cities are printed in small capitals.

Table 48

MARRIAGES, BY SEX, AGE, AND MARITAL CONDITION: 1951.

AGE AT MARRIAGE.	Both sexes.	MALES				FEMALES			
		Total.	Single.	Widowed.	Divorced.	Total.	Single.	Widowed.	Divorced.
The State									
13 Years and Over	80,830	40,415	34,941	2,087	3,387	40,415	34,896	1,857	3,662
Under 20 years . . .	10,716	2,138	2,137	-	1	8,578	8,544	2	32
20 to 29 years . . .	51,432	27,553	26,748	67	738	23,879	22,483	151	1,245
30 to 39 years . . .	10,997	6,284	4,703	237	1,344	4,713	2,887	412	1,414
40 to 49 years . . .	4,110	2,188	968	401	819	1,922	713	494	715
50 to 59 years . . .	2,248	1,321	323	636	362	927	219	498	210
60 to 69 years . . .	1,055	712	52	555	105	343	37	262	44
70 to 79 years . . .	246	197	9	171	17	49	12	35	2
80 years and over. .	26	22	1	20	1	4	1	3	-

Table 49

MARRIAGES, BY MONTHS IN COUNTIES AND IN CITIES HAVING OVER 50,000 INHABITANTS: 1951.

COUNTIES AND CITIES HAVING OVER 50,000 INHABITANTS IN 1950 (Grouped in order of population)	The Year.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
The State.	40,415	2,499	2,407	2,268	3,724	3,217	5,871	3,098	3,020	4,891	3,661	3,246	2,513
Average daily number of marriages . . .	111	81	86	73	124	104	196	100	97	163	118	108	81
COUNTIES.													
Middlesex . . .	8,642	519	436	520	832	717	1,308	581	629	1,028	835	675	512
Suffolk . . .	8,607	563	531	478	835	670	1,126	643	645	1,042	760	675	609
Worcester . . .	4,514	256	247	231	400	376	715	357	354	575	390	358	255
Essex . . .	4,176	245	256	225	364	325	604	358	327	501	402	324	245
Norfolk . . .	3,189	181	191	192	304	231	479	253	220	402	263	249	224
Bristol . . .	3,793	271	234	203	384	304	541	312	245	457	330	277	235
Hampden . . .	3,240	219	196	194	294	269	476	246	218	374	269	313	172
Plymouth . . .	1,457	91	90	75	103	92	214	124	129	188	129	115	107
Berkshire . . .	1,108	59	49	57	91	96	167	89	112	126	112	101	49
Hampshire . . .	634	33	40	34	45	53	97	46	57	66	65	55	43
Franklin . . .	449	27	31	27	36	41	66	35	28	42	42	47	27
Barnstable . . .	517	30	22	30	29	38	67	46	50	70	56	48	31
Dukes . . .	56	2	2	1	4	3	9	7	5	10	5	5	3
Nantucket . . .	33	3	2	1	3	2	2	1	1	10	3	4	1
CITIES OVER 100,000													
Boston . . .	7,828	507	516	434	763	605	1,009	585	584	950	697	626	552
Worcester . . .	1,793	101	107	93	174	155	297	118	147	206	142	137	116
Springfield . . .	1,437	96	82	88	138	120	210	108	97	165	110	147	76
Cambridge . . .	995	51	70	57	96	78	161	73	70	127	93	65	54
Fall River . . .	988	61	55	46	114	95	148	93	54	110	85	77	50
New Bedford . . .	1,115	80	69	64	112	91	143	92	68	143	93	83	77
Somerville . . .	783	56	33	59	77	59	114	54	44	84	87	68	48
CITIES 50,000 to 100,000													
Lynn . . .	866	56	58	45	87	79	129	70	74	79	68	74	47
Lowell . . .	870	60	47	40	76	80	136	58	62	108	75	76	52
Quincy . . .	624	23	43	35	71	52	91	47	52	78	58	39	35
Newton . . .	667	44	34	44	54	44	120	38	37	79	63	55	55
Lawrence . . .	733	44	41	33	70	49	116	60	60	93	72	60	35
Medford . . .	558	31	24	30	65	36	95	33	29	84	55	46	30
Brockton . . .	517	36	29	24	38	37	91	46	25	68	46	43	34
Malden . . .	480	27	32	25	45	40	66	26	46	61	43	39	30
Holyoke . . .	423	27	24	19	31	33	71	34	27	53	43	46	15
Pittsfield . . .	444	27	20	24	38	33	65	37	41	53	46	43	17

Line No.	Table 50 COUNTIES AND SEX.	MARRIAGES IN EACH COUNTY,								
		All ages.	13 years.	14 years.	15 years.	16 years.	17 years.	18 years.	19 years.	20 to 24 years.
1	The State									
2	Grooms . . .	40,415	—	—	4	22	124	588	1,400	16,979
3	Brides . . .	40,415	1	14	99	520	1,184	2,971	3,789	17,306
4	Barnstable:									
5	Grooms . . .	517	—	—	—	—	3	6	19	232
6	Brides . . .	517	—	—	3	3	19	58	50	211
7	Berkshire:									
8	Grooms . . .	1,108	—	—	—	2	4	23	53	466
9	Brides . . .	1,108	—	—	1	11	50	102	124	437
10	Bristol:									
11	Grooms . . .	3,793	—	—	—	3	13	77	165	1,647
12	Brides . . .	3,793	1	2	21	71	158	341	397	1,438
13	Dukes:									
14	Grooms . . .	56	—	—	—	—	—	1	2	27
15	Brides . . .	56	—	—	—	—	—	8	2	26
16	Essex:									
17	Grooms . . .	4,176	—	—	—	4	14	77	160	1,765
18	Brides . . .	4,176	—	3	8	59	133	313	391	1,822
19	Franklin:									
20	Grooms . . .	449	—	—	—	—	1	9	14	202
21	Brides . . .	449	—	—	3	14	14	47	49	181
22	Hampden:									
23	Grooms . . .	3,240	—	—	—	3	7	56	126	1,417
24	Brides . . .	3,240	—	3	11	46	118	275	331	1,353
25	Hampshire:									
26	Grooms . . .	634	—	—	—	—	2	11	23	252
27	Brides . . .	634	—	—	3	13	24	51	58	268
28	Middlesex:									
29	Grooms . . .	8,642	—	—	2	3	30	93	287	3,789
30	Brides . . .	8,642	—	1	7	70	206	558	797	4,032
31	Nantucket:									
32	Grooms . . .	33	—	—	—	—	—	—	1	18
33	Brides . . .	33	—	—	—	—	—	2	4	19
34	Norfolk:									
35	Grooms . . .	3,189	—	—	—	1	4	30	68	1,325
36	Brides . . .	3,189	—	2	4	23	55	179	276	1,535
37	Plymouth:									
38	Grooms . . .	1,457	—	—	1	1	7	26	40	614
39	Brides . . .	1,457	—	1	5	28	41	128	149	559
40	Suffolk:									
41	Grooms . . .	8,607	—	—	—	3	23	96	248	3,282
42	Brides . . .	8,607	—	2	16	103	207	551	705	3,571
43	Worcester:									
44	Grooms . . .	4,514	—	—	1	2	16	83	194	1,943
45	Brides . . .	4,514	—	—	17	79	159	358	456	1,854

Line No.	BY SEX AND AGE: 1951.											
	25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 yrs. and over.
1	10,574	4,176	2,108	1,302	886	740	581	422	290	142	55	22
2	6,573	2,899	1,814	1,179	743	535	392	220	123	40	9	4
3	117	48	27	15	15	11	8	10	4	—	2	—
4	61	33	35	13	13	7	3	5	3	—	—	—
5	274	111	63	43	15	18	13	12	5	5	1	—
6	177	77	37	44	17	18	9	2	1	—	1	—
7	895	376	181	125	89	77	54	44	25	10	4	8
8	566	288	162	135	83	55	41	16	8	7	2	1
9	13	2	5	2	1	—	1	1	1	—	—	—
10	12	3	2	1	2	—	—	—	—	—	—	—
11	1,097	388	205	133	100	69	63	43	31	21	3	3
12	639	289	175	127	73	56	41	27	16	4	—	—
13	93	45	25	13	14	7	11	7	4	2	2	—
14	47	24	26	10	14	7	4	4	2	2	—	1
15	815	348	157	81	69	46	50	33	20	6	5	1
16	498	223	143	81	54	33	38	17	12	3	—	1
17	182	74	27	22	14	7	5	7	3	5	—	—
18	89	64	23	17	8	3	6	5	1	—	1	—
19	2,340	838	388	244	165	152	128	81	56	36	8	2
20	1,439	545	332	220	151	132	74	46	25	7	—	—
21	6	1	3	1	2	—	—	—	—	—	1	—
22	1	3	2	1	—	—	1	—	—	—	—	—
23	906	350	163	107	68	56	36	33	28	5	7	2
24	533	226	125	78	50	31	39	22	8	2	1	—
25	352	151	76	46	39	34	22	18	18	7	3	2
26	243	96	60	49	27	32	18	11	7	2	1	—
27	2,388	997	556	331	211	178	122	73	59	26	13	1
28	1,561	727	482	270	167	113	64	34	24	7	2	1
29	1,096	447	232	139	84	85	68	60	36	19	6	3
30	707	301	210	133	84	48	54	31	16	6	1	—

Table 51

MARRIAGES, BY SEX AND AGE: 1951.

AGE OF GROOMS.	AGE OF BRIDES.															
	All Ages.	Under 20.	20 to 24.	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 and over.	
All Ages.	40,415	8,578	17,306	6,573	2,899	1,814	1,179	743	535	392	220	123	49	9	4	
Under 20	2,138	1,710	402	18	4	—	—	—	—	—	—	—	—	—	—	
20 to 24	16,979	5,738	9,989	1,076	140	30	6	—	—	—	—	—	—	—	—	
25 to 29	10,574	955	5,550	3,186	689	151	32	10	—	1	—	—	—	—	—	
30 to 34	4,176	126	1,069	1,552	975	347	83	19	4	1	—	—	—	—	—	
35 to 39	2,108	32	208	508	606	490	213	39	11	1	—	—	—	—	—	
40 to 44	1,302	6	57	147	284	383	294	105	21	5	—	—	—	—	—	
45 to 49	886	8	16	54	117	213	228	171	50	21	5	2	1	—	—	
50 to 54	740	2	13	22	54	109	172	170	129	51	14	3	1	—	—	
55 to 59	581	1	2	6	16	54	91	122	140	114	27	7	1	—	—	
60 to 64	422	—	—	2	8	21	39	70	103	101	62	14	2	—	—	
65 to 69	290	—	—	2	4	7	11	27	52	63	65	43	14	1	1	
70 to 74	142	—	—	—	2	4	7	7	19	26	37	27	10	2	1	
75 to 79	55	—	—	—	—	—	2	2	5	7	7	19	8	4	1	
80 and over	22	—	—	—	—	1	1	1	1	1	3	8	3	2	1	

Table 52

FIRST MARRIAGES, BY SEX AND AGE: 1951.

AGE OF GROOMS (BACHELORS).		AGE OF BRIDES (MAIDS)														
		All ages.	Under 20.	20 to 24.	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 and over.
All Ages.		32,446	8,382	16,256	5,159	1,583	644	243	99	44	26	5	3	2	-	-
Under 20		2,121	1,707	395	15	3	1	-	-	-	-	-	-	-	-	-
20 to 24		16,391	5,672	9,708	927	71	12	1	-	-	-	-	-	-	-	-
25 to 29		9,267	875	5,166	2,709	442	64	10	1	-	-	-	-	-	-	-
30 to 34		2,840	96	822	1,142	596	159	20	3	2	-	-	-	-	-	-
35 to 39		991	22	136	278	297	196	54	8	-	-	-	-	-	-	-
40 to 44		430	3	19	66	118	123	79	16	5	1	-	-	-	-	-
45 to 49		212	7	4	17	39	57	45	31	8	4	-	-	-	-	-
50 to 54		114	-	5	3	11	23	27	22	16	5	1	-	1	-	-
55 to 59		54	-	1	2	3	8	6	11	10	11	2	-	-	-	-
60 to 64		16	-	-	-	2	1	1	5	1	4	2	-	-	-	-
65 to 69		6	-	-	-	1	-	-	2	2	1	-	-	-	-	-
70 to 74		2	-	-	-	-	-	-	-	-	-	-	2	-	-	-
75 to 79		1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
80 and over		1	-	-	-	-	-	-	-	-	-	-	1	-	-	-

Table 53

FIRST MARRIAGES OF GROOMS AND REMARRIAGES OF BRIDES, BY AGE: 1951.

AGE OF GROOMS (BACHELORS).	AGE OF BRIDES (WIDOWS). ¹															
	All ages.	Under 20.	20 to 24.	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 and over.	
All Ages.	2,495	30	367	636	545	408	256	118	63	40	20	11	1	—	—	
Under 20 . . .	16	2	7	3	1	3	—	—	—	—	—	—	—	—	—	
20 to 24 . . .	426	17	192	133	64	16	4	—	—	—	—	—	—	—	—	
25 to 29 . . .	664	10	120	274	168	64	21	7	—	—	—	—	—	—	—	
30 to 34 . . .	504	—	36	155	161	103	37	11	1	—	—	—	—	—	—	
35 to 39 . . .	368	—	6	53	98	117	74	15	5	—	—	—	—	—	—	
40 to 44 . . .	195	—	5	11	33	56	52	24	11	3	—	—	—	—	—	
45 to 49 . . .	131	1	1	3	13	29	39	26	11	6	1	1	—	—	—	
50 to 54 . . .	99	—	—	4	7	12	22	19	21	10	3	1	—	—	—	
55 to 59 . . .	56	—	—	—	—	7	6	12	12	15	2	2	—	—	—	
60 to 64 . . .	18	—	—	—	—	1	—	3	—	5	8	1	—	—	—	
65 to 69 . . .	12	—	—	—	—	—	—	1	2	—	5	4	—	—	—	
70 to 74 . . .	5	—	—	—	—	—	1	—	—	1	1	2	—	—	—	
75 to 79 . . .	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	
80 and over . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

¹ Includes divorced.

Table 54	REMARRIAGES OF GROOMS AND FIRST MARRIAGES OF BRIDES, BY AGE: 1951.															
	AGE OF BRIDES (MAIDS).															
	AGE OF GROOMS ¹ (WIDOWERS).	All ages.	Un- der 20.	20 to 24.	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 and over.
All Ages		2,450	162	569	499	357	303	223	148	100	49	20	9	9	1	1
Under 20		1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
20 to 24		133	48	72	11	1	1	—	—	—	—	—	—	—	—	—
25 to 29		453	69	220	120	35	9	—	—	—	—	—	—	—	—	—
30 to 34		514	29	184	166	96	26	12	1	—	—	—	—	—	—	—
35 to 39		360	10	52	118	89	62	25	3	—	1	—	—	—	—	—
40 to 44		280	2	26	45	67	82	46	12	—	—	—	—	—	—	—
45 to 49		191	—	9	22	34	44	43	33	5	1	—	—	—	—	—
50 to 54		183	2	5	12	18	38	42	37	23	5	1	—	—	—	—
55 to 59		127	1	1	1	7	21	27	30	24	12	2	1	—	—	—
60 to 64		104	—	—	2	5	13	17	18	26	16	4	3	—	—	—
65 to 69		59	—	—	2	3	3	7	12	13	8	5	2	4	—	—
70 to 74		33	—	—	—	2	3	3	2	6	5	6	1	5	—	—
75 to 79		8	—	—	—	—	—	1	—	3	1	1	1	1	1	—
80 and over		4	—	—	—	—	1	—	—	—	—	1	1	—	—	1

¹Includes divorced.

Table 55	REMARRIAGES OF BOTH PARTIES, BY AGE: 1951.															
	AGE OF BRIDES (WIDOWS). ¹															
	AGE OF GROOMS (WIDOWERS). ¹	All Ages.	Un- der 20.	20 to 24.	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 and over
All Ages.		3,024	4	114	279	414	459	457	378	328	277	175	100	28	8	3
Under 20		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
20 to 24		29	1	17	5	4	1	1	—	—	—	—	—	—	—	—
25 to 29		190	1	44	83	44	14	1	2	—	1	—	—	—	—	—
30 to 34		318	1	27	89	122	59	14	4	1	1	—	—	—	—	—
35 to 39		389	—	14	59	122	115	60	13	6	—	—	—	—	—	—
40 to 44		397	1	7	25	66	122	117	53	5	1	—	—	—	—	—
45 to 49		352	—	2	12	31	83	101	81	26	10	4	1	1	—	—
50 to 54		344	—	3	3	18	36	81	92	69	31	9	2	—	—	—
55 to 59		344	—	—	3	6	18	52	69	94	76	21	4	1	—	—
60 to 64		284	—	—	—	1	6	21	44	76	76	48	10	2	—	—
65 to 69		213	—	—	—	—	4	4	12	35	54	55	37	10	1	1
70 to 74		102	—	—	—	—	1	3	5	13	20	30	22	5	2	1
75 to 79		45	—	—	—	—	—	1	2	2	6	6	18	6	3	1
80 and over		17	—	—	—	—	—	1	1	1	1	2	6	3	2	—

¹ Includes divorced.

Table 56	FIRST MARRIAGES AND REMARRIAGES: 1951.					
	BRIDES.					
	GROOMS.	Total number of marriages.	First marriage.	Second marriage.	Third marriage.	Fourth marriage
Total number		40,415	34,896	5,033	451	30
First marriage		34,941	32,446	2,348	137	7
Second marriage		5,045	2,328	2,453	245	18
Third marriage		402	118	213	67	3
Fourth marriage		23	4	16	1	2
Fifth marriage		4	—	3	1	—

Table 57

MARRIAGES, MARRIAGE RATES AND NATIVITY OR PERSONS
MARRIED: 1927 TO 1951.

YEARS.	Total Number.	RATES — PERSONS MARRIED PER 1,000 POPULATION.		NATIVITY — PERCENTAGES.			
		Annual.	Five-year averages.	BRIDE AND GROOM — BOTH —		Native groom and foreign bride.	Foreign groom and native bride
				Native.	Foreign.		
1927	30,408	14.2		60.7	16.6	9.2	13.5
1928	29,082	13.4		62.3	14.7	9.2	13.8
1929	30,568	14.0	13.8	63.3	13.9	9.6	13.2
1930	27,431	12.9		65.4	12.6	9.0	13.0
1931	26,296	12.3		67.2	11.3	9.0	12.5
1932	22,817	10.6		68.8	10.1	8.6	12.5
1933	25,949	12.0		71.4	8.5	8.1	12.0
1934	30,241	13.9	12.5	74.0	7.3	7.7	11.0
1935	30,019	13.8		75.4	6.1	8.3	10.2
1936	31,985	13.7		76.7	6.3	7.3	9.7
1937	33,652	15.3		79.1	5.0	6.8	9.1
1938	31,904	14.4		80.4	4.7	5.8	9.1
1939	38,784	17.4	16.3	82.3	3.9	5.8	8.0
1940	44,836	20.8		83.5	3.4	5.6	7.5
1941	52,992	24.5		85.6	2.9	5.0	6.5
1942	48,098	22.2		86.4	2.7	4.7	6.2
1943	37,232	17.2		86.2	3.1	4.3	6.4
1944	34,681	16.0	19.4	86.1	2.9	4.3	6.7
1945	38,197	17.0		87.5	2.5	4.1	5.9
1946	56,498	24.8		89.2	1.8	3.9	5.1
1947	49,803	21.7		89.7	2.0	3.9	4.4
1948	45,940	19.9		89.9	2.0	3.4	4.7
1949	39,639	17.0	20.2	90.8	2.0	3.1	4.1
1950	41,711	17.8		90.9	2.1	3.0	4.0
1951	40,415	17.1		91.3	2.0	2.8	3.9

Table 58

MARRIAGES AND MARRIAGE RATES IN THE STATE AND IN CITIES
HAVING OVER 100,000 INHABITANTS IN 1950: 1927 TO 1951.

YEARS.	The State.	CITIES HAVING OVER 100,000 INHABITANTS IN 1950.						
		Boston.	Worcester.	Springfield.	Cambridge.	Fall River.	New Bedford.	Somerville.
1927	30,408	6,944	1,240	904	963	1,106	842	—
1928	29,082	6,691	1,195	1,012	986	848	659	—
1929	30,568	6,828	1,378	1,044	1,039	925	860	—
1930	27,431	6,238	1,122	953	1,008	831	698	666
1931	26,296	5,863	1,027	787	948	937	660	638
1932	22,817	5,193	840	659	769	769	528	492
1933	25,949	5,366	989	769	823	961	740	539
1934	30,241	6,288	1,318	991	958	1,085	912	621
1935	30,019	6,114	1,317	986	886	944	814	580
1936	31,985	6,415	1,447	997	977	1,060	984	628
1937	33,652	6,682	1,547	1,169	941	1,112	980	633
1938	31,904	6,299	1,390	1,161	887	1,017	842	630
1939	38,784	7,359	1,740	1,340	1,004	1,292	1,151	705
1940	44,836	8,429	2,020	1,682	1,491	1,219	1,291	786
1941	52,992	10,025	2,475	1,885	1,312	1,651	1,493	860
1942	48,098	9,976	2,194	1,757	1,467	1,307	1,365	881
1943	37,232	8,508	1,591	1,323	1,231	1,092	1,044	739
1944	34,681	7,849	1,417	1,279	1,131	1,031	958	721
1945	38,197	8,266	1,726	1,414	1,112	1,184	1,056	727
1946	56,498	10,985	2,609	2,169	1,474	1,805	1,732	1,067
1947	49,803	9,742	2,406	1,936	1,253	1,502	1,585	882
1948	45,940	9,202	2,127	1,729	1,209	1,331	1,322	868
1949	39,639	8,072	1,758	1,450	1,051	1,161	1,050	765
1950	41,711	8,158	1,776	1,503	1,083	1,075	1,138	740
1951	40,415	7,828	1,793	1,437	995	988	1,115	783

MARRIAGE RATES — PERSONS MARRIED PER 1,000
POPULATION, CENSUS YEARS: 1920 TO 1950.

YEARS.	19.8	22.8	20.1	21.7	22.8	25.8	21.9	—
1920	19.8	22.8	20.1	21.7	22.8	25.8	21.9	—
1925	15.1	18.6	14.9	15.2	17.0	16.3	17.2	—
1930	12.9	16.0	11.5	13.1	17.7	14.4	12.4	12.8
1935	13.8	15.0	13.8	13.2	15.0	16.1	14.8	11.5
1940	20.8	21.9	20.9	24.9	22.0	25.8	23.4	15.4
1945	17.0	21.6	17.4	17.7	20.0	20.6	19.1	13.7
1950	17.8	20.3	17.4	18.5	17.9	19.2	20.8	14.5

DIVORCE STATISTICS

	PAGE
Introduction	297
Causes for divorce	297
Source of data	297
Applications for divorce	297
Contested cases	297
Number of divorces	297, 298
Divorce rates	298
Party to which granted	298
Divorces classified by causes	298
Annulment classified as divorce	298
Duration of marriages	298
Statistical tables	299-317

INTRODUCTION.

Causes for Divorce. — Causes for which divorce from the bonds of matrimony may be granted in Massachusetts under the provisions of Chapter 208, Sections 1 and 2 of the General Laws, are as follows:—

1. Adultery.
2. Impotency.
3. Desertion for three consecutive years next prior to the filing of the libel.
4. Gross and confirmed habits of intoxication caused by the voluntary and excessive use of intoxicating liquor, opium or other drugs.
5. Cruel and abusive treatment.
6. Neglect to provide.
7. Sentence to imprisonment at hard labor for five years or more.

A marriage may be declared void in consequence of violation of the provisions of the laws concerning marriage; that is, a separation may be granted because of the demonstration of conditions obtaining at the time of, or previous to, the alleged marriage, which show that there never was a legal marriage.

Source of Data. — The statistics of divorce presented in this report are compiled from returns made to the Secretary of the Commonwealth annually by the clerks of courts and registers of probate for the several counties.

In Massachusetts there is no central record office for divorces, the statistics only being returned as stated above. The records remain with the clerks or registers.

Previous to 1922 the superior court only had jurisdiction in such matters. Under the provisions of General Laws, Tercentenary Edition, Chapter 208, the probate court now has concurrent jurisdiction with the superior court to hear libels for divorce and to determine the same in a similar manner.

Applications for Divorce. — The courts granted over 4 petitions out of every 5 filed. This proportion fluctuated considerably during the twenty-five years from 1927 to 1951, the highest proportion of applications being granted in 1940 (90.7 per cent), and the lowest proportion in 1929 (71.1 per cent). During this entire period 86.4 per cent of all applications were granted, .5 per cent were refused, and 13.1 per cent were dismissed.

Contested Cases. — Of the total number of applications for divorces during the twenty-five years from 1927 to 1951, only 31.5 per cent were contested. In 1951, of the 7,278 applications for divorce, only 2,415 or 33.2 per cent, were contested, and of the 6,288 divorces granted, 1,913 or 30.4 per cent, were contested. The proportion of contested cases is larger for divorces granted to the wife (31.9 per cent) than for those granted to the husband (25.6 per cent).

Number of Divorces. — Divorces granted in 1951 numbered 6,288, a decrease of 77, or 1.2 per cent less than the number granted in 1950, and 1,799 less than the average number granted for the five-year period 1946 to 1950.

Divorce Rates. — The number of divorces granted per 100,000 population was 132.7 as compared with 135.4 in 1950, 143.5 in 1949, 161.6 in 1948 and 214.6 in 1947.

Divorce rates based on the married population, i.e., the number of divorces per 100,000 married population, are more significant than rates based upon the total population, because of the elimination of possible variations in the proportion married, and because of the fact that divorce can arise only among the married. Rates calculated in this manner are shown in Table 63, page 314, for the census years 1920 to 1945. In this table the number of divorces shown for the census years 1920 to 1945 is not the actual number in that year, but the annual average for the five-year period of which the census year is the median. This method eliminates any peculiarities in the census year which may have affected divorce and makes the figures more typical of the period as a whole.

Party to Which Granted. — Over three-fourths (75.7 per cent) of the total number of divorces in the period 1927 to 1951 were granted to the wife. In other words, divorces obtained by the wife are more than twice as numerous as those obtained by the husband. It may be that husbands more often than wives give occasion for divorce but the difference may be partially explained by the fact that without any reference to the question of which party is the more frequently responsible for the marital unhappiness, the wife has more legal grounds for divorce than the husband, because certain well known and comparatively common grounds are more readily applicable against the husband than against the wife. For example, neglect to provide, a common legal cause for divorce on the part of the wife, and cruelty, in so far as it is physical cruelty, are not ordinarily available grounds for a husband, although men are sometimes granted divorces on the ground of cruelty.

Moreover, where each party desires divorce, it is more likely that the wife, more often than the husband will make the application, since a cause for which the wife would be granted a divorce might reflect less favorably upon the parties than would a cause for which the husband might be granted a divorce.

The proportion of divorces granted to the wife fluctuated between 72.3 per cent in 1946, and 78.4 in 1950, as compared with 75.7 per cent for the entire period of 1927 to 1951.

Divorces Classified by Causes. — The statistics concerning the cause of divorce deal with the legal cause as ascertained from the court records. It should be borne in mind, however, that the cause for which a divorce is granted by the courts is not necessarily the underlying reason for the marital unhappiness, and that the value of statistics of divorce as an index to the actual causes is as a consequence impaired.

Divorces granted on the ground of desertion have decreased 19.6 per cent in the twenty-five year period 1927 to 1951, while the number of divorces granted for adultery has decreased more than one-half.

The most common ground on which divorce was granted by the courts was cruel and abusive treatment, which accounted for 59.7 per cent of all the divorces granted in the period 1927 to 1951, for 36.5 per cent of all those granted to the husband in this period, and for 67.2 per cent of those granted to the wife.

The number and per cent of divorces granted for all causes, to the husband and to the wife, for the twenty-five year period 1927 to 1951, are shown in Table 65, page 315.

Annulled Cases. — Among the less important classes of cases appears the term "Annulments". In 2,701 cases, or 2.1 per cent of the total number of divorces granted during the period 1927 to 1951, there was some cause shown which may have existed at the time of marriage. These cases form but a small proportion of all cases considered, and do not affect the results to any material degree.

Duration of Marriages. — The average number of years libellants were married at the time of application for divorce has fluctuated between 11.6 years in 1944 and 9.6 years in 1947. The average number of years the libellants were married in 1951 was 9.9.

Of the total libellants in Massachusetts for whom the number of years married was reported in 1951, 61.2 per cent made application for divorce before they had been married ten years, as compared with 61.4 in 1950, 59.6 in 1949, 60.1 in 1948, 62.4 in 1947 and 57.3 for the twenty-five year period 1927 to 1951.

Table 59

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1951.

LIBELS AND LIBELLANTS.	CAUSES.								Annulments.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
The State.	7,278 ¹	1,346	5,554	118	148	79	4	29	152
Husband	1,900	600	1,172	89	37	—	1	1	64
Wife	5,378	746	4,382	29	111	79	3	28	88
Granted	6,288	1,270	4,685	100	128	73	3	29	125
Husband	1,428	544	778	74	30	—	1	1	52
Wife	4,860	726	3,907	26	98	73	2	28	73
Refused	73	6	64	1	1	1	—	—	2
Husband	52	5	45	1	1	—	—	—	—
Wife	21	1	19	—	—	1	—	—	2
Dismissed	917	70	805	17	19	5	1	—	25
Husband	420	51	349	14	6	—	—	—	12
Wife	497	19	456	3	13	5	1	—	13
Contested	2,415	223	2,100	30	36	19	1	6	41
Husband	654	118	496	26	14	—	—	—	16
Wife	1,761	105	1,604	4	22	19	1	6	25
Not contested	4,863	1,123	3,454	88	112	60	3	23	111
Husband	1,246	482	676	63	23	—	1	1	48
Wife	3,617	641	2,778	25	89	60	2	22	63
DURATION OF MARRIAGE.									
Less than 6 months	107	—	101	1	4	1	—	—	24
Husband	25	—	24	1	—	—	—	—	13
Wife	82	—	77	—	4	1	—	—	11
6 to 11 months	161	—	155	1	1	3	—	1	19
Husband	43	—	41	1	1	—	—	—	8
Wife	118	—	114	—	—	3	—	1	11
1 to 4 years	2,271	137	2,025	39	41	15	3	11	80
Husband	519	68	404	29	16	—	1	1	30
Wife	1,752	69	1,621	10	25	15	2	10	50
5 to 9 years	1,916	372	1,433	34	36	31	—	10	21
Husband	502	165	300	26	11	—	—	—	9
Wife	1,414	207	1,133	8	25	31	—	10	12
10 to 19 years	1,855	467	1,285	32	47	17	—	7	3
Husband	498	200	267	23	8	—	—	—	2
Wife	1,357	267	1,018	9	39	17	—	7	1
20 to 29 years	738	248	456	9	13	11	1	—	5
Husband	225	109	109	7	—	—	—	—	2
Wife	513	139	347	2	13	11	1	—	3
30 years and over	230	122	99	2	6	1	—	—	—
Husband	88	58	27	2	1	—	—	—	—
Wife	142	64	72	—	5	1	—	—	—
Unknown	—	—	—	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—	—
Wife	—	—	—	—	—	—	—	—	—
Average number of years	9.9	15.3	8.6	9.1	10.1	9.5	8.5	7.3	3.4
Number of Libels pending January 1, 1951									1,035
Number of Libels filed during the year 1951									9,692
Number of Divorces granted during the year 1951									6,288
Number of Divorces refused during the year 1951									73
Number of Libels contested during the year 1951									2,415
Number of Libels uncontested during the year 1951									4,863
Number of cases finally determined in 1951									8,793
Number of petitions for annulment in 1951									176

¹Sixty-four libels were received from the Superior Court; eight thousand, seven hundred and twenty-nine from the Probate Court. Two libels discontinued. Four decrees vacated. One petition for affirmation of marriage. Seven libels dismissed under Rule 87 of the Superior Court and one thousand, five hundred and two dismissed under Rule 43 of the Probate Court.

1123
273
1346

Table 59a

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1951.

LIBELS AND LIBELLANTS.	CAUSES.								Annulments.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Barnstable County.	124¹	18	105	—	—	—	—	1	4
Husband	31	7	24	—	—	—	—	—	1
Wife	93	11	81	—	—	—	—	1	3
Granted	111	18	92	—	—	—	—	1	3
Husband	28	7	21	—	—	—	—	—	1
Wife	83	11	71	—	—	—	—	1	2
Refused	—	—	—	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—	—
Wife	—	—	—	—	—	—	—	—	—
Dismissed	13	—	13	—	—	—	—	—	1
Husband	3	—	3	—	—	—	—	—	—
Wife	10	—	10	—	—	—	—	—	1
Contested	36	3	33	—	—	—	—	—	—
Husband	8	1	7	—	—	—	—	—	—
Wife	28	2	26	—	—	—	—	—	—
Not contested	88	15	72	—	—	—	—	1	4
Husband	23	6	17	—	—	—	—	—	1
Wife	65	9	55	—	—	—	—	1	3
DURATION OF MARRIAGE.									
Less than 6 months	4	—	4	—	—	—	—	—	—
Husband	1	—	1	—	—	—	—	—	—
Wife	3	—	3	—	—	—	—	—	—
6 to 11 months	4	—	4	—	—	—	—	—	1
Husband	2	—	2	—	—	—	—	—	—
Wife	2	—	2	—	—	—	—	—	1
1 to 4 years	43	—	43	—	—	—	—	—	2
Husband	11	—	11	—	—	—	—	—	1
Wife	32	—	32	—	—	—	—	—	1
5 to 9 years	23	6	17	—	—	—	—	—	1
Husband	6	2	4	—	—	—	—	—	—
Wife	17	4	13	—	—	—	—	—	1
10 to 19 years	35	8	26	—	—	—	—	1	—
Husband	5	2	3	—	—	—	—	—	—
Wife	30	6	23	—	—	—	—	1	—
20 to 29 years	12	2	10	—	—	—	—	—	—
Husband	3	1	2	—	—	—	—	—	—
Wife	9	1	8	—	—	—	—	—	—
30 years and over	3	2	1	—	—	—	—	—	—
Husband	3	2	1	—	—	—	—	—	—
Wife	—	—	—	—	—	—	—	—	—
Unknown	—	—	—	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—	—
Wife	—	—	—	—	—	—	—	—	—
Average number of years	9.6	16.3	8.4	—	—	—	—	16.2	3.8
Number of Libels pending January 1, 1951									191
Number of Libels filed during the year 1951									176
Number of Divorces granted during the year 1951									111
Number of Divorces refused during the year 1951									—
Number of Libels contested during the year 1951									36
Number of Libels uncontested during the year 1951									88
Number of cases finally determined in 1951									150
Number of petitions for annulment in 1951									5

¹ No libels were received from the Superior Court; one hundred and fifty from the Probate Court. One libel discontinued. Twenty-five libels and one petition for annulment dismissed under Rule 43 of the Probate Court.

Table 59b

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1951.

LIBELS AND LIBELLANTS.	CAUSES.								Annulments.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Berkshire County.	215¹	32	148	5	4	26	-	-	4
Husband	45	20	19	4	2	-	-	-	2
Wife	170	12	129	1	2	26	-	-	2
Granted	182	30	121	5	3	23	-	-	3
Husband	36	18	13	4	1	-	-	-	1
Wife	146	12	108	1	2	23	-	-	2
Refused	6	-	6	-	-	-	-	-	-
Husband	2	-	2	-	-	-	-	-	-
Wife	4	-	4	-	-	-	-	-	-
Dismissed	27	2	21	-	1	3	-	-	1
Husband	7	2	4	-	1	-	-	-	1
Wife	20	-	17	-	-	3	-	-	-
Contested	68	11	52	-	-	5	-	-	1
Husband	9	5	4	-	-	-	-	-	1
Wife	59	6	48	-	-	5	-	-	-
Not contested	147	21	96	5	4	21	-	-	3
Husband	36	15	15	4	2	-	-	-	1
Wife	111	6	81	1	2	21	-	-	2
DURATION OF MARRIAGE.									
Less than 6 months	9	-	8	-	-	1	-	-	-
Husband	1	-	1	-	-	-	-	-	-
Wife	8	-	7	-	-	1	-	-	-
6 to 11 months	8	-	6	-	-	2	-	-	-
Husband	1	-	1	-	-	-	-	-	-
Wife	7	-	5	-	-	2	-	-	-
1 to 4 years	69	5	53	3	3	5	-	-	4
Husband	14	4	6	2	2	-	-	-	2
Wife	55	1	47	1	1	5	-	-	2
5 to 9 years	47	9	30	-	-	8	-	-	-
Husband	9	6	3	-	-	-	-	-	-
Wife	38	3	27	-	-	8	-	-	-
10 to 19 years	46	11	28	2	1	4	-	-	-
Husband	10	5	3	2	-	-	-	-	-
Wife	36	6	25	-	1	4	-	-	-
20 to 29 years	29	6	17	-	-	6	-	-	-
Husband	9	5	4	-	-	-	-	-	-
Wife	20	1	13	-	-	6	-	-	-
30 years and over	7	1	6	-	-	-	-	-	-
Husband	1	-	1	-	-	-	-	-	-
Wife	6	1	5	-	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-
Husband	-	-	-	-	-	-	-	-	-
Wife	-	-	-	-	-	-	-	-	-
Average number of years	9.8	13.6	9.3	8.7	4.5	8.5	-	-	3.3

Number of Libels pending January 1, 1951	330
Number of Libels filed during the year 1951	266
Number of Divorces granted during the year 1951	182
Number of Divorces refused during the year 1951	6
Number of Libels contested during the year 1951	68
Number of Libels uncontested during the year 1951	147
Number of cases finally determined in 1951	268
Number of petitions for annulment in 1951	6

¹ No libels were received from the Superior Court; two hundred and sixty-eight from the Probate Court. Fifty-three libels and two petitions for annulment dismissed under Rule 43 of the Probate Court.

Table 59c

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1951.

LIBELS AND LIBELLANTS.	CAUSES.								Annulments.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Bristol County.	612 ¹	130	427	26	16	12	-	1	12
Husband	160	61	72	23	4	-	-	-	6
Wife	452	69	355	3	12	12	-	1	6
Granted	528	124	354	25	13	11	-	1	7
Husband	126	58	43	22	3	-	-	-	3
Wife	402	66	311	3	10	11	-	1	4
Refused	-	-	-	-	-	-	-	-	-
Husband	-	-	-	-	-	-	-	-	-
Wife	-	-	-	-	-	-	-	-	-
Dismissed	84	6	73	1	3	1	-	-	5
Husband	34	3	29	1	1	-	-	-	3
Wife	50	3	44	-	2	1	-	-	2
Contested	26	-	23	3	-	-	-	-	2
Husband	8	-	5	3	-	-	-	-	2
Wife	18	-	18	-	-	-	-	-	-
Not contested	586	130	404	23	16	12	-	1	10
Husband	152	61	67	20	4	-	-	-	4
Wife	434	69	337	3	12	12	-	1	6
DURATION OF MARRIAGE.									
Less than 6 months	10	-	9	-	1	-	-	-	1
Husband	2	-	2	-	-	-	-	-	-
Wife	8	-	7	-	1	-	-	-	1
6 to 11 months	13	-	13	-	-	-	-	-	2
Husband	1	-	1	-	-	-	-	-	1
Wife	12	-	12	-	-	-	-	-	1
1 to 4 years	214	18	176	9	6	5	-	-	5
Husband	48	13	23	9	3	-	-	-	3
Wife	166	5	153	-	3	5	-	-	2
5 to 9 years	144	29	99	8	5	2	-	1	3
Husband	33	12	13	7	1	-	-	-	1
Wife	111	17	86	1	4	2	-	1	2
10 to 19 years	158	43	100	7	3	5	-	-	1
Husband	51	18	28	5	-	-	-	-	1
Wife	107	25	72	2	3	5	-	-	-
20 to 29 years	59	29	28	1	1	-	-	-	-
Husband	19	13	5	1	-	-	-	-	-
Wife	40	16	23	-	1	-	-	-	-
30 years and over	14	11	2	1	-	-	-	-	-
Husband	6	5	-	1	-	-	-	-	-
Wife	8	6	2	-	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-
Husband	-	-	-	-	-	-	-	-	-
Wife	-	-	-	-	-	-	-	-	-
Average number of years	9.7	15.5	8.0	9.3	7.2	7.8	-	8.8	4.2
Number of Libels pending January 1, 1951									302
Number of Libels filed during the year 1951									781
Number of Divorces granted during the year 1951									528
Number of Divorces refused during the year 1951									-
Number of Libels contested during the year 1951									26
Number of Libels uncontested during the year 1951									586
Number of cases finally determined in 1951									731
Number of petitions for annulment in 1951									14

¹ One libel was received from the Superior Court; seven hundred and thirty from the Probate Court. One hundred and nineteen libels and two petitions for annulment dismissed under Rule 43 of the Probate Court.

Table 59d

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1951.

LIBELS AND LIBELLANTS.	CAUSES.								An- nul- ments
	All causes.	Deser- tion.	Cruel and abusive treat- ment.	Adul- tery.	Intoxi- cation.	Non- sup- port.	Impo- tency.	Im- prison- ment.	
Dukes County.	7 ¹	1	6	-	-	-	-	-	-
Husband	1	1	-	-	-	-	-	-	-
Wife	6	-	6	-	-	-	-	-	-
Granted	7	1	6	-	-	-	-	-	-
Husband	1	1	-	-	-	-	-	-	-
Wife	6	-	6	-	-	-	-	-	-
Refused	-	-	-	-	-	-	-	-	-
Husband	-	-	-	-	-	-	-	-	-
Wife	-	-	-	-	-	-	-	-	-
Dismissed	-	-	-	-	-	-	-	-	-
Husband	-	-	-	-	-	-	-	-	-
Wife	-	-	-	-	-	-	-	-	-
Contested	1	-	1	-	-	-	-	-	-
Husband	-	-	-	-	-	-	-	-	-
Wife	1	-	1	-	-	-	-	-	-
Not contested	6	1	5	-	-	-	-	-	-
Husband	1	1	-	-	-	-	-	-	-
Wife	5	-	5	-	-	-	-	-	-
DURATION OF MARRIAGE.									
Less than 6 months	-	-	-	-	-	-	-	-	-
Husband	-	-	-	-	-	-	-	-	-
Wife	-	-	-	-	-	-	-	-	-
6 to 11 months	-	-	-	-	-	-	-	-	-
Husband	-	-	-	-	-	-	-	-	-
Wife	-	-	-	-	-	-	-	-	-
1 to 4 years	1	-	1	-	-	-	-	-	-
Husband	-	-	-	-	-	-	-	-	-
Wife	1	-	1	-	-	-	-	-	-
5 to 9 years	3	-	3	-	-	-	-	-	-
Husband	-	-	-	-	-	-	-	-	-
Wife	3	-	3	-	-	-	-	-	-
10 to 19 years	3	1	2	-	-	-	-	-	-
Husband	1	1	-	-	-	-	-	-	-
Wife	2	-	2	-	-	-	-	-	-
20 to 29 years	-	-	-	-	-	-	-	-	-
Husband	-	-	-	-	-	-	-	-	-
Wife	-	-	-	-	-	-	-	-	-
30 years and over	-	-	-	-	-	-	-	-	-
Husband	-	-	-	-	-	-	-	-	-
Wife	-	-	-	-	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-
Husband	-	-	-	-	-	-	-	-	-
Wife	-	-	-	-	-	-	-	-	-
Average number of years	8.4	10.7	8.0	-	-	-	-	-	-
Number of Libels pending January 1, 1951									11
Number of Libels filed during the year 1951									21
Number of Divorces granted during the year 1951									7
Number of Divorces refused during the year 1951									-
Number of Libels contested during the year 1951									1
Number of Libels uncontested during the year 1951									6
Number of cases finally determined in 1951									7
Number of petitions for annulment in 1951									-

¹ No libels were received from the Superior Court; seven from the Probate Court.

Table 59e

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1951.

LIBELS AND LIBELLANTS.	CAUSES.								Annulments.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Essex County.	731 ¹	247	427	28	24	1	2	2	10
Husband	172	101	46	17	8	—	—	—	2
Wife	559	146	381	11	16	1	2	2	8
Granted	668	242	377	23	22	1	1	2	10
Husband	148	97	30	13	8	—	—	—	2
Wife	520	145	347	10	14	1	1	2	8
Refused	—	—	—	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—	—
Wife	—	—	—	—	—	—	—	—	—
Dismissed	63	5	50	5	2	—	1	—	—
Husband	24	4	16	4	—	—	—	—	—
Wife	39	1	34	1	2	—	1	—	—
Contested	80	12	59	5	3	—	1	—	3
Husband	33	10	18	5	—	—	—	—	—
Wife	47	2	41	—	3	—	1	—	3
Not contested	651	235	368	23	21	1	1	2	7
Husband	139	91	28	12	8	—	—	—	2
Wife	512	144	340	11	13	1	1	2	5
DURATION OF MARRIAGE.									
Less than 6 months	6	—	6	—	—	—	—	—	2
Husband	—	—	—	—	—	—	—	—	—
Wife	6	—	6	—	—	—	—	—	2
6 to 11 months	3	—	3	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—	—
Wife	3	—	3	—	—	—	—	—	—
1 to 4 years	223	37	166	10	7	—	2	1	8
Husband	46	15	19	7	5	—	—	—	2
Wife	177	22	147	3	2	—	2	1	6
5 to 9 years	187	65	106	6	8	1	—	1	—
Husband	38	23	11	3	1	—	—	—	—
Wife	149	42	95	3	7	1	—	1	—
10 to 19 years	203	86	104	6	7	—	—	—	—
Husband	51	38	8	3	2	—	—	—	—
Wife	152	48	96	3	5	—	—	—	—
20 to 29 years	85	43	37	5	—	—	—	—	—
Husband	28	17	8	3	—	—	—	—	—
Wife	57	26	29	2	—	—	—	—	—
30 years and over	24	16	5	1	2	—	—	—	—
Husband	9	8	—	1	—	—	—	—	—
Wife	15	8	5	—	2	—	—	—	—
Unknown	—	—	—	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—	—
Wife	—	—	—	—	—	—	—	—	—
Average number of years	10.1	13.9	7.9	11.0	10.4	6.0	3.5	3.5	1.9
Number of Libels pending January 1, 1951									1,328
Number of Libels filed during the year 1951									862
Number of Divorces granted during the year 1951									668
Number of Divorces refused during the year 1951									—
Number of Libels contested during the year 1951									80
Number of Libels uncontested during the year 1951									651
Number of cases finally determined in 1951									895
Number of petitions for annulment in 1951									14

¹ No libels were received from the Superior Court; eight hundred and ninety-five from the Probate Court. One hundred and sixty-four libels and four petitions for annulment dismissed under Rule 43 of the Probate Court.

Table 59f

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1951.

LIBELS AND LIBELLANTS.	CAUSES.							Annulments.
	All causes.	Deser-tion.	Cruel and abusive treat-ment.	Adul-tery.	Intoxi-cation.	Non-sup-port.	Im-po-siten-ty.	Im-prison-ment.
Franklin County.	111¹	22	78	3	6	2	-	-
Husband	24	9	12	3	-	-	-	-
Wife	87	13	66	-	6	2	-	1
Granted	91	20	60	3	6	2	-	-
Husband	20	8	9	3	-	-	-	-
Wife	71	12	51	-	6	2	-	-
Refused.	-	-	-	-	-	-	-	-
Husband	-	-	-	-	-	-	-	-
Wife	-	-	-	-	-	-	-	-
Dismissed	20	2	18	-	-	-	-	1
Husband	4	1	3	-	-	-	-	-
Wife	16	1	15	-	-	-	-	1
Contested	3	-	3	-	-	-	-	-
Husband	-	-	-	-	-	-	-	-
Wife	3	-	3	-	-	-	-	-
Not Contested	108	22	75	3	6	2	-	1
Husband	24	9	12	3	-	-	-	-
Wife	84	13	63	-	6	2	-	1
DURATION OF MARRIAGE.								
Less than 6 months	4	-	3	-	1	-	-	-
Husband	-	-	-	-	-	-	-	-
Wife	4	-	3	-	1	-	-	-
6 to 11 months	2	-	2	-	-	-	-	1
Husband	-	-	-	-	-	-	-	-
Wife	2	-	2	-	-	-	-	1
1 to 4 years	29	2	25	-	1	1	-	-
Husband	5	-	5	-	-	-	-	-
Wife	24	2	20	-	1	1	-	-
5 to 9 years	30	4	21	3	1	1	-	-
Husband	11	4	4	3	-	-	-	-
Wife	19	-	17	-	1	1	-	-
10 to 19 years	35	13	20	-	2	-	-	-
Husband	6	4	2	-	-	-	-	-
Wife	29	9	18	-	2	-	-	-
20 to 29 years	6	1	4	-	1	-	-	-
Husband	-	-	-	-	-	-	-	-
Wife	6	1	4	-	1	-	-	-
30 years and over	5	2	3	-	-	-	-	-
Husband	2	1	1	-	-	-	-	-
Wife	3	1	2	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-
Husband	-	-	-	-	-	-	-	-
Wife	-	-	-	-	-	-	-	-
Average number of years	10.1	14.2	9.1	7.5	10.7	4.0	-	.8
Number of Libels pending January 1, 1951								111
Number of Libels filed during the year 1951								112
Number of Divorces granted during the year 1951								91
Number of Divorces refused during the year 1951								-
Number of Libels contested during the year 1951								3
Number of Libels uncontested during the year 1951								108
Number of cases finally determined in 1951								117
Number of petitions for annulment in 1951								1

¹ No libels were received from the Superior Court; one hundred and seventeen from the Probate Court. One libel discontinued. Five libels dismissed under Rule 43 of the Probate Court.

Table 59g

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1951.

LIBELS AND LIBELLANTS.	CAUSES.							Annulments.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	
Hampden County.	752 ¹	66	653	9	14	8	—	20
Husband	201	30	163	5	3	—	—	7
Wife	551	36	490	4	11	8	—	13
Granted	653	64	561	7	11	8	—	18
Husband	155	29	119	4	3	—	—	5
Wife	498	35	442	3	8	8	—	13
Refused	—	—	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—
Wife	—	—	—	—	—	—	—	—
Dismissed	99	2	92	2	3	—	—	2
Husband	46	1	44	1	—	—	—	2
Wife	53	1	48	1	3	—	—	—
Contested	332	13	307	5	5	2	—	8
Husband	88	9	74	3	2	—	—	3
Wife	244	4	233	2	3	2	—	5
Not contested	420	53	346	4	9	6	—	12
Husband	113	21	89	2	1	—	—	4
Wife	307	32	257	2	8	6	—	8
DURATION OF MARRIAGE.								
Less than 6 months	3	—	3	—	—	—	—	—
Husband	1	—	1	—	—	—	—	—
Wife	2	—	2	—	—	—	—	—
6 to 11 months	3	—	3	—	—	—	—	—
Husband	1	—	1	—	—	—	—	—
Wife	2	—	2	—	—	—	—	—
1 to 4 years	236	5	221	4	4	1	—	14
Husband	68	2	63	2	1	—	—	5
Wife	168	3	158	2	3	1	—	9
5 to 9 years	241	19	207	3	5	6	—	5
Husband	65	10	51	2	2	—	—	2
Wife	176	9	156	1	3	6	—	3
10 to 19 years	157	18	136	2	1	—	—	1
Husband	37	8	28	1	—	—	—	—
Wife	120	10	108	1	1	—	—	1
20 to 29 years	84	14	66	—	3	1	—	—
Husband	20	5	15	—	—	—	—	—
Wife	64	9	51	—	3	1	—	—
30 years and over	28	10	17	—	1	—	—	—
Husband	9	5	4	—	—	—	—	—
Wife	19	5	13	—	1	—	—	—
Unknown	—	—	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—
Wife	—	—	—	—	—	—	—	—
Average number of years	9.8	16.6	9.0	6.4	11.6	8.0	—	3.9
Number of Libels pending January 1, 1951								644
Number of Libels filed during the year 1951								1,040
Number of Divorces granted during the year 1951								653
Number of Divorces refused during the year 1951								—
Number of Libels contested during the year 1951								99
Number of Libels uncontested during the year 1951								332
Number of cases finally determined in 1951								902
Number of petitions for annulment in 1951								20

¹ One libel was received from the Superior Court; nine hundred and one from the Probate Court. One hundred and fifty libels dismissed under Rule 43 of the Probate Court.

Table 59h

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1951.

LIBELS AND LIBELLANTS.	CAUSES.								An- nul- ments.
	All causes.	Deser- tion.	Cruel and abusive treat- ment.	Adul- tery.	Intoxi- cation.	Non- sup- port.	Impo- tency.	Im- prison- ment.	
Hampshire County.	79 ¹	20	48	1	9	-	1	-	3
Husband	18	8	9	1	-	-	-	-	-
Wife	61	12	39	-	9	-	1	-	3
Granted	74	17	46	1	9	-	1	-	1
Husband	16	6	9	1	-	-	-	-	-
Wife	58	11	37	-	9	-	1	-	1
Refused	1	1	-	-	-	-	-	-	-
Husband	-	-	-	-	-	-	-	-	-
Wife	1	1	-	-	-	-	-	-	-
Dismissed	4	2	2	-	-	-	-	-	2
Husband	2	2	-	-	-	-	-	-	-
Wife	2	-	2	-	-	-	-	-	2
Contested	30	7	19	-	4	-	-	-	-
Husband	6	3	3	-	-	-	-	-	-
Wife	24	4	16	-	4	-	-	-	-
Not contested	49	13	29	1	5	-	1	-	3
Husband	12	5	6	1	-	-	-	-	-
Wife	37	8	23	-	5	-	1	-	3
DURATION OF MARRIAGE.									
Less than 6 months	-	-	-	-	-	-	-	-	2
Husband	-	-	-	-	-	-	-	-	-
Wife	-	-	-	-	-	-	-	-	2
6 to 11 months	-	-	-	-	-	-	-	-	-
Husband	-	-	-	-	-	-	-	-	-
Wife	-	-	-	-	-	-	-	-	-
1 to 4 years	20	1	16	-	3	-	-	-	-
Husband	7	1	6	-	-	-	-	-	-
Wife	13	-	10	-	3	-	-	-	-
5 to 9 years	19	5	13	1	-	-	-	-	-
Husband	4	2	1	1	-	-	-	-	-
Wife	15	3	12	-	-	-	-	-	-
10 to 19 years	24	9	13	-	2	-	-	-	-
Husband	4	4	-	-	-	-	-	-	-
Wife	20	5	13	-	2	-	-	-	-
20 to 29 years	14	3	6	-	4	-	1	-	1
Husband	3	1	2	-	-	-	-	-	-
Wife	11	2	4	-	4	-	1	-	1
30 years and over	2	2	-	-	-	-	-	-	-
Husband	-	-	-	-	-	-	-	-	-
Wife	2	2	-	-	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-
Husband	-	-	-	-	-	-	-	-	-
Wife	-	-	-	-	-	-	-	-	-
Average number of years	12.3	17.3	9.8	7.1	13.6	-	22.7	-	7.7
Number of Libels pending January 1, 1951									158
Number of Libels filed during the year 1951									107
Number of Divorces granted during the year 1951									74
Number of Divorces refused during the year 1951									1
Number of Libels contested during the year 1951									30
Number of Libels uncontested during the year 1951									49
Number of cases finally determined in 1951									89
Number of petitions for annulment in 1951									3

¹Sixty libels were received from the Superior Court; twenty-nine from the Probate Court. Seven libels dismissed under Rule 87 of the Superior Court. Three libels dismissed under Rule 43 of the Probate Court

Table 591

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1951.

LIBELS AND LIBELLANTS.	CAUSES.								An- nul- ments.
	All causes.	Deser- tion.	Cruel and abusive treat- ment.	Adul- tery.	Intoxi- cation.	Non- sup- port.	Impo- tency.	Im- prison- ment.	
Middlesex County.	1,448 ¹	275	1,114	19	24	5	1	10	26
Husband	367	118	231	12	5	—	1	—	13
Wife	1,081	157	883	7	19	5	—	10	13
Granted	1,243	254	937	16	20	5	1	10	23
Husband	266	103	148	10	4	—	1	—	11
Wife	977	151	789	6	16	5	—	10	12
Refused.	—	—	—	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—	—
Wife	—	—	—	—	—	—	—	—	—
Dismissed	205	21	177	3	4	—	—	—	3
Husband	101	15	83	2	1	—	—	—	2
Wife	104	6	94	1	3	—	—	—	1
Contested	722	68	630	6	11	2	—	5	5
Husband	180	34	138	5	3	—	—	—	2
Wife	542	34	492	1	8	2	—	5	3
Not Contested	726	207	484	13	13	3	1	5	21
Husband	187	84	93	7	2	—	1	—	11
Wife	539	123	391	6	11	3	—	5	10
DURATION OF MARRIAGE.									
Less than 6 months	18	—	17	—	1	—	—	—	2
Husband	3	—	3	—	—	—	—	—	2
Wife	15	—	14	—	1	—	—	—	—
6 to 11 months	25	—	25	—	—	—	—	—	5
Husband	5	—	5	—	—	—	—	—	2
Wife	20	—	20	—	—	—	—	—	3
1 to 4 years	446	26	401	6	5	2	1	5	15
Husband	87	11	71	4	—	—	1	—	8
Wife	359	15	330	2	5	2	—	5	7
5 to 9 years	359	62	282	4	6	1	—	4	3
Husband	101	28	67	2	4	—	—	—	—
Wife	258	34	215	2	2	1	—	4	3
10 to 19 years	391	102	270	8	10	—	—	1	—
Husband	105	43	56	5	1	—	—	—	—
Wife	286	59	214	3	9	—	—	1	—
20 to 29 years	151	51	96	1	2	1	—	—	1
Husband	45	21	23	1	—	—	—	—	1
Wife	106	30	73	—	2	1	—	—	—
30 years and over	58	34	23	—	—	1	—	—	—
Husband	21	15	6	—	—	—	—	—	—
Wife	37	19	17	—	—	1	—	—	—
Unknown	—	—	—	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—	—
Wife	—	—	—	—	—	—	—	—	—
Average number of years.	10.7	17.3	9.2	9.2	8.8	14.2	4.2	6.1	2.9
Number of Libels pending January 1, 1951									2,321
Number of Libels filed during the year 1951									1,905
Number of Divorces granted during the year 1951									1,243
Number of Divorces refused during the year 1951									—
Number of Libels contested during the year 1951									722
Number of Libels uncontested during the year 1951									726
Number of cases finally determined in 1951									1,797
Number of petitions for annulment in 1951									39

¹ No libels were received from the Superior Court; one thousand, seven hundred and ninety-seven from the Probate Court. Three hundred and forty-nine libels and thirteen petitions for annulment dismissed under Rule 43 of the Probate Court.

Table 59j

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1951.

LIBELS AND LIBELLANTS.	CAUSES.								An- nul- ments.
	All causes.	Deser- tion.	Cruel and abusive treat- ment.	Adul- tery.	Intoxi- cation.	Non- sup- port.	Impo- tency.	Im- prison- ment.	
Nantucket County.	11 ¹	1	10	-	-	-	-	-	-
Husband	4	1	3	-	-	-	-	-	-
Wife	7	-	7	-	-	-	-	-	-
Granted	10	1	9	-	-	-	-	-	-
Husband	4	1	3	-	-	-	-	-	-
Wife	6	-	6	-	-	-	-	-	-
Refused	-	-	-	-	-	-	-	-	-
Husband	-	-	-	-	-	-	-	-	-
Wife	-	-	-	-	-	-	-	-	-
Dismissed	1	-	1	-	-	-	-	-	-
Husband	-	-	-	-	-	-	-	-	-
Wife	1	-	1	-	-	-	-	-	-
Contested	3	1	2	-	-	-	-	-	-
Husband	3	1	2	-	-	-	-	-	-
Wife	-	-	-	-	-	-	-	-	-
Not Contested	8	-	8	-	-	-	-	-	-
Husband	1	-	1	-	-	-	-	-	-
Wife	7	-	7	-	-	-	-	-	-
DURATION OF MARRIAGE.									
Less than 6 months	-	-	-	-	-	-	-	-	-
Husband	-	-	-	-	-	-	-	-	-
Wife	-	-	-	-	-	-	-	-	-
6 to 11 months	-	-	-	-	-	-	-	-	-
Husband	-	-	-	-	-	-	-	-	-
Wife	-	-	-	-	-	-	-	-	-
1 to 4 years	4	1	3	-	-	-	-	-	-
Husband	3	1	2	-	-	-	-	-	-
Wife	1	-	1	-	-	-	-	-	-
5 to 9 years	2	-	2	-	-	-	-	-	-
Husband	1	-	1	-	-	-	-	-	-
Wife	1	-	1	-	-	-	-	-	-
10 to 19 years	4	-	4	-	-	-	-	-	-
Husband	-	-	-	-	-	-	-	-	-
Wife	4	-	4	-	-	-	-	-	-
20 to 29 years	1	-	1	-	-	-	-	-	-
Husband	-	-	-	-	-	-	-	-	-
Wife	1	-	1	-	-	-	-	-	-
30 years and over	-	-	-	-	-	-	-	-	-
Husband	-	-	-	-	-	-	-	-	-
Wife	-	-	-	-	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-
Husband	-	-	-	-	-	-	-	-	-
Wife	-	-	-	-	-	-	-	-	-
Average number of years	9.2	4.0	9.7	-	-	-	-	-	-
Number of Libels pending January 1, 1951									12
Number of Libels filed during the year 1951									15
Number of Divorces granted during the year 1951									10
Number of Divorces refused during the year 1951									-
Number of Libels contested during the year 1951									3
Number of Libels uncontested during the year 1951									8
Number of cases finally determined in 1951									11
Number of petitions for annulment in 1951									-

¹ No libels were received from the Superior Court; eleven from the Probate Court.

Table 59k

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1951.

LIBELS AND LIBELLANTS.	CAUSES.								An- nul- ments.
	All causes.	Deser- tion.	Cruel and abusive treat- ment.	Adul- tery.	Intoxi- cation.	Non- sup- port.	Impo- tency.	Im- prison- ment.	
Norfolk County.	484 ¹	71	401	2	7	1	—	2	9
Husband	142	29	111	2	—	—	—	—	4
Wife	342	42	290	—	7	1	—	2	5
Granted	403	65	326	2	7	1	—	2	9
Husband	91	23	66	2	—	—	—	—	4
Wife	312	42	260	—	7	1	—	2	5
Refused	13	1	12	—	—	—	—	—	—
Husband	10	1	9	—	—	—	—	—	—
Wife	3	—	3	—	—	—	—	—	—
Dismissed	68	5	63	—	—	—	—	—	—
Husband	41	5	36	—	—	—	—	—	—
Wife	27	—	27	—	—	—	—	—	—
Contested	29	2	27	—	—	—	—	—	4
Husband	13	1	12	—	—	—	—	—	1
Wife	16	1	15	—	—	—	—	—	3
Not Contested	455	69	374	2	7	1	—	2	5
Husband	129	28	99	2	—	—	—	—	3
Wife	326	41	275	—	7	1	—	2	2
DURATION OF MARRIAGE.									
Less than 6 months	4	—	4	—	—	—	—	—	2
Husband	3	—	3	—	—	—	—	—	2
Wife	1	—	1	—	—	—	—	—	—
6 to 11 months	14	—	14	—	—	—	—	—	2
Husband	5	—	5	—	—	—	—	—	1
Wife	9	—	9	—	—	—	—	—	1
1 to 4 years	145	5	136	1	1	—	—	2	4
Husband	33	1	31	1	—	—	—	—	—
Wife	112	4	105	—	1	—	—	2	4
5 to 9 years	127	25	101	—	—	1	—	—	—
Husband	36	9	27	—	—	—	—	—	—
Wife	91	16	74	—	—	1	—	—	—
10 to 19 years	123	20	97	1	5	—	—	—	—
Husband	38	9	28	1	—	—	—	—	—
Wife	85	11	69	—	5	—	—	—	—
20 to 29 years	54	9	44	—	1	—	—	—	1
Husband	19	4	15	—	—	—	—	—	1
Wife	35	5	29	—	1	—	—	—	—
30 years and over	17	12	5	—	—	—	—	—	—
Husband	8	6	2	—	—	—	—	—	—
Wife	9	6	3	—	—	—	—	—	—
Unknown	—	—	—	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—	—
Wife	—	—	—	—	—	—	—	—	—
Average number of years	10.3	15.8	9.4	7.0	13.2	5.0	—	3.6	4.0
Number of Libels pending January 1, 1951									633
Number of Libels filed during the year 1951									667
Number of Divorces granted during the year 1951									403
Number of Divorces refused during the year 1951									13
Number of Libels contested during the year 1951									29
Number of Libels uncontested during the year 1951									455
Number of cases finally determined in 1951									591
Number of petitions for annulment in 1951									10

¹ No libels were received from the Superior Court; five hundred and ninety-one from the Probate Court. Four decrees vacated. One petition for affirmation of marriage. One hundred and three libels dismissed under Rule 43 of the Probate Court.

Table 591 LIBELS AND LIBELLANTS.	LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1951.								
	CAUSES.								Annulments.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Plymouth County.	325¹	51	265	3	3	3	-	-	6
Husband	91	30	57	3	1	-	-	-	3
Wife	234	21	208	-	2	3	-	-	3
Granted	275	49	219	3	2	2	-	-	4
Husband	68	29	35	3	1	-	-	-	2
Wife	207	20	184	-	1	2	-	-	2
Refused	4	-	4	-	-	-	-	-	-
Husband	3	-	3	-	-	-	-	-	-
Wife	1	-	1	-	-	-	-	-	-
Dismissed	46	2	42	-	1	1	-	-	2
Husband	20	1	19	-	-	-	-	-	1
Wife	26	1	23	-	1	1	-	-	1
Contested	159	14	140	1	1	3	-	-	3
Husband	48	10	36	1	1	-	-	-	1
Wife	111	4	104	-	-	3	-	-	2
Not contested	166	37	125	2	2	-	-	-	3
Husband	43	20	21	2	-	-	-	-	2
Wife	123	17	104	-	2	-	-	-	1
DURATION OF MARRIAGE.									
Less than 6 months	3	-	3	-	-	-	-	-	-
Husband	-	-	-	-	-	-	-	-	-
Wife	3	-	3	-	-	-	-	-	-
6 to 11 months	11	-	11	-	-	-	-	-	-
Husband	4	-	4	-	-	-	-	-	-
Wife	7	-	7	-	-	-	-	-	-
1 to 4 years	94	3	91	-	-	-	-	-	4
Husband	27	2	25	-	-	-	-	-	1
Wife	67	1	66	-	-	-	-	-	3
5 to 9 years	81	14	62	2	2	1	-	-	1
Husband	22	9	11	2	-	-	-	-	1
Wife	59	5	51	-	2	1	-	-	-
10 to 19 years	89	14	72	1	1	1	-	-	1
Husband	18	4	12	1	1	-	-	-	1
Wife	71	10	60	-	-	1	-	-	-
20 to 29 years	38	17	20	-	-	1	-	-	-
Husband	18	15	3	-	-	-	-	-	-
Wife	20	2	17	-	-	1	-	-	-
30 years and over	9	3	6	-	-	-	-	-	-
Husband	2	-	2	-	-	-	-	-	-
Wife	7	3	4	-	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-
Husband	-	-	-	-	-	-	-	-	-
Wife	-	-	-	-	-	-	-	-	-
Average number of years	10.3	16.4	9.0	12.4	11.8	16.6	-	-	5.7
Number of Libels pending January 1, 1951									408
Number of Libels filed during the year 1951									435
Number of Divorces granted during the year 1951									275
Number of Divorces refused during the year 1951									4
Number of Libels contested during the year 1951									159
Number of Libels uncontested during the year 1951									166
Number of cases finally determined in 1951									398
Number of petitions for annulment in 1951									7

¹ No libels were received from the Superior Court; three hundred and ninety-eight from the Probate Court. Seventy-three libels and one petition for annulment dismissed under Rule 43 of the Probate Court

Table 59m

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED. BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1951.

LIBELS AND LIBELLANTS.	CAUSES.								Annulments.
	All causes	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Suffolk County.	1,478¹	305	1,106	17	24	18	-	8	44
Husband	385	134	229	14	8	-	-	-	19
Wife	1,093	171	877	3	16	18	-	8	25
Granted	1,304	288	959	12	20	17	-	8	35
Husband	295	121	160	9	5	-	-	-	16
Wife	1,009	167	799	3	15	17	-	8	19
Refused	49	4	42	1	1	1	-	-	2
Husband	37	4	31	1	1	-	-	-	-
Wife	12	-	11	-	-	1	-	-	2
Dismissed	125	13	105	4	3	-	-	-	7
Husband	53	9	38	4	2	-	-	-	3
Wife	72	4	67	-	1	-	-	-	4
Contested	566	62	483	7	9	5	-	-	11
Husband	146	26	109	6	5	-	-	-	5
Wife	420	36	374	1	4	5	-	-	6
Not contested	912	243	623	10	15	13	-	8	33
Husband	239	108	120	8	3	-	-	-	14
Wife	673	135	503	2	12	13	-	8	19
DURATION OF MARRIAGE.									
Less than 6 months	26	-	24	1	1	-	-	-	12
Husband	6	-	5	1	-	-	-	-	6
Wife	20	-	19	-	1	-	-	-	6
6 to 11 months	49	-	46	1	1	-	-	1	6
Husband	15	-	13	1	1	-	-	-	2
Wife	34	-	33	-	-	-	-	1	4
1 to 4 years	468	29	426	5	6	1	-	1	16
Husband	109	16	88	3	2	-	-	-	6
Wife	359	13	338	2	4	1	-	1	10
5 to 9 years	425	104	298	4	7	10	-	2	8
Husband	110	45	59	3	3	-	-	-	5
Wife	315	59	239	1	4	10	-	2	3
10 to 19 years	369	113	235	5	7	5	-	4	-
Husband	100	48	46	5	1	-	-	-	-
Wife	269	65	189	-	6	5	-	4	-
20 to 29 years	109	42	63	1	1	2	-	-	2
Husband	28	15	12	1	-	-	-	-	-
Wife	81	27	51	-	1	2	-	-	2
30 years and over	32	17	14	-	1	-	-	-	-
Husband	17	10	6	-	1	-	-	-	-
Wife	15	7	8	-	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-
Husband	-	-	-	-	-	-	-	-	-
Wife	-	-	-	-	-	-	-	-	-
Average number of years	9.0	13.3	7.8	7.8	9.5	11.0	-	9.4	3.5
Number of Libels pending January 1, 1951									3,162
Number of Libels filed during the year 1951									2,050
Number of Divorces granted during the year 1951									1,304
Number of Divorces refused during the year 1951									49
Number of Libels contested during the year 1951									566
Number of Libels uncontested during the year 1951									912
Number of cases finally determined in 1951									1,936
Number of petitions for annulment in 1951									44

¹ Two libels were received from the Superior Court; one thousand, nine hundred and thirty-four from the Probate Court. Four hundred and fifty-eight libels dismissed under Rule 43 of the Probate Court.

Table 59n

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1951.

LIBELS AND LIBELLANTS.	CAUSES.								Annulments.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Worcester County.	901¹	107	766	5	17	3	—	3	13
Husband	259	51	196	5	6	—	—	1	7
Wife	642	56	570	—	11	3	—	2	6
Granted	739	97	618	3	15	3	—	3	12
Husband	174	43	122	3	5	—	—	1	7
Wife	565	54	496	—	10	3	—	2	5
Refused	—	—	—	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—	—
Wife	—	—	—	—	—	—	—	—	—
Dismissed	162	10	148	2	2	—	—	—	1
Husband	85	8	74	2	1	—	—	—	—
Wife	77	2	74	—	1	—	—	—	1
Contested	360	30	321	3	3	2	—	1	4
Husband	112	18	88	3	3	—	—	—	1
Wife	248	12	233	—	—	2	—	1	3
Not contested	541	77	445	2	14	1	—	2	9
Husband	147	33	108	2	3	—	—	1	6
Wife	394	44	337	—	11	1	—	1	3
DURATION OF MARRIAGE.									
Less than 6 months	20	—	20	—	—	—	—	—	3
Husband	8	—	8	—	—	—	—	—	3
Wife	12	—	12	—	—	—	—	—	—
6 to 11 months	29	—	28	—	—	1	—	—	2
Husband	9	—	9	—	—	—	—	—	2
Wife	20	—	19	—	—	1	—	—	—
1 to 4 years	279	5	267	1	5	—	—	1	8
Husband	61	2	54	1	3	—	—	1	2
Wife	218	3	213	—	2	—	—	—	6
5 to 9 years	228	30	192	3	2	—	—	1	—
Husband	66	15	48	3	—	—	—	—	—
Wife	162	15	144	—	2	—	—	1	—
10 to 19 years	218	29	178	—	8	2	—	1	—
Husband	72	16	53	—	3	—	—	—	—
Wife	146	13	125	—	5	2	—	1	—
20 to 29 years	96	31	64	1	—	—	—	—	—
Husband	33	12	20	1	—	—	—	—	—
Wife	63	19	44	—	—	—	—	—	—
30 years and over	31	12	17	—	2	—	—	—	—
Husband	10	6	4	—	—	—	—	—	—
Wife	21	6	13	—	2	—	—	—	—
Unknown	—	—	—	—	—	—	—	—	—
Husband	—	—	—	—	—	—	—	—	—
Wife	—	—	—	—	—	—	—	—	—
Average number of years	10.0	17.8	8.9	8.2	11.8	10.7	—	9.4	1.3
Number of Libels pending January 1, 1951									944
Number of Libels filed during the year 1951									1,255
Number of Divorces granted during the year 1951									739
Number of Divorces refused during the year 1951									—
Number of Libels contested during the year 1951									360
Number of Libels uncontested during the year 1951									541
Number of cases finally determined in 1951									901
Number of petitions for annulment in 1951									13

¹ No libels were received from the Superior Court; nine hundred and one from the Probate Court.

Table 60		DIVORCES GRANTED: 1927 to 1951.					
		YEARS.	Total number.	GRANTED TO HUSBAND.		GRANTED TO WIFE.	
				Number.	Per cent.	Number.	Per cent.
1927 to 1951		130,288	31,600	24.3	98,688	75.7	
1927		3,493	895	25.6	2,598	74.4	
1928		3,663	939	25.6	2,724	74.4	
1929		3,574	925	25.9	2,649	74.1	
1930		3,746	988	26.4	2,758	73.6	
1931		3,625	894	24.7	2,731	75.3	
1932		3,543	938	26.5	2,605	73.5	
1933		3,210	801	25.0	2,409	75.0	
1934		3,645	858	23.5	2,787	76.5	
1935		4,081	955	23.4	3,126	76.6	
1936		4,311	1,037	24.1	3,274	75.9	
1937		4,687	1,145	24.4	3,542	75.6	
1938		4,599	1,058	23.0	3,541	77.0	
1939		4,425	983	22.2	3,442	77.8	
1940		4,502	989	22.0	3,513	78.0	
1941		4,760	1,031	21.7	3,729	78.3	
1942		5,414	1,232	22.8	4,182	77.2	
1943		5,144	1,288	25.0	3,856	75.0	
1944		6,312	1,605	25.4	4,707	74.6	
1945		6,833	1,764	25.8	5,069	74.2	
1946		10,071	2,791	27.7	7,280	72.3	
1947		9,840	2,508	25.5	7,332	74.5	
1948		7,470	1,692	22.7	5,778	77.3	
1949		6,687	1,480	22.1	5,207	77.9	
1950		6,365	1,376	21.6	4,989	78.4	
1951		6,288	1,428	22.7	4,860	77.3	

Table 61		DIVORCES GRANTED: 1925 TO 1949.					
		PERIOD OF YEARS.	Total number.	INCREASE OVER PRECED- ING PERIOD.			
				Number.	Per cent.		
1925 to 1929	17,488	677 ¹	3.7 ¹
1930 to 1934	17,769	281	1.6
1935 to 1939	22,103	4,334	24.4
1940 to 1944	26,132	4,029	18.2
1945 to 1949	40,901	14,769	56.5

¹ Decrease.

Table 62	COMPARISON OF INCREASE IN DIVORCE WITH INCREASE IN POPULATION: 1925 TO 1950.							
	DIVORCES.				POPULATION.			Divorces per 100,000 popula- tion.
	Total num- ber.	INCREASE OVER PRECEDING CENSUS YEAR.		Total.	INCREASE OVER PRECEDING CENSUS YEAR.		Popu- lation to one divorce.	
		Number.	Per cent.		Number.	Per cent.		
CENSUS YEARS.								
1925	3,395	252 ¹	6.9 ¹	4,144,205	291,849	7.6	1,221	81.9
1930	3,746	351	10.3	4,249,614	105,409	2.5	1,134	88.1
1935	4,081	335	8.9	4,350,910	101,296	2.4	1,066	93.8
1940	4,502	421	10.3	4,316,721	65,811 ¹	1.5 ¹	959	104.3
1945	6,833	2,331	51.8	4,511,866	195,145	4.5	660	151.4
1950	6,365	468 ¹	6.8 ¹	4,690,514	178,648	4.0	737	135.7

¹ Decrease.

Table 63		DIVORCE RATES BASED ON TOTAL POPULATION AND ON MARRIED POPULATION: CENSUS YEARS, 1920 TO 1945.					
		POPULATION.		DIVORCE: ANNUAL AVERAGE. ¹		Married popu- lation to one divorce.	Divorces per 100,000 married popu- lation.
		Total.	Married. ²	Number.	Per 100,000 popu- lation.		
1920		3,852,356	1,534,584	3,123	81	491	204
1925		4,144,205	—	3,538	83	—	—
1930		4,249,614	1,740,235	3,630	85	479	209
1935		4,350,910	—	3,987	92	—	—
1940		4,316,721	1,867,437	4,741	110	273	366
1945		4,511,866	—	7,640	169	—	—

¹ For the five-year period of which the census year is the median year.² Married population for 1925, 1935 and 1945 not available.

Table 64

COUNTIES.	ANNUAL AVERAGE ¹ NUMBER OF DIVORCES IN THE STATE AND IN EACH COUNTY: CENSUS YEARS 1925 TO 1945.				
	NUMBER.				
	1945.	1940.	1935.	1930.	1925.
The State.	7,640	4,741	3,989	3,631	3,537
Barnstable	99	67	50	35	31
Berkshire	211	174	141	109	128
Bristol	738	375	299	281	292
Dukes	12	8	9	6	4
Essex	766	512	418	403	437
Franklin	83	45	40	31	36
Hampden	687	373	307	267	263
Hampshire	61	38	39	33	31
Middlesex	1,526	967	820	778	647
Nantucket	9	4	5	3	4
Norfolk	533	328	280	215	165
Plymouth	411	204	155	126	143
Suffolk	1,635	1,113	1,035	996	989
Worcester	869	533	391	348	367

¹ For the five-year period of which the census year is the median year.

Table 65

STATUTORY CAUSES.	DIVORCES GRANTED FOR SPECIFIED CAUSES FOR 25 YEARS: 1927 TO 1951.								
	TOTAL.			GRANTED TO HUSBAND.			GRANTED TO WIFE.		
	Num. ber.	Per cent.	Per cent distribution.	Num. ber.	Per cent.	Per cent distribution.	Num. ber.	Per cent.	Per cent distribution.
All Causes.	130,092¹	100.0	100.0	31,532	24.2	100.0	98,560	75.8	100.0
Cruel and abusive treatment	77,696	100.0	59.7	11,509	14.8	36.5	66,187	85.2	67.2
Desertion	39,885	100.0	30.7	15,827	39.7	50.2	24,058	60.3	24.4
Adultery	4,733	100.0	3.6	3,306	69.8	10.5	1,427	30.2	1.4
Intoxication	4,194	100.0	3.2	825	19.7	2.6	3,369	80.3	3.4
Non-support	2,853	100.0	2.2	—	—	—	2,853	100.0	2.9
Imprisonment	587	100.0	.5	19	3.2	.1	568	96.8	.6
Impotency	144	100.0	.1	46	31.9	.1	98	68.1	.1

¹ 2,701 Annulments not included.

Table 66

YEARS DIVORCES WERE GRANTED.	STATUTORY CAUSES OF DIVORCE: 1927 TO 1951.								
	All causes.	Cruel and abusive treatment.	Deser-tion.	Adul-tery.	Intoxi-cation.	Non-sup-port.	Im-prison-ment.	Impo-ten-cy.	An-nul-ment.
1927	3,493	1,363	1,580	254	123	119	9	5	40
1928	3,663	1,463	1,625	254	146	112	17	3	43
1929	3,574	1,555	1,482	222	138	114	11	12	40
1930	3,746	1,647	1,581	235	126	100	6	10	41
1931	3,625	1,675	1,488	183	112	114	8	7	38
1932	3,543	1,686	1,421	172	131	104	19	10	56
1933	3,210	1,632	1,212	146	91	110	14	5	61
1934	3,645	1,952	1,367	105	93	105	22	1	58
1935	4,081	2,149	1,527	133	122	126	19	5	70
1936	4,311	2,321	1,575	153	134	101	23	4	79
1937	4,687	2,345	1,884	134	163	132	22	7	121
1938	4,599	2,474	1,706	123	165	109	18	4	81
1939	4,425	2,460	1,549	139	145	107	20	5	105
1940	4,502	2,531	1,488	137	179	133	29	5	93
1941	4,760	2,733	1,575	136	176	114	23	3	135
1942	5,414	3,068	1,839	141	214	116	30	6	97
1943	5,144	3,042	1,652	126	191	100	26	7	109
1944	6,312	3,835	1,925	183	224	114	26	5	118
1945	6,833	4,395	1,779	277	246	91	36	9	170
1946	10,071	6,765	2,200	556	335	174	33	8	276
1947	9,840	6,897	2,073	389	264	163	44	10	244
1948	7,470	5,421	1,463	191	223	126	41	5	183
1949	6,687	4,918	1,325	129	188	99	25	3	168
1950	6,365	4,684	1,299	115	137	91	37	2	150
1951	6,288	4,685	1,270	100	128	73	29	3	125

Table 67

APPLICATIONS FOR DIVORCE: 1927 TO 1951.

YEARS OF APPLICATION.	Total.	GRANTED.		REFUSED.		DISMISSED.		CONTESTED.		NOT CONTESTED.	
		Num-ber.	Per cent.	Num-ber.	Per cent.	Num-ber.	Per cent.	Num-ber.	Per cent.	Num-ber.	Per cent.
1927	150,830	130,288	86.4	832	.5	19,710	13.1	47,493	31.5	103,337	68.5
1928	4,026	3,493	86.7	34	.8	499	12.5	1,044	26.0	2,982	74.0
1928	4,180	3,663	87.6	55	1.3	462	11.1	1,048	25.1	3,132	74.9
1929	5,028	3,574	71.1	40	.8	1,414	28.1	1,308	26.0	3,720	74.0
1930	4,560	3,746	82.1	12	.3	802	17.6	1,209	26.5	3,351	73.5
1931	4,303	3,625	84.2	4	.1	674	15.7	1,282	29.8	3,021	70.2
1932	4,095	3,543	86.5	7	.2	545	13.3	1,179	28.8	2,916	71.2
1933	3,731	3,210	86.0	3	.1	518	13.9	1,093	29.3	2,638	70.7
1934	4,238	3,645	86.0	1	—	592	14.0	1,237	29.2	3,001	70.8
1935	4,727	4,081	86.3	3	.1	643	13.6	1,317	27.9	3,410	72.1
1936	4,895	4,311	88.1	43	.9	541	11.0	1,441	29.4	3,454	70.6
1937	5,216	4,687	89.9	7	.1	522	10.0	1,480	28.4	3,736	71.6
1938	5,214	4,599	88.2	6	.1	609	11.7	1,411	27.1	3,803	72.9
1939	4,919	4,425	89.9	4	.1	490	10.0	1,334	27.1	3,585	72.9
1940	4,966	4,502	90.7	2	—	462	9.3	1,345	27.1	3,621	72.9
1941	5,322	4,760	89.4	29	.6	533	10.0	1,536	28.9	3,786	71.1
1942	6,092	5,414	88.9	34	.5	644	10.6	1,893	31.1	4,199	68.9
1943	5,856	5,144	87.8	44	.8	668	11.4	1,927	32.9	3,929	67.1
1944	7,171	6,312	88.0	64	.9	795	11.1	2,469	34.4	4,702	65.6
1945	7,967	6,833	85.8	57	.7	1,077	13.5	2,791	35.0	5,176	65.0
1946	11,699	10,071	86.1	120	1.0	1,508	12.9	4,173	35.7	7,526	64.3
1947	11,459	9,840	85.9	59	.5	1,560	13.6	3,879	33.9	7,580	66.1
1948	8,691	7,470	85.9	24	.3	1,197	13.8	3,157	36.3	5,534	63.7
1949	7,840	6,687	85.3	27	.3	1,126	14.4	2,873	36.6	4,967	63.4
1950	7,357	6,365	86.5	80	1.1	912	12.4	2,652	36.0	4,705	64.0
1951	7,278	6,288	86.4	73	1.0	917	12.6	2,415	33.2	4,863	66.8

¹ Less than one-tenth of one per cent.

Table 68

DIVORCES GRANTED CLASSIFIED BY STATUTORY CAUSE AND PARTY TO WHICH GRANTED: 1951.

STATUTORY CAUSE AND PARTY TO WHICH GRANTED.	Total Number.	CASES CONTESTED.		CASES NOT CONTESTED.	
		Number.	Per cent.	Number.	Per cent.
All Causes.	6,288	1,913	30.4	4,375	69.6
HUSBAND	1,428	365	25.6	1,063	74.4
WIFE	4,860	1,548	31.9	3,312	68.1
Desertion	1,270	183	14.4	1,087	85.6
Husband	544	85	15.6	459	84.4
Wife	726	98	13.5	628	86.5
Cruel and abusive treatment	4,685	1,656	35.3	3,029	64.7
Husband	778	252	32.4	526	67.6
Wife	3,907	1,404	35.9	2,503	64.1
Adultery	100	18	18.0	82	82.0
Husband	74	16	21.6	58	78.4
Wife	26	2	7.7	24	92.3
Intoxication	128	32	25.0	96	75.0
Husband	30	12	40.0	18	60.0
Wife	98	20	20.4	78	79.6
Non-support	73	17	23.3	56	76.7
Husband	—	—	—	—	—
Wife	73	17	23.3	56	76.7
Impotency	3	1	33.3	2	66.7
Husband	1	—	—	1	100.0
Wife	2	1	50.0	1	50.0
Imprisonment	29	6	20.7	23	79.3
Husband	1	—	—	1	100.0
Wife	28	6	21.4	22	78.6
Annulments	125	32	25.6	93	74.4
Husband	52	9	17.3	43	82.7
Wife	73	23	31.5	50	68.5

Table 69

LIBELS FOR DIVORCES GRANTED AND NOT GRANTED, CONTESTED AND NOT CONTESTED, CLASSIFIED BY PARTY TO WHICH GRANTED: 1951.

PARTY TO WHICH GRANTED.	TOTAL.		GRANTED.		REFUSED.		DISMISSED.	
	Con- tested.	Not con- tested.	Con- tested.	Not con- tested.	Con- tested.	Not con- tested.	Con- tested.	Not con- tested.
TOTAL.	2,415	4,863	1,913	4,375	56	17	446	471
Husband	654	1,246	365	1,063	38	14	251	169
Wife	1,761	3,617	1,548	3,312	18	3	195	302

Table 70

NUMBER OF YEARS LIBELLANTS WERE MARRIED AT TIME OF
APPLICATION FOR DIVORCE: 1927 TO 1951.

YEARS OF APPLICATION.	NUMBER OF YEARS LIBELLANTS WERE MARRIED AT TIME OF APPLICATION FOR DIVORCE: 1927 TO 1951.							
	Total. ¹	Under 6 months.	6 to 11 months.	1 to 4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 years and over.
1927	4,026	41	63	900	1,305	1,213	402	99
1928	4,180	40	79	975	1,371	1,232	385	98
1929	5,028	56	86	1,139	1,531	1,549	509	153
1930	4,560	55	75	1,070	1,403	1,346	493	116
1931	4,301	51	78	1,026	1,270	1,313	444	119
1932	4,094	43	76	941	1,214	1,306	433	81
1933	3,731	25	66	881	1,162	1,135	383	79
1934	4,238	32	74	960	1,280	1,336	456	100
1935	4,726	52	81	1,054	1,436	1,517	478	103
1936	4,892	49	83	1,045	1,473	1,615	493	134
1937	5,216	39	92	1,113	1,528	1,758	546	140
1938	5,214	64	98	1,205	1,529	1,636	529	152
1939	4,918	47	101	1,180	1,398	1,509	558	125
1940	4,966	47	75	1,223	1,344	1,549	589	139
1941	5,322	45	87	1,286	1,508	1,631	612	153
1942	6,091	83	119	1,404	1,706	1,840	765	174
1943	5,856	78	110	1,261	1,627	1,832	765	183
1944	7,171	77	118	1,656	1,805	2,189	1,065	261
1945	7,967	100	151	2,166	1,971	2,276	1,024	279
1946	11,699	181	272	3,750	3,186	2,923	1,115	269
1947	11,459	199	333	3,362	3,252	2,887	1,124	302
1948	8,691	136	228	2,411	2,445	2,240	961	270
1949	7,840	114	194	2,312	2,051	2,084	831	254
1950	7,356	142	179	2,297	1,900	1,863	727	248
1951	7,278	107	161	2,271	1,916	1,855	738	230

¹ Exclusive of those for which duration of marriage was unknown.

POPULATION STATISTICS

	PAGE
Introductory	318
Estimated population	318
Statistical tables	319, 320

Introductory. — All vital statistics are based upon the population. The number of births, marriages, divorces and deaths is expressed in relation to the population, usually as rates giving the number occurring during the calendar year per 1,000 inhabitants or group of inhabitants, such as age groups, sex, nativity, race, marital condition, and occupation groups.

Information regarding population is obtained by a census enumeration, and in Massachusetts these enumerations are made every five years. The statistics for 1951 in this report are based on the Federal census taken as of April 1, 1950.

The population of any community or State is continually changing, in most cases increasing, and for this reason it becomes necessary to make estimates of the population for the periods between the census enumerations upon which to base rates for the various vital events, and especially for the accurate computation and expression of birth, marriage, divorce, and death rates. Such estimates are necessary for all dates except those on which the census enumerations are made, and are in all cases preferable to a repetition of the census returns for a certain year.

For non-census years the statistical tables in this book are based upon the estimated population as determined by the arithmetical method, which assumes a constant amount of increase between the census years.

Estimated Population. — The method of calculating estimates of population for the intercensal years is shown in the following example:

Massachusetts had a population of 4,690,514 at the Federal census of 1950 (April 1), and of 4,316,721 at the Federal census of 1940 (April 1). The increase during the intercensal period (10 years) was 373,793, and the monthly increase according to the arithmetical method of estimating population, was —

$$\frac{4,690,514 - 4,316,721}{120} = 3,114.9$$

The same annual increase is also assumed to occur until the next census shall have been taken. The population for July 1, 1951 is estimated by adding to the population as it existed at the preceding census (April 1, 1950), 3,114.9 for each month intervening between the date of enumeration and the date for which the estimate is desired (July 1, 1951). There being 15 months between these dates, the calculation would be

$$4,690,514 + (15 \times 3,114.9) = 4,737,238$$

The census population for each municipality in the Commonwealth having over 15,000 inhabitants in 1950 is shown on page 319.

Table 71 MUNICIPALITIES.	CENSUS POPULATION OF MUNICIPALITIES HAVING OVER 15,000 INHABITANTS IN 1950: 1925 TO 1950.					
	April 1, 1950.	January 1, 1945.	April 1, 1940.	January 1, 1935.	April 1, 1930.	March 31, 1925.
	4,690,514	4,493,281	4,316,721	4,350,910	4,249,614	4,144,205
The State.						
CITIES OVER 100,000						
Boston	801,444	766,386	770,816	817,713	781,188	779,620
Worcester	203,486	198,741	193,694	190,471	195,311	190,757
Springfield	162,399	159,896	149,554	149,642	149,900	142,065
Cambridge	120,740	111,124	110,879	118,075	113,643	119,669
Fall River	111,963	115,062	115,428	117,414	115,274	128,993
New Bedford	109,189	110,308	110,341	110,022	112,597	119,539
Somerville	102,351	105,883	102,177	100,773	103,908	99,032
50,000 to 100,000						
Lynn	99,738	105,153	98,123	100,909	102,320	103,081
Lowell	97,249	101,229	101,389	100,114	100,234	110,296
Quincy	83,835	82,084	75,810	76,909	71,983	60,055
Newton	81,994	77,257	69,873	66,144	65,276	53,003
Lawrence	80,536	85,603	84,323	80,785	85,068	93,527
Medford	66,113	67,071	63,083	61,444	59,714	47,627
Brockton	62,860	65,202	62,343	62,407	63,797	65,343
Malden	59,804	59,567	58,010	57,277	58,036	51,789
Brookline (town)	57,589	56,940	49,786	50,319	47,490	42,681
Holyoke	54,661	53,775	53,750	56,139	56,537	60,335
Pittsfield	53,348	53,560	49,684	47,516	49,677	46,877
25,000 to 50,000						
Chicopee	49,211	44,626	41,664	41,952	43,930	41,882
Haverhill	47,280	46,162	46,752	49,516	48,710	49,232
Waltham	47,187	43,577	40,020	40,557	39,247	34,746
Everett	45,982	48,553	46,784	47,228	48,424	42,072
Arlington (town)	44,353	43,515	40,013	38,539	36,094	24,943
Fitchburg	42,691	43,770	41,824	41,700	40,692	43,609
Salem	41,880	42,833	41,213	43,472	43,353	42,821
Taunton	40,109	38,612	37,395	37,431	37,355	39,255
Chelsea	38,912	39,940	41,259	42,673	45,816	47,247
Watertown (town)	37,329	37,482	35,427	35,827	34,913	25,480
Revere	36,763	35,687	34,405	35,319	35,680	33,261
Weymouth (town)	32,690	27,957	23,868	21,748	20,882	27,957
Northampton	29,063	24,977	24,794	24,525	24,381	24,145
Beverly	28,884	26,814	25,537	25,871	25,086	22,685
Framingham (town)	28,086	25,502	23,214	22,651	22,210	21,078
Belmont (town)	27,381	28,866	26,867	24,831	21,748	15,256
Melrose	26,988	27,971	25,333	24,256	23,170	20,165
Gloucester	25,167	24,862	24,046	24,164	24,204	23,375
15,000 to 25,000						
Methuen (town)	24,477	23,160	21,880	21,073	21,069	20,606
Leominster	24,075	23,549	22,226	21,894	21,810	22,120
Attleboro	23,809	22,375	22,071	21,835	21,769	20,623
Braintree (town)	23,161	20,279	16,378	17,122	15,712	13,193
Peabody	22,645	22,303	21,711	22,082	21,345	19,870
Milton (town)	22,395	21,718	18,708	18,147	16,434	12,861
North Adams	21,567	22,230	22,213	22,085	21,621	22,717
Westfield	20,962	19,956	18,793	18,788	19,775	19,342
Wellesley (town)	20,549	17,581	15,127	13,376	11,439	9,049
Woburn	20,492	19,886	19,751	19,695	19,434	18,370
West Springfield (town)	20,438	19,453	17,135	17,118	16,684	15,326
Natick (town)	19,838	15,789	13,851	14,394	13,589	12,871
Wakefield (town)	19,633	18,677	16,223	16,494	16,318	15,711
Gardner	19,581	20,245	20,206	20,397	19,399	18,730
Winthrop (town)	19,496	18,696	16,768	17,001	16,852	16,158
Dedham (town)	18,487	16,659	15,508	15,371	15,136	13,918
Southbridge (town)	17,519	17,561	16,825	15,786	14,264	15,489
Greenfield (town)	17,349	17,020	15,672	15,903	15,500	15,246
Lexington (town)	17,335	14,452	13,187	10,813	9,467	7,785
Saugus (town)	17,162	16,662	14,825	15,076	14,700	12,743
Norwood (town)	16,636	16,508	15,383	15,574	15,049	14,151
Needham (town)	16,313	14,507	12,445	11,828	10,845	8,977
Marlborough	15,756	15,680	15,154	15,781	15,587	16,236
Danvers (town)	15,720	14,614	14,179	13,884	12,957	11,798
Winchester (town)	15,509	15,300	15,081	13,371	12,719	11,565
Milford (town)	15,442	15,801	15,388	15,008	14,741	14,781

Table 72		ESTIMATED POPULATION BY AGE AND SEX: July 1, 1951		
AGE AND YEAR.		Total Number.	Males.	Females.
1951.				
All Ages		4,737,238	2,292,823	2,444,415
Under 1 year		85,270	43,366	41,904
1 to 4 years		366,852	187,511	179,341
5 to 9 years		364,767	186,811	177,956
10 to 14 years		298,446	152,256	146,190
15 to 19 years		312,658	153,565	159,093
20 to 24 years		355,293	173,788	181,505
25 to 29 years		376,326	184,073	192,253
30 to 34 years		360,030	174,665	185,365
35 to 39 years		345,818	165,697	180,121
40 to 44 years		322,132	154,029	168,103
45 to 49 years		293,709	140,442	153,267
50 to 54 years		288,972	137,311	151,661
55 to 59 years		265,285	127,386	137,899
60 to 64 years		222,650	106,253	116,397
65 to 69 years		184,752	83,372	101,380
70 to 74 years		132,643	57,085	75,558
75 to 84 years		137,380	56,650	80,730
85 years and over		24,255	8,563	15,692
Unknown		—	—	—

APPENDIX

INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH

1. DETAILED INTERNATIONAL LIST
2. ABBREVIATED LIST

INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

There are two separate and distinct classifications of causes of death embodied in the International List of Diseases, Injuries, and Causes of Death, these are the detailed and abbreviated International Lists. The former, as indicated by its name, presents causes of death in greater detail than does the latter; that is, it shows separately certain diseases which in the abbreviated list are grouped together for presentation. The majority of the titles of the abbreviated list are therefore consolidations of certain titles of the detailed list. The shorter list is used as a basis for certain tables in this volume for which it is either unnecessary or impracticable to present data for each disease and cause of death shown in the detailed list.

The second decennial revision of the International Classification of Causes of Death was made at Paris, July 1 to 3, 1909. The next revision was also made at Paris, October 11 to 14, 1920, and was used beginning with 1921. The causes of death as given in the fourth revision number 214, compared with 179 in the first, 189 in the second, and 205 in the third classification. The fifth revision of the International List of Causes of Death is largely a revision of the previous edition and is based upon the translation of the official French version of the proceedings of the International Commission of 1938. Compiled under the auspices of the World Health Organization by a group of recognized experts on health statistics, the Classification was unanimously accepted by the Sixth Decennial Revision Conference, held in Paris in April, 1948.

The following table shows each title of the Detailed International List: —

1. DETAILED INTERNATIONAL LIST.

I. INFECTIVE AND PARASITIC DISEASES

001. Respiratory tuberculosis with mention of occupational disease of lung.
002. Pulmonary tuberculosis.
003. Pleural tuberculosis.
 - (.0) Pleurisy specified as tuberculous.
 - (.1) Pleurisy with effusion without mention of cause.
004. Primary tuberculosis complex with symptoms.
005. Tracheobronchial glandular tuberculosis with symptoms.
006. Radiological evidence suggestive of active respiratory tuberculosis not classifiable elsewhere.
007. Other respiratory tuberculosis.
008. Tuberculosis, unspecified site.
010. Tuberculosis of meninges and central nervous system.
011. Tuberculosis of intestines, peritoneum, and mesenteric glands.
012. Tuberculosis of bones and joints, active or unspecified.
 - (.0) Active or unspecified tuberculosis of vertebral column.
 - (.1) Active or unspecified tuberculosis of hip.
 - (.2) Active or unspecified tuberculosis of knee.
 - (.3) Active or unspecified tuberculosis of other and unspecified bones and joints.
013. Late effects of tuberculosis of bones and joints.
 - (.0) Late effects of tuberculosis of vertebral column.
 - (.1) Late effects of tuberculosis of hip.
 - (.2) Late effects of tuberculosis of knee.
 - (.3) Late effects of tuberculosis of other and unspecified bones and joints.
014. Tuberculosis of skin and subcutaneous cellular tissue.

I. INFECTIVE AND PARASITIC DISEASES.—Cont.

- (.0) Primary tuberculosis of skin.
- (.1) Erythema nodosum specified as tuberculous.
- (.2) Lupus.
- (.3) Other.
015. Tuberculosis of lymphatic system.
016. Tuberculosis of genito-urinary system.
017. Tuberculosis of adrenal glands.
018. Tuberculosis of other organs.
 - (.0) Tuberculosis of eye.
 - (.1) Tuberculosis of ear.
 - (.2) Other.
019. Disseminated tuberculosis.
 - (.0) Acute miliary tuberculosis specified as nonpulmonary.
 - (.1) Acute miliary tuberculosis, unspecified.
 - (.2) Other forms of disseminated tuberculosis.
020. Congenital syphilis.
 - (.0) Interstitial keratitis.
 - (.1) Juvenile neurosyphilis.
 - (.2) Other congenital syphilis.
021. Early syphilis.
 - (.0) Primary syphilis, except extragenital chancre.
 - (.1) Extragenital chancre.
 - (.2) Secondary syphilis.
 - (.3) Early syphilis, relapse following treatment.
 - (.4) Early syphilis, unspecified stage.
022. Aneurysm of aorta.
023. Other cardiovascular syphilis.
024. Tabes dorsalis.
025. General paralysis of insane.
026. Other syphilis of central nervous system.
027. Other forms of late syphilis.
028. Latent syphilis.
 - (.0) Early latent.

DETAILED INTERNATIONAL LIST — *Continued.*

I. INFECTIVE AND PARASITIC DISEASES.

—*Cont.*

- (.1) Late latent.
- (.2) Unspecified.
- 029. Syphilis, unqualified.
- 030. Acute or unspecified gonorrhea.
- 031. Chronic gonococcal infection of genito-urinary system.
- 032. Gonococcal infection of joint.
- 033. Gonococcal infection of eye.
- 034. Gonococcal infection of other sites.
- 035. Late effects of gonococcal infection.
- 036. Chancroid.
- 037. Lymphogranuloma venereum.
- 038. Granuloma inguinale, venereal.
- 039. Other and unspecified venereal diseases.
- 040. Typhoid fever.
- 041. Paratyphoid fever.
- 042. Other Salmonella infections.
 - (.0) Without mention of food as vehicle of infection.
 - (.1) With food as vehicle of infection.
- 043. Cholera.
- 044. Brucellosis (undulant fever).
- 045. Bacillary dysentery.
 - (.0) Flexner-Boyd group.
 - (.1) Schmitz.
 - (.2) Shiga.
 - (.3) Sonne.
 - (.4) Other and unspecified.
- 046. Amebiasis.
 - (.0) Without mention of liver abscess.
 - (.1) With liver abscess.
- 047. Other protozoal dysentery.
- 048. Unspecified forms of dysentery.
- 049. Food poisoning (infection and intoxication).
 - (.0) Staphylococcal.
 - (.1) Botulism.
 - (.2) Unspecified.
- 050. Scarlet fever.
- 051. Streptococcal sore throat.
- 052. Erysipelas.
- 053. Septicemia and pyemia.
 - (.0) Streptococcus.
 - (.1) Staphylococcus.
 - (.2) Pneumococcus.
 - (.3) Other specified organism.
 - (.4) Organism unspecified.
- 054. Bacterial toxemia.
- 055. Diphtheria.
- 056. Whooping cough.
 - (.0) Without mention of pneumonia.
 - (.1) With pneumonia.
- 057. Meningococcal infections.
 - (.0) Meningococcal meningitis.
 - (.1) Acute and unspecified meningococemia.
 - (.2) Chronic meningococemia.
 - (.3) Other forms of meningococcal infection.
- 058. Plague.
 - (.0) Bubonic.
 - (.1) Pneumonic.
 - (.2) Other.
- 059. Tularemia.
- 060. Leprosy.
 - (.0) Lepromatous leprosy.
 - (.1) Neuroleprosy.
 - (.2) Mixed.
 - (.3) Unspecified.
- 061. Tetanus.
- 062. Anthrax.
- 063. Gas gangrene.
- 064. Other bacterial diseases.
 - (.0) Epidemic arthritic erythema.
 - (.1) Rat-bite fever due to *Streptobacillus moniliformis*.
 - (.2) Glanders.
 - (.3) Melioidosis.
 - (.4) Other.
- 070. Vincent's infection.
- 071. Relapsing fever.
 - (.0) Louse-borne.
 - (.1) Tick-borne.
 - (.2) Unspecified.
- 072. Leptospirosis icterohemorrhagica (Weil's disease).
- 073. Yaws.

I. INFECTIVE AND PARASITIC DISEASES.

—*Cont.*

- 074. Other spirochetal and leptospirochetal infections.
 - (.0) Rat-bite fever due to *Spirocheta morsus muris* (Sodoku).
 - (.1) Other.
- 080. Acute poliomyelitis.
 - (.0) Specified as bulbar or polioencephalitis.
 - (.1) With other paralysis.
 - (.2) Specified as nonparalytic.
 - (.3) Unspecified.
- 081. Late effects of acute poliomyelitis.
- 082. Acute infectious encephalitis.
- 083. Late effects of acute infectious encephalitis.
 - (.0) Postencephalitic Parkinsonism.
 - (.1) Postencephalitic personality and character disorders.
 - (.2) Postencephalitic psychosis.
 - (.3) Other postencephalitic conditions.
- 084. Smallpox.
- 085. Measles.
 - (.0) Without mention of pneumonia.
 - (.1) With pneumonia.
- 086. Rubella (German measles).
- 087. Chickenpox.
- 088. Herpes zoster.
- 089. Mumps.
- 090. Dengue.
- 091. Yellow fever.
- 092. Infectious hepatitis.
- 093. Glandular fever (infectious mononucleosis)
- 094. Rabies.
- 095. Trachoma.
- 096. Other diseases attributable to viruses.
 - (.0) Herpes febrilis.
 - (.1) Infectious keratoconjunctivitis.
 - (.2) Psittacosis and ornithosis.
 - (.3) Cowpox.
 - (.4) Epidemic hiccough.
 - (.5) Epidemic myalgia (Bornholm disease)
 - (.6) Foot and mouth disease.
 - (.7) Sandfly fever.
 - (.8) Rift Valley fever.
 - (.9) Other.
- 100. Louse-borne epidemic typhus.
- 101. Flea-borne endemic typhus (murine).
- 102. Brill's disease, not specified as louse- or flea-borne typhus.
- 103. Tabardillo (Mexican typhus), not specified as louse- or flea-borne.
- 104. Tick-borne typhus.
- 105. Mite-borne typhus.
- 106. Wollynian fever (trench fever).
- 107. Typhus, unspecified.
- 108. Other rickettsial diseases.
- 109. Vivax malaria (benign tertian).
- 111. Malariae malaria (quartan).
- 112. Falciparum malaria (malignant tertian).
- 113. Ovale malaria.
- 114. Mixed malarial infections.
- 115. Blackwater fever.
- 116. Other and unspecified forms of malaria.
- 117. Recurrent induced malaria.
- 120. Leishmaniasis.
 - (.0) Visceral (Kala-azar).
 - (.1) Cutaneous (Oriental sore).
 - (.2) Mucocutaneous (American).
 - (.3) Unspecified.
- 121. Trypanosomiasis.
 - (.0) African (sleeping sickness).
 - (.1) South American (Chagas' disease).
 - (.2) Other.
- 122. Other protozoal diseases.
 - (.0) Coccidiosis.
 - (.1) Toxoplasmosis.
 - (.2) Other.
- 123. Schistosomiasis.
 - (.0) Vesical (*S. hematobium*).
 - (.1) Intestinal (*S. mansoni*).
 - (.2) Pulmonary (*S. japonicum*).
 - (.3) Other and unspecified schistosomiasis
- 124. Other trematode infestation.
 - (.0) Clonorchiasis.
 - (.1) Paragonimiasis.
 - (.2) Other.
- 125. Hydatid disease.
- 126. Other cestode infestation.

DETAILED INTERNATIONAL LIST — *Continued.*I. INFECTIVE AND PARASITIC DISEASES.—*Cont.*

127. Filariasis.
128. Trichiniasis.
129. Ankylostomiasis.
130. Infestation with worms of other, mixed, and unspecified type.
 - (0) Ascariasis.
 - (1) Oxyuriasis.
 - (2) Mixed intestinal helminth infestation.
 - (3) Other.
131. Dermatophytosis.
132. Actinomyces.
133. Coccidioidomycosis.
134. Other fungus infections.
 - (0) Blastomycosis.
 - (1) Cryptococcosis (torulosis).
 - (2) Histoplasmosis.
 - (3) Moniliasis.
 - (4) Sporotrichosis.
 - (5) Other.
135. Scabies.
136. Pediculosis.
137. Other arthropod infestation.
138. Other infective and parasitic diseases.
 - (0) Sarcoid of Boeck.
 - (1) Other.

II. NEOPLASMS.

140. Malignant neoplasm of lip.
141. Malignant neoplasm of tongue.
142. Malignant neoplasm of salivary gland.
 - (0) Mixed salivary gland tumor.
 - (1) Other.
143. Malignant neoplasm of floor of mouth.
144. Malignant neoplasm of other parts of mouth and mouth unspecified.
145. Malignant neoplasm of oral mesopharynx.
146. Malignant neoplasm of nasopharynx.
147. Malignant neoplasm of hypopharynx.
148. Malignant neoplasm of pharynx, unspecified.
150. Malignant neoplasm of esophagus.
151. Malignant neoplasm of stomach.
152. Malignant neoplasm of small intestine, including duodenum.
153. Malignant neoplasm of large intestine, except rectum.
154. Malignant neoplasm of rectum.
155. Malignant neoplasm of biliary passages and of liver (stated to be primary site).
156. Malignant neoplasm of liver (secondary and unspecified).
 - (1) Not stated whether primary or secondary.
 - (2) Secondary, primary site not specified.
157. Malignant neoplasm of pancreas.
158. Malignant neoplasm of peritoneum.
159. Malignant neoplasm of unspecified digestive organs.
160. Malignant neoplasm of nose, nasal cavities, middle ear, and accessory sinuses.
161. Malignant neoplasm of larynx.
162. Malignant neoplasm of trachea, and of bronchus and lung specified as primary.
163. Malignant neoplasm of lung and bronchus, unspecified as to whether primary or secondary.
164. Malignant neoplasm of mediastinum.
165. Malignant neoplasm of thoracic organs (secondary).
170. Malignant neoplasm of breast.
171. Malignant neoplasm of cervix uteri.
172. Malignant neoplasm of corpus uteri.
173. Malignant neoplasm of other parts of uterus, including chorio-epithelioma.
174. Malignant neoplasm of uterus, unspecified.
175. Malignant neoplasm of ovary, Fallopian tube, and broad ligament.
176. Malignant neoplasm of other and unspecified female genital organs.
177. Malignant neoplasm of prostate.
178. Malignant neoplasm of testis.
179. Malignant neoplasm of other and unspecified male genital organs.
180. Malignant neoplasm of kidney.
181. Malignant neoplasm of bladder and other urinary organs.
190. Malignant melanoma of skin.

II. NEOPLASMS.—*Cont.*

191. Other malignant neoplasm of skin.
192. Malignant neoplasm of eye.
193. Malignant neoplasm of brain and other parts of nervous system.
194. Malignant neoplasm of thyroid gland.
195. Malignant neoplasm of other endocrine glands.
196. Malignant neoplasm of bone (including jaw bone).
197. Malignant neoplasm of connective tissue.
198. Secondary and unspecified malignant neoplasm of lymph nodes.
 - (1) Not specified whether primary or secondary.
 - (2) Secondary.
199. Malignant neoplasm of other and unspecified sites.
 - (1) Malignant neoplasm of other specified sites (primary).
 - (2) Malignant neoplasm (not secondary), site unspecified.
 - (3) Malignant neoplasm of small intestine, including duodenum, specified as secondary.
 - (4) Malignant neoplasm of large intestine, except rectum (secondary).
 - (5) Malignant neoplasm of brain and other parts of nervous system (secondary).
 - (6) Secondary malignant neoplasm of bone (including jaw bone).
 - (7) Malignant neoplasm of any other site except liver, thoracic organs and lymph nodes (secondary).
 - (8) Generalized and metastatic neoplasm of multiple sites.
200. Lymphosarcoma and reticulosarcoma.
 - (0) Reticulum cell sarcoma.
 - (1) Lymphosarcoma.
 - (2) Other primary malignant neoplasms of lymphoid tissue.
201. Hodgkin's disease.
202. Other forms of lymphoma (reticulosis).
 - (0) Giant follicular lymphoma (Brill-Symmer's disease).
 - (1) Other.
203. Multiple myeloma (plasmocytoma).
204. Leukemia and leukemia.
 - (0) Lymphatic leukemia.
 - (1) Myeloid leukemia.
 - (2) Monocytic leukemia.
 - (3) Acute leukemia, unspecified type.
 - (4) Other and unspecified leukemia.
205. Mycosis fungoides.
210. Benign neoplasm of buccal cavity and pharynx.
211. Benign neoplasm of other parts of digestive system.
212. Benign neoplasm of respiratory system.
213. Benign neoplasm of breast.
214. Uterine fibromyoma.
215. Other benign neoplasm of uterus.
216. Benign neoplasm of ovary.
217. Benign neoplasm of other female genital organs.
218. Benign neoplasm of male genital organs.
219. Benign neoplasm of kidney and other urinary organs.
220. Benign melanoma of skin.
221. Pilonidal cyst.
222. Other benign neoplasm of skin.
223. Benign neoplasm of brain and other parts of nervous system.
224. Benign neoplasm of endocrine glands.
225. Benign neoplasm of bone and cartilage.
226. Lipoma.
227. Other benign neoplasm of muscular and connective tissue.
228. Hemangioma and lymphangioma.
229. Benign neoplasm of other and unspecified organs and tissues.
230. Neoplasm of unspecified nature of digestive organs.
231. Neoplasm of unspecified nature of respiratory organs.
232. Neoplasm of unspecified nature of breast.
233. Neoplasm of unspecified nature of uterus.
234. Neoplasm of unspecified nature of ovary.
235. Neoplasm of unspecified nature of other female genital organs.

DETAILED INTERNATIONAL LIST — *Continued.*II. NEOPLASMS.—*Cont.*

- 236. Neoplasm of unspecified nature of other genito-urinary organs.
- 237. Neoplasm of unspecified nature of brain and other parts of nervous system.
- 238. Neoplasm of unspecified nature of skin and musculoskeletal system.
- 239. Neoplasm of unspecified nature of other and unspecified organs.

III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES.

- 240. Hay fever.
- 241. Asthma.
- 242. Angioneurotic edema.
- 243. Urticaria.
- 244. Allergic eczema.
- 245. Other allergic disorders.
- 250. Simple goiter.
- 251. Nontoxic nodular goiter.
- 252. Thyrotoxicosis with or without goiter.
 - (0) Toxic diffuse goiter.
 - (1) Toxic nodula goiter.
- 253. Myxedema and cretinism.
- 254. Other diseases of thyroid gland.
- 260. Diabetes mellitus.
- 270. Disorders of pancreatic internal secretion other than diabetes mellitus.
- 271. Diseases of parathyroid gland.
 - (0) Hyperparathyroidism.
 - (1) Hypoparathyroidism.
 - (2) Other and unspecified.
- 272. Diseases of pituitary gland.
- 273. Diseases of thymus gland.
- 274. Diseases of adrenal glands.
- 275. Ovarian dysfunction.
- 276. Testicular dysfunction.
- 277. Polyglandular dysfunction and other diseases of endocrine glands.
- 280. Beriberi.
- 281. Pellagra.
- 282. Scurvy.
- 283. Active rickets.
- 284. Late effects of rickets.
- 285. Osteomalacia
- 286. Other avitaminoses and nutritional deficiency states.
 - (0) Steatorrhea and sprue.
 - (1) Vitamin A deficiency.
 - (2) Vitamin B deficiency, except beriberi and pellagra.
 - (3) Vitamin C deficiency, except scurvy.
 - (4) Vitamin D deficiency, except rickets and osteomalacia.
 - (5) Malnutrition, unqualified.
 - (6) Other and multiple deficiency states.
- 287. Obesity, not specified as of endocrine origin.
- 288. Gout.
- 289. Other metabolic diseases.
 - (0) Lipidosis (disturbance of lipid metabolism).
 - (1) Amyloidosis.
 - (2) Other.

IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS.

- 290. Pernicious and other hyperchromic anemias.
 - (0) Pernicious anemia.
 - (1) Subacute combined degeneration of spinal cord.
 - (2) Other hyperchromic anemias.
- 291. Iron deficiency anemias (hypochromic anemias).
- 292. Other anemias of specified type.
 - (0) Familial acholuric jaundice.
 - (1) Acute hemolytic anemias.
 - (2) Other hemolytic anemias.
 - (3) Leuko-erythroblastic anemia.
 - (4) Aplastic anemia.
 - (5) Nonregenerative anemia.
 - (6) Sickle cell anemia.
 - (7) Other specified anemias.
- 293. Anemia of unspecified type.
- 294. Polycythemia.
- 295. Hemophilia.
- 296. Purpura and other hemorrhagic conditions.

IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS.—*Cont.*

- 297. Agranulocytosis.
 - 298. Diseases of spleen.
 - (0) Hepatosplenic fibrosis.
 - (1) Other.
 - 299. Other diseases of blood and blood-forming organs.
- V. MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS.
- 300. Schizophrenic disorders (dementia praecox).
 - (0) Simple type.
 - (1) Hebephrenic type.
 - (2) Catatonic type.
 - (3) Paranoid type.
 - (4) Acute schizophrenic reaction.
 - (5) Latent schizophrenia.
 - (6) Schizo-affective psychosis.
 - (7) Other and unspecified.
 - 301. Manic-depressive reaction.
 - (0) Manic and circular.
 - (1) Depressive.
 - (2) Other.
 - 302. Involutional melancholia.
 - 303. Paranoia and paranoid states.
 - 304. Senile psychosis.
 - 305. Presenile psychosis.
 - 306. Psychosis with cerebral arteriosclerosis.
 - 307. Alcoholic psychosis.
 - 308. Psychosis of other demonstrable etiology.
 - (0) Resulting from brain tumor.
 - (1) Resulting from epilepsy and other convulsive disorders.
 - (2) Other.
 - 309. Other and unspecified psychoses.
 - 310. Anxiety reaction without mention of somatic symptoms.
 - 311. Hysterical reaction without mention of anxiety reaction.
 - 312. Phobic reaction.
 - 313. Obsessive-compulsive reaction.
 - 314. Neurotic-depressive reaction.
 - 315. Psychoneurosis with somatic symptoms (somatization reaction) affecting circulatory system.
 - (0) Neurocirculatory asthenia.
 - (1) Other heart manifestations specified as of psychogenic origin.
 - (2) Other circulatory manifestations of psychogenic origin.
 - 316. Psychoneurosis with somatic symptoms (somatization reaction) affecting digestive system.
 - (0) Mucous colitis specified as of psychogenic origin.
 - (1) Irritability of colon specified as of psychogenic origin.
 - (2) Gastric neuroses.
 - (3) Other digestive manifestations specified as of psychogenic origin.
 - 317. Psychoneurosis with somatic symptoms (somatization reactions) affecting other systems.
 - (0) Psychogenic reactions affecting respiratory system.
 - (1) Psychogenic reactions affecting genito-urinary system.
 - (2) Pruritus of psychogenic origin.
 - (3) Other cutaneous neuroses.
 - (4) Psychogenic reactions affecting musculoskeletal system.
 - (5) Psychogenic reactions affecting other systems.
 - 318. Psychoneurotic disorders, other, mixed, and unspecified types.
 - (0) Hypochondriacal reaction.
 - (1) Depersonalization.
 - (2) Occupational neurosis.
 - (3) Asthenic reaction.
 - (4) Mixed.
 - (5) Of other and unspecified types.
 - 320. Pathological personality.
 - (0) Schizoid personality.
 - (1) Paranoid personality.
 - (2) Cyclothymic personality.
 - (3) Inadequate personality.
 - (4) Antisocial personality.

DETAILED INTERNATIONAL LIST — *Continued.*V. MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS.—*Cont.*

- (.5) Asocial personality.
- (.6) Sexual deviation.
- (.7) Other and unspecified.
- 321. Immature personality.
 - (.0) Emotional instability.
 - (.1) Passive dependency.
 - (.2) Aggressiveness.
 - (.3) Enuresis characterizing immature personality.
 - (.4) Other symptomatic habits except speech impediments.
 - (.5) Other and unspecified.
- 322. Alcoholism.
 - (.0) Acute.
 - (.1) Chronic.
 - (.2) Unspecified.
- 323. Other drug addiction.
- 324. Primary childhood behavior disorders.
- 325. Mental deficiency.
 - (.0) Idiocy.
 - (.1) Imbecility.
 - (.2) Moron.
 - (.3) Borderline intelligence.
 - (.4) Mongolism.
 - (.5) Other and unspecified types.
- 326. Other and unspecified character, behavior, and intelligence disorders.
 - (.0) Specific learning defects.
 - (.1) Stammering and stuttering of non-organic origin.
 - (.2) Other speech impediments of non-organic origin.
 - (.3) Acute situational maladjustment.
 - (.4) Other and unspecified.

VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS.

- 330. Subarachnoid hemorrhage.
- 331. Cerebral hemorrhage.
- 332. Cerebral embolism and thrombosis.
- 333. Spasm of cerebral arteries.
- 334. Other and ill-defined vascular lesions affecting central nervous system.
- 340. Meningitis, except meningococcal and tuberculous.
 - (.0) Hemophilus influenzae.
 - (.1) Pneumococcus.
 - (.2) Due to other specified organism.
 - (.3) Unspecified cause.
- 341. Phlebitis and thrombophlebitis of intracranial venous sinuses.
- 342. Intracranial and intraspinal abscess.
- 343. Encephalitis, myelitis, and encephalomyelitis (except acute infectious).
- 344. Late effects of intracranial abscess or pyogenic infection.
- 345. Multiple sclerosis.
- 350. Paralysis agitans.
- 351. Cerebral spastic infantile paralysis.
- 352. Other cerebral paralysis.
- 353. Epilepsy.
 - (.0) Petit mal.
 - (.1) Grand mal.
 - (.2) Status epilepticus.
 - (.3) Other and unspecified.
- 354. Migraine.
- 355. Other diseases of brain.
- 356. Motor neurone disease and muscular atrophy.
 - (.0) Progressive muscular atrophy.
 - (.1) Amyotrophic lateral sclerosis.
 - (.2) Spinal type of muscular atrophy.
 - (.3) Other and unspecified manifestations.
- 357. Other diseases of spinal cord.
- 360. Facial paralysis.
- 361. Trigeminal neuralgia.
- 362. Brachial neuritis.
- 363. Sciatica.
- 364. Polyneuritis and polyradiculitis.
- 365. Erythroedema polyneuritica.
- 366. Other and unspecified forms of neuralgia and neuritis.
- 367. Other diseases of cranial nerves.
- 368. Other diseases of peripheral nerves except autonomic.
- 369. Diseases of peripheral autonomic nervous system.
- 370. Conjunctivitis and ophthalmia.
- 371. Blepharitis.

VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS.—*Cont.*

- 372. Hordeolum (sty).
- 373. Iritis.
- 374. Keratitis.
- 375. Choroiditis.
- 376. Other inflammation of uveal tract.
- 377. Inflammation of optic nerve and retina.
- 378. Inflammation of lachrymal glands and ducts.
- 379. Other inflammatory diseases of eye.
- 380. Refractive errors.
- 381. Corneal ulcer.
- 382. Corneal opacity.
- 383. Pterygium.
- 384. Strabismus.
- 385. Cataract.
- 386. Detachment of retina.
- 387. Glaucoma.
- 388. Other diseases of eye.
- 389. Blindness.
 - (.0) Both eyes, specifically defined.
 - (.1) Both eyes, not specifically defined.
 - (.2) One eye, specifically defined.
 - (.3) One eye, not specifically defined.
- 390. Otitis externa.
- 391. Otitis media without mention of mastoiditis.
 - (.0) Acute.
 - (.1) Chronic.
 - (.2) Unspecified.
- 392. Otitis media with mastoiditis.
 - (.0) Acute.
 - (.1) Chronic.
 - (.2) Unspecified.
- 393. Mastoiditis without mention of otitis media.
 - (.0) Acute.
 - (.1) Chronic.
 - (.2) Unspecified.
- 394. Other inflammatory diseases of ear.
- 395. Ménière's disease.
- 396. Other diseases of ear and mastoid process.
- 397. Deaf mutism.
- 398. Other deafness.
 - (.0) Deafness, both ears.
 - (.1) Deafness, one ear, and partial deafness in other.
 - (.2) Deafness, one ear.
 - (.3) Impairment of hearing, one or both ears.

VII. DISEASES OF THE CIRCULATORY SYSTEM.

- 400. Rheumatic fever without mention of heart involvement.
- 401. Rheumatic fever with heart involvement.
 - (.0) Active rheumatic pericarditis.
 - (.1) Active rheumatic endocarditis.
 - (.2) Active rheumatic myocarditis.
 - (.3) Active rheumatic fever with other and multiple types of heart involvement.
- 402. Chorea.
 - (.0) Without mention of heart involvement.
 - (.1) With heart involvement.
- 410. Diseases of mitral valve.
- 411. Diseases of aortic valve specified as rheumatic.
- 412. Diseases of tricuspid valve.
- 413. Diseases of pulmonary valve specified as rheumatic.
- 414. Other endocarditis specified as rheumatic.
- 415. Other myocarditis specified as rheumatic.
- 416. Other heart disease specified as rheumatic.
- 420. Arteriosclerotic heart disease, including coronary disease.
 - (.0) Arteriosclerotic heart disease so described.
 - (.1) Heart disease specified as involving coronary arteries.
 - (.2) Angina pectoris without mention of coronary disease.
- 421. Chronic endocarditis not specified as rheumatic.
 - (.0) Of mitral valve, specified as non-rheumatic.
 - (.1) Of aortic valve, not specified as rheumatic.
 - (.2) Of tricuspid valve, specified as non-rheumatic.
 - (.3) Of pulmonary valve, not specified as rheumatic.
 - (.4) Other and ill-defined, not specified as rheumatic.

DETAILED INTERNATIONAL LIST — *Continued.*VII. DISEASES OF THE CIRCULATORY SYSTEM.
—*Cont.*

422. Other myocardial degeneration.
 - (0) Fatty degeneration.
 - (1) With arteriosclerosis.
 - (2) Other.
430. Acute and subacute endocarditis.
 - (0) Acute and subacute bacterial endocarditis.
 - (1) Other acute endocarditis.
431. Acute myocarditis, not specified as rheumatic.
432. Acute pericarditis, specified as nonrheumatic.
433. Functional disease of heart.
 - (0) Heart block.
 - (1) Other disorders of heart rhythm.
 - (2) Other functional diseases of heart.
434. Other and unspecified diseases of heart.
 - (0) Kyphoscoliotic heart disease.
 - (1) Congestive heart failure.
 - (2) Left ventricular failure.
 - (3) Other and unspecified.
440. Essential benign hypertension with heart disease.
441. Essential malignant hypertension with heart disease.
442. Hypertensive heart disease with arteriolar nephrosclerosis.
443. Other and unspecified hypertensive heart disease.
444. Essential benign hypertension without mention of heart.
445. Essential malignant hypertension without mention of heart.
446. Hypertension with arteriolar nephrosclerosis without mention of heart.
447. Other hypertensive disease without mention of heart.
450. General arteriosclerosis.
 - (0) Without mention of gangrene.
 - (1) With gangrene.
451. Aortic aneurysm specified as nonsyphilitic, and dissecting aneurysm.
452. Other aneurysm, except of heart and aorta.
453. Peripheral vascular disease.
 - (0) Raynaud's disease.
 - (1) Thrombo-angiitis obliterans.
 - (2) Chilblains.
 - (3) Other.
454. Arterial embolism and thrombosis.
455. Gangrene of unspecified cause.
456. Other diseases of arteries.
460. Varicose veins of lower extremities.
461. Hemorrhoids.
462. Varicose veins of other specified sites.
 - (0) Varicocele.
 - (1) Varicose veins of esophagus.
 - (2) Other.
463. Phlebitis and thrombophlebitis of lower extremities.
464. Phlebitis and thrombophlebitis of other sites.
465. Pulmonary embolism and infarction.
466. Other venous embolism and thrombosis.
467. Other diseases of circulatory system.
 - (0) Hypotension.
 - (1) Diseases of capillaries.
 - (2) Other and unspecified.
468. Certain diseases of lymph nodes and lymph channels.
 - (0) Chronic lymphadenitis.
 - (1) Nonspecific mesenteric lymphadenitis.
 - (2) Lymphadenitis, unqualified.
 - (3) Noninfective diseases of lymphatic channels.

VIII. DISEASES OF THE RESPIRATORY SYSTEM.

470. Acute nasopharyngitis (common cold).
471. Acute sinusitis.
472. Acute pharyngitis.
 - (0) Sore throat, unqualified.
 - (1) Other.
473. Acute tonsillitis.
474. Acute laryngitis and tracheitis.
475. Acute upper respiratory infection of multiple or unspecified sites.
480. Influenza with pneumonia.

VIII. DISEASES OF THE RESPIRATORY SYSTEM.
—*Cont.*

481. Influenza with other respiratory manifestations, and influenza, unqualified.
482. Influenza with digestive manifestations, but without respiratory symptoms.
483. Influenza with nervous manifestations, but without digestive or respiratory symptoms.
490. Lobar pneumonia.
491. Bronchopneumonia.
492. Primary atypical pneumonia.
493. Pneumonia, other and unspecified.
500. Acute bronchitis.
501. Bronchitis, unqualified.
502. Chronic bronchitis.
 - (0) Bronchitis with emphysema.
 - (1) Other.
510. Hypertrophy of tonsils and adenoids.
 - (0) Without mention of tonsillectomy or adenoidectomy.
 - (1) With tonsillectomy or adenoidectomy.
511. Peritonsillar abscess (quinsy).
512. Chronic pharyngitis and nasopharyngitis.
 - (0) Chronic pharyngitis.
 - (1) Chronic nasopharyngitis.
513. Chronic sinusitis.
514. Deflected nasal septum.
515. Nasal polyp.
516. Chronic laryngitis.
517. Other diseases of upper respiratory tract.
518. Empyema.
519. Pleurisy.
 - (0) Without mention of effusion or tuberculosis.
 - (1) With effusion with mention of a bacterial cause other than tuberculosis.
 - (2) Other specified forms of effusion, except tuberculous.
520. Spontaneous pneumothorax.
521. Abscess of lung.
522. Pulmonary congestion and hypostasis.
523. Pneumoconiosis due to silica and silicates (occupational).
 - (0) Silicosis.
 - (1) Anthracosilicosis.
 - (2) Asbestosis.
 - (3) Other, including pneumoconiosis unspecified.
524. Other specified pneumoconiosis and pulmonary fibrosis of occupational origin.
525. Other chronic interstitial pneumonia.
526. Bronchiectasis.
527. Other diseases of lung and pleural cavity.
 - (0) Pulmonary collapse (1 year and over).
 - (1) Emphysema without mention of bronchitis.
 - (2) Other.

IX. DISEASES OF THE DIGESTIVE SYSTEM.

530. Dental caries.
 - (0) Dental caries, unqualified.
 - (1) With pulp exposure.
 - (2) With periapical abscess.
 - (3) Other.
531. Abscesses of supporting structures of teeth.
 - (0) Pericoronal.
 - (1) Peridental (parietal).
 - (2) Other and unspecified.
532. Other inflammatory diseases of supporting structures of teeth.
 - (0) Gingivitis, except ulcerative.
 - (1) Periodontitis (pyorrhea, inflammatory).
 - (2) Periodontosis (pyorrhea, degenerative).
 - (3) Other.
533. Disorders of occlusion, eruption, and tooth development.
 - (0) Malocclusion.
 - (1) Disorders of first dentition.
 - (2) Impacted teeth.
 - (3) unerupted teeth.
 - (4) Partially erupted teeth.
 - (5) Congenital anomalies of teeth.
 - (6) Chronic dental fluorosis.
 - (7) Other.
534. Toothache from unspecified cause.

DETAILED INTERNATIONAL LIST — *Continued.*IX. DISEASES OF THE DIGESTIVE SYSTEM.—*Cont.*

535. Other diseases of teeth and supporting structures.
536. Stomatitis.
537. Diseases of salivary glands.
538. Other diseases of buccal cavity.
539. Diseases of esophagus.
(0) Functional disorders of esophagus.
(1) Other.
540. Ulcer of stomach.
(0) Without mention of perforation.
(1) With perforation.
541. Ulcer of duodenum.
(0) Without mention of perforation.
(1) With perforation.
542. Gastrojejunal ulcer.
(0) Without mention of perforation.
(1) With perforation.
543. Gastritis and duodenitis.
544. Disorders of function of stomach.
(0) Disorders of gastric secretion.
(1) Disorders of gastric motility.
(2) Other.
545. Other diseases of stomach and duodenum.
550. Acute appendicitis.
(0) Without mention of peritonitis.
(1) With peritonitis.
551. Appendicitis, unqualified.
552. Other appendicitis.
553. Other diseases of appendix.
560. Hernia of abdominal cavity without mention of obstruction.
(0) Inguinal.
(1) Femoral.
(2) Umbilical.
(3) Ventral (incisional).
(4) Other specified site.
(5) Unspecified site.
561. Hernia of abdominal cavity with obstruction.
(0) Inguinal.
(1) Femoral.
(2) Umbilical.
(3) Ventral (incisional).
(4) Other specified site.
(5) Unspecified site.
570. Intestinal obstruction without mention of hernia.
(0) Intussusception.
(1) Paralytic ileus.
(2) Mesenteric infarction.
(3) Volvulus.
(4) Impaction of intestine.
(5) Other.
571. Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over.
(0) Ages between 4 weeks and 2 years.
(1) Ages 2 years and over.
572. Chronic enteritis and ulcerative colitis.
(0) Regional enteritis.
(1) Diverticulitis.
(2) Ulcerative colitis.
(3) Other.
573. Functional disorders of intestines.
(0) Constipation.
(1) Mucous colitis.
(2) Irritability of colon.
(3) Other.
574. Anal fissure and fistula.
575. Abscess of anal and rectal regions.
576. Peritonitis.
577. Peritoneal adhesion.
578. Other diseases of intestines and peritoneum.
580. Acute and subacute yellow atrophy of liver.
581. Cirrhosis of liver.
(0) Without mention of alcoholism.
(1) With alcoholism.
582. Suppurative hepatitis and liver abscess.
583. Other diseases of liver.
584. Cholelithiasis.
585. Cholecystitis without mention of calculi.
586. Other diseases of gallbladder and biliary ducts.
587. Diseases of pancreas.
(0) Acute pancreatitis.
(1) Chronic pancreatitis.
(2) Other diseases of pancreas.

X. DISEASES OF THE GENITO-URINARY SYSTEM.

590. Acute nephritis.
591. Nephritis with edema, including nephrosis.
592. Chronic nephritis.
593. Nephritis not specified as acute or chronic.
594. Other renal sclerosis.
600. Infections of kidney.
(0) Pyelitis, pyelocystitis, and pyelonephritis.
(1) Abscess of kidney and perirenal tissue.
(2) Other.
601. Hydronephrosis.
602. Calculi of kidney and ureter.
603. Other diseases of kidney and ureter.
604. Calculi of other parts of urinary system.
605. Cystitis.
606. Other diseases of bladder.
607. Urethritis (nonvenereal).
608. Stricture of urethra.
609. Other diseases of urethra.
610. Hyperplasia of prostate.
611. Prostatitis.
612. Other diseases of prostate.
613. Hydrocele.
614. Orchitis and epididymitis.
615. Redundant prepuce and phimosis.
616. Sterility, male.
617. Other diseases of male genital organs.
620. Chronic cystic disease of breast.
621. Other diseases of breast.
(0) Acute mastitis not associated with lactation.
(1) Hypertrophy of breast.
(2) Other.
622. Acute salpingitis and oophoritis.
623. Chronic salpingitis and oophoritis.
624. Salpingitis and oophoritis, unqualified.
625. Other diseases of ovary and Fallopian tube.
626. Diseases of parametrium and pelvic peritoneum (female).
630. Infective disease of uterus, vagina, and vulva.
(0) Cervicitis.
(1) Other infective diseases of uterus.
(2) Vaginitis and vulvitis.
631. Uterovaginal collapse.
632. Malposition of uterus.
633. Other diseases of uterus.
634. Disorders of menstruation.
635. Menopausal symptoms.
636. Sterility, female.
637. Other diseases of female genital organs.
(0) Leukorrhea.
(1) Other.

XI. DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.

640. Pye itis and pyelonephritis of pregnancy.
641. Other infections of genito-urinary tract during pregnancy.
642. Toxemias of pregnancy.
(0) Hypertensive disease arising during pregnancy.
(1) Renal disease arising during pregnancy.
(2) Pre-eclampsia of pregnancy.
(3) Eclampsia of pregnancy.
(4) Hyperemesis gravidarum.
(5) Other.
643. Placenta praevia.
644. Other hemorrhage of pregnancy.
645. Ectopic pregnancy.
(0) Without mention of sepsis.
(1) With sepsis.
646. Anemia of pregnancy.
647. Pregnancy with malposition of foetus in uterus.
648. Other complications arising from pregnancy.
(0) Threatened abortion.
(1) Hydatidiform mole.
(2) Placental abnormalities not classified elsewhere.
(3) Other.
649. Pregnancy associated with other conditions.
650. Abortion without mention of sepsis or toxemia.
(0) Spontaneous or unspecified.
(1) Induced for medical or legal indications.
(2) Induced for other reasons.
(3) Other.

DETAILED INTERNATIONAL LIST — *Continued.*XI. DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.
—*Cont.*

651. Abortion with sepsis.
 (0) Spontaneous or unspecified.
 (1) Induced for medical or legal indications.
 (2) Induced for other reasons.
 (3) Other.
652. Abortion with toxemia, without mention of sepsis.
 (0) Spontaneous or unspecified.
 (1) Induced for medical or legal indications.
 (2) Induced for other reasons.
 (3) Other.
- The following subgroupings have been used as a fourth digit for all conditions included in 660-678:
- (0) Spontaneous.
 (1) Manipulation without instruments.
 (2) Forceps (only) low and unspecified.
 (3) Forceps (only) mid and high.
 (4) Other surgical or instrumental, except Cesarean section.
 (5) Cesarean section.
 (6) Unspecified type of delivery.
 (7) Delivered before admission.
660. Delivery without complication.
670. Delivery complicated by placenta praevia or antepartum hemorrhage.
671. Delivery complicated by retained placenta.
672. Delivery complicated by other postpartum hemorrhage.
673. Delivery complicated by abnormality of bony pelvis.
674. Delivery complicated by disproportion or malposition of foetus.
675. Delivery complicated by prolonged labor of other origin.
676. Delivery with laceration of perineum, without mention of other laceration.
677. Delivery with other trauma.
678. Delivery with other complications of childbirth.
680. Puerperal urinary infection without other sepsis.
681. Sepsis of childbirth and the puerperium.
682. Puerperal phlebitis and thrombosis.
683. Pyrexia of unknown origin during the puerperium.
684. Puerperal pulmonary embolism.
685. Puerperal eclampsia.
686. Other forms of puerperal toxemia.
687. Cerebral hemorrhage in the puerperium.
688. Other and unspecified complications of the puerperium.
 (0) Anemia of puerperium.
 (1) Puerperal psychosis.
 (2) Sudden death from unknown cause in the puerperium.
 (3) Other.
689. Mastitis and other disorders of lactation.

XII. DISEASES OF THE SKIN AND CELLULAR TISSUE.

690. Boil and carbuncle.
 (0) Of face.
 (1) Of neck.
 (2) Of trunk.
 (3) Of upper arm and forearm.
 (4) Of hand.
 (5) Of buttock.
 (6) Of other parts of lower extremity.
 (7) Of other and multiple sites.
 (8) Of unspecified site.
691. Cellulitis of finger and toe.
692. Other cellulitis and abscess without mention of lymphangitis.
 (0) Of head and neck.
 (1) Of trunk.
 (2) Of upper arm and forearm.
 (3) Of hand, except fingers.
 (4) Of leg.
 (5) Of foot, except toes.
 (6) Of other, multiple, and unspecified sites.

XII. DISEASES OF THE SKIN AND CELLULAR TISSUE.
—*Cont.*

693. Other cellulitis and abscess with lymphangitis.
 (0) Of head and neck.
 (1) Of trunk.
 (2) Of upper arm and forearm.
 (3) Of hand, except fingers.
 (4) Of leg.
 (5) Of foot, except toes.
 (6) Of other, multiple, and unspecified sites.
694. Acute lymphadenitis.
695. Impetigo.
696. Infectious warts.
697. Molluscum contagiosum.
698. Other local infections of skin and subcutaneous tissue.
700. Seborrheic dermatitis.
701. Eczema.
702. Occupational dermatitis.
 (0) Due to plants.
 (1) Due to oils and greases.
 (2) Due to solvents.
 (3) Due to drugs.
 (4) Due to other chemicals.
 (5) Due to radiation.
 (6) Other.
703. Other dermatitis.
 (0) Due to plants.
 (1) Due to oils and greases.
 (2) Due to solvents.
 (3) Due to drugs.
 (4) Due to other chemicals.
 (5) Due to radiation.
 (6) Due to other specified agents.
 (7) Unqualified.
704. Pemphigus.
 (0) Dermatitis herpetiformis.
 (1) Other.
705. Erythematous conditions.
 (0) Toxic erythema.
 (1) Erythema multiforme (erythema iris)
 (2) Erythema nodosum.
 (3) Rosacea.
 (4) Lupus erythematosus.
 (5) Other and unqualified.
706. Psoriasis and similar disorders.
 (0) Psoriasis.
 (1) Parapsoriasis.
 (2) Pityriasis rosea.
 (3) Other and unspecified pityriasis.
 (4) Other.
707. Lichen planus.
708. Pruritus and related conditions.
 (0) Pruritus ani.
 (1) Pruritus of genital organs.
 (2) Prurigo.
 (3) Lichenification and lichen simplex chronicus.
 (4) Dermatitis factitia (artefacta).
 (5) Other pruritic conditions.
709. Corns and callosities.
710. Other hypertrophic and atrophic conditions of skin.
 (0) Scleroderma and dermatomyositis.
 (1) Keratoderma.
 (2) Hereditary edema of legs (Milroy's disease).
 (3) Striae atrophicæ.
 (4) Keloid scar.
 (5) Other hypertrophic and atrophic conditions of skin.
711. Other dermatoses.
712. Diseases of nail.
713. Diseases of hair and hair follicles.
714. Diseases of sweat and sebaceous glands.
 (0) Diseases of sweat glands.
 (1) Acne.
 (2) Other diseases of sebaceous glands.
715. Chronic ulcer of skin.
716. Other diseases of skin.

XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT.

720. Acute arthritis due to pyogenic organisms.
721. Acute nonpyogenic arthritis.

DETAILED INTERNATIONAL LIST — *Continued.*XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT.—*Cont.*

722. Rheumatoid arthritis and allied conditions.
 (0) Rheumatoid arthritis.
 (1) Spondylitis ankylopoietica.
 (2) Chronic rheumatoid nodular fibrositis.
723. Osteo-arthritis (arthrosis) and allied conditions.
 (0) Osteo-arthritis (arthrosis).
 (1) Spondylitis osteo-arthritis (sonpdy-larthrosis).
 (2) Adult osteochondrosis of spine.
724. Other specified forms of arthritis.
725. Arthritis, unspecified.
726. Muscular rheumatism.
 (0) Lumbago.
 (1) Myofibrosis of humeroscapular region.
 (2) Torticollis not specified as congenital, psychogenic, or traumatic.
 (3) Other muscular rheumatism, fibrositis, and myalgia.
727. Rheumatism, unspecified.
730. Osteomyelitis and periostitis.
 (0) Acute osteomyelitis.
 (1) Chronic osteomyelitis.
 (2) Unspecified osteomyelitis.
 (3) Periostitis without mention of osteomyelitis.
731. Osteitis deformans.
732. Osteochondrosis.
733. Other diseases of bone.
734. Internal derangement of knee joint.
735. Displacement of intervertebral disc.
736. Affection of sacro-iliac joint.
737. Ankylosis of joint.
 (0) Of spine.
 (1) Of shoulder.
 (2) Of elbow.
 (3) Of wrist.
 (4) Of finger.
 (5) Of hip.
 (6) Of knee.
 (7) Of ankle.
 (8) Of other and multiple sites.
 (9) Of unspecified site.
738. Other diseases of joint.
740. Bunion.
741. Synovitis, bursitis, and tenosynovitis without mention of occupational origin.
742. Synovitis, bursitis, and tenosynovitis of occupational origin.
743. Infective myositis and other inflammatory diseases of tendon and fascia.
744. Other diseases of muscle, tendon, and fascia.
 (0) Myasthenia gravis.
 (1) Inborn defect of muscle.
 (2) Other.
745. Curvature of spine.
746. Flat foot.
747. Hallux valgus and varus.
748. Clubfoot.
749. Other deformities.

XIV. CONGENITAL MALFORMATIONS.

750. Monstrosity.
751. Spina bifida and meningocele.
752. Congenital hydrocephalus.
753. Other congenital malformations of nervous system and sense organs.
 (0) Congenital cataract.
 (1) Other.
754. Congenital malformations of circulatory system.
 (0) Tetralogy of Fallot.
 (1) Patent ductus arteriosus (Botalli).
 (2) Interventricular septal defect.
 (3) Interauricular septal defect.
 (4) Other and unspecified malformations of heart.
 (5) Coarctation of aorta.
 (6) Other circulatory malformations.

XIV. CONGENITAL MALFORMATIONS.—*Cont.*

755. Cleft palate and harelip.
756. Congenital malformations of digestive system.
 (0) Congenital hypertrophic pyloric stenosis.
 (1) Imperforate anus.
 (2) Other.
757. Congenital malformations of genito-urinary system.
 (0) Undescended testicle.
 (1) Polycystic disease of kidney.
 (2) Congenital malformations of external genital organs.
 (3) Other.
758. Congenital malformations of bone and joint.
 (0) Congenital dislocation of hip.
 (1) Chondrodystrophy.
 (2) Congenital malformations of skull.
 (3) Brittle bones.
 (4) Cervical rib.
 (5) Congenital abnormalities of lumbosacral region.
 (6) Other congenital malformations of bone and joint.
759. Other and unspecified congenital malformations, not elsewhere classified.
 (0) Of respiratory system.
 (1) Of skin.
 (2) Of muscle.
 (3) Other and unspecified.

XV. CERTAIN DISEASES OF EARLY INFANCY.

760. Intracranial and spinal injury at birth.
 (0) Without mention of immaturity.
 (5) With immaturity.
761. Other birth injury.
 (0) Without mention of immaturity.
 (5) With immaturity.
762. Postnatal asphyxia and atelectasis.
 (0) Without mention of immaturity.
 (5) With immaturity.
763. Pneumonia of newborn.
 (0) Without mention of immaturity.
 (5) With immaturity.
764. Diarrhea of newborn.
 (0) Without mention of immaturity.
 (5) With immaturity.
765. Ophthalmia neonatorum.
 (0) Without mention of immaturity.
 (5) With immaturity.
766. Pemphigus neonatorum.
 (0) Without mention of immaturity.
 (5) With immaturity.
767. Umbilical sepsis.
 (0) Without mention of immaturity.
 (5) With immaturity.
768. Other sepsis of newborn.
 (0) Without mention of immaturity.
 (5) With immaturity.
769. Neonatal disorders arising from maternal toxemia.
 (0) Attributed to "toxemia of pregnancy," without mention of immaturity.
 (1) Attributed to maternal diabetes, without mention of immaturity.
 (2) Attributed to maternal rubella, without mention of immaturity.
 (3) Attributed to toxoplasmosis, without mention of immaturity.
 (4) Attributed to other or unspecified maternal toxemia, without mention of immaturity.
 (5) Attributed to "toxemia of pregnancy," with immaturity.
 (6) Attributed to maternal diabetes, with immaturity.
 (7) Attributed to maternal rubella, with immaturity.
 (8) Attributed to toxoplasmosis, with immaturity.
 (9) Attributed to other or unspecified maternal toxemia, with immaturity.

DETAILED INTERNATIONAL LIST — *Continued.*XV. CERTAIN DISEASES OF EARLY INFANCY.
—*Cont.*

770. Hemolytic disease of newborn (erythroblastosis).
 (0) Erythroblastosis without mention of nervous affection or immaturity.
 (1) Kernicterus, without mention of immaturity.
 (2) Erythroblastosis with disorder of liver other than icterus gravis, without mention of immaturity.
 (5) Erythroblastosis, without mention of nervous affection but with immaturity.
 (6) Kernicterus with immaturity.
 (7) Erythroblastosis with disorder of liver other than icterus gravis, with immaturity.
771. Hemorrhagic disease of newborn.
 (0) Without mention of immaturity.
 (5) With immaturity.
772. Nutritional maladjustment.
 (0) Without mention of immaturity.
 (5) With immaturity.
773. Ill-defined diseases peculiar to early infancy.
 (0) Without mention of immaturity.
 (5) With immaturity.
774. Immaturity with mention of any other subsidiary condition.
775. Immaturity subsidiary to some other cause.
776. Immaturity, unqualified.

XVI. SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS.

780. Certain symptoms referable to nervous system and special senses.
 (0) Coma and stupor.
 (1) Delirium.
 (2) Convulsions.
 (3) Jacksonian epilepsy.
 (4) Abnormal involuntary movement.
 (5) Disturbance of coordination.
 (6) Vertigo.
 (7) Disturbance of sleep.
 (8) Disturbance of memory.
 (9) Meningismus.
781. Other symptoms referable to nervous system and special senses.
 (0) Disturbance of vision except defective sight.
 (1) Oculomotor disturbance.
 (2) Photophobia.
 (3) Disturbance of hearing except deafness.
 (4) Disturbance of cranial nerves except optic, oculomotor, and auditory.
 (5) Stammering and stuttering.
 (6) Other disturbance of speech, including alexia and agraphia.
 (7) Other disturbance of sensation.
 (8) Encephalopathy.
 (9) Hallucinations.
782. Symptoms referable to cardiovascular and lymphatic system.
 (0) Precordial pain.
 (1) Palpitation.
 (2) Tachycardia.
 (3) Pallor and cyanosis (not of newborn).
 (4) Acute heart failure, undefined.
 (5) Syncope or collapse.
 (6) Edema and dropsy (not of newborn).
 (7) Enlargement of lymph node.
 (8) Splenomegaly.
 (9) Shock without mention of trauma.
783. Symptoms referable to respiratory system.
 (0) Epistaxis.
 (1) Hemoptysis.
 (2) Dyspnea.
 (3) Cough.
 (4) Excess of sputum.
 (5) Change in voice.
 (6) Stridor.
 (7) Pain in chest.
784. Symptoms referable to upper gastro-intestinal tract,
 (0) Anorexia.

XVI. SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS.—*Cont.*

- (1) Nausea and vomiting.
 (2) Pylorospasm.
 (3) Heartburn.
 (4) Dysphagia.
 (5) Hematemesis.
 (6) Excessive salivation.
 (7) Hiccough.
 (8) Eructation.
785. Symptoms referable to abdomen and lower gastro-intestinal system.
 (0) Abdominal swelling (not referable to any particular organ).
 (1) Hepatomegaly.
 (2) Jaundice.
 (3) Ascites.
 (4) Flatulence.
 (5) Abdominal pain.
 (6) Diarrhea, age 2 years and over.
 (7) Incontinence of feces.
 (8) Melena (age 1 year and over).
 (9) Visible peristalsis.
786. Symptoms referable to genito-urinary system.
 (0) Pain referable to urinary system.
 (1) Retention of urine.
 (2) Incontinence of urine.
 (3) Frequency of micturition.
 (4) Polyuria.
 (5) Oliguria, anuria (not of newborn).
 (6) Priapism.
 (7) Pain referable to genital organs, including dyspareunia.
787. Symptoms referable to limbs and back.
 (0) Transient paralysis of limb, cause unknown.
 (1) Pain in limb.
 (2) Swelling of limb.
 (3) Pain in joint.
 (4) Swelling of joint.
 (5) Pain in back.
 (6) Difficulty in walking.
 (7) Abnormality of gait.
788. Other general symptoms.
 (0) Dehydration.
 (1) Excessive sweating.
 (2) Rash.
 (3) Subcutaneous nodules.
 (4) Loss of weight.
 (5) Tetany.
 (6) Acidosis.
 (7) Alkalosis.
 (8) Pyrexia of unknown origin.
 (9) Other specified symptoms not classifiable elsewhere.
789. Abnormal urinary constituents of unspecified cause.
 (0) Albuminuria, unqualified.
 (1) Albuminuria, orthostatic.
 (2) Pyuria and bacteriuria.
 (3) Chyluria.
 (4) Hematuria.
 (5) Hemoglobinuria.
 (6) Glycosuria.
 (7) Acetonuria.
790. Nervousness and debility.
 (0) Nervousness.
 (1) Debility and undue fatigue.
 (2) Depression.
791. Headache.
792. Uremia, unqualified.
793. Observation, without need for further medical care.
 (0) Mental.
 (1) Other specified.
 (2) Unspecified.
794. Senility without mention of psychosis.
795. Ill-defined and unknown causes of mortality.
 (0) Other ill-defined conditions.
 (1) Malingerer.
 (2) Sudden death (cause unknown).
 (3) Found dead (cause unknown).
 (4) Died without sign of disease.
 (5) Other, unknown and unspecified causes.

DETAILED INTERNATIONAL LIST — *Continued.*

XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.

Accidents, poisonings and violence are classified according to external cause. Therefore, it should be understood that the letter E—External Cause, precedes all of the following categories. The latter, except 960–965, include only current injuries from accidents and other violence. Late effects of injury from accident, poisoning, and other violence are brought together under 960–965. Late effects refer to the usually inactive residual effects of indefinite duration after the acute illness from the injury has terminated.

- 800. Railway accident involving railroad employee.
- 801. Railway accident involving passenger.
- 802. Railway accident involving other and unspecified person.

The following subgrouping, indicated by addition of a fourth digit, has been used for 810–835.

- (0) Accident involving goods-transport vehicle(s), but no other motor vehicle.
- (1) Accident involving goods-transport vehicle and passenger motor vehicle.
- (2) Accident involving goods-transport vehicle and motor bus.
- (3) Accident involving goods-transport vehicle and unspecified motor vehicle.
- (4) Accident involving passenger motor vehicle(s), but no other motor vehicle.
- (5) Accident involving passenger motor vehicle and motor bus.
- (6) Accident involving passenger motor vehicle and unspecified motor vehicle.
- (7) Accident involving motor bus(es), but no other motor vehicle.
- (8) Accident involving motor bus and unspecified motor vehicle.
- (9) Accident involving unspecified motor vehicles.
- 810. Motor-vehicle traffic accident involving collision with railway train.
- 811. Motor-vehicle traffic accident involving collision with streetcar.
- 812. Motor-vehicle traffic accident to pedestrian.
- 813. Motor-vehicle traffic accident to rider of bicycle.
- 814. Motor-vehicle traffic accident to rider or passenger of motorcycle, in collision with nonmotor vehicle or object.
- 815. Motor-vehicle traffic accident to rider or passenger of motorcycle in collision with other motor vehicle.
- 816. Other motor-vehicle traffic accident involving two or more motor vehicles.
- 817. Motor-vehicle traffic accident to occupant of motor vehicle in collision with pedestrian or bicycle.
- 818. Motor-vehicle traffic accident involving collision with animal or animal-drawn vehicle.
- 819. Motor-vehicle traffic accident involving collision with fixed or unspecified object.
- 820. Motor-vehicle traffic accident while boarding and alighting.
- 821. Motor-vehicle traffic accident to rider of motorcycle not involving collision.
- 822. Motor-vehicle traffic accident involving overturning on highway.
- 823. Motor-vehicle traffic accident involving running off highway.
- 824. Other noncollision motor-vehicle traffic accident.
- 825. Motor-vehicle traffic accident of unspecified nature.
- 830. Motor-vehicle nontraffic accident to pedestrian.
- 831. Motor-vehicle nontraffic accident to rider of bicycle.
- 832. Motor-vehicle nontraffic accident to rider or passenger of motorcycle.

XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.
—*Cont.*

- 833. Other motor-vehicle nontraffic accident involving two or more motor vehicles.
- 834. Motor-vehicle nontraffic accident while boarding and alighting.
- 835. Motor-vehicle nontraffic accident of other and unspecified nature.
- 840. Streetcar accident to pedestrian.
- 841. Other streetcar accident, except collision with motor vehicle.
- 842. Accident to pedestrian caused by bicycle.
- 843. Accident to rider of bicycle not involving collision with motor vehicle.
- 844. Accident to pedestrian caused by other nonmotor road vehicle.
- 845. Other nonmotor road-vehicle accidents.
- 850. Drowning of occupant of small boat.
- 851. Other water-transport injury by drowning.
- 852. Falls on stairs and ladders in water transport.
- 853. Other falls from one level to another in water transport.
- 854. Falls on same level in water transport.
- 855. Unspecified falls in water transport.
- 856. Machinery accident in water transport.
- 857. Other specified accidents in water transport.
- 858. Water-transport accident of unspecified cause.
- 860. Accident to personnel in military aircraft.
- 861. Injury to occupant by accident to commercial "transport" aircraft.
- 862. Other injury in commercial "transport" aircraft.
- 863. Injury to occupant by accident to other aircraft.
- 864. Aircraft accident at airfield to person not in aircraft.
- 865. Aircraft accident elsewhere to person not in aircraft.
- 866. Other and unspecified aircraft accidents.

The following subgrouping indicated by the addition of a fourth digit has been used for nontransport accidents (870–936) to denote the place where the accident or poisoning occurred.

- (0) Home (including home premises and any noninstitutional place of residence).
- (1) Farm (including buildings and land under cultivation, but excluding farm home and home premises).
- (2) Mine and quarry.
- (3) Industrial place and premises.
- (4) Place or recreation and sport.
- (5) Street and highway.
- (6) Public building.
- (7) Resident institution.
- (8) Other specified places.
- (9) Place not specified.
- 870. Accidental poisoning by morphine and other opium derivatives.
- 871. Accidental poisoning by barbituric acid and derivatives.
- 872. Accidental poisoning by aspirin and salicylates.
- 873. Accidental poisoning by bromides.
- 874. Accidental poisoning by other analgesic and soporific drugs.
- 875. Accidental poisoning by sulphonamides.
- 876. Accidental poisoning by strychnine.
- 877. Accidental poisoning by belladonna, hyoscyne and atropine.
- 878. Accidental poisoning by other and unspecified drugs.
- 879. Accidental poisoning by noxious foodstuffs.
- 880. Accidental poisoning by alcohol.
- 881. Accidental poisoning by petroleum products.
- 882. Accidental poisoning by industrial solvents.
- 883. Accidental poisoning by corrosive aromatics, acids and caustic alkalis.
- 884. Accidental poisoning by mercury and its compounds.
- 885. Accidental poisoning by lead and its compounds.
- 886. Accidental poisoning by arsenic and antimony, and their compounds.
- 887. Accidental poisoning by fluorides.
- 888. Accidental poisoning by other and unspecified solid and liquid substances.

DETAILED INTERNATIONAL LIST — *Continued.*XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.
—*Cont.*

890. Accidental poisoning by utility (illuminating) gas.
891. Accidental poisoning by motor-vehicle exhaust gas.
892. Accidental poisoning by other carbon-monoxide gas.
893. Accidental poisoning by cyanide gas.
894. Accidental poisoning by other specified gases and vapors.
895. Accidental poisoning by unspecified gases and vapors.
900. Fall on stairs.
901. Fall from ladders.
902. Other falls from one level to another.
903. Fall on same level.
904. Unspecified falls.
910. Blow from falling object.
911. Accident caused by vehicle.
912. Accident caused by machinery.
913. Accident caused by cutting and piercing instruments.
914. Accident caused by electric current.
915. Accident caused by explosion of pressure vessel.
916. Accident caused by fire and explosion of combustible material.
917. Accident caused by hot substance, corrosive liquid, and steam.
918. Accident caused by radiation.
919. Accident caused by firearms.
920. Foreign body entering eye and adnexa.
921. Inhalation and ingestion of food causing obstruction or suffocation.
922. Inhalation and ingestion of other object causing obstruction or suffocation.
923. Foreign body entering other orifice.
924. Accidental mechanical suffocation in bed and crib.
925. Accidental mechanical suffocation in other and unspecified circumstances.
926. Lack of care of infants under 1 year of age.
927. Accidents caused by bites and stings of venomous animals and insects.
928. Other accidents caused by animals.
929. Accidental drowning and submersion.
930. High and low air pressure.
931. Excessive heat and insolation.
932. Excessive cold.
933. Hunger, thirst, and exposure.
934. Cataclysm.
935. Lightning.
936. Other and unspecified accidents.
940. Generalized vaccinia following vaccination.
941. Postvaccinal encephalitis.
942. Other complications of smallpox vaccination.
943. Post-immunization jaundice and hepatitis.
944. Other complications of prophylactic inoculation.
945. Complications of anesthesia for nontherapeutic purposes.
946. Other complications due to nontherapeutic medical and surgical procedures.
950. Therapeutic misadventure in surgical treatment.
951. Therapeutic misadventure in infusion or transfusion.
952. Therapeutic misadventure in local applications.
953. Therapeutic misadventure in administration of drugs or biologicals.
954. Therapeutic misadventure in anesthesia.
955. Other and unspecified therapeutic misadventure.
956. Late complication of surgical operation.
957. Late complication of amputation stump.

XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.
—*Cont.*

958. Late complication of irradiation
959. Late complications of other forms of treatment.
960. Late effect of motor-vehicle accident.
961. Late effect of accidental poisoning.
962. Late effect of other accidental injury.
963. Late effect of self-inflicted injury.
964. Late effect of injury purposely inflicted by another person (not in war).
965. Late effects of injuries due to war operations.
970. Suicide and self-inflicted poisoning by analgesic and soporific substances.
 - (1) Morphine and other opium derivatives.
 - (2) Barbituric acid and derivatives.
 - (3) Acetylsalicylic acid.
 - (4) Methyl salicylate.
 - (5) Other salicylates.
 - (6) Bromides.
 - (7) Antipyretic substances, not elsewhere classified.
 - (8) Others.
 - (9) Unspecified drugs.
971. Suicide and self-inflicted poisoning by other solid and liquid substances.
 - (1) Strychnine.
 - (2) Phenol compounds.
 - (3) Lye and potash.
 - (4) Cresol compounds.
 - (5) Mercury and its compounds.
 - (6) Arsenic and its compounds.
 - (7) Fluorides.
 - (8) Others.
972. Suicide and self-inflicted poisoning by gases in domestic use.
973. Suicide and self-inflicted poisoning by other gases.
 - (1) Motor-vehicle exhaust gas.
 - (2) Other motor exhaust gas.
 - (3) Other carbon monoxide gas.
 - (4) Other gases.
974. Suicide and self-inflicted injury by hanging and strangulation.
975. Suicide and self-inflicted injury by drowning and submersion.
976. Suicide and self-inflicted injury by firearms and explosives.
977. Suicide and self-inflicted injury by cutting and piercing instruments.
978. Suicide and self-inflicted injury by jumping from high place.
979. Suicide and self-inflicted injury by other and unspecified means.
980. Nonaccidental poisoning by another person.
981. Assault by firearms and explosives.
982. Assault by cutting and piercing instruments.
983. Assault by other means.
984. Injury by intervention of police.
985. Execution.
990. Injury due to war operations by gas and chemicals.
991. Injury due to war operations by gunshot.
992. Injury due to war operations by grenade and land mine.
993. Injury due to war operations by bomb.
994. Injury due to war operations by marine mine, depth charge, and torpedo.
995. Injury due to war operations by explosion of artillery shell.
996. Injury due to war operations by explosion of undetermined origin.
997. Injury due to war operations by aircraft destruction.
998. Injury due to war operations by other and unspecified means.
999. Injury due to war operations but occurring after cessation of hostilities.


2. ABBREVIATED LIST.

The following table shows each title of the Abbreviated List. The numbers of the titles of the Detailed International List included in each title of the abbreviated list appear in parentheses.

Abbreviated
List Number

CAUSE OF DEATH.

1. Tuberculosis of respiratory system (001-008).
2. Tuberculosis, other forms (010-019).
3. Syphilis and its sequelae (020-029).
4. Typhoid fever (040).
5. Cholera (043).
6. Dysentery, all forms (045-048).
7. Scarlet fever and streptococcal sore throat (050, 051).
8. Diphtheria (055).
9. Whooping cough (056).
10. Meningococcal infections (057).
11. Plague (058).
12. Acute poliomyelitis (080).
13. Smallpox (084).
14. Measles (085).
15. Typhus and other rickettsial diseases (100-108).
16. Malaria (110-117).
17. All other diseases classified as infective and parasitic (030-039, 041, 042, 044, 049, 052-054, 059-074, 081-083, 086-096, 120-138).
18. Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-205).
19. Benign and unspecified neoplasms (210-239).
20. Diabetes mellitus (260).
21. Anemias (290-293).
22. Vascular lesions affecting central nervous system (330-334).
23. Nonmeningococcal meningitis (340).
24. Rheumatic fever (400-402).
25. Chronic rheumatic heart disease (410-416).
26. Arteriosclerotic and degenerative heart disease (420-422).
27. Other diseases of heart (430-434).
28. Hypertension with heart disease (440-443).
29. Hypertension without mention of heart (444-447).
30. Influenza (480-483).
31. Pneumonia (490-493).
32. Bronchitis (500-502).
33. Ulcer of stomach and duodenum (540, 541).
34. Appendicitis (550-553).
35. Intestinal obstruction and hernia (560, 561, 570).
36. Gastritis, duodenitis, enteritis and colitis, except diarrhea of the newborn (543, 571, 572).
37. Cirrhosis of liver (581).
38. Nephritis and nephrosis (590-594).
39. Hyperplasia of prostate (610).
40. Complications of pregnancy, childbirth and the puerperium (640-652, 670-689).
41. Congenital malformations (750-759).
42. Birth injuries, postnatal asphyxia and atelectasis (760-762).
43. Infections of the newborn (763-768).
44. Other diseases peculiar to early infancy, and immaturity unqualified (769-776).
45. Senility without mention of psychosis, ill-defined and unknown causes (780-795).
46. All other diseases (240-254, 270-289, 294-326, 341-398, 450-475, 510-539, 542, 544, 545, 573-580, 582-587, 600-609, 611-637, 660, 690-749).
47. Motor-vehicle accidents (810-835).
48. All other accidents (800-802, 840-965).
49. Suicide and self-inflicted injury (970-979).
50. Homicide and operations of war (980-999).



BOSTON PUBLIC LIBRARY



3 9999 06351 662 7

MAR 29 1956

